Environmental Services Division

BROOKHAVEN
NATIONAL LABORATORY

Building 535A
P.O. Box 5000
Upton, NY 11973-5000
Phone 631 344-8370
Fax 631 344-5812
cunniff@bnl.gov

managed by Brookhaven Science Associates
for the U.S. Department of Energy

www.bnl.gov

December 19, 2000

Mr. Frank Crescenzo
Acting Brookhaven Group Manager
U. S. Department of Energy
Brookhaven Group
Upton, NY 11973

Dear Mr. Crescenzo:

SUBJECT: NPDES - Discharge Monitoring Report (DMR) for November 2000
REFERENCE: Letter from Scott Mallette to L. Cunniff dated November 27, 2000

Included as Attachment I, please find the DMR for the month of November 2000. Chemical analyses for the reported parameters are conducted by a NYS Department of Health certified contractor laboratory. Copies of the analytical reports are contained in Attachments II, and III. Field measured parameters (pH, settleable solids, flow) are recorded and/or measured by the Plant Engineering Division, Sewage Treatment Plant Operators or the Environmental Services Division, Field Sampling Team.

Review of the analytical data shows that all parameters met their respective SPDES effluent limitations this reporting period. Please note that for the majority of the Outfalls, flow measurements are conducted weekly or monthly; consequently, a daily maximum flow rate cannot be reported. All flow values reported for Outfalls 001, 002, 003, 004, 005, 006A, and 006B are, therefore, daily averages. Collection and analysis of the SPDES permit samples are performed in accordance with the guidelines of the BNL Quality Assurance program. These guidelines include the routine calibration of instruments, standard operating procedures for collection and analysis of samples, use of standard methods of analysis, and validation of the contractor analytical data by the BNL analytical services laboratory. Brookhaven National Laboratory personnel collected all samples. A Quality Assurance inspection is performed periodically on contractor laboratories. The Quality Assurance documentation is available from the Environmental Services Division and Plant Engineering Divisions.

Based on this information, we believe the values reported on the DMR are representative of the effluent from the BNL during the month of November 2000.

Please sign each page of the DMR where indicated and transmit the DMR and associated attachments to the New York State Department of Environmental Conservation and the Suffolk County Department of Health Services no later than December 28, 2000.

If there are any questions regarding the information contained on the DMR or the analytical data packages, please do not hesitate to contact M. Allocco at extension 3166.

Sincerely,

L. E. Cunniff, CEP
Division Manager



LEC/MA:pvg

Attachment I: Discharge Monitoring Report for November 2000.

Attachment II: Analytical Results from H2M Labs for samples collected on 11/6/00 and 11/8/00 from Outfall 001.

Attachment III: Analytical Results from H2M Labs for samples collected from Outfalls 001, 002, 003, 005, 006A, 006B, 007, 008, and 010.

cc:

M. Allocco	w/attachments
W. Chaloupka	w/attachments
G. Granzen	w/o attachments
M. Hart	w/o attachments
J. Higbie	w/attachments
C. Johnson	w/o attachments
R. Lee	w/attachments
E. Lessard	w/o attachments
D. Lowenstein	w/o attachments
E. Murphy	w/attachments
S. Ozaki	w/o attachments
W. Reeside	w/o attachments
L. Ross	w/attachments
T. Sheridan	w/o attachments
R. Travis	w/attachments
D. Van Duyne	w/attachments

EC62ER.00

Brookhaven National Laboratory
SPDES Permit No. NY0005835
Discharge Monitoring Report for November 2000
Discharge Monitoring Report Notes:

1. The reported concentration is estimated at less than the method detection limit but greater than the instrument detection limit.

2. There was no discharge from Outfalls 002A and 002B during this reporting period.

3. Since flow records are maintained on a weekly or monthly basis, the flow rate provided is the daily average.

4. In early September the flow monitoring equipment sustained electrical damage due to a lightening strike. The estimated flow was obtained using a standard Parshall Flume Discharge Table and weekly measurements of head height. A replacement flow meter has been ordered and will be installed as soon as it is received (estimate 4-6 weeks).

5. The calculated BOD percent removal is actually between 83 and 100 percent. The 5-day BOD analytical results for the samples collected on 11/6/00 and 11/8/00 were below the analytical detection limit and therefore the actual percent removal cannot be precisely determined.

6. Flow is estimated based upon an instantaneous flow measurement and the assumption that flow continued for the entire day (i.e., 1,440 minutes).

ATTACHMENT I

BROOKHAVEN NATIONAL LABORATORY

SPDES PERMIT NO. NY0005835

DISCHARGE MONITORING REPORT FOR NOVEMBER 2000

FOR OUTFALLS NO. 001 – 010

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if Different)*

NAME U S D O E

ADDRESS BROOKHAVEN NATIONAL LABORATORY
53 BELL AVE, BLDG 464
UPTON NY 11973

FACILITY BROOKHAVEN NATIONAL LABORATORY

LOCATION UPTON NY 11973

ATTN: GEORGE MALOSH, GROUP MGR

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

NY0005835	001 M
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	00	11	01	TO	00	11	30

MAJOR
(SUBR 01)
F - FINAL
PROCESS SANIT & STORMWTR RNOFF

*** NO DISCHARGE | | ***

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING AVERAGE	QUANTITY OR LOADING MAXIMUM	QUANTITY OR LOADING UNITS	Quality or Concentration MINIMUM	Quality or Concentration AVERAGE	Quality or Concentration MAXIMUM	Quality or Concentration UNITS	NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
TEMPERATURE, WATER DEG. FAHRENHEIT 00011 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	******	61	(15)	0	DAILY	GRAB
	PERMIT REQUIREMENT	******	******	***	******	******	90 DAILY MX	DEG.F		DAILY	GRAB
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	<2	<2	(19)	0	2/MO	COMP24
	PERMIT REQUIREMENT	******	******	****	******	10 DAILY AV	20 DAILY MX	MG/L		ONCE/ MONTH	COMP2
PH 00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		6.1	******	6.9	(12)	0	CONTINUOUS RCORDR	
	PERMIT REQUIREMENT	******	******	****	5.0 MINIMUM	******	9.0 MAXIMUM	SU		DAILY	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	<4	<4	(19)	0	2/MO	COMP24
	PERMIT REQUIREMENT	******	******	****	******	10 DAILY AV	20 DAILY MX	MG/L		ONCE/ MONTH	COMP2
SOLIDS, SETTLEABLE 00545 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	******	0.0	(25)	0	DAILY	GRAB
	PERMIT REQUIREMENT	******	******	****	******	******	0.1 DAILY MX	ML/L		DAILY	GRAB
NITROGEN, TOTAL (AS N) 00600 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	******	6.4	(19)	0	2/MO	COMP24
	PERMIT REQUIREMENT	******	******	****	******	******	10 DAILY MX	MG/L		ONCE/ MONTH	COMP2
NITROGEN, AMMONIA TOTAL (AS N) 00610 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	******	0.1	(19)	0	2/MO	COMP24
	PERMIT REQUIREMENT	******	******	****	******	******	2 DAILY MX	MG/L		ONCE/ MONTH	COMP2

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		TELEPHONE	DATE
Mr. Frank Crescenzo Group Manager	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	631-344-3424	
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE / NUMBER	YEAR / MO / DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

QUANTITIES OR CONCENTRATIONS OF RADIOACTIVITY IN EFFLUENT ARE SUBJECT TO REQUIREMENTS OF THE USDOE INCL BUT NOT LIMITED TO USDOE ORDER 5400.5. APPROX 15% OF STP DISCHARGE CAN BE TO GW VIA EXFILT FROM SFB'S. SEE PERMIT FOR ADDITIONAL NOTES COMMENTS AND REQUIREMENTS

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if Different)*
NAME U S D O E
ADDRESS BROOKHAVEN NATIONAL LABORATORY
53 BELL AVE, BLDG 464
UPTON NY 11973
FACILITY BROOKHAVEN NATIONAL LABORATORY
LOCATION UPTON NY 11973
ATTN: GEORGE MALOSH, GROUP MGR

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

NY0005835	001 M	MAJOR
PERMIT NUMBER	DISCHARGE NUMBER	(SUBR 01)
		F - FINAL
		PROCESS SANIT & STORMWTR RNOFF

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	00	11	01	TO	00	11	30

*** NO DISCHARGE | | ***
NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING AVERAGE	QUANTITY OR LOADING MAXIMUM	QUANTITY OR LOADING UNITS	Quality or Concentration MINIMUM	Quality or Concentration AVERAGE	Quality or Concentration MAXIMUM	Quality or Concentration UNITS	NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
PHOSPHORUS, TOTAL (AS P) 00665 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	******	0.8	(19)	0	2/MO	COMP24
	PERMIT REQUIREMENT	******	******	**** ****	******	******	REPORT DAILY MX	MG/L		ONCE/ MONTH	COMP24
CYANIDE, TOTAL (AS CN) 00720 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	******	< 10	(28)	0	2/MO	GRAB
	PERMIT REQUIREMENT	******	******	**** ****	******	******	100 DAILY MX	UG/L		TWICE/ MONTH	GRAB
COPPER, TOTAL (AS CU) 01042 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	******	0.04	(19)	0	2/MO	COMP24
	PERMIT REQUIREMENT	******	******	**** ****	******	******	0.15 DAILY MX	MG/L		ONCE/ MONTH	COMP24
IRON, TOTAL (AS FE) 01045 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	******	0.1	(19)	0	2/MO	COMP24
	PERMIT REQUIREMENT	******	******	**** ****	******	******	0.37 DAILY MX	MG/L		ONCE/ MONTH	COMP24
LEAD, TOTAL (AS PB) 01051 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	******	< 0.001	(19)	0	2/MO	COMP24
	PERMIT REQUIREMENT	******	******	**** ****	******	******	0.019 DAILY MX	MG/L		ONCE/ MONTH	COMP24
NICKEL, TOTAL (AS NI) See Note 1 01067 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	******	0.005	(19)	0	2/MO	COMP24
	PERMIT REQUIREMENT	******	******	**** ****	******	******	0.1 DAILY MX	MG/L		ONCE/ MONTH	COMP24
SILVER, TOTAL (AS AG) See Note 1 01077 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	******	0.001	(19)	0	2/MO	COMP24
	PERMIT REQUIREMENT	******	******	**** ****	******	******	0.013 DAILY MX	MG/L		ONCE/ MONTH	COMP24

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

Mr. Frank Crescenzo
Group Manager

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

AREA CODE	NUMBER
631	344-3424

DATE

YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

QUANTITIES OR CONCENTRATIONS OF RADIOACTIVITY IN EFFLUENT ARE SUBJECT TO REQUIREMENTS OF THE USDOE INCL-UDING BUT NOT LIMITED TO USDOE ORDER 5400.5. APPROX 15% OF STP DISCHARGE CAN BE TO GW VIA EXFILT FROM SFB'S. SEE PERMIT FOR ADDITIONAL NOTES COMMENTS AND REQUIREMENTS

NAME U S D O E

ADDRESS BROOKHAVEN NATIONAL LABORATORY
53 BELL AVE, BLDG 464
UPTON NY 11973

FACILITY BROOKHAVEN NATIONAL LABORATORY

LOCATION UPTON NY 11973

ATTN: GEORGE MALOSH, GROUP MGR

DISCHARGE MONITORING REPORT (DMR)

NY0005835 — PERMIT NUMBER

001 M — DISCHARGE NUMBER

MAJOR
(SUBR 01)
F - FINAL
PROCESS SANIT & STORMWTR RNOFF

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	00	11	01	TO	00	11	30

*** NO DISCHARGE | 1 | ***

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING AVERAGE	QUANTITY OR LOADING MAXIMUM	QUANTITY OR LOADING UNITS	Quality or Concentration MINIMUM	Quality or Concentration AVERAGE	Quality or Concentration MAXIMUM	Quality or Concentration UNITS	NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
ZINC, TOTAL (AS Z.)	SAMPLE MEASUREMENT	******	******		******	******	0.1	(19)	0	2/MO	COMP24
01092 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	*** ****	******	******	0.1 DAILY MX	MG/L		ONCE/ MONTH	COMP24
TOLUENE	SAMPLE MEASUREMENT	******	******		******	******	< 1	(28)	0	2/MO	GRAB
34010 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	*** ****	******	******	5 DAILY MX	UG/L		TWICE/ MONTH	GRAB
METHYLENE CHLORIDE	SAMPLE MEASUREMENT	******	******		******	******	< 1	(28)	0	2/MO	GRAB
34423 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	*** ****	******	******	5 DAILY MX	UG/L		TWICE/ MONTH	GRAB
1,1,1-TRICHLORO-ETHANE	SAMPLE MEASUREMENT	******	******		******	******	< 1	(28)	0	2/MO	GRAB
34506 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	*** ****	******	******	5 DAILY MX	UG/L		TWICE/ MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT	0.7	0.8	(03)	******	******	******		0	CONTINUOUS RCORDR	
50050 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT DAILY AV	2.3 DAILY MX	MGD	******	******	******	*** ****		CONTINUOUS	RCORDR
MERCURY, TOTAL (AS HG)	SAMPLE MEASUREMENT	******	******		******	******	<0.0001	(19)	0	2/MO	COMP24
71900 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	*** ****	******	******	0.0008 DAILY MX	MG/L		ONCE/ MONTH	COMP24
COLIFORM, FECAL GENERAL	SAMPLE MEASUREMENT	******	******		******	3	4	(13)	0	2/MO	GRAB
74055 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	*** ****	******	200 DAILY AV	400 DAILY MX	#/ 100ML		ONCE/ MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

Mr. Frank Crescenzo
Group Manager

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

AREA CODE 631 NUMBER 344-3414

DATE

YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

QUANTITIES OR CONCENTRATIONS OF RADIOACTIVITY IN EFFLUENT ARE SUBJECT TO REQUIREMENTS OF T E USDOE INCL BUT NOT LIMITED TO USDOE ORDER 5400.5. APPROX 15% OF STP DISCHARGE CAN BE TO GW VIA EXFIL T FROM SFB'S. SEE PERMIT FOR ADDITIONAL NOTES COMMENTS AND REQUIREMENTS

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if Different)*
NAME U S D O E
ADDRESS BROOKHAVEN NATIONAL LABORATORY
53 BELL AVE, BLDG 464
UPTON NY 11973
FACILITY BROOKHAVEN NATIONAL LABORATORY
LOCATION UPTON NY 11973
ATTN: GEORGE MALOSH, GROUP MGR

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

NY0005835 — PERMIT NUMBER
001 M — DISCHARGE NUMBER

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	00	11	01	TO	00	11	30

MAJOR
(SUBR 01)
F - FINAL
PROCESS SANIT & STORMWTR RNOFF

*** NO DISCHARGE | | ***
NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING AVERAGE	QUANTITY OR LOADING MAXIMUM	QUANTITY OR LOADING UNITS	Quality or Concentration MINIMUM	Quality or Concentration AVERAGE	Quality or Concentration MAXIMUM	Quality or Concentration UNITS	NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
2-BUTANONE	SAMPLE MEASUREMENT	******	******		******	******	< 1	(28)	0	2/MO	GRAB
78356 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	*****	******	******	50 DAILY MX	UG/L		TWICE/ MONTH	GRAB
BOD, 5-DAY PERCENT REMOVAL See Note 5	SAMPLE MEASUREMENT	******	******		> 83	******	******	(23)	0	2/MO	CALCTD
81010 K 0 0 PERCENTREMOVAL	PERMIT REQUIREMENT	******	******	*****	85 MO AV MN	******	******	PER-CENT		ONCE/ MONTH	CALCTD
SOLIDS, SUSPENDED PERCENT REMOVAL	SAMPLE MEASUREMENT	******	******		> 89	******	******	(23)	0	2/MO	CALCTD
81011 K 0 0 PERCENTREMOVAL	PERMIT REQUIREMENT	******	******	*****	85 MO AV MN	******	******	PER-CENT		ONCE/ MONTH	CALCTD
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Mr. Frank Crescenzo
Group Manager
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE
631-344-3424
AREA CODE | NUMBER

DATE
YEAR | MO | DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

QUANTITIES OR CONCENTRATIONS OF RADIOACTIVITY IN EFFLUENT ARE SUBJECT TO REQUIREMENTS OF THE USDOE INCL BUT NOT LIMITED TO USDOE ORDER 5400.5. APPROX 15% OF STP DISCHARGE CAN BE TO GW VIA EXFILT FROM SFB'S. SEE PERMIT FOR ADDITIONAL NOTES COMMENTS AND REQUIREMENTS

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

NAME U S D O E

ADDRESS BROOKHAVEN NATIONAL LABORATORY
53 BELL AVE, BLDG 464
UPTON NY 11973

FACILITY BROOKHAVEN NATIONAL LABORATORY

LOCATION UPTON NY 11973

ATTN: GEORGE MALOSH, GROUP MGR

NY0005835 — PERMIT NUMBER

002 A — DISCHARGE NUMBER

MAJOR
(SUBR 01)
F - FINAL
BRAHMS (1002) & PHOBOS (1010) CT

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	00	11	01	TO	00	11	30

*** NO DISCHARGE | | *** (X)

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING AVERAGE	QUANTITY OR LOADING MAXIMUM	QUANTITY OR LOADING UNITS	Quality or Concentration MINIMUM	Quality or Concentration AVERAGE	Quality or Concentration MAXIMUM	Quality or Concentration UNITS	NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
PH	SAMPLE MEASUREMENT	******	******			******		(12)			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	******	REPORT MINIMUM	******	9.0 MAXIMUM	SU		ONCE/ MONTH	GRAB
OIL & GREASE	SAMPLE MEASUREMENT	******	******		******	******		(19)			
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	******	******	******	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT	******	No Discharge	(03)	******	******	******				
50050 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	REPORT DAILY MX	MGD	******	******	******	******		ONCE/ MONTH	RECORDR
See Note 2	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

Mr. Frank Crescenzo
Group Manager

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: AREA CODE 631 — NUMBER 344-3424

DATE: YEAR — MO — DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

DISCHARGE MAY BE DIRECTED TO SURROUNDING LOW LYING AREA INSIDE ROADWAY THAT IS INSIDE RHIC RING. ONCE SW COLLECTION SYS IS EXTENDED TO 1010, THE PHOBOS DETECTOR'S C T B SHOULD BE DIRECTED TO OUTFALL #002 & BRAHMS C T B SHOULD BE DIRECTED TO NEW DISCHARGE BASIN. NO TRI CHEMS WITHOUT PRIOR DEC APPROVAL.

PERMITTEE NAME/ADDRESS *(Include Facility Name/ Location if Different)*
NAME U S D O E
ADDRESS BROOKHAVEN NATIONAL LABORATORY
53 BELL AVE, BLDG 464
UPTON NY 11973
FACILITY BROOKHAVEN NATIONAL LABORATORY
LOCATION UPTON NY 11973
ATTN: GEORGE MALOSH, GROUP MGR

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

NY0005835 — PERMIT NUMBER
002 B — DISCHARGE NUMBER

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	00	11	01	TO	00	11	30

MAJOR
(SUBR 01)
F - FINAL
RF(1004) COOLING TOWER BLOWDN

*** NO DISCHARGE | X | ***
NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING AVERAGE	QUANTITY OR LOADING MAXIMUM	QUANTITY OR LOADING UNITS	Quality or Concentration MINIMUM	Quality or Concentration AVERAGE	Quality or Concentration MAXIMUM	Quality or Concentration UNITS	NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
PH	SAMPLE MEASUREMENT	******	******			******		(12)			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	*****	REPORT MINIMUM	******	9.0 MAXIMUM	SU		ONCE/ MONTH	GRAB
OIL & GREASE	SAMPLE MEASUREMENT	******	******		******	******		(19)			
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	*****	******	******	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	No Discharge	(03)	******	******	******				
	PERMIT REQUIREMENT	******	REPORT DAILY MX	MGD	******	******	******	*****		ONCE/ MONTH	RCORDR
See Note 2	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Mr. Frank Crescenzo
group Manager
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE
631-344-3424
AREA CODE | NUMBER

DATE
YEAR | MO | DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

DISCHARGE MAY BE DIRECTED TO SURROUNDING LOW LYING AREA INSIDE ROADWAY THAT IS INSIDE RHIC RING. ONCE STORMWATER COLLECTION SYSTEM IS EXTENDED TO BLDG 1010 & A NEW RECHARGE BASIN IS CONSTRUCTED, DISCHARGE SHOULD BE TO NEW BASIN.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)
NAME U S D O E
ADDRESS BROOKHAVEN NATIONAL LABORATORY
53 BELL AVE, BLDG 464
UPTON NY 11973
FACILITY BROOKHAVEN NATIONAL LABORATORY
LOCATION UPTON NY 11973
ATTN: GEORGE MALOSI, GROUP MGR

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

NY0005835 — PERMIT NUMBER
002 M — DISCHARGE NUMBER

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	00	11	01	TO	00	11	30

MAJOR
(SUBR 01)
F - FINAL
AGS NON-C COOLNG,PRCP,ETC (HN)

*** NO DISCHARGE | | ***
NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING AVERAGE	QUANTITY OR LOADING MAXIMUM	QUANTITY OR LOADING UNITS	Quality or Concentration MINIMUM	Quality or Concentration AVERAGE	Quality or Concentration MAXIMUM	Quality or Concentration UNITS	NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
PH	SAMPLE MEASUREMENT	******	******		6.3	******	7.3	(12)	0	5/MO	GRAB
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	***** *****	REPORT MINIMUM	******	9.0 MAXIMUM	SU		ONCE/ MONTH	GRAB
OIL & GREASE	SAMPLE MEASUREMENT	** ****	******		******	******	< 5	(19)	0	1/MO	GRAB
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	**** **	******	***** *****	******	******	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT	** ***	0.4	(03)	******	******	******		0	5/MO	RCORDR
50050 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	**** **	REPORT DAILY MX	MGD	******	******	******	***** *****		ONCE/ MONTH	RCORDR
See Note 3	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Mr. Frank Crescenzo
Group Manager
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: AREA CODE 631 — NUMBER 344-3424

DATE: YEAR — MO — DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SEE PERMIT FOR ADDITIONAL NOTES, COMMENTS AND REQUIREMENTS.
SAMPLING FOR THIS OUTFALL SHALL BE CONDUCTED AT A LOCATION DOWNSTREAM OF WHERE EXISTING DISCHARGE MIXES WITH THE EFFLUENT FROM E. LONDOON FROM THE STAR DETECTOR.

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if Different)*
NAME U S D O E
ADDRESS BROOKHAVEN NATIONAL LABORATORY
53 BELL AVE, BLDG 464
UPTON NY 11973
FACILITY BROOKHAVEN NATIONAL LABORATORY
LOCATION UPTON NY 11973
ATTN: GEORGE MALOSH, GROUP MGR

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

NY0005835 — PERMIT NUMBER
003 M — DISCHARGE NUMBER

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	00	11	01	TO	00	11	30

MAJOR
(SUBR 01)
F - FINAL
HFBR & AGS NON-C COOL,ETC (HO)

*** NO DISCHARGE | | ***
NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING AVERAGE	QUANTITY OR LOADING MAXIMUM	QUANTITY OR LOADING UNITS	Quality or Concentration MINIMUM	Quality or Concentration AVERAGE	Quality or Concentration MAXIMUM	Quality or Concentration UNITS	NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
PH 00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		6.5	******	7.6	(12)	0	5/MO	GRAB
	PERMIT REQUIREMENT	******	******	**** ****	REPORT MINIMUM	******	9.0 MAXIMUM	SU		ONCE/ MONTH	GRAB
OIL & GREASE 00556 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	******	< 5	(19)	0	1/MO	GRAB
	PERMIT REQUIREMENT	******	******	**** ****	******	******	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	0.2	(03)	******	******	******		0	5/MO	RCORDR
	PERMIT REQUIREMENT	******	REPORT DAILY MX	MGD	******	******	******	**** ****		ONCE/ MONTH	RCORDR
See Note 3	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		TELEPHONE	DATE
Mr. Frank Crescenzo Group Manager	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	631-344-3424	
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE / NUMBER	YEAR / MO / DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*
SEE PERMIT FOR ADDITIONAL NOTES, COMMENTS AND REQUIREMENTS

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location (If Different)*
NAME U S D O E
ADDRESS BROOKHAVEN NATIONAL LABORATORY
53 BELL AVE, BLDG 464
UPTON NY 11973
FACILITY BROOKHAVEN NATIONAL LABORATORY
LOCATION UPTON NY 11973
ATTN: GEORGE MALOSH, GROUP MGR

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

NY0005835 — PERMIT NUMBER
004 M — DISCHARGE NUMBER

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	00	11	01	TO	00	11	30

MAJOR
(SUBR 01)
F - FINAL
ARR NON-CONTACT COOLG WTR (HP)

*** NO DISCHARGE | | ***

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING AVERAGE	QUANTITY OR LOADING MAXIMUM	QUANTITY OR LOADING UNITS	Quality or Concentration MINIMUM	Quality or Concentration AVERAGE	Quality or Concentration MAXIMUM	Quality or Concentration UNITS	NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
PH	SAMPLE MEASUREMENT	******	******		5.9	******	5.9	(12)	0	1/MO	GRAB
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	REPORT MINIMUM	******	8.5 MAXIMUM	SU		ONCE/ MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT	******	0.05	(03)	******	******	******		0	1/MO	RCORDR
50050 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	REPORT DAILY MX	MGD	******	******	******	**** ****		ONCE/ MONTH	RCORDR
See Note 3	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Mr. Frank Crescenzo
Group Manager
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE
631-344-3424
AREA CODE | NUMBER

DATE
YEAR | MO | DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*
SEE PERMIT FOR ADDITIONL NOTES, COMMENTS & REQUIREMENTS

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location (If Different)*
NAME U S D O E
ADDRESS BROOKHAVEN NATIONAL LABORATORY
53 BELL AVE, BLDG 464
UPTON NY 11973
FACILITY BROOKHAVEN NATIONAL LABORATORY
LOCATION UPTON NY 11973
ATTN: GEORGE MALOSH, GROUP MGR

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

NY0005835 — PERMIT NUMBER
005 M — DISCHARGE NUMBER

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	00	11	01	TO	00	11	30

MAJOR
(SUBR 01)
F - FINAL
NSLS COOLING TOWR BLDN ETC(HS)

*** NO DISCHARGE | | ***
NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING AVERAGE	QUANTITY OR LOADING MAXIMUM	QUANTITY OR LOADING UNITS	Quality or Concentration MINIMUM	Quality or Concentration AVERAGE	Quality or Concentration MAXIMUM	Quality or Concentration UNITS	NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
PH	SAMPLE MEASUREMENT	******	******		6.3	******	7.5	(12)	0	5/MO	GRAB
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	REPORT MINIMUM	******	8.5 MAXIMUM	SU		ONCE/ MONTH	GRAB
OIL & GREASE	SAMPLE MEASUREMENT	******	******		******	******	< 5	(19)	0	1/MO	GRAB
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	******	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT	******	0.4	(03)	******	******	******		0	5/MO	RCORDR
50050 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT	******	REPORT DAILY MX	MGD	******	******	******	**** ****		ONCE/ MONTH	RCORDR
See Note 3	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Mr. Frank Crescenzo
Group Manager
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE
631-344-3424
AREA CODE | NUMBER

DATE
YEAR | MO | DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*
SEE PERMIT FOR ADDITIONAL NOTES, COMMENTS & REQUIREMENTS

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if Different)*
NAME U S D O E
ADDRESS BROOKHAVEN NATIONAL LABORATORY
53 BELL AVE, BLDG 464
UPTON NY 11973
FACILITY BROOKHAVEN NATIONAL LABORATORY
LOCATION UPTON NY 11973
ATTN: GEORGE MALOSH, GROUP MGR

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

NY0005835 — PERMIT NUMBER
007 M — DISCHARGE NUMBER

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	00	11	01	TO	00	11	30

MAJOR
(SUBR 01)
F - FINAL
WATER TREATMENT PLT BKWSH (HX)

*** NO DISCHARGE | | ***

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING AVERAGE	QUANTITY OR LOADING MAXIMUM	QUANTITY OR LOADING UNITS	Quality or Concentration MINIMUM	Quality or Concentration AVERAGE	Quality or Concentration MAXIMUM	Quality or Concentration UNITS	NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
FLOW RATE See Note 3	SAMPLE MEASUREMENT	******	320,000	(07)	******	******	******		0	13/MO	INSTAN
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	REPORT DAILY MX	GPD	******	******	******	*** ****		ONCE/ MONTH	INSTAN
PH	SAMPLE MEASUREMENT	******	******		7.1	******	7.1	(12)	0	1/MO	GRAB
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	REPORT MINIMUM	******	9.0 MAXIMUM	SU		ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	******	******		******	******	366,000	(28)	0	1/MO	GRAB
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	******	REPORT DAILY MX	UG/L		ONCE/ MONTH	GRAB
IRON, DISSOLVED (AS FE)	SAMPLE MEASUREMENT	******	******		******	******	1360 1.36	(28)	0	1/MO	GRAB
01046 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	******	REPORT DAILY MX	UG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

Mr. Frank Crescenzo
Group Manager

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: AREA CODE 631 — NUMBER 344-3424

DATE: YEAR — MO — DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

SAMPLES TO BE COLLECTED AT EFFLUENT PIPE TO WHICHEVER BASIN IS IN OPERATION AT THE TIME. STANDING WATER IN EITHER BASIN SHALL NOT BE COLLECTED FOR DMR SAMPLING PURPOSES.

SEE PERMIT FOR ADDITIONAL NOTES, COMMENTS & REQUIREMENTS

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location If Different)*
NAME U S D O E
ADDRESS BROOKHAVEN NATIONAL LABORATORY
53 BELL AVE, BLDG 464
UPTON NY 11973
FACILITY BROOKHAVEN NATIONAL LABORATORY
LOCATION UPTON NY 11973
ATTN: GEORGE MALOSH, GROUP MGR

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

NY0005835 — PERMIT NUMBER
008 M — DISCHARGE NUMBER

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	00	11	01	TO	00	11	30

MAJOR
(SUBR 01)
F - FINAL
STORMWTR RUNOFF WAREHOUSE (HW)

*** NO DISCHARGE | | ***
NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING AVERAGE	QUANTITY OR LOADING MAXIMUM	QUANTITY OR LOADING UNITS	Quality or Concentration MINIMUM	Quality or Concentration AVERAGE	Quality or Concentration MAXIMUM	Quality or Concentration UNITS	NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
FLOW RATE	SAMPLE MEASUREMENT	******	51,404	(07)	******	******	******		0	1/MO	INSTAN
See Note 6											
00056 1 0 0	PERMIT REQUIREMENT	******	REPORT DAILY MX	GPD	******	******	******	**** ****		ONCE/ MONTH	INSTAN
EFFLUENT GROSS VALUE											
PH	SAMPLE MEASUREMENT	******	******		6.4	******	6.4	(12)	0	1/MO	GRAB
00400 1 0 0	PERMIT REQUIREMENT	******	****** **** ****		REPORT MINIMUM	******	8.5 MAXIMUM	SU		ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE											
OIL & GREASE	SAMPLE MEASUREMENT	******	******		******	******	< 5	(19)	0	1/MO	GRAB
00556 1 0 0	PERMIT REQUIREMENT	******	****** **** ****		******	******	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE											
1,1-DICHLOROETHYLENE	SAMPLE MEASUREMENT	******	******		******	******	< 1	(28)	0	1/MO	GRAB
34501 1 0 0	PERMIT REQUIREMENT	******	****** **** ****		******	******	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE											
1,1,1-TRICHLORO-ETHANE	SAMPLE MEASUREMENT	******	******		******	******	< 1	(28)	0	1/MO	GRAB
34506 1 0 0	PERMIT REQUIREMENT	******	****** **** ****		******	******	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE											
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Mr. Frank Crescenzo
Group Manager
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE
631-344-3424
AREA CODE | NUMBER

DATE
YEAR | MO | DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*
PARAMETERS EXCEPT FOR FLOW TO BE SAMPLED MONTHLY DURING A STORM EVENT. (IF NO DISCHARGE, ENTER AN "X" IN THE "NO DISCHARGE" BOX AT THE UPPER RIGHT.) SEE PERMIT FOR ADDITIONAL NOTES, COMMENTS & REQUIREMENTS.

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if Different)*

NAME U S D O E

ADDRESS BROOKHAVEN NATIONAL LABORATORY
53 BELL AVE, BLDG 464
UPTON NY 11973

FACILITY BROOKHAVEN NATIONAL LABORATORY

LOCATION UPTON NY 11973

ATTN: GEORGE MALOSH, GROUP MGR

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

NY0005835	010 M	MAJOR
PERMIT NUMBER	DISCHARGE NUMBER	(SUBR 01)
		F - FINAL
		STORMWTR R O CENTRAL STEAM (H)

MONITORING PERIOD	YEAR	MO	DAY		YEAR	MO	DAY
FROM	00	11	01	TO	00	11	30

*** NO DISCHARGE | | | *** NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			Quality or Concentration				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE	SAMPLE MEASUREMENT	******	17,974	(07)	******	******	******		0	1/MO	INSTAN
See Note 6											
00056 1 0 0	PERMIT REQUIREMENT	******	REPORT DAILY MX	GPD	******	******	******	**** ****		ONCE/ MONTH	INSTAN
EFFLUENT GROSS VALUE											
PH	SAMPLE MEASUREMENT	******	******		6.6	******	6.6	(12)	0	1/MO	GRAB
00400 1 0 0	PERMIT REQUIREMENT	******	****** ****		REPORT MINIMUM	******	8.5 MAXIMUM	SU		ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE			****								
OIL & GREASE	SAMPLE MEASUREMENT	******	******		******	******	< 5	(19)	0	1/MO	GRAB
00556 1 0 0	PERMIT REQUIREMENT	******	****** ****		******	******	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE			****								
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		TELEPHONE	DATE
Mr. Frank Crescenzo Group Manager	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	631-344-3424	
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE / NUMBER	YEAR / MO / DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

PARAMETERS EXCEPT FOR FLOW TO BE SAMPLED MONTHLY DURING STORM EVENT. (IF NO DISCHARGE, ENTER "X" IN THE "NO DISCHARGE" BOX AT THE UPPER RIGHT). SEE PERMIT FOR ADDITIONAL NOTES, COMMENTS AND REQUIREMENTS

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if Different)*
NAME U S D O E
ADDRESS BROOKHAVEN NATIONAL LABORATORY
53 BELL AVE, BLDG 464
UPTON NY 11973
FACILITY BROOKHAVEN NATIONAL LABORATORY
LOCATION UPTON NY 11973
ATTN: GEORGE MALOSH, GROUP MGR

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

NY0005835 — PERMIT NUMBER
06A M — DISCHARGE NUMBER

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	00	11	01	TO	00	11	30

MAJOR
(SUBR 01)
F - FINAL
LINAC UCCW, FLOOR DNS,ETC(HT1)

*** NO DISCHARGE | | ***

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING AVERAGE	QUANTITY OR LOADING MAXIMUM	QUANTITY OR LOADING UNITS	Quality or Concentration MINIMUM	Quality or Concentration AVERAGE	Quality or Concentration MAXIMUM	Quality or Concentration UNITS	NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
PH	SAMPLE MEASUREMENT	*******	*******		6.6	*******	7.2	(12)	0	5/MO	GRAB
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*******	*******	**** ****	REPORT MINIMUM	*******	9.0 MAXIMUM	SU		ONCE/ MONTH	GRAB
OIL & GREASE	SAMPLE MEASUREMENT	*******	*******		*******	*******	< 5	(19)	0	1/MO	GRAB
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*******	*******	**** ****	*******	*******	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT	** ***	0.002	(03)	*******	*******	*******		0	5/MO	RCORDR
50050 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*******	REPORT DAILY MX	MGD	*******	*******	** ***	**** ****		ONCE/ MONTH	RCORDR
See Note 3	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Mr. Frank Crescenzo
Group Manager
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE
631-344-3424
AREA CODE | NUMBER

DATE
YEAR | MO | DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*
SEE PERMIT FOR ADDITIONAL NOTES, COMMENTS AND REQUIREMENTS

PERMITTEE NAME/ADDRESS *(Include Facility Name/ Location if Different)*
NAME U S D O E
ADDRESS BROOKHAVEN NATIONAL LABORATORY
53 BELL AVE, BLDG 464
UPTON NY 11973
FACILITY BROOKHAVEN NATIONAL LABORATORY
LOCATION UPTON NY 11973
ATTN: GEORGE MALOSH, GROUP MGR

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

NY0005835 — PERMIT NUMBER
06B M — DISCHARGE NUMBER

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	00	11	01	TO	00	11	30

MAJOR
(SUBR 01)
F - FINAL
COOLING TOWR FROM 919 ETC(HT2)

*** NO DISCHARGE | | ***
NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING AVERAGE	QUANTITY OR LOADING MAXIMUM	QUANTITY OR LOADING UNITS	Quality or Concentration MINIMUM	Quality or Concentration AVERAGE	Quality or Concentration MAXIMUM	Quality or Concentration UNITS	NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
PH	SAMPLE MEASUREMENT	******	******		6.8	******	7.5	(12)	0	5/MO	GRAB
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	REPORT MINIMUM	******	9.0 MAXIMUM	SU		ONCE/ MONTH	GRAB
OIL & GREASE	SAMPLE MEASUREMENT	******	******		******	******	< 5	(19)	0	1/MO	GRAB
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	******	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT	******	E 0.07	(03)	******	******	******		0	5/MO	INSTAN
50050 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	REPORT DAILY MX	MGD	******	******	******	**** ****		ONCE/ MONTH	RCORDR
See Note 4	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		TELEPHONE	DATE
Mr. Frank Crescenzo Group Manager	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	631-344-3424	
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE / NUMBER	YEAR / MO / DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

SEE PERMIT FOR ADDITIONAL NOTES, COMMENTS & REQUIREMENTS