



---

**BROOKHAVEN NATIONAL LABORATORY**  
**2007 ENVIRONMENTAL MONITORING**  
**REPORT**  
**CURRENT AND FORMER LANDFILL AREAS**

---

*Prepared by*  
**Brookhaven National Laboratory**  
**Environmental and Waste Management Services Division**  
**Upton, New York**

**March 17, 2008**



## TABLE OF CONTENTS

Executive Summary.....	i
1.0 INTRODUCTION.....	1
1.1 Site Description and Project Background .....	2
1.2 Overview of the Monitoring Program.....	4
2.0 GROUNDWATER MONITORING.....	5
2.1 Monitoring Well Networks .....	5
2.1.1 Current Landfill .....	5
2.1.2 Former Landfill .....	6
2.1.3 Sampling Frequency and Analytical Parameters .....	7
2.1.4 Quality Assurance / Quality Control .....	7
2.2 Landfill Groundwater Monitoring Results.....	8
2.2.1 Current Landfill .....	9
2.2.2 Former Landfill .....	13
3.0 WOODED WETLAND MONITORING.....	14
Surface Water .....	15
4.0 SOIL-GAS MONITORING.....	16
4.1 Soil-gas Monitoring Networks .....	16
4.1.1 Current Landfill.....	16
4.1.2 Former Landfill Area .....	16
4.1.3 Sampling Frequency .....	16
4.2 Results of Soil-Gas Monitoring .....	17
4.2.1 Current Landfill.....	17
4.2.2 Former Landfill Area .....	18
5.0 MAINTENANCE AND REPAIR.....	19
5.1 Landfill Cap and Gas Vents .....	19
5.2 Drainage Structures.....	20
5.3 Environmental Monitoring System.....	20
5.4 Related Structures .....	20
6.0 CONCLUSIONS AND RECOMMENDATIONS.....	20
6.1 Groundwater Monitoring .....	20
6.1.1 Conclusions for the Current Landfill .....	20
6.1.2 Recommendations for the Current Landfill .....	21
6.1.3 Conclusions for the Former Landfill.....	22
6.1.4 Recommendations for the Former Landfill .....	22
6.2 Soil-gas Monitoring .....	22
6.2.1 Conclusions for the Current Landfill .....	22
6.2.2 Recommendations for the Current Landfill .....	22
6.2.3 Conclusions for the Former Landfill.....	22
6.2.4 Recommendations for the Former Landfill .....	23
6.3 Maintenance and Repair.....	23
6.3.1 Current Landfill.....	23
6.3.2 Former Landfill Area .....	23
7.0 REFERENCES.....	23

## **LIST OF TABLES**

1. Analytical Requirements For Groundwater Samples
2. Current Landfill – Summary of 2007 VOC Data
3. Current Landfill – Summary of 2007 Water Chemistry Data
4. Current Landfill – Summary of 2007 Metals Data
5. Current Landfill – Summary of 2007 Radionuclide Data
6. Former Landfill – Summary of 2007 VOC Data
7. Former Landfill – Summary of 2007 Water Chemistry Data
8. Former Landfill – Summary of 2007 Metals Data
9. Former Landfill – Summary of 2007 Pesticide/PCB Data
10. Former Landfill – Summary of 2007 Radionuclide Data
11. Soil-gas Monitoring Well Description
12. 2007 Current Landfill Soil-gas Monitoring Summary
13. 2007 Former Landfill Soil-gas Monitoring Summary

## **LIST OF FIGURES**

1. Site Location Map
2. Current Landfill Monitoring Well Locations
3. Former Landfill Monitoring Well Locations
4. Water Table Contour Map
5. Current Landfill VOC Trend Plots
6. Current Landfill Alkalinity and Chloride Trend Plots
7. Current Landfill Iron Trend Plots
8. Current Landfill Tritium and Strontium-90 Trend Plots
9. Former Landfill VOC Trend Plots
10. Former Landfill Alkalinity and Chloride Trend Plots
11. Former Landfill Iron Trend Plots
12. Former Landfill Tritium and Strontium-90 Trend Plots
13. Current Landfill Soil-gas Monitor Location Map
14. Former Landfill Soil-gas Monitor Location Map

## **LIST OF APPENDICES**

- A.** Operable Unit I Wooded Wetlands Supplemental Surface Water and Sediment Sampling and Analysis Report
- B.** Soil-gas Sampling Field Notes
- C.** Monthly Site Landfill Inspection Forms
- D.** Historical Soil-Gas Monitoring Data

## **ACRONYMS**

BNL	Brookhaven National Laboratory	NYSDEC	NY State Dept. of Environmental Conservation
BSA	Brookhaven Science Associates	NYSDOH	NY State Dept. of Health
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act	O&M	Operations and Maintenance
CLF	Current Landfill	OU	Operable Unit
DCG	Derived concentration guides	PCBs	polychlorinated biphenyls
DOE	U.S. Department of Energy	QA/QC	Quality Assurance/Quality Control
DQOs	Data quality objectives	QAPP	Quality Assurance Project Plan
EIMS	Environmental Info. Mgmt. System	Sr-90	Strontium 90
FLF	Former Landfill	TDS	Total dissolved solids
HWMF	Former Hazardous Waste Management Facility	TKN	Total Kjeldahl nitrogen
LEL	Lower explosive limit	TSS	Total suspended solids
MS/MSDs	Matrix spike/matrix spike duplicates	TVOCs	Total volatile organic compounds
NPL	National Priorities List	UEL	Upper explosive limit
		VOCs	Volatile organic compounds

**THIS PAGE LEFT INTENTIONALLY BLANK**

**BROOKHAVEN NATIONAL LABORATORY**  
**2007 ENVIRONMENTAL MONITORING REPORT**  
**CURRENT AND FORMER LANDFILL AREAS**

***Executive Summary***

This report documents the Operations and Maintenance activities undertaken during the calendar year 2007 for the Current Landfill and the Former Landfill Areas (Former Landfill, Interim Landfill, and Slit Trench). Brookhaven National Laboratory is responsible for performing this work to comply with the post-closure O&M requirements specified in 6 New York State Code of Rules and Regulations (NYCRR) Part 360, Solid Waste Management Facilities, effective December 31, 1988. The landfill caps are functioning as designed and the 2007 results are consistent with results from previous years.

**GROUNDWATER QUALITY**

The groundwater quality at both the Current and Former Landfill Areas remains relatively unchanged from 2006. Volatile Organic compounds (VOCs) and metals continue to be detected downgradient of the Current Landfill. The most prevalent VOCs detected above standards are chloroethane and benzene, at maximum concentrations of 36.1 µg/L and 2.52 µg/L, respectively. As with previous years, iron, manganese, and arsenic were detected downgradient from the Current Landfill at concentrations above applicable standards. Concentrations of these metals were similar to those detected in 2006. Maximum concentrations of iron, manganese, and arsenic in downgradient wells were 74,400 µg/L, 5,240 µg/L, and 25.9 µg/L, respectively.

Concentrations of parameters detected in wells downgradient of the Former Landfill do not indicate the presence of leachate. VOCs were not detected above standards in Former Landfill monitoring wells. Leachate indicator parameters and metals concentrations were generally the same when comparing downgradient monitoring wells to upgradient monitoring wells.

The groundwater monitoring programs for the Current and Former Landfill Areas are adequate. No changes are recommended at this time.

**WOODED WETLANDS MONITORING**

The results of the May 2007 sediment and surface water sampling program indicate no elevated risk to adult salamanders from sediments in the South or North Ponds. The average sediment sample concentrations for both ponds were lower than the maximum and/or background concentrations that would result in an elevated hazard quotient, as discussed in the *Final Focused Ecological Risk Assessment for OU I*. This is consistent with the results from 2006. No changes to the monitoring program are recommended.

**SOIL-GAS MONITORING**

Soil-gas monitoring at the Current Landfill indicates that decomposition is still occurring. However, as with prior years, there is no indication that the vapors are migrating beyond the monitoring well network. Therefore, there is no threat to the nearby National Weather Service building. Soil-gas monitoring at the Former Landfill indicates that there are only minimal detects of hydrogen sulfide, with no detectable levels of methane present. The soil gas monitoring programs are sufficient to monitor both landfill areas.

## **MAINTENANCE AND REPAIR**

Monthly inspections and maintenance continued throughout 2007. To prevent ruts in the landfills caused by the weight of the lawn mowers and a significant amount of precipitation, the cutting of the grass was suspended until optimal soil conditions are evident. This pattern of vegetation control will continue.

## **1.0 INTRODUCTION**

This report documents the Operation and Maintenance (O&M) activities undertaken during calendar year 2007 for the Current Landfill and the Former Landfill Areas (Former Landfill, Interim Landfill, and Slit Trench). Brookhaven National Laboratory (BNL) is responsible for performing this work to comply with the post-closure O&M requirements specified in the 6 New York State Code of Rules and Regulations (6NYCRR) Part 360, Solid Waste Management Facilities, effective December 31, 1988. The details of the O&M programs are described in the Final Operations and Maintenance Manuals for the Current Landfill (CDM Federal, 1996a) and the Former Landfill Areas (CDM Federal, 1996b).

The following are the primary objectives of the O&M program:

- Monitor the effectiveness of the impermeable caps in protecting groundwater quality;
- Monitor the potential generation and migration of soil-gas; and
- Maintain and monitor the various components of the closure system (landfill caps, drainage structure, and environmental monitoring systems).

This is the twelfth year of O&M for the Current Landfill, the eleventh year for the Former Landfill and Slit Trench, and the tenth year for the Interim Landfill.

### **1.1 Site Description and Project Background**

BNL is a 5,265-acre site located in central eastern Long Island, New York. The facility is a federally owned and funded international research and learning center managed, by Brookhaven Science Associates (BSA) under contract with the United States Department of Energy (DOE). On December 21, 1989, the site was placed on the United States Environmental Protection Agency's (USEPA's) National Priorities List (NPL), a ranking of hazardous waste sites compiled by the federal government as part of the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA). Placing BNL on the NPL resulted in the establishment of a remediation-task list for various locations around the facility. The site subsequently was divided into seven separate remediation work areas known as Operable Units (OU). The Current Landfill and Former Landfill

Area are located in OU I, near the south central portion of the BNL site (see Figure 1).

Current Landfill (CLF). The Current Landfill consists of one unlined waste-cell that was operated from the late 1960s until 1990 for disposing of waste generated at the Laboratory. An impermeable cap covering the cell was completed in November 1995. Additional information about the cap's construction can be obtained from the *Construction Certification Report for the Current Landfill* (CDM Federal, 1996b). Following the installation of the cap, the post-closure groundwater-monitoring program was implemented in December 1996, in accordance with 6 NYCRR Part 360 section 2.15, Solid Waste Management Facilities (effective December 31, 1988).

Groundwater quality near the Current Landfill is monitored under the O&M program for a wide variety of volatile organic compounds (VOCs), metals, radiological, and water chemistry (landfill leachate) parameters. Monitoring in this vicinity was expanded in 1999 to include a wetland area adjacent to the landfill's eastern boundary. This area, known as the Wooded Wetland area, is a two-acre wetland located between the Former Hazardous Waste Management Facility (HWMF) and the Current Landfill. The wetland receives surface runoff from the Current Landfill and usually is flooded during the spring/early summer and dry in late summer/fall. Monitoring of the Wooded Wetland area has been incorporated into the Current Landfill Monitoring Program and consists of sampling and analyzing surface water and sediment to evaluate the potential for leachate migrating into this area, as originally performed under the *OU I Ecological Risk Assessment* (CDM Federal, 1999).

As required under 6 NYCRR Part 360, groundwater quality must be monitored for a minimum of five years, after which the permittee may request modification of the sampling and analysis requirements. In October 2001, BNL submitted the *Five-Year Evaluation Report for the Current Landfill* (BNL, 2001). This report assessed groundwater trends over the five years after capping, and proposed changes to the sampling program. These changes were implemented in CY02.

Former Landfill (FLF.) The Former Landfill Area encompasses three closely located landfill units; the Former Landfill, the Slit Trench, and the Interim Landfill. The Former Landfill is an unlined waste-disposal area originally used by the United States Army in the 1940s. Waste disposal

operations ceased in 1966, and the landfill was covered with soil. The Interim Landfill also is unlined, and was reportedly used for approximately one year between the time the Former Landfill was closed and the Current Landfill was opened. The Slit Trench is unlined as well, and is believed to have been operated between 1960 and 1967 for disposal of construction and demolition debris (CDM Federal, 1996).

The Former Landfill and Slit Trench were capped in November 1996 and the Interim Landfill was capped in October 1997. Additional information about the construction of the caps can be found in the *Construction Certification Report for the Former Landfill* (Roy F. Weston, 1997) and *Construction Certification Report for the Interim Landfill Capping* (PW Grosser, 1997). BNL started O&M activities in December 1996 at the Former Landfill and Slit Trench, and in November 1997 at the Interim Landfill. Under this O&M program, groundwater quality in downgradient wells in the vicinity of the Former Landfill is monitored for VOCs, metals radionuclides, and landfill-leachate parameters.

In March 2002, BNL submitted a *Five-Year Evaluation Report for the Former Landfill* (P.W. Grosser, 2002), which assessed trends in groundwater quality over the five-year period following capping and proposed changes to the sampling program. These changes were implemented in CY03.

## **1.2 Overview of the Monitoring Program**

### ***Groundwater Monitoring***

Data quality objectives (DQOs) for each of BNL's groundwater monitoring programs are presented in the *BNL Environmental Monitoring Plan* (BNL, 2007). The design of the data collection network was optimized as part of the process. Such optimization continues annually as part of the O&M program and is based on the interpretation of new data as well as historical trends. The primary decision identified for the landfill monitoring programs is "Are the controls effectively improving groundwater quality below and downgradient of the landfill?"

Groundwater samples are collected from monitoring wells positioned upgradient and downgradient of each landfill area. Analytical data are reviewed, and determinations are made regarding the effectiveness of landfill controls.

The monitoring program for the landfill areas consists of:

*Soil-gas Monitoring*. Measurements of methane, Lower Explosive Limit (LEL), and hydrogen sulfide are taken quarterly from numerous monitoring locations surrounding the landfills to evaluate the movement of soil-gas from the landfills.

*Wooded Wetland Monitoring*. Surface waters and sediments in the wooded wetland adjacent to the eastern boundary of the Current Landfill are sampled annually to evaluate possible effects of landfill leachate on Tiger Salamander habitats. This work was incorporated into the routine landfill monitoring program, and is carried out annually (See Appendix A).

*Routine Visual Inspection, Maintenance, and Repair*. Monthly inspections are performed to monitor the structural and/or operational status of the landfill caps, drainage structures, and environmental monitoring systems.

*Leachate Discharge*. Visual inspections of the landfills are performed monthly to monitor for signs of leachate discharge. If observed, samples of the leachate are collected and analyzed.

These activities are discussed in greater detail in Sections 2 through 5 of this report. Section 6 contains the conclusions and recommendations. References are included in Section 7.

## 2.0 GROUNDWATER MONITORING

### 2.1 Monitoring Well Networks

#### 2.1.1 *Current Landfill*

Since February 1996, groundwater quality at the Current Landfill has been monitored using ten downgradient wells and one background monitoring well. Figure 2 depicts the location of the monitoring wells. Figure 3 shows the water table contours for December 2007. The depths of the screen intervals for the Current Landfill wells are listed below.

Well ID	Screen Interval (ft BLS)	Screen Zone
087-09*	24-34	Shallow Glacial
087-11	11-21	Shallow Glacial

087-23	25–40	Shallow Glacial
087-24	70–80	Mid Glacial
087-26	70–80	Mid Glacial
087-27	5–20	Shallow Glacial
088-109	6–21	Shallow Glacial
088-110	10–25	Shallow Glacial
088-21	5–20	Shallow Glacial
088-22	70–80	Mid Glacial
088-23	120–130	Deep Glacial

BLS = Below Land Surface

\*Background well

Screen zones were determined based on the following characteristics:

- Shallow Zone: typical water table within 10 ft of the screen zone.
- Intermediate Zone: typical water table between 10 ft and 100 ft above the screen zone.
- Deep Zone: typical water table >100 ft above the screen zone.

### **2.1.2 Former Landfill**

Since January 1997, groundwater quality at the Former Landfill area has been monitored using eight shallow monitoring wells (three background and five downgradient). The locations of the eight monitoring wells are presented in Figure 4. The direction of groundwater flow in the OU I area of the site is generally to the south-southeast. Figure 3 shows the December 2007 water table contours for the area. The screen zones for Former Landfill wells are summarized below.

Well ID	Screen Interval (ft BLS)	Screen Zone
086-42*	65–75	Mid Glacial
086-72*	41.5–56.5	Shallow Glacial
087-22*	43–53	Shallow Glacial
097-17	29–39	Shallow Glacial
097-64	29–44	Shallow Glacial
097-277	40–55	Shallow Glacial
106-02	55–65	Mid Glacial
106-30	29–44	Shallow Glacial

BLS = Below Land Surface

\*Background well

Screen zones were determined based on the following characteristics:

- Shallow Zone: typical water table within 10 ft of the screen zone.
- Intermediate Zone: typical water table between 10 ft and 100 ft above the screen zone.

### ***2.1.3 Sampling Frequency and Analytical Parameters***

Monitoring wells at both landfills were sampled in 2007 during the following periods:

Sampling Event	Sampling Dates
Round 1	February 1
Round 2	June 4, 19
Round 3	August 28
Round 4	November 19, 26

R&C Formation, Ltd. of Bellmore, New York conducted the groundwater sampling, and Severn Trent Laboratories, Inc. analyzed the samples. See Table 1 for a summary of analyses performed, by well and sampling round.

### ***2.1.4 Quality Assurance / Quality Control***

The groundwater samples were collected and analyzed in accordance with strict quality assurance, quality control (QA/QC) requirements as described in the BNL Groundwater Monitoring Program Quality Assurance Project Plan (QAPP) (BNL, 1999). The analytical results for groundwater samples collected during 2007 satisfied the data-quality objectives. The sampling team personnel are responsible for assuring that a master calibration/maintenance log is maintained for each field-measuring device (e.g., pH conductivity, turbidity meters). The sample coordinator provided a calibration/maintenance log for equipment supplied to the contractor's sampling teams.

The analytical results of samples collected for the Current and Former Landfill projects underwent data verification, using BNL standard operating procedures EM-SOP-203, Chemical Data Verification, and EM-SOP-204, Radiochemical Data Verification. These procedures are designed to verify the accuracy and/or completeness of analytical data. The data verification process is implemented to detect the most common analytical problems that affect the quality of the results. To accomplish this task, QA/QC items such as the following were checked: holding times, matrix spikes, laboratory and field blanks, and field logs. If items are found that can affect the use and interpretation of the data, they are either corrected, as in the case of unreadable information on the field logs, or the data are "qualified," as in the case of contamination of the blanks or violations of the holding time.

Guidance on the collection of QA/QC samples is contained in the QAPP, and in BNL procedure EM-SOP-200, “Collection and Frequency of Field Quality Control Samples.” The QA/QC samples collected included trip blanks, field blanks, matrix spike/matrix spike duplicate (MS/MSDs), and blind duplicates.

Trip blanks were analyzed for aqueous VOCs only. One trip blank was shipped to the analytical laboratory with each set of samples submitted for VOC analyses. One duplicate sample was collected during the first and third quarters when only the Current Landfill was sampled, and two duplicate samples were collected during the second and fourth quarters when both landfills were sampled. No errors were detected in the duplicate analyses. MS/MSD samples were collected at a frequency of one sample during the first and third quarters and two samples during the second and fourth quarters. This ensures that the matrix of the sample does not adversely impact the analysis. In January, the nitrite and ammonia matrix spike recoveries were above QC limits. Sample results associated with these analyses were qualified as estimated. In June, the field blank for iron had a detection of 30 µg/L. Several iron results were rejected due to this field blank result. In November, the VOC fraction for well 088-23 was analyzed 7 days beyond the holding time. Results for this fraction were qualified as estimated. The amount of rejected data was within acceptable limits and did not adversely impact the review of the groundwater quality.

## **2.2 Landfill Groundwater Monitoring Results**

This section summarizes the results for VOCs, metals, water-chemistry parameters, and radionuclides detected for both the Current Landfill and Former Landfill in CY07. The historical trends in concentrations of key contaminants are assessed and shown graphically in Figures 5 through 12. Summary tables of all 2007 landfill groundwater data are presented in Tables 2 through 10. Detections that exceed groundwater standards are in bold text. The summary tables include groundwater standards, laboratory results, minimum detection limits, and laboratory data qualifiers.

The groundwater standards used for evaluating groundwater data include those contained in the NYSDEC Ambient Water Quality Standards and Guidance Values (June 1998, with addendums April 2000 and June 2004). Groundwater standards for radiological compounds were supplemented with New York State Department of Health’s (NYSDOH’s) standards for drinking water when a

NYSDEC groundwater standard was not available. When there were no groundwater standards for a radiological compound, a Groundwater Screening Level was used. This value is based on a dose equivalent of 4 mrem/year and was calculated as 4% of the DOE Derived Concentration Guides (DCG) (DOE Order 5400.5) for the isotope of concern. These values are listed under the “groundwater standards” column in the summary tables and annotated where appropriate. Laboratory results that exceed the groundwater standards are highlighted in the data summary tables to facilitate review of the information.

The laboratory data qualifiers included in the summary tables vary for the different analyses. Explanations for the most commonly used laboratory data qualifiers are included in the notes in each summary table. Complete 2007 laboratory data reports, chain of custody forms, and well-sampling logs for both landfills are archived and available upon request. In addition, analytical results are stored in the BNL Environmental Information Management System (EIMS) database.

## ***2.2.1 Current Landfill***

### ***2.2.1.1 Volatile Organic Compounds (VOCs)***

Benzene, and/or chloroethane, were detected above their respective groundwater standards in four of the 10 downgradient monitoring wells during 2007 (Table 2). These VOCs have historically been the primary groundwater contaminants detected downgradient of the Current Landfill. No other VOCs were detected above groundwater standards during 2007.

Figure 5 plots the concentration trends of total VOCs (TVOC), benzene, and chloroethane. As shown, VOCs remained relatively stable at low concentrations. Overall, the trend plots also show a distinct decrease in VOC concentrations from the high concentrations seen prior to the installation of the cap. This reflects the positive effects of the capping on the groundwater quality downgradient.

Benzene exceeded the 1 µg/L standard in well 087-11 and well 087-27. Chloroethane exceeded the 5 µg/L standard in wells 087-11, 087-23, and 088-109. The maximum chloroethane concentration was 36.1 µg/L in well 088-109; which is a decrease from the 2006 high of 53 µg /L. Benzene was detected at a maximum of 2.52 µg/L in well 087-11. There have been no detections of VOCs exceeding groundwater standards in wells 087-24, 088-22, and 088-23 since 1998. These

downgradient wells are screened in the mid to deep Upper Glacial Aquifer as perimeter wells to monitor the vertical extent of contamination from the Current Landfill. Background well 087-09 had a small amounts of methylene chloride and methyl chloride (<0.5 µg/L) during the June and November sampling rounds, respectively.

### ***2.2.1.2 Water Chemistry Parameters***

Groundwater samples near the Current Landfill were analyzed for ammonia, total kjeldahl nitrogen (TKN) cyanide, sulfate, nitrite, nitrate, total nitrogen, chloride, alkalinity, total dissolved solids (TDS or residue, nonfilterable), and total suspended solids (TSS or residue, filterable) during 2007 (Table 1). The results are provided in Table 3. Elevated levels of these parameters can be indicative of the presence of landfill leachate. During 2007, ammonia was the only water chemistry parameter detected above standards.

Ammonia was detected above the standard of 2 mg/L, with exceedances in four downgradient wells (087-11, 087-27, 088-109 and 088-110) during four sampling events, as shown in Table 3. The highest concentration of 7.48 mg/L was reported for well 087-11 in June. The levels of ammonia detected seem to have stabilized from their pre-cap highs.

During 2007, all sulfate and chloride concentrations remained below the groundwater standard of 250 mg/L. The highest sulfate value reported for 2007 was detected in the June sample from monitoring well 087-24, at a concentration of 21.5 mg/L. Chloride concentrations ranged from 6.54 mg/L in well 087-11 during November, to a high of 78.2 mg/L in well 087-09 in November. Chloride concentrations historically have been significantly below the groundwater standard of 250 mg/L in all Current Landfill wells. Figure 6 plots these trends, showing the low and stable nature of chloride concentrations in the vicinity of the Current Landfill.

Alkalinity, in the form of bicarbonate, is the concentration of anions available to neutralize acid, and is often used as an indicator of leachate contamination. The alkalinity in background well 087-09 ranged from nondetect to 28 mg/L during 2007. The highest alkalinity concentration during 2007 was detected in downgradient, shallow Upper Glacial Aquifer well 087-11, at 198 mg/L in June. There is no groundwater standard for alkalinity. The concentration trends plotted in Figure 6 show

an overall decrease in alkalinity following the capping of the landfill. Alkalinity levels in the background well remained stable during this period.

Total dissolved solids and TSS results were similar to those from previous years. TDS and TSS concentrations in background well 087-09 ranged from 99 mg/L to 236 mg/L, and 4.53 mg/L to 26.3 mg/L, respectively. The maximum concentrations observed in downgradient wells were 273 mg/L and 181 mg/L of TDS and TSS, respectively.

No water chemistry parameters have exceeded groundwater standards in downgradient wells 087-24, 088-22, and 088-23, since 1998. These wells are all screened in the mid to deep-Upper Glacial Aquifer to monitor the vertical extent of contamination from the Current Landfill. A comparison of downgradient and background wells shows that leachate continues to be generated from the Current Landfill, albeit at low concentrations. Decreasing trends in concentration indicate that the capping is effectively reducing the generation and migration of leachate.

#### ***2.2.1.3 Metals***

Historically, iron and manganese were detected consistently above groundwater standards in the majority of wells surrounding the landfill. While these metals indicate the presence of leachate, the groundwater standards for these compounds are considered secondary standards based on aesthetics and taste rather than risk to human health. Precipitated iron from the BNL Water Treatment Plant was disposed of at the Current Landfill during past operations. The highest concentrations generally are found in the shallow wells 87-11 and 87-27, located immediately south of the Current Landfill (see Figure 7). There have been no detections of metals, other than iron and manganese, exceeding groundwater standards in wells 087-24, 087-26, and 088-23 since 1998. These wells are all screened in the mid-to-deep Upper Glacial Aquifer to monitor the vertical extent of contamination from the Current Landfill. Concentrations in upgradient well 87-09 still are lower than in the downgradient wells, suggesting continued leachate migration from the landfill.

During 2007, iron, manganese, sodium, arsenic, aluminum, and chromium continued to be detected above their respective groundwater standards (Table 4). Iron in the downgradient wells peaked at a maximum of 74,400 µg/L in well 087-23 during August, in contrast to background concentrations, in well 87-09, iron ranged from 1,690 µg/L to 10,500 µg/L. Concentrations of iron increased in well

088-21 from 98.6 µg/L in May 2006 to a high of 68,700 µg/L in August 2007. These high iron concentrations come after a high water table during 2006. The last time the water table was high for an extended period of time was during later half of 2003 and the beginning of 2004. During 2004, the iron concentrations also showed a significant increase from their typical levels.

Manganese ranged from 30.8 µg/L to 139 µg/L in background well 087-09, and up to 5,240 µg/L in the downgradient wells. Background sodium levels ranged from 27,800 to 34,800 µg/L; whereas downgradient levels ranged up to 40,500 µg/L. The proximity of well 087-09 to Brookhaven Avenue and the affects of road salting in the winter may be contributing to the higher values. Arsenic was reported above the standard of 10 µg/L in wells 087-23, 088-109, 088-110, 088-21, and 088-22 at concentrations up to 25.9 µg/L. Arsenic detections have historically been observed at similar levels in Current Landfill wells. Aluminum and chromium were detected in the background well, 087-09 above the standards of 200 µg/L and 50 µg/L, respectively. Concentrations of aluminum ranged up to 584 µg/L in background well 087-09 and concentrations of chromium were as high as 1,180 µg/L. Nickel and thallium were detected in background well 087-09 above the standards of 100 µg/L and 0.5 µg/L, respectively, in November. However, nickel and thallium were not detected above standards in any of the downgradient wells.

#### **2.2.1.4 Radionuclides**

No radionuclides were detected above groundwater standards during 2007 (Table 5). Strontium-90 (Sr-90) and tritium were the only radionuclides detected during 2007. The highest concentration of Sr-90 was detected in downgradient well 088-21. The concentrations detected, 2.91 pCi/L, was well below the 8 pCi/L groundwater standard. Overall, Sr-90 concentrations have shown stable trends, with concentrations at or near the detection limit (Figure 8). Detectable gross beta activity, which is a possible indicator of Sr-90 in groundwater, ranged from 0.789 pCi/L in well 088-22 to 7.07 pCi/L in well 088-109.

Tritium was detected significantly below the groundwater standard of 20,000 pCi/L with a maximum value of 673 pCi/L in MidGlacial downgradient well 087-26 (Figure 8). Tritium and Sr-90 concentrations have not exceeded groundwater standards in all wells since 1998.

## **2.2.2 Former Landfill**

### **2.2.2.1 VOCs**

During 2007 there were no detections of VOCs above groundwater standards in wells in the Former Landfill Area (Table 6). The compounds consistently found in the Former Landfill monitoring wells include 1,1,1-trichloroethane, 1,1-dichloroethane, and chloroform. Chloroform was reported in several wells during the year at concentrations ranging from 0.185 µg/L to 2.1 µg/L, well below the groundwater standard of 7 µg/L. Trichloroethene was also detected in well 106-30, at concentrations ranging from 0.644 µg/L to 1.21 µg/L. These concentrations are well below the standard of 5 µg/L. Figure 9 shows plots of the historical VOC detections for the Former Landfill monitoring wells. During 2007, VOCs were detected at the Former Landfill in several wells, but only at trace concentrations, indicating that the cap on the landfill is operating as intended.

### **2.2.2.2 Water Chemistry Parameters**

Groundwater samples from monitoring wells in the Former Landfill Area were analyzed for sulfate, nitrite, nitrate, total nitrogen, chloride, alkalinity, TDS (TDS or residue, non-filterable) and TSS (TSS or residue, filterable). During 2007, none of the water chemistry parameters exceeded applicable groundwater standards (Table 7). In general, all of the landfill leachate indicator parameter concentrations in the downgradient wells were indistinguishable from concentrations in the upgradient wells in 2007. These trends indicate that the landfill cap is effective.

Sulfate concentrations ranged from 8.31 mg/L to 11.8 mg/L in the background wells, and from 8.34 mg/L to 20.1 mg/L in downgradient wells, significantly below the standard of 250 mg/L.

Nitrogen in the form of nitrate ( $\text{NO}_3^-$ ), and chloride were consistently low with concentrations up to 0.932 mg/L on the background wells and concentrations up to 0.906 mg/L in the downgradient wells.

Chloride concentrations ranged up to 19.8 mg/L in the upgradient wells and 18.5 mg/L in downgradient monitoring wells, well below the groundwater standard of 250 mg/L. The trends plotted in Figure 10 indicate chloride concentrations are stable over time.

Detections of alkalinity ranged from nondetect to 35.6 mg/L in background wells and from nondetect to 26.9 mg/L in downgradient wells. The trends plotted in Figure 10 demonstrate that the alkalinity concentrations in 2007 are generally consistent with 2006 levels.

TDS concentrations ranged from 30 mg/L to 90 mg/L in the background wells, and from 30 mg/L to 97 mg/L in the downgradient wells. TSS concentrations were from nondetect to 0.805 mg/L in the background wells, and from nondetect to 0.9 mg/L in the downgradient wells.

TKN concentrations ranged from nondetect to 0.097 mg/L in the background wells. TKN concentrations in the downgradient wells ranged from nondetect to 0.048 mg/L.

Nitrite was not detected in the Former Landfill monitoring wells during 2007.

#### **2.2.2.3 *Metals***

The sampling results are summarized in Table 8, and concentration trend plots for iron are shown on Figure 11. Antimony was the only metal detection that exceeded the groundwater standards during 2007. Background well 087-22 and downgradient wells 097-277 and 106-30 had concentrations ranging from 4 µg/L to 6.1 µg/L. This is slightly above the standard of 4 µg/L.

#### **2.2.2.4 *Pesticides/PCBs***

There were no detections of pesticides or polychlorinated biphenyls (PCBs) during 2007. The sampling results are summarized in Table 9.

#### **2.2.2.5 *Radionuclides***

There were no detections of radionuclides during 2007. The sampling results are summarized in Table 10, and concentration trend plots are shown on Figure 12.

## **3.0 WOODED WETLAND MONITORING**

Sampling at the Wooded Wetland is performed as part of the compliance monitoring for the Current Landfill. Prior to the capping of the Current Landfill, leachate was periodically observed in the wetland. The monitoring is focused on metal concentrations in the sediment and surface water to

evaluate potential risks to the local Tiger Salamander population. See Appendix A for a detailed discussion of the sampling and analysis results.

## **Surface Water**

Seven surface water samples from the Southern and Northern Ponds were collected. They had average iron concentrations of 1,042 µg/L and 1,767 µg/L, respectively (Appendix A, Table 6). Although the average concentrations were higher than the 1,000 µg/L critical toxicity concentration (Appendix A, Table 2B), they were lower than the BNL background concentration of 1,990 µg/L.

Aluminum had average concentrations of 240 µg/L and 538 µg/L in the South and North Ponds, respectively. The North Pond is slightly above the critical toxicity concentration of 525 µg/L, but both ponds are below the background concentration of 820 µg/L.

The average zinc concentrations in the South Pond and North Pond were 16.4 µg/L and 9.3 µg/L, respectively, which are below both the critical toxicity concentration of 23.8 µg/L and the background concentration of 62.0 µg/L.

Metals in water are the primary source of absorption by tiger salamanders. No significant change in dissolved metals provides indication that the wooded wetland is not experiencing an increase in metals concentration.

Based on the 2007 sampling results, annual sampling of the Wooded Wetlands should continue as part of the annual O&M landfills monitoring activities for at least another year. A complete copy of the *2007 Annual Wooded Wetlands Report* is included in Appendix A of this report.

## **Sediment**

Seven sediment samples were collected from the Wooded Wetland Area in May 2007. The results for 2007 indicate that mercury concentrations in sediments in the South Pond are less than the maximum concentration benchmarks (Appendix A, Table 2A). The average mercury concentration in the North Pond was 0.15 mg/kg, which is below the maximum sediment concentration of 0.17 mg/kg and below the background concentration of 0.41 mg/kg. Historically, the highest average

value of mercury was detected in 2001 at 0.37 mg/kg in the North Pond. This analysis indicates that no significant change from historic values has occurred.

## **4.0 SOIL-GAS MONITORING**

### **4.1 Soil-gas Monitoring Networks**

Soil-gas readings were collected from wells surrounding the Current and Former Landfills in February, May, September, and December 2007. Methane, lower explosive limit (LEL), and hydrogen sulfide were measured using a Landtec GA-90 (Serial # 690). The LEL for methane is 5.3% and the upper explosive limit (UEL) is 15%.

#### ***4.1.1 Current Landfill***

Along the perimeter of the Current Landfill, 58 points were sampled for soil-gas, which includes four outpost soil-gas well clusters, GSGM-1 to GSGM-4, located along the south side of Brookhaven Avenue. The sampling points include 12 soil-gas well clusters consisting of three sampling intervals per cluster, and 11 soil-gas well couplets consisting of two sampling intervals per couplet. Table 11 describes each soil-gas well. Their locations are illustrated on Figure 13.

#### ***4.1.2 Former Landfill Area***

Twenty-four sampling points were monitored for the Former Landfill Area. These points include 12 well couplets consisting of two sampling points per couplet. Details of each soil-gas well are given in Table 11 and their locations shown in Figure 14.

#### ***4.1.3 Sampling Frequency***

Soil-gas was monitored for each landfill in the following months.

Sampling Event	Current Landfill	Former Landfill
Round 1	February 2007	February 2007
Round 2	May 2007	May 2007
Round 3	September 2007	September 2007
Round 4	December 2007	December 2007

## **4.2 Results of Soil-Gas Monitoring**

Action levels for soil-gas are specified in 6 NYCRR Part 360-2.17(f) in terms of percent LEL, which is primarily related to the amount of methane present. This discussion focuses primarily on the methane levels detected during quarterly monitoring. Hydrogen sulfide is monitored, but has no regulatory action level. 6 NYCRR Part 360-2.17(f) specifies that active measures to control decomposition gases are required when the concentration of methane or other explosive gases exceeds 25 percent of the LEL (or 1.3% methane) in facility structures, or 100 percent (%) of the LEL (or 5.3% methane) at the site boundary.

### ***4.2.1 Current Landfill***

A total of 23 soil-gas monitoring well clusters are positioned around the Current Landfill (Figure 13). Potential receptors, or areas where methane can accumulate in the vicinity of the Current Landfill, include the National Weather Service building located 480 ft north northwest of the Current Landfill on the north side of Brookhaven Avenue. Should methane extend to the south side of Brookhaven Avenue, active measures will be required to control its migration. The four outpost soil-gas wells, GSGM-1 to GSGM-4, located along the south side of Brookhaven Avenue, are used to monitor the northern extent of the migration of landfill gas.

The results of the soil-gas monitoring for 2007 are summarized in Table 12. Appendix B contains the field notes recorded during the sampling events. Instrument measurements show that methane continues to be generated in several areas of the landfill. The percent of the LEL is equivalent to 20 times the methane concentrations in the landfill and is elevated along the western side and the southeast boundary of the Current Landfill. In addition, one point, SGM-19, along the northern side of the Current Landfill had elevated LEL readings. The highest levels were recorded in well cluster SGM-3 (ranging from 0 % of the LEL to 800% of the LEL) and in well cluster SGM-4 (ranging from 0 % of the LEL to 874 % of the LEL) located along the western boundary. These levels have remained stable since 1996 when monitoring began and the current gas venting system appears to be controlling gas accumulation. These data are consistent with previous years (see Appendix D).

Outpost wells, GSGM-1 to GSGM-4, located along the south side of Brookhaven Avenue showed no methane during 2007, indicating that the methane accumulation and migration does not extend to

this area. Should methane extend to the south side of Brookhaven Avenue, active measures will be required to control its migration.

Hydrogen sulfide is a product of anaerobic decay in landfills and can produce an odor like rotten eggs. It is a nuisance, but rarely a toxicity problem. For reference, the National Institute of Occupational Safety and Health sets an exposure limit of 10 parts per million (ppm) hydrogen sulfide in the breathing zone for an 8-hour period.

Hydrogen sulfide measurements collected from the soil-gas monitoring wells ranged from 0 ppm to 39 ppm. Well SGM-12A located near the landfills south eastern section of the landfill, had the highest hydrogen-sulfide concentration, which was above the 10 ppm exposure limit; however it was taken from a vapor point screened 2.5 - 7.5 ft below the surface and not from the breathing zone. Like methane, receptors to hydrogen sulfide are considered to be in areas such as basements where the gas can accumulate. Based upon the readings obtained from the outpost soil-gas wells along the south side of Brookhaven Avenue (GSGM-1 – GSGM-4), there is no evidence that hydrogen sulfide is migrating toward the National Weather Service building.

#### ***4.2.1.1 Trend in Soil-Gas Data***

Appendix D contains the results of methane monitoring for the Current Landfill from 1996 through 2006. Generally the levels of methane and hydrogen sulfide in the wells along the northwest landfill boundary and southeast corner have remained stable.

#### ***4.2.2 Former Landfill Area***

A total of 12 soil-gas monitoring well clusters are positioned around the Former Landfill areas. During 2007, the well clusters were monitored on a quarterly basis. The only existing operating facility within the immediate vicinity of the Former Landfill area is Building 670 located approximately 650 ft to the southeast. This building houses the Chemical/Animal Holes Sr-90 groundwater treatment system. Because this facility does not have a basement, there is minimal potential for hazardous levels of landfill gases to accumulate in this structure.

Based upon the four sampling events, there was no methane detected and only minimal hydrogen sulfide was detected (up to 2 ppm by volume). Table 13 details the 2007 soil-gas monitoring results

for the Former Landfill Area. Appendix B contains the field notes recorded during the sampling events.

#### **4.2.2.1 Trends in Soil-Gas Data**

The results of monitoring the Former Landfill continue to be consistent with the initial survey of the methane- gas migration conducted in 1995, during which concentrations between 0% to 0.1% methane were recorded. Hydrogen-sulfide gas also was measured during this survey. The hydrogen sulfide results indicate there were only minimal detections (2 ppm) during 2007. Appendix D includes the results of monitoring methane in the Former Landfill Area for 1996 through 2006.

Presently, there is no measured pathway for methane-gas migration, nor do the concentrations represent an explosive hazard as shown by the nondetect readings on the LEL meter. The age of the Former Landfill and the types of materials disposed of would likely result in the low levels or absence of methane or hydrogen sulfide.

## **5.0 MAINTENANCE AND REPAIR**

Monthly site inspections were performed by BNL at the Current and Former Landfill areas to monitor the structural and/or operational status of the landfill cap, gas vents, drainage structure, fences and environmental monitoring system (groundwater wells, soil-gas wells) in accordance with the approved O&M Manuals. A copy of the inspection reports is included in Appendix C. Maintenance and repair work completed or required by BNL is discussed below.

### **5.1 Landfill Cap and Gas Vents**

The grass cover on the Former Landfill Area and the Current Landfill were maintained in accordance with the O&M Plan (CDM, 1996a and CDM 1996c). Small cracks in the asphalt road next to the Current Landfill were noted on the inspection logs. Repairs are scheduled for Spring 2008. In April 2007, animal burrows were noted on the west and northeast slopes up to 12" deep. They penetrated past the top soil and into the protective soil layer, but not near the liner. The burrows were repaired the day after the inspection.

In October 2006, ruts were observed on the top of the Former Landfill. These ruts were caused by lawn mowing equipment. The ruts were temporarily repaired in April 2007 by filling the ruts with sand. Repairs were completed in June, by covering the sand with topsoil. No gas vents at either landfill required repair. Due to the ruts in the landfills caused by the weight of the lawn mowers and a precipitation, the cutting of the grass was only conducted when optimal soil conditions are evident.

## **5.2 Drainage Structures**

The drainage structures at both the Current and Former landfill areas were maintained and any obstructions removed. They were observed to be operational and structurally sound during the site inspections. Grass and small brush were weeded from the drainage channels during the year.

## **5.3 Environmental Monitoring System**

The monitoring wells and soil-gas monitoring wells associated with the landfills required no significant maintenance. Access to the soil-gas monitoring wells was cleared via mechanical weed wacking. Several handles on the soil-gas monitoring well caps were broken during 2007. These were replaced by the field sampling crew as they were discovered.

## **5.4 Related Structures**

No other structures required maintenance during 2007.

# **6.0 CONCLUSIONS AND RECOMMENDATIONS**

## **6.1 Groundwater Monitoring**

### ***6.1.1 Conclusions for the Current Landfill***

VOCs such as benzene, and/or chloroethane continue to be detected in downgradient wells 087-11, 087-23, 087-27, and 088-109 at concentrations above groundwater standards. The maximum chloroethane concentration was 36.1 µg/L in well 088-109; which is a decrease from the 2006 high of 53 µg/L. Benzene was detected at a maximum of 2.52 µg/L in well 087-11. TVOC concentrations

in these four wells have ranged between 3.97 µg/L to 57.41 µg/L over the past several years indicating that low level VOCs continue to emanate from the landfill. However, an analysis of the trends of VOCs indicated the concentrations are stable to decreasing.

- Landfill water chemistry parameters and metals evaluated during the year suggest that leachate continues to emanate from the landfill.
- Tritium and Sr-90 continue to be detected in the wells downgradient of the Current Landfill, but at concentrations well below groundwater standards. These concentrations were consistent with those observed in 2006.
- Since 1998, there have been no detections of VOCs, metals, water chemistry parameters or radionuclides exceeding groundwater standards in wells 087-24, 088-22, and 088-23. These wells are all screened in the mid-to deep-Upper Glacial Aquifer to monitor the vertical extent of contamination from the Current Landfill.
- Although low levels of contaminants continue to be detected, the landfill controls are effective as evidenced by the improving quality of groundwater downgradient of the landfill.
- The average values of the concentrations of the metals of concern in the Wooded Wetlands sediments in either pond in 2007 were not above benchmark or BNL background concentrations.
- The averages for the water samples collected from each pond in 2007 indicate that iron in both ponds was present above BNL critical water concentrations. However the average iron concentration in both ponds were below the BNL background levels. No significant changes have occurred compared to previous year's data. Since metals in water are the primary source of absorption by tiger salamanders, and there was no significant increase in dissolved metals in 2007, this indicates that the wooded wetland is not experiencing an increase in metals concentrations.

#### ***6.1.2 Recommendations for the Current Landfill***

The groundwater monitoring program is adequate at this time. Since leachate is continuing to discharge from the Landfill, there are no recommended changes to the monitoring program.

### ***6.1.3 Conclusions for the Former Landfill***

- The Former Landfill is not a significant source of VOC contamination. No VOCs were detected above groundwater standards in 2007. VOC concentrations in the downgradient wells were at or near the minimum detectable limits.
- Landfill-leachate indicators in downgradient wells were detected at concentrations approximating those in the background monitoring wells, indicating that leachate generation is minimal to nonexistent.
- The Former Landfill no longer appears to be a source of Sr-90 contamination. Sr-90 was not detected in any of the Former Landfill monitoring wells during 2007.
- The implemented landfill controls are effective, as evidenced by the improving quality of groundwater downgradient of the landfill.

### ***6.1.4 Recommendations for the Former Landfill***

The groundwater monitoring program is adequate at this time.

## **6.2 Soil-Gas Monitoring**

### ***6.2.1 Conclusions for the Current Landfill***

Methane and hydrogen sulfide levels in wells located along the northwest landfill boundary and southeast corner have remained stable and have not shown any significant increases or decreases over time. No gas migration has been observed this year at the outpost soil-gas wells along Brookhaven Avenue.

### ***6.2.2 Recommendations for the Current Landfill***

The soil-gas monitoring program is adequate at this time, since methane gas is still being produced and leachate is continuing to discharge from the landfill.

### ***6.2.3 Conclusions for the Former Landfill***

Methane and hydrogen sulfide levels at the Former Landfill area continue to show little to no landfill gas.

#### ***6.2.4 Recommendations for the Former Landfill***

The soil-gas monitoring program is adequate at this time since there have been little to no detections of methane during monitoring at the Former Landfill over the past nine years.

### **6.3 Maintenance and Repair**

Maintenance of the landfill caps will continue in accordance with the O&M requirements.

#### ***6.3.1 Current Landfill***

Monthly inspections and maintenance will continue in accordance with the O&M requirements. To prevent ruts in the landfills caused by the weight of the lawn mowers and a significant amount of precipitation, the cutting of the grass will only be conducted when optimal soil conditions are evident. Access to the soil-gas monitoring wells will be cleared via mechanical weed whacking.

#### ***6.3.2 Former Landfill Area***

Monthly inspections and maintenance will continue in accordance with the O&M requirements. To prevent ruts in the landfills caused by the weight of the lawn mowers and a significant amount of precipitation, the cutting of the grass will be suspended until optimal soil conditions are evident. Access to the soil-gas monitoring wells will be cleared via mechanical weed whacking.

## **7.0 REFERENCES**

Brookhaven National Laboratory, 1999, BNL *Groundwater Monitoring Program Quality Assurance/Quality Control Project Plan*, BNL, August 1999.

Brookhaven National Laboratory, 2001a, *Groundwater Monitoring Data Quality Objectives Project*, BNL, September 2001.

Brookhaven National Laboratory, 2001b, *Current Landfill Area Five-Year Evaluation Report*. BNL Environmental Services Division, October 29, 2001.

Brookhaven National Laboratory. 2007. *Environmental Monitoring Plan CY 2007 Update*. Brookhaven National Laboratory, Upton, NY. January 2007.

CDM Federal, 1995a, Final Design Specifications for the Current Landfill, Brookhaven National Laboratory, CDM Federal Programs Corporation, February 1995.

CDM Federal, 1995b, Engineering Evaluation/Cost Analysis for Groundwater: Operable Unit I, Brookhaven National Laboratory, CDM Federal Programs Corporation, September 1995.

CDM Federal, 1995c, Final Closure/Design Report for the Former Landfill Area, Brookhaven National Laboratory, CDM Federal Programs Corporation, November 1995.

CDM Federal, 1996a, Final Operations and Maintenance Manual for the Current Landfill, Brookhaven National Laboratory, CDM Federal Programs Corporation, March 1996.

CDM Federal, 1996b, Final Construction Certification Report for Current Landfill Capping, Brookhaven National Laboratory, CDM Federal Programs Corporation, May 1996.

CDM Federal, 1996c, Final Operations and Maintenance Manual for the Former Landfill Area, Brookhaven National Laboratory, CDM Federal Programs Corporation, May 1996.

CDM Federal, 1997, Environmental Monitoring Report for Current Landfill, Brookhaven National Laboratory, CDM Federal Programs Corporation January 1997.

CDM Federal, 1999, Focused Ecological Risk Assessment, Appendix L., Final Feasibility Study Report OU I, CDM Federal Programs Corporation March 31, 1999.

EM-SOP-200, Collection and Frequency of Field Quality Control Samples, Brookhaven National Laboratory, Environmental Monitoring Standard Operating Procedure

EM-SOP-203, Chemical Data Verification, Brookhaven National Laboratory Environmental Monitoring, Standard Operating Procedure.

EM-SOP-204, Radiochemical Data Verification, Brookhaven National Laboratory Environmental Monitoring, Standard Operating Procedure

6NYCRR Part 360, Solid Waste Management Facilities, New York State Department of Environmental Conservation, Division of Solid & Hazardous Waste.

PW Grosser Consulting, 1997, *Construction Certification Report for the Interim Landfill Capping*, Brookhaven National Laboratory, October 1997

PW Grosser Consulting, 2001, *Current Landfill Area Five-Year Evaluation Report*, October 29, 2001.

PW Grosser Consulting, 2002, *Former Landfill Area Five-Year Evaluation Report*, March 8, 2002.

Roy F. Weston, 1997, *Final Construction Certification Report for Former Landfill Capping*, Brookhaven National Laboratory, March 1997.

OER, 1997, *Statement of Work For Hazardous Chemical and Radiochemical Data Validation*, Brookhaven National Laboratory, April, 1997.

United States Department of Energy Order 5400.5, Radiation Protection of the Public and the Environment. Washington D.C., February 8, 1990.

Table 1. Analytical Requirements for Groundwater Samples

Well ID	Project	Decision Subunit	EPA 524.2 VOCs	Pesticides Method 608	PCBs Method 608	TSS/TDS	Sulfates/Chloride/Alkalinity	TK Nitrogen	Total Nitrogen	Nitrates	Nitrites	Ammonia	TAL Metals	Cyanide	EPA 900 Gross Alpha/Beta	EPA 901 Gamma Spec	EPA 906 Tritium	EPA 905 Sr 90	Blind Duplicate/MS/MSD	Frequency (events/year)
087-09	CLF	Background	X			X	X	X	X	X	X	X	X	X	X	X	X	X	4	
087-11	CLF	Downgradient	X <sup>t</sup>		X	X	X	X	X	X	X	X	X	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>		4	
087-23	CLF	Downgradient	X <sup>t</sup>		X	X	X	X	X	X	X	X	X	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>		4	
087-24	CLF	Downgradient	X <sup>a</sup>		X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>		2f	
087-26	CLF	Downgradient	X <sup>t</sup>		X	X	X	X	X	X	X	X	X	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>		4	
087-27	CLF	Downgradient	X <sup>t</sup>		X	X	X	X	X	X	X	X	X	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>		4	
088-109	CLF	Downgradient	X		X	X	X	X	X	X	X	X	X	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>	X	4	
088-110	CLF	Downgradient	X <sup>t</sup>		X	X	X	X	X	X	X	X	X	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>		4	
088-21	CLF	Downgradient	X <sup>t</sup>		X	X	X	X	X	X	X	X	X	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>		4	
088-22	CLF	Downgradient	X <sup>a</sup>		X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>		2f	
088-23	CLF	Downgradient	X <sup>a</sup>		X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>		2f	
086-42	FLF	Background	X <sup>a</sup>	X <sup>a</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>		2f	
086-72	FLF	Background	X <sup>a</sup>	X <sup>a</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>		2f	
087-22	FLF	Background	X <sup>a</sup>	X <sup>a</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>		2f	
097-17	FLF	Downgradient	X	X <sup>a</sup>	X <sup>a</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>		2f	
097-277	FLF	Downgradient	X	X <sup>a</sup>	X <sup>a</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>		2f	
097-64	FLF	Downgradient	X	X <sup>a</sup>	X <sup>a</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>		2f	
106-02	FLF	Downgradient	X	X <sup>a</sup>	X <sup>a</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>		2f	
106-30	FLF	Downgradient	X	X <sup>a</sup>	X <sup>a</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>t</sup>	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>	X <sup>a</sup>	X	2f	

## NOTES:

a: Collect in 4th Quarter only.

f: Collect in 2nd and 4th Quarters.

Table 2. Current Landfill - Summary of 2007 VOC Data

Analyte	Groundwater Standards µg/L	087-09 6/19/2007 (µg/L)	087-09 11/26/2007 (µg/L)	087-11 6/19/2007 (µg/L)	087-11 11/26/2007 (µg/L)
1,1,1,2-Tetrachloroethane	5	0.5	U	0.5	U
1,1,1-Trichloroethane	5	0.5	U	0.5	U
1,1,2,2-Tetrachloroethane	5	0.5	U	0.5	U
1,1,2-Trichloroethane	1	0.5	U	0.5	U
1,1-Dichloroethane	5	0.5	U	0.5	U
1,1-Dichloroethylene	5	0.5	U	0.5	U
1,1-Dichloropropene	5	0.5	U	0.5	U
1,2,3-Trichlorobenzene	5	0.5	U	0.5	U
1,2,3-Trichloropropane	0.04	0.5	U	0.5	U
1,2,4-Trichlorobenzene	5	0.5	U	0.5	U
1,2-Dichloroethane	0.6	0.5	U	0.5	U
1,2-Dichloropropane	1	0.5	U	0.5	U
1,3-Dichloropropane	5	0.5	U	0.5	U
2,2-Dichloropropane	5	0.5	U	0.5	U
Benzene	1	0.5	U	0.5	<b>2.52</b>
Benzene, 1,2,4-trimethyl-	5	0.5	U	0.5	U
Benzene, 1,3,5-trimethyl-	5	0.5	U	0.5	U
Benzene, 1-methylethyl-	--	0.5	U	0.5	U
Bromobenzene	5	0.5	U	0.5	U
Bromodichloromethane	50	0.5	U	0.5	U
Bromoform	50	0.5	U	0.5	U
Carbon tetrachloride	5	0.5	U	0.5	U
Chlorobenzene	5	0.5	U	0.5	U
Chlorobromomethane	5	0.5	U	0.5	U
Chloroethane	5	0.5	U	0.5	<b>6.13</b>
Chloroform	7	0.5	U	0.5	U
cis-1,2-Dichloroethylene	5	0.5	U	0.5	J
cis-1,3-Dichloropropene	0.4	0.5	U	0.5	U
Cymene	5	0.5	U	0.5	U
DBCP	0.04	0.5	U	0.5	U
Dibromochloromethane	5	0.5	U	0.5	U
Dibromomethane	5	0.5	U	0.5	U
Dichlorodifluoromethane	5	0.5	U	0.5	U
EDB	0.05	0.5	U	0.5	U
Ethene, 1,2-dichloro-, (E)-	5	0.5	U	0.5	U
Ethylbenzene	5	0.5	U	0.5	U
Hexachlorobutadiene	0.5	0.5	U	0.5	U
m-Dichlorobenzene	3	0.5	U	0.5	U
m/p xylene	5	0.5	U	0.5	U
Methyl bromide	5	0.5	U	0.5	U
Methyl chloride	5	0.5	U	0.344	U
Methyl tert-butyl ether	10	0.5	U	0.5	U
Methylene chloride	5	0.349	J	0.912	U
n-Butylbenzene	5	0.5	U	0.5	U
n-Propylbenzene	5	0.5	U	0.5	U
Naphthalene	10	0.5	U	0.5	J
o-Chlorotoluene	5	0.5	U	0.5	U
o-Dichlorobenzene	3	0.5	U	0.5	J
o-Xylene	5	0.5	U	0.5	U
p-Chlorotoluene	5	0.5	U	0.5	U
p-Dichlorobenzene	3	0.5	U	0.516	J
sec-Butylbenzene	5	0.5	U	0.168	J
Styrene	5	0.5	U	0.5	U
tert-Butylbenzene	5	0.5	U	0.111	J
Tetrachloroethylene	5	0.5	U	0.5	U
Toluene	5	0.5	U	0.5	J
trans-1,3-Dichloropropene	0.4	0.5	U	0.5	U
Trichloroethylene	5	0.5	U	0.5	U
Trichlorofluoromethane	5	0.5	U	0.5	U
Vinyl chloride	2	0.5	U	0.5	U
524.2 TVOC	--	0.349	0.344	11.3691	10.3172

ug/L - Micrograms per liter.

U - Not detected.

J - Estimated value.

H - Holding time exceeded.

-- No standard applicable.

Table 2. Current Landfill - Summary of 2007 VOC Data

Analyte	Groundwater Standards µg/L	087-23 6/19/2007 (µg/L)	087-23 11/26/2007 (µg/L)	087-24 11/26/2007 (µg/L)	087-26 6/19/2007 (µg/L)	087-26 11/26/2007 (µg/L)	087-27 6/19/2007 (µg/L)
1,1,1,2-Tetrachloroethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	5	0.943	0.32 J	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichloropropane	0.04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene	1	0.893	0.72	0.5 U	0.5 U	0.5 U	0.598
Benzene, 1,2,4-trimethyl-	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene, 1,3,5-trimethyl-	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene, 1-methylethyl-	--	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	50	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	50	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon tetrachloride	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	5	0.691	0.451 J	0.5 U	0.5 U	0.5 U	0.936
Chlorobromomethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	5	7.53	4.62	0.5 U	0.5 U	0.5 U	1.16
Chloroform	7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,2-Dichloroethylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,3-Dichloropropene	0.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cymene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
DBCP	0.04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dichlorodifluoromethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
EDB	0.05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethene, 1,2-dichloro-, (E)-	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m-Dichlorobenzene	3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m/p xylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Methyl bromide	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Methyl chloride	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Methyl tert-butyl ether	10	0.0948 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Methylene chloride	5	0.5 U	0.884 U	0.972 U	0.5 U	0.829 U	0.5 U
n-Butylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
n-Propylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Naphthalene	10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Chlorotoluene	5	0.225 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Dichlorobenzene	3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.136 J
o-Xylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Chlorotoluene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Dichlorobenzene	3	0.458 J	0.364 J	0.5 U	0.5 U	0.5 U	0.192 J
sec-Butylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.354 J
Styrene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
tert-Butylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tetrachloroethylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
trans-1,3-Dichloropropene	0.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichlorofluoromethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl chloride	2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
524.2 TVOC	--	10.8348	7.359	0.972	0	0.829	3.512

ug/L - Micrograms per liter.

U - Not detected.

J - Estimated value.

H - Holding time exceeded.

-- No standard applicable.

Table 2. Current Landfill - Summary of 2007 VOC Data

Analyte	Groundwater Standards µg/L	087-27 11/26/2007 (µg/L)	088-109 2/1/2007 (µg/L)	088-109 6/19/2007 (µg/L)	088-109 8/28/2007 (µg/L)	088-109 11/26/2007 (µg/L)
1,1,1,2-Tetrachloroethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	5	0.5 U	0.86	1.36	0.743	0.285 J
1,1-Dichloroethylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichloropropane	0.04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene	1	1.18	0.5 U	0.365 J	0.835	0.592
Benzene, 1,2,4-trimethyl	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene, 1,3,5-trimethyl-	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene, 1-methylethyl-	--	0.5 U	0.5 U	0.5 U	0.168 J	0.5 U
Bromobenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	50	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	50	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon tetrachloride	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	5	0.849	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobromomethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	5	3.93	21	36.1	18.7	13.1
Chloroform	7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,2-Dichloroethylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,3-Dichloropropene	0.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cymene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
DBCP	0.04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dichlorodifluoromethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
EDB	0.05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethene, 1,2-dichloro-, (E)-	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m-Dichlorobenzene	3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m/p xylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Methyl bromide	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Methyl chloride	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Methyl tert-butyl ether	10	0.5 U	0.5 U	0.0663 J	0.146 J	0.5 U
Methylene chloride	5	0.816 U	0.5 U	0.5 U	0.583 U	1.08 U
n-Butylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
n-Propylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Naphthalene	10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Chlorotoluene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Dichlorobenzene	3	0.197 J	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Chlorotoluene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Dichlorobenzene	3	0.323 J	0.5 U	0.5 U	0.119 J	0.5 U
sec-Butylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Styrene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
tert-Butylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tetrachloroethylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	5	0.5 U	0.5 U	0.0842 J	0.5 U	0.5 U
trans-1,3-Dichloropropene	0.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichlorofluoromethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl chloride	2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
524.2 TVOC	--	7.492	21.86	37.9755	20.711	15.057

ug/L - Micrograms per liter.

U - Not detected.

J - Estimated value.

H - Holding time exceeded.

-- No standard applicable.

Table 2. Current Landfill - Summary of 2007 VOC Data

Analyte	Groundwater Standards µg/L	088-110 6/19/2007 (µg/L)	088-110 11/26/2007 (µg/L)	088-21 6/19/2007 (µg/L)	088-21 11/26/2007 (µg/L)	088-22 11/26/2007 (µg/L)	088-23 11/26/2007 (µg/L)
1,1,1,2-Tetrachloroethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
1,1,1-Trichloroethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
1,1,2,2-Tetrachloroethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
1,1,2-Trichloroethane	1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
1,1-Dichloroethane	5	1.6	0.236 J	0.5 U	0.5 U	0.5 U	0.5 UHJ
1,1-Dichloroethylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
1,1-Dichloropropene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
1,2,3-Trichlorobenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
1,2,3-Trichloropropane	0.04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
1,2,4-Trichlorobenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
1,2-Dichloroethane	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
1,2-Dichloropropane	1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
1,3-Dichloropropane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
2,2-Dichloropropane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
Benzene	1	0.842	0.509	0.5 U	0.5 U	0.5 U	0.5 UHJ
Benzene, 1,2,4-trimethyl-	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
Benzene, 1,3,5-trimethyl-	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
Benzene, 1-methylethyl-	--	0.134 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
Bromobenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
Bromodichloromethane	50	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
Bromoform	50	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
Carbon tetrachloride	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
Chlorobenzene	5	0.572	0.135 J	0.5 U	0.5 U	0.5 U	0.5 UHJ
Chlorobromomethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
Chloroethane	5	4.5	1.13	0.5 U	0.5 U	0.5 U	0.5 UHJ
Chloroform	7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
cis-1,2-Dichloroethylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
cis-1,3-Dichloropropene	0.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
Cymene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
DBCP	0.04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
Dibromochloromethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
Dibromomethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
Dichlorodifluoromethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
EDB	0.05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
Ethene, 1,2-dichloro-, (E)-	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
Ethylbenzene	5	0.288 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
Hexachlorobutadiene	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
m-Dichlorobenzene	3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
m/p xylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
Methyl bromide	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
Methyl chloride	5	0.5 U	0.5 U	0.5 U	0.486 U	0.756 U	0.429 UHJ
Methyl tert-butyl ether	10	0.284 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
Methylene chloride	5	0.5 U	0.899 U	0.5 U	0.969 U	1.15 U	0.725 UHJ
n-Butylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
n-Propylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
Naphthalene	10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
o-Chlorotoluene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
o-Dichlorobenzene	3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
o-Xylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
p-Chlorotoluene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
p-Dichlorobenzene	3	0.456 J	0.219 J	0.5 U	0.5 U	0.5 U	0.5 UHJ
sec-Butylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
Styrene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
tert-Butylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
Tetrachloroethylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
Toluene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
trans-1,3-Dichloropropene	0.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
Trichloroethylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
Trichlorofluoromethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
Vinyl chloride	2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UHJ
524.2 TVOC	--	8.676	3.128	0	1.455	1.906	0

ug/L - Micrograms per liter.

U - Not detected.

J - Estimated value.

H - Holding time exceeded.

-- No standard applicable.

Table 3. Current Landfill - Summary of 2007 Water Chemistry Data

<b>Analyte</b>	<b>Groundwater Standards mg/L</b>	<b>087-09 2/1/2007 (mg/L)</b>	<b>087-09 6/19/2007 (mg/L)</b>	<b>087-09 8/28/2007 (mg/L)</b>	<b>087-09 11/26/2007 (mg/L)</b>	
Alkalinity (as CaCO <sub>3</sub> )	--	24	28	17.7	10.3	UJ
Ammonia (as N)	2	0.05 J	0.03 J	0.054 UJ	0.03	U
Chloride	250	58.2 J	37.8	33.2	78.2	
Cyanide	0.2	0.005 U	0.0015 U	0.0015 U	0.0015	U
Nitrate (as N)	10	0.37 JB	0.342	0.704	0.565	
Nitrite (as N)	1	0.2 J	0.033 U	0.033 U	0.033	U
Nitrite + Nitrate-N	10		0.225 U	0.695	0.565	
Nitrogen	--	0.37 J	0.225 J	0.878	0.664	
Sulfate	250	12.6 J	11.8	14.2	9.45	
TDS	--	236 J	128	99 J	191 J	
Total Kjeldahl Nitrogen	--		0.029 UJ	0.183 UJ	0.099 J	
TSS	--	10	6.29 J	4.53	26.3	

mg/L - Milligrams per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

Table 3. Current Landfill - Summary of 2007 Water Chemistry Data

<b>Analyte</b>	<b>Groundwater Standards mg/L</b>	<b>087-11 2/1/2007 (mg/L)</b>	<b>087-11 6/19/2007 (mg/L)</b>	<b>087-11 8/28/2007 (mg/L)</b>	<b>087-11 11/26/2007 (mg/L)</b>
Alkalinity (as CaCO <sub>3</sub> )	--	151	198	116	166 J
Ammonia (as N)	2	3.7 J	7.48 J	4.84 J	5.54
Chloride	250	25.3	20.6	9.31	6.54
Cyanide	0.2	0.005 U	0.0015 U	0.00319 J	0.0015 U
Nitrate (as N)	10	0.02 JB	0.033 U	0.033 U	0.033 U
Nitrite (as N)	1	0.02 U	0.033 U	0.033 U	0.033 U
Nitrite + Nitrate-N	10		0.05 U	0.01 U	0.05 U
Nitrogen	--	2.5 J	6.4	5.25	5.58
Sulfate	250	5.1 J	3.17 J	2.86 J	3.11 J
TDS	--	273 J	195	194 J	193 J
Total Kjeldahl Nitrogen	--		6.37 J	5.25 J	5.58
TSS	--	40	87	20.7	13.8

mg/L - Milligrams per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

Table 3. Current Landfill - Summary of 2007 Water Chemistry Data

<b>Analyte</b>	<b>Groundwater Standards mg/L</b>	<b>087-23 2/1/2007 (mg/L)</b>	<b>087-23 6/19/2007 (mg/L)</b>	<b>087-23 8/28/2007 (mg/L)</b>	<b>087-23 11/26/2007 (mg/L)</b>
Alkalinity (as CaCO <sub>3</sub> )	--	105	86	94.3	98.6 J
Ammonia (as N)	2	0.87 J	0.781 J	1.77 J	1.49
Chloride	250	12.7	10.8	9.77	12.2
Cyanide	0.2	0.005 U	0.00351 J	0.0015 U	0.0015 U
Nitrate (as N)	10	0.02 JB	0.033 U	0.033 U	0.09 J
Nitrite (as N)	1	0.02 U	0.033 U	0.033 U	0.033 U
Nitrite + Nitrate-N	10		0.05 U	0.01 U	0.05 U
Nitrogen	--	0.58 J	0.948	1.81	1.57
Sulfate	250	7.8 J	7.93	4.31 J	9.95
TDS	--	198 J	124	163 J	157 J
Total Kjeldahl Nitrogen	--		0.948 J	1.81 J	1.57
TSS	--	11	49	14	9.4

mg/L - Milligrams per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

Table 3. Current Landfill - Summary of 2007 Water Chemistry Data

<b>Analyte</b>	<b>Groundwater Standards mg/L</b>	<b>087-24 6/19/2007 (mg/L)</b>	<b>087-24 11/26/2007 (mg/L)</b>	<b>087-26 2/1/2007 (mg/L)</b>	<b>087-26 6/19/2007 (mg/L)</b>	<b>087-26 8/28/2007 (mg/L)</b>	<b>087-26 11/26/2007 (mg/L)</b>
Alkalinity (as CaCO <sub>3</sub> )	--	14	13.2 J	5 U	16.5	16.2	17.1 J
Ammonia (as N)	2	0.15 J	0.15 U	0.05 J	0.15 J	0.03 UJ	0.03 U
Chloride	250	19.7	19.1	14	16.6	16.9	17
Cyanide	0.2	0.00243 J	0.0015 U	0.005 U	0.0015 U	0.0015 U	0.0015 U
Nitrate (as N)	10	0.64	0.572	0.39 JB	0.493	0.5	0.452
Nitrite (as N)	1	0.033 U	0.033 U	0.02 U	0.033 U	0.033 U	0.033 U
Nitrite + Nitrate-N	10	0.67 U	0.605		0.425 U	0.465	0.535
Nitrogen	--	0.67	0.605	0.39 J	0.425	0.56	0.535
Sulfate	250	21.5	19.6	10.7 J	11.2	11.1	12
TDS	--	83	66 J	106 UJ	136	64 J	73 J
Total Kjeldahl Nitrogen	--	0.029 UJ	0.029 U		0.029 UJ	0.095 UJ	0.029 U
TSS	--	0.727 J	0.671 U	1 U	0.941 J	0.711 J	0.626 U

mg/L - Milligrams per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

Table 3. Current Landfill - Summary of 2007 Water Chemistry Data

Analyte	Groundwater Standards mg/L	087-27 2/1/2007 (mg/L)	087-27 6/19/2007 (mg/L)	087-27 8/28/2007 (mg/L)	087-27 11/26/2007 (mg/L)	088-109 2/1/2007 (mg/L)	088-109 6/19/2007 (mg/L)	088-109 8/28/2007 (mg/L)	088-109 11/26/2007 (mg/L)
Alkalinity (as CaCO <sub>3</sub> )	--	37	70.5	71	145 J	95	143	167	125 J
Ammonia (as N)	2	1.1 J	0.681 J	2.59 J	<b>2.77</b>	1.8 J	<b>6.01</b> J	<b>6.39</b> J	<b>4.27</b>
Chloride	250	27.4 J	21.8	18.2	20	12.6 J	15.2	20.3	25.2
Cyanide	0.2	0.005 U	0.00218 J	0.0015 U	0.0015 U	0.005 U	0.00293 J	0.0015 U	0.0015 U
Nitrate (as N)	10	0.096 JB	0.033 U	0.033 U	0.033 U	0.02 JB	0.033 U	0.033 U	0.033 U
Nitrite (as N)	1	1.3 J	0.033 U	0.033 U	0.033 U	0.02 U	0.033 U	0.033 U	0.033 U
Nitrite + Nitrate-N	10		0.05 U	0.05 U	0.05 U		0.05 U	0.05 U	0.05 U
Nitrogen	--	2.7 J	0.784	2.71	2.52	1.3 J	4.97	5.49	4.68
Sulfate	250	13.7 J	12	10.2	12.6	11.8 J	9.41	5.34	20.1
TDS	--	145 J	122	154 J	218 J	147 J	187	247 J	216 J
Total Kjeldahl Nitrogen	--		0.739 J	2.71 J	2.52		4.93 J	5.45 J	4.68
TSS	--	35	46.6	8.6	10.8	16	23.4	24.6	47.2

mg/L - Milligrams per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

Table 3. Current Landfill - Summary of 2007 Water Chemistry Data

<b>Analyte</b>	<b>Groundwater Standards mg/L</b>	<b>088-110 2/1/2007 (mg/L)</b>	<b>088-110 6/19/2007 (mg/L)</b>	<b>088-110 8/28/2007 (mg/L)</b>	<b>088-110 11/26/2007 (mg/L)</b>	<b>088-21 2/1/2007 (mg/L)</b>	<b>088-21 6/19/2007 (mg/L)</b>	<b>088-21 8/28/2007 (mg/L)</b>	<b>088-21 11/26/2007 (mg/L)</b>
Alkalinity (as CaCO <sub>3</sub> )	--	49	102	60.3	103	J	21	28.5	25.9
Ammonia (as N)	2	0.77	J	1.67	J	2.4	J	1.81	0.05
Chloride	250	35.8	J	32.4	29.4		31.2	R	8.6
Cyanide	0.2	0.005	U	0.0015	U	0.0015	U	0.005	U
Nitrate (as N)	10	0.02	JB	0.033	U	0.033	U	0.033	JB
Nitrite (as N)	1	1.5	J	0.033	U	0.033	U	0.36	J
Nitrite + Nitrate-N	10			0.05	U	0.01	U	0.05	U
Nitrogen	--	2.1	J	1.76	2.42		1.9	0.59	J
Sulfate	250	15.6	J	18.8	19.7		15.5	3.3	J
TDS	--	172	J	222	180	J	199	52	UJ
Total Kjeldahl Nitrogen	--			1.73	J	2.42	J	1.9	
TSS	--	128		57	28.8		15	8	16.7
									84
									181

mg/L - Milligrams per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

Table 3. Current Landfill - Summary of 2007 Water Chemistry Data

<b>Analyte</b>	<b>Groundwater Standards mg/L</b>	<b>088-22 6/19/2007 (mg/L)</b>	<b>088-22 11/26/2007 (mg/L)</b>	<b>088-23 6/19/2007 (mg/L)</b>	<b>088-23 11/26/2007 (mg/L)</b>
Alkalinity (as CaCO <sub>3</sub> )	--	6.5 U	7.81 UJ	26	25.9 J
Ammonia (as N)	2	0.03 J	0.15 U	0.03 J	0.03 U
Chloride	250	16.4	18.7	16.5	15.6
Cyanide	0.2	0.00215 J	0.0015 U	0.0015 U	0.0015 U
Nitrate (as N)	10	0.285	0.328	0.033 U	0.033 U
Nitrite (as N)	1	0.033 U	0.033 U	0.033 U	0.033 U
Nitrite + Nitrate-N	10	0.012 U	0.26	0.05 U	0.05 U
Nitrogen	--	0.145 U	0.26	0.145 U	0.05 U
Sulfate	250	12.1	10.8	12	10.9
TDS	--	66	66 J	86	91 J
Total Kjeldahl Nitrogen	--	0.145 UJ	0.029 U	0.145 UJ	0.029 U
TSS	--	50	41.4	4.47	20.7

mg/L - Milligrams per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

Table 4. Current Landfill - Summary of 2007 Metals Data

<b>Analyte</b>	<b>Groundwater Standards</b> µg/L	<b>087-09 2/1/2007</b> (µg/L)	<b>087-09 6/19/2007</b> (µg/L)	<b>087-09 8/28/2007</b> (µg/L)	<b>087-09 11/26/2007</b> (µg/L)	<b>087-11 2/1/2007</b> (µg/L)	<b>087-11 6/19/2007</b> (µg/L)	<b>087-11 8/28/2007</b> (µg/L)	<b>087-11 11/26/2007</b> (µg/L)								
Aluminum	200	<b>584</b>	195	B	<b>237</b>	<b>263</b>	114	180	B	108	B	72.8	B				
Antimony	3	5	U	4	U	3	U	3	U	5	U	4	U	3	U	3	U
Arsenic	10	2.8	B	3	B	1.5	U	7	4.3	B	5	B	5.7		5.7		
Barium	1000	30.1		27.5	B	22.8	B	42.3	B	36.1		42.1	B	38.2	B	30.1	B
Beryllium	3	2	U	1	U	1	U	1	U	2	U	1	U	1	U	1	U
Cadmium	5	2	U	1	U	1	U	1	U	2	U	1	U	1	U	1	U
Calcium	--	8770	J	9080		5790		14100		19600	J	23300		19600		19400	
Chromium	50	<b>78.8</b>		<b>110</b>		<b>155</b>		<b>1180</b>		5	U	2.1	B	2.5	B	2	U
Cobalt	--	1.2	B	1	U	1	U	2.4	B	0.44	B	1	U	1	U	1	U
Copper	200	3.2	B	3.2	B	5.4	B	12	B	1.3	B	3	U	3	U	3	U
Iron	300	<b>3390</b>	J	<b>1840</b>	ENJ	<b>1690</b>	E	<b>10500</b>		<b>70400</b>	J	<b>50000</b>	ENJ	<b>62300</b>	E	<b>64900</b>	
Lead	25	0.67	B	0.5	U	0.5	U	1.9	B	3	U	0.5	U	0.5	U	0.5	U
Magnesium	35000	4470		4420	B	2600	B	6630		5180		6790		5050		4560	B
Manganese	300	63	J	30.8		38.7		139		<b>1590</b>	J	<b>1760</b>		<b>1810</b>		<b>1680</b>	
Mercury	0.7	0.2	U	0.06	U	0.03	U	0.03	U	0.2	U	0.06	U	0.03	U	0.03	U
Nickel	100	29.5		23.8	B	34.6	B	<b>209</b>		1.2	B	1.3	B	1	U	1	U
Potassium	--	1020	B	749	B	762	B	1260	B	4940		7380		5070		4070	B
Selenium	10	5	U	2.5	U	1	U	1	U	5	U	2.5	U	1	U	1	U
Silver	50	2	U	1	U	1	U	1	U	2	U	7.5	B	2.8	B	1	U
Sodium	20000	<b>34800</b>		<b>28500</b>		<b>27800</b>		<b>34400</b>		19200		18100		9570		7440	
Thallium	0.5	5	U	0.4	U	0.3	U	<b>0.69</b>	B	5	U	0.4	U	0.3	U	0.3	U
Vanadium	--	5	U	1.7	B	2.6	B	10.7	B	5	U	1	U	4	B	1	U
Zinc	2000	10	U	7.6	B	4.4	B	4.2	B	10	U	3.2	B	2	U	2	U

µg/L - Micrograms per Liter.

U - Not detected.

J - Estimated value.

R - Unusable data.

B - Result below reporting limit but above instrument detection limit.

E - ICP Serial Dilution above QA limit.

-- No standard applicable

Table 4. Current Landfill - Summary of 2007 Metals Data

<b>Analyte</b>	<b>Groundwater Standards</b> µg/L	<b>087-23 2/1/2007</b> (µg/L)	<b>087-23 6/19/2007</b> (µg/L)	<b>087-23 8/28/2007</b> (µg/L)	<b>087-23 11/26/2007</b> (µg/L)	<b>087-24 6/19/2007</b> (µg/L)	<b>087-24 11/26/2007</b> (µg/L)	<b>087-26 2/1/2007</b> (µg/L)	<b>087-26 6/19/2007</b> (µg/L)	<b>087-26 8/28/2007</b> (µg/L)	<b>087-26 11/26/2007</b> (µg/L)
Aluminum	200	11.1	B	68	U	68	U	68	U	68	U
Antimony	3	5	U	4	U	3	U	3	U	4	U
Arsenic	10	8.4		8.4		14.7		12.1		1.5	U
Barium	1000	42.3		43.7	B	69.6	B	52.7	B	12.4	B
Beryllium	3	2	U	1	U	1	U	1	U	2	U
Cadmium	5	2	U	1	U	1	U	1	U	2	U
Calcium	--	5290	J	6090		8800		7360		6680	
Chromium	50	5	U	1.3	B	1	U	2	U	5	U
Cobalt	--	4.4	B	5.3	B	5.3	B	5.7	B	1	U
Copper	200	0.38	B	3	U	3	U	3	U	3	U
Iron	300	63000	J	24700	ENJ	74400	E	53700		34.5	ENJ
Lead	25	3	U	0.5	U	0.5	U	0.5	U	0.5	U
Magnesium	35000	1980		2470	B	2750	B	2120	B	4250	B
Manganese	300	5050	J	5240		4870		3280		2	U
Mercury	0.7	0.2	U	0.06	U	0.03	U	0.03	U	0.06	U
Nickel	100	1.6	B	1.3	B	1	U	1	U	0.9	B
Potassium	--	1330	B	1500	B	1900	B	1740	B	1270	B
Selenium	10	5	U	2.5	U	1	U	1	U	5	U
Silver	50	2	U	5.1	B	1	U	1	U	2	U
Sodium	20000	9430		9800		7920		7950		12500	
Thallium	0.5	5	U	0.4	U	0.3	U	0.3	U	5	U
Vanadium	--	5	U	1	U	1	U	1	U	5	U
Zinc	2000	10	U	5.3	B	5.9	B	5.4	B	2	U
										10	U
										2.2	B
										2	U
										2	U

µg/L - Micrograms per Liter.

U - Not detected.

J - Estimated value.

R - Unusable data.

B - Result below reporting limit but above instrument detection limit.

E - ICP Serial Dilution above QA limit.

-- No standard applicable

Table 4. Current Landfill - Summary of 2007 Metals Data

Analyte	Groundwater Standards µg/L	087-27 2/1/2007 (µg/L)	087-27 6/19/2007 (µg/L)	087-27 8/28/2007 (µg/L)	087-27 11/26/2007 (µg/L)	088-109 2/1/2007 (µg/L)	088-109 6/19/2007 (µg/L)	088-109 8/28/2007 (µg/L)	088-109 11/26/2007 (µg/L)	088-110 2/1/2007 (µg/L)	088-110 6/19/2007 (µg/L)	088-110 8/28/2007 (µg/L)											
Aluminum	200	56.1	68	U	106	B	132	B	47.3	B	68	U	<b>358</b>										
Antimony	3	5	U	4	U	3	U	5	U	<b>4.6</b>	B	3	U	3	U								
Arsenic	10	3.6	B	2.9	B	4.5	B	8.3	5	U	1.8	B	<b>10.3</b>	<b>20.8</b>									
Barium	1000	26.4	19.6	B	42.4	B	48.6	B	38	57.3	B	96.4	B	68.6	B	31.7							
Beryllium	3	2	U	1	U	1	U	1	U	1	U	1	U	0.14	B	1	U	1	U				
Cadmium	5	2	U	1	U	1	U	0.061	B	1	U	1	U	1	U	2	U	1	U				
Calcium	--	18800	J	16300		16700		21400	24800	J	33700		44300		29700	14600	J	20800	16800				
Chromium	50	5	U	1	U	1	U	2	U	5	U	1	U	2	B	2	U	5	U	1	U	1	U
Cobalt	--	4.3	B	3.9	B	5.5	B	10	B	19.5		16.9	B	1.7	B	3.2	B	1.9	B	5	B	2.4	B
Copper	200	0.41	B	3	U	3	U	3	U	0.45	B	3	U	3	U	3	U	0.37	B	3	U	3	U
Iron	300	<b>23900</b>	J	<b>6090</b>	ENJ	<b>31300</b>	E	<b>51700</b>	<b>14500</b>	J	<b>13500</b>	ENJ	<b>40800</b>	E	<b>47200</b>	<b>57900</b>	J	<b>2880</b>	ENJ	<b>39900</b>	E		
Lead	25	3	U	0.5	U	0.5	U	0.5	U	3	U	0.5	U	0.5	U	0.5	U	3	U	0.5	U	0.5	U
Magnesium	35000	6170		5940		3800	B	5300	6780		7660		6860		4930	B	5820		7340		5050		
Manganese	300	<b>1450</b>	J	<b>1480</b>		<b>1300</b>		<b>2610</b>	<b>2050</b>	J	<b>1790</b>		<b>845</b>		<b>915</b>		<b>2290</b>	J	<b>2800</b>		<b>2040</b>		
Mercury	0.7	0.2	U	0.06	U	0.03	U	0.03	U	0.2	U	0.06	U	0.03	U	0.03	U	0.2	U	0.06	U	0.03	U
Nickel	100	1.3	B	1	U	1	U	1	U	1.6	B	1.8	B	1.2	B	2.2	B	1.1	B	1.4	B	1	U
Potassium	--	3000		2410	B	3730	B	4250	B	5040		8590		11100		8870		2030		3840	B	3980	B
Selenium	10	5	U	2.5	U	1	U	1	U	5	U	2.5	U	1	U	1	U	5	U	2.5	U	1	U
Silver	50	2	U	1	U	1	U	1	U	2	U	1	U	1.2	B	1	U	2	U	1	U	1	U
Sodium	20000	14700		15200		11800		14900	8860		11200		12900		15100		<b>20100</b>		<b>28000</b>		<b>20900</b>		
Thallium	0.5	5	U	0.4	U	0.3	U	0.3	U	5	U	0.4	U	0.3	U	0.3	U	5	U	0.4	U	0.3	U
Vanadium	--	5	U	1	U	1	U	1	U	5	U	1	U	2.7	B	1.2	B	5	U	1	U	1	U
Zinc	2000	10	U	2.3	B	3	B	2.3	B	10	U	3.3	B	2	U	2	U	10	U	2.9	B	2	U

µg/L - Micrograms per Liter.

U - Not detected.

J - Estimated value.

R - Unusable data.

B - Result below reporting limit but above instrument detection limit.

E - ICP Serial Dilution above QA limit.

-- No standard applicable

Table 4. Current Landfill - Summary of 2007 Metals Data

<i>Analyte</i>	<i>Groundwater Standards</i> µg/L	<b>088-110 11/26/2007</b> (µg/L)
<b>Aluminum</b>	200	68 U
<b>Antimony</b>	3	3 U
<b>Arsenic</b>	10	11.6
<b>Barium</b>	1000	38.8 B
<b>Beryllium</b>	3	1 U
<b>Cadmium</b>	5	1 U
<b>Calcium</b>	--	17600
<b>Chromium</b>	50	2 U
<b>Cobalt</b>	--	2.7 B
<b>Copper</b>	200	3 U
<b>Iron</b>	300	39500
<b>Lead</b>	25	0.5 U
<b>Magnesium</b>	35000	4750 B
<b>Manganese</b>	300	2040
<b>Mercury</b>	0.7	0.03 U
<b>Nickel</b>	100	1 U
<b>Potassium</b>	--	3530 B
<b>Selenium</b>	10	1 U
<b>Silver</b>	50	1 U
<b>Sodium</b>	20000	19700
<b>Thallium</b>	0.5	0.3 U
<b>Vanadium</b>	--	1 U
<b>Zinc</b>	2000	2 U

µg/L - Micrograms per Liter.

U - Not detected.

J - Estimated value.

R - Unusable data.

B - Result below reporting limit but above instrument detection limit.

E - ICP Serial Dilution above QA limit.

-- No standard applicable

Table 4. Current Landfill - Summary of 2007 Metals Data

Analyte	Groundwater Standards µg/L	088-21 2/1/2007 (µg/L)	088-21 6/19/2007 (µg/L)	088-21 8/28/2007 (µg/L)	088-21 11/26/2007 (µg/L)	088-22 6/19/2007 (µg/L)	088-22 11/26/2007 (µg/L)	088-23 6/19/2007 (µg/L)	088-23 11/26/2007 (µg/L)
Aluminum	200	<b>612</b>	<b>518</b>	<b>940</b>	<b>503</b>	68	U	68	U
Antimony	3	5	U	4	U	3	U	4	U
Arsenic	10	3.6	B	5	<b>14.2</b>	7.4	<b>25.9</b>	<b>20</b>	2.6
Barium	1000	4.6	B	9.7	B	10.1	B	12.1	B
Beryllium	3	0.15	B	1	U	1	U	1	U
Cadmium	5	2	U	1	U	1	U	1	U
Calcium	--	4300	J	9920		5730		4790	B
Chromium	50	2.9	B	1	U	3.8	B	2	U
Cobalt	--	5	U	1	U	1	U	2.1	B
Copper	200	1.8	B	3	U	3	U	3	U
Iron	300	<b>63900</b>	J	<b>53000</b>	ENJ	<b>68700</b>	E	<b>39400</b>	
Lead	25	1.1	B	1	B	1.9	B	0.89	B
Magnesium	35000	2180		4720	B	2770	B	2480	B
Manganese	300	50.2	J	131		195		298	
Mercury	0.7	0.2	U	0.06	U	0.03	U	0.03	U
Nickel	100	10	U	1	U	1	U	5.7	B
Potassium	--	759	B	1580	B	1650	B	1580	B
Selenium	10	5	U	2.5	U	1.3	B	1.1	B
Silver	50	2	U	10.2		1	U	4.5	B
Sodium	20000	9660		<b>40500</b>		13400		15300	
Thallium	0.5	5	U	0.4	U	0.3	U	0.4	U
Vanadium	--	26.2		15.1	B	42.1	B	46.2	B
Zinc	2000	10	U	2.9	B	3.6	B	2	U
						4	B	2	U
						2	U	2.5	B
								2	U

µg/L - Micrograms per Liter.

U - Not detected.

J - Estimated value.

R - Unusable data.

B - Result below reporting limit but above instrument detection limit.

E - ICP Serial Dilution above QA limit.

-- No standard applicable

Table 5. Current Landfill - Summary of 2007 Radiolonuclide Data.

Analyte	Groundwater Standards pCi/L	087-09 11/26/2007 pCi/L				087-11 11/26/2007 pCi/L				087-23 11/26/2007 pCi/L			
		Result	Qual	MDA	Error	Result	Qual	MDA	Error	Result	Qual	MDA	Error
Americium-241	1.2	4	U	7.29	4.72	3.33	J-UI	3.15	2.59	1.44	U	7.36	4.83
Beryllium-7	40000	0.593	U	15.8	9.38	-4.06	U	20.2	12.2	4.7	U	16.2	9.36
Cesium-134	80	0.0203	U	1.53	0.892	0.147	U	2.37	1.38	0.594	U	1.63	0.948
Cesium-137	120	-0.188	UJ-D	1.47	1.04	0.144	UJ-D	2.38	2.29	0.681	UJ-D	1.62	1.07
Co-60	200	0.765	U	1.56	0.885	-0.291	U	2.06	1.28	0.199	U	1.7	1.15
Cobalt-57	4000	0.669	U	1.36	0.793	0.067	U	1.25	0.737	0.269	U	1.32	0.776
Europium-152	841	0.428	U	4.34	3.31	-0.792	U	4.78	2.82	-0.00842	U	4.37	2.54
Europium-154	573	-0.577	U	4.06	2.48	-2.21	U	5.37	3.44	-0.87	U	4.13	2.5
Europium-155	4000	-0.459	U	5.48	3.26	2.72	U	5.13	5.32	0.672	U	5.51	3.24
Gross Alpha	15	0.163	U	0.937	0.536	1.07	U	1.14	0.748	0.433	U	1.71	0.997
Gross Beta	1000	3.23	J-D	0.736	0.562	5.04	J-D	0.974	0.73	2.01	J-D	0.985	0.64
Manganese-54	2000	-0.0309	U	1.47	0.997	-0.101	U	2.07	1.22	0.32	U	1.5	0.885
Sodium-22	400	-0.219	U	1.46	0.89	-0.487	U	1.94	1.21	-0.319	U	1.48	0.899
Strontium-90	8	1.03	J-D	0.46	0.37	0.636	J-D	0.537	0.356	0.0532	UJ-D	0.576	0.297
Tritium	20000	88	U	204	121	371		203	130	115	U	205	122
Zinc-65	360	1.34	U	3.28	2.15	-1.09	U	4.08	2.52	-0.254	U	3.26	1.92

pCi/L - Picocuries per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

D - Duplicate precision not within QC limits.

Table 5. Current Landfill - Summary of 2007 Radiolonuclide Data.

Analyte	Groundwater Standards pCi/L	087-24 11/26/2007 pCi/L				087-26 11/26/2007 pCi/L				087-27 11/26/2007 pCi/L			
		Result	Qual	MDA	Error	Result	Qual	MDA	Error	Result	Qual	MDA	Error
Americium-241	1.2	11.6	U	11.6	9.22	-2.67	U	13.4	9.11	0.624	U	11.1	7.19
Beryllium-7	40000	-1.99	U	21	12.8	7.11	U	18.4	10.4	-9.35	U	19.8	18.5
Cesium-134	80	-0.156	U	1.97	1.38	0.728	U	1.78	1.45	0.563	U	1.96	1.31
Cesium-137	120	0.564	UJ-D	1.97	1.13	-1.13	UJ-D	1.59	1.01	1.03	UJ-D	1.89	1.06
Co-60	200	0.244	U	1.82	1.05	-0.618	U	1.57	1	1.65	U	1.87	1.36
Cobalt-57	4000	0.434	U	1.9	1.1	-0.0877	U	1.62	0.999	0.177	U	1.65	1.11
Europium-152	841	-2.02	U	5.69	3.86	1.62	U	5.11	3.27	-0.178	U	5.31	3.16
Europium-154	573	-1.86	U	4.97	3.04	-0.782	U	4.22	2.6	0.0461	U	5.26	3.63
Europium-155	4000	-5.12	U	7.35	4.4	1.24	U	7.08	4.31	2.14	U	6.95	4.11
Gross Alpha	15	0.324	U	1.67	0.795	-0.0636	U	0.707	0.376	-0.0142	U	1.06	0.591
Gross Beta	1000	-0.0629	UJ-D	2.07	1.07	0.00817	UJ-D	0.831	0.478	4.03	J-D	0.861	0.643
Manganese-54	2000	-0.345	U	1.78	1.08	-0.584	U	1.57	0.996	0.475	U	1.8	1.05
Sodium-22	400	-0.684	U	1.79	1.09	-0.282	U	1.52	0.935	-0.00614	U	1.89	1.3
Strontium-90	8	0.254	UJ-D	0.524	0.31	-0.0635	UJ-D	0.647	0.319	-0.0235	UJ-D	0.53	0.266
Tritium	20000	227	J	200	124	673		202	140	231	J	203	125
Zinc-65	360	0.322	U	4.07	2.84	0.994	U	3.74	2.49	-2.67	U	3.72	2.35

pCi/L - Picocuries per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

D - Duplicate precision not within QC limits.

Table 5. Current Landfill - Summary of 2007 Radiolonuclide Data.

Analyte	Groundwater Standards pCi/L	088-109 11/26/2007 pCi/L				088-110 11/26/2007 pCi/L				088-21 11/26/2007 pCi/L			
		Result	Qual	MDA	Error	Result	Qual	MDA	Error	Result	Qual	MDA	Error
Americium-241	1.2	2.63	U	6.14	4.12	2.9	U	7.18	4.67	-1.62	U	7.35	4.93
Beryllium-7	40000	1.34	U	14.6	8.85	-3.74	U	16.2	9.77	9.51	U	17.4	9.89
Cesium-134	80	0.162	U	1.33	0.78	-0.386	U	1.58	0.942	0.302	U	1.65	0.978
Cesium-137	120	0.3	UJ-D	1.38	0.792	0.297	UJ-D	1.55	0.919	0.0729	UJ-D	1.51	0.894
Co-60	200	0.112	U	1.34	0.775	1.24	U	1.71	0.95	0.727	U	1.72	0.97
Cobalt-57	4000	0.242	U	1.28	0.735	-0.162	U	1.36	0.812	-0.759	U	1.32	0.804
Europium-152	841	-1.83	U	4.12	2.76	-0.0276	U	4.39	2.57	-2.06	U	4.28	2.81
Europium-154	573	-1.42	U	3.26	2.12	-0.589	U	4.07	2.91	-0.954	U	4.29	2.6
Europium-155	4000	-0.0463	U	5.15	2.97	1.48	U	5.61	3.29	3.78	U	5.33	3.87
Gross Alpha	15	1.88	J	1.1	0.791	-1.04	U	1.75	0.922	1.93	J	0.977	0.729
Gross Beta	1000	7.47	J-D	0.85	0.745	3.81	J-D	1.33	0.873	6.96	J-D	0.912	0.759
Manganese-54	2000	0.00489	U	1.36	0.807	0.019	U	1.46	0.853	0.628	U	1.59	0.926
Sodium-22	400	-0.511	U	1.17	0.76	-0.16	U	1.48	1.05	-0.344	U	1.54	0.934
Strontium-90	8	0.126	UJ-D	0.316	0.182	0.325	UJ-D	0.359	0.236	2.91	J-D	0.599	0.651
Tritium	20000	282	J	203	127	420		201	131	116	U	203	121
Zinc-65	360	0.163	U	2.9	1.92	0.141	U	3.45	2.05	1.68	U	3.18	3.1

pCi/L - Picocuries per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

D - Duplicate precision not within QC limits.

Table 5. Current Landfill - Summary of 2007 Radiolonuclide Data.

Analyte	Groundwater Standards pCi/L	088-22 11/26/2007 pCi/L				088-23 11/26/2007 pCi/L			
		Result	Qual	MDA	Error	Result	Qual	MDA	Error
Americium-241	1.2	2.56	U	10.5	6.61	1.85	U	3.15	2.27
Beryllium-7	40000	-6.24	U	17.2	10.7	3.32	U	21.2	12.5
Cesium-134	80	-0.68	U	1.67	1.15	1.94	U	2.33	1.85
Cesium-137	120	0.315	UJ-D	1.64	0.951	-1.41	UJ-D	2.17	2.14
Co-60	200	0.64	U	1.45	0.609	-0.0785	U	2.18	1.34
Cobalt-57	4000	-0.274	U	1.4	0.838	0.164	U	1.24	0.729
Europium-152	841	0.104	U	4.5	2.66	1.35	U	5.09	3.3
Europium-154	573	2.15	U	4.88	2.76	0.0862	U	6.07	3.68
Europium-155	4000	1.14	U	6.1	3.57	-2.15	U	4.98	4.39
Gross Alpha	15	0.524	U	1.26	0.739	0.398	U	0.842	0.497
Gross Beta	1000	0.789	J-D	0.734	0.46	0.394	UJ-D	0.893	0.531
Manganese-54	2000	0.266	U	1.68	0.993	0.463	U	2.21	1.27
Sodium-22	400	0.747	U	1.75	0.989	-0.1	U	2.19	1.34
Strontium-90	8	0.579	J-D	0.427	0.296	-0.135	UJ-D	0.248	0.136
Tritium	20000	653		204	140	560		205	138
Zinc-65	360	-0.926	U	3.25	1.97	-2.09	U	4.04	3.01

pCi/L - Picocuries per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

D - Duplicate precision not within QC limits.

Table 6. Former Landfill - Summary of 2007 VOC Data

Analyte	Groundwater Standards		086-42 11/19/2007 (µg/L)	086-72 11/19/2007 (µg/L)	087-22 11/19/2007 (µg/L)	097-17 6/4/2007 (µg/L)	097-17 11/19/2007 (µg/L)
	µg/L		U	U	U	U	U
1,1,1,2-Tetrachloroethane	5		0.5	U	0.5	U	0.5
1,1,1-Trichloroethane	5		0.5	U	0.5	U	0.5
1,1,2,2-Tetrachloroethane	5		0.5	U	0.5	U	0.5
1,1,2-Trichloroethane	1		0.5	U	0.5	U	0.5
1,1-Dichloroethane	5		0.5	U	0.5	U	0.5
1,1-Dichloroethylene	5		0.5	U	0.5	U	0.5
1,1-Dichloropropene	5		0.5	U	0.5	U	0.5
1,2,3-Trichlorobenzene	5		0.5	U	0.5	U	0.5
1,2,3-Trichloropropane	0.04		0.5	U	0.5	U	0.5
1,2,4-Trichlorobenzene	5		0.5	U	0.5	U	0.5
1,2-Dichloroethane	0.6		0.5	U	0.5	U	0.5
1,2-Dichloropropane	1		0.5	U	0.5	U	0.5
1,3-Dichloropropane	5		0.5	U	0.5	U	0.5
2,2-Dichloropropane	5		0.5	U	0.5	U	0.5
Benzene	1		0.5	U	0.5	U	0.5
Benzene, 1,2,4-trimethyl-	5		0.5	U	0.5	U	0.5
Benzene, 1,3,5-trimethyl-	5		0.5	U	0.5	U	0.5
Benzene, 1-methylethyl-	--		0.5	U	0.5	U	0.5
Bromobenzene	5		0.5	U	0.5	U	0.5
Bromodichloromethane	50		0.5	U	0.5	U	0.5
Bromoform	50		0.5	U	0.5	U	0.5
Carbon tetrachloride	5		0.5	U	0.5	U	0.5
Chlorobenzene	5		0.5	U	0.5	U	0.5
Chlorobromomethane	5		0.5	U	0.5	U	0.5
Chloroethane	5		0.5	U	0.5	U	0.5
Chloroform	7		0.5	U	2.1	J	0.593
cis-1,2-Dichloroethylene	5		0.5	U	0.5	U	0.5
cis-1,3-Dichloropropene	0.4		0.5	U	0.5	U	0.5
Cymene	5		0.5	U	0.5	U	0.5
DBCP	0.04		0.5	U	0.5	U	0.5
Dibromochloromethane	5		0.5	U	0.5	U	0.5
Dibromomethane	5		0.5	U	0.5	U	0.5
Dichlorodifluoromethane	5		0.5	U	0.5	U	0.5
EDB	0.05		0.5	U	0.5	U	0.5
Ethene, 1,2-dichloro-, (E)-	5		0.5	U	0.5	U	0.5
Ethylbenzene	5		0.5	U	0.5	U	0.5
Hexachlorobutadiene	0.5		0.5	U	0.5	U	0.5
m-Dichlorobenzene	3		0.5	U	0.5	U	0.5
m/p xylene	5		0.5	U	0.5	U	0.5
Methyl bromide	5		0.5	U	0.5	U	0.5
Methyl chloride	5		0.5	U	0.241	U	0.345
Methyl tert-butyl ether	10		0.5	U	0.5	U	0.5
Methylene chloride	5		0.573	U	0.761	U	0.743
n-Butylbenzene	5		0.5	U	0.5	U	0.5
n-Propylbenzene	5		0.5	U	0.5	U	0.5
Naphthalene	10		0.5	U	0.5	U	0.5
o-Chlorotoluene	5		0.5	U	0.5	U	0.5
o-Dichlorobenzene	3		0.5	U	0.5	U	0.5
o-Xylene	5		0.5	U	0.5	U	0.5
p-Chlorotoluene	5		0.5	U	0.5	U	0.5
p-Dichlorobenzene	3		0.5	U	0.5	U	0.5
sec-Butylbenzene	5		0.5	U	0.5	U	0.5
Styrene	5		0.5	U	0.5	U	0.5
tert-Butylbenzene	5		0.5	U	0.5	U	0.5
Tetrachloroethylene	5		0.5	U	0.5	U	0.5
Toluene	5		0.5	U	0.5	U	0.5
trans-1,3-Dichloropropene	0.4		0.5	U	0.5	U	0.5
Trichloroethylene	5		0.5	U	0.5	U	0.5
Trichlorofluoromethane	5		0.5	U	0.5	U	0.5
Vinyl chloride	2		0.5	U	0.5	U	0.5
524.2 TVOC	--		0		2.1		0.493
							0.593
							0.534

µg/L - Micrograms per liter.

U - Not detected.

J - Estimated value.

-- No standard applicable.

Table 6. Former Landfill - Summary of 2007 VOC Data

Analyte	Groundwater Standards		097-277 6/4/2007 (µg/L)	097-277 11/19/2007 (µg/L)	097-64 6/4/2007 (µg/L)	097-64 11/19/2007 (µg/L)	106-02 6/4/2007 (µg/L)	106-02 11/19/2007 (µg/L)
		µg/L						
1,1,1,2-Tetrachloroethane	5	0.5	U	0.5	U	0.5	U	0.5
1,1,1-Trichloroethane	5	0.5	U	0.5	U	0.148	J	0.5
1,1,2,2-Tetrachloroethane	5	0.5	U	0.5	U	0.5	U	0.5
1,1,2-Trichloroethane	1	0.5	U	0.5	U	0.5	U	0.5
1,1-Dichloroethane	5	0.5	U	0.5	U	0.5	U	0.5
1,1-Dichloroethylene	5	0.5	U	0.5	U	0.5	U	0.5
1,1-Dichloropropene	5	0.5	U	0.5	U	0.5	U	0.5
1,2,3-Trichlorobenzene	5	0.5	U	0.5	U	0.5	U	0.5
1,2,3-Trichloropropane	0.04	0.5	U	0.5	U	0.5	U	0.5
1,2,4-Trichlorobenzene	5	0.5	U	0.5	U	0.5	U	0.5
1,2-Dichloroethane	0.6	0.5	U	0.5	U	0.5	U	0.5
1,2-Dichloropropane	1	0.5	U	0.5	U	0.5	U	0.5
1,3-Dichloropropane	5	0.5	U	0.5	U	0.5	U	0.5
2,2-Dichloropropane	5	0.5	U	0.5	U	0.5	U	0.5
Benzene	1	0.5	U	0.5	U	0.5	U	0.5
Benzene, 1,2,4-trimethyl-	5	0.5	U	0.5	U	0.5	U	0.5
Benzene, 1,3,5-trimethyl-	5	0.5	U	0.5	U	0.5	U	0.5
Benzene, 1-methylethyl-	--	0.5	U	0.5	U	0.5	U	0.5
Bromobenzene	5	0.5	U	0.5	U	0.5	U	0.5
Bromodichloromethane	50	0.5	U	0.5	U	0.5	U	0.5
Bromoform	50	0.5	U	0.5	U	0.5	U	0.5
Carbon tetrachloride	5	0.5	U	0.5	U	0.5	U	0.5
Chlorobenzene	5	0.5	U	0.5	U	0.5	U	0.5
Chlorobromomethane	5	0.5	U	0.5	U	0.5	U	0.5
Chloroethane	5	0.5	U	0.5	U	0.5	U	0.5
Chloroform	7	1.21		1.39		0.236	J	0.35
cis-1,2-Dichloroethylene	5	0.5	U	0.5	U	0.5	U	0.5
cis-1,3-Dichloropropene	0.4	0.5	U	0.5	U	0.5	U	0.5
Cymene	5	0.5	U	0.5	U	0.5	U	0.5
DBCP	0.04	0.5	U	0.5	U	0.5	U	0.5
Dibromochloromethane	5	0.5	U	0.5	U	0.5	U	0.5
Dibromomethane	5	0.5	U	0.5	U	0.5	U	0.5
Dichlorodifluoromethane	5	0.5	U	0.5	U	0.5	U	0.5
EDB	0.05	0.5	U	0.5	U	0.5	U	0.5
Ethene, 1,2-dichloro-, (E)-	5	0.5	U	0.5	U	0.5	U	0.5
Ethylbenzene	5	0.5	U	0.5	U	0.5	U	0.5
Hexachlorobutadiene	0.5	0.5	U	0.5	U	0.5	U	0.5
m-Dichlorobenzene	3	0.5	U	0.5	U	0.5	U	0.5
m/p xylene	5	0.5	U	0.5	U	0.5	U	0.5
Methyl bromide	5	0.5	U	0.5	U	0.5	U	0.5
Methyl chloride	5	0.5	U	0.506		0.5	U	0.5
Methyl tert-butyl ether	10	0.5	U	0.5	U	0.5	U	0.5
Methylene chloride	5	0.5	U	0.632		0.588	U	0.5
n-Butylbenzene	5	0.5	U	0.5	U	0.5	U	0.5
n-Propylbenzene	5	0.5	U	0.5	U	0.5	U	0.5
Naphthalene	10	0.5	U	0.5	U	0.5	U	0.5
o-Chlorotoluene	5	0.5	U	0.5	U	0.5	U	0.5
o-Dichlorobenzene	3	0.5	U	0.5	U	0.5	U	0.5
o-Xylene	5	0.5	U	0.5	U	0.5	U	0.5
p-Chlorotoluene	5	0.5	U	0.5	U	0.5	U	0.5
p-Dichlorobenzene	3	0.5	U	0.5	U	0.5	U	0.5
sec-Butylbenzene	5	0.5	U	0.5	U	0.5	U	0.5
Styrene	5	0.5	U	0.5	U	0.5	U	0.5
tert-Butylbenzene	5	0.5	U	0.5	U	0.5	U	0.5
Tetrachloroethylene	5	0.5	U	0.5	U	0.5	U	0.5
Toluene	5	0.5	U	0.5	U	0.5	U	0.5
trans-1,3-Dichloropropene	0.4	0.5	U	0.5	U	0.5	U	0.5
Trichloroethylene	5	0.5	U	0.5	U	0.5	U	0.5
Trichlorofluoromethane	5	0.5	U	0.5	U	0.5	U	0.5
Vinyl chloride	2	0.5	U	0.5	U	0.5	U	0.5
524.2 TVOC	--	1.21		1.39		0	0.384	0.35
							0.447	

µg/L - Micrograms per liter.

U - Not detected.

J - Estimated value.

-- No standard applicable.

Table 6. Former Landfill - Summary of 2007 VOC Data

Analyte	Groundwater Standards		106-30 6/4/2007 (µg/L)	106-30 11/19/2007 (µg/L)
	µg/L			
1,1,1,2-Tetrachloroethane	5		0.5 U	0.5 U
1,1,1-Trichloroethane	5		1.35	0.85
1,1,2,2-Tetrachloroethane	5		0.784	0.5 U
1,1,2-Trichloroethane	1		0.5 U	0.5 U
1,1-Dichloroethane	5		0.908	0.564
1,1-Dichloroethylene	5		0.5 U	0.5 U
1,1-Dichloropropene	5		0.5 U	0.5 U
1,2,3-Trichlorobenzene	5		0.5 U	0.5 U
1,2,3-Trichloropropane	0.04		0.5 U	0.5 U
1,2,4-Trichlorobenzene	5		0.5 U	0.5 U
1,2-Dichloroethane	0.6		0.5 U	0.5 U
1,2-Dichloropropane	1		0.5 U	0.5 U
1,3-Dichloropropane	5		0.5 U	0.5 U
2,2-Dichloropropane	5		0.5 U	0.5 U
Benzene	1		0.5 U	0.5 U
Benzene, 1,2,4-trimethyl	5		0.5 U	0.5 U
Benzene, 1,3,5-trimethyl-	5		0.5 U	0.5 U
Benzene, 1-methylethyl-	--		0.5 U	0.5 U
Bromobenzene	5		0.5 U	0.5 U
Bromodichloromethane	50		0.5 U	0.5 U
Bromoform	50		0.5 U	0.5 U
Carbon tetrachloride	5		0.5 U	0.5 U
Chlorobenzene	5		0.5 U	0.5 U
Chlorobromomethane	5		0.5 U	0.5 U
Chloroethane	5		0.5 U	0.5 U
Chloroform	7		0.693	0.185 J
cis-1,2-Dichloroethylene	5		0.5 U	0.5 U
cis-1,3-Dichloropropene	0.4		0.5 U	0.5 U
Cymene	5		0.5 U	0.5 U
DBCP	0.04		0.5 U	0.5 U
Dibromochloromethane	5		0.5 U	0.5 U
Dibromomethane	5		0.5 U	0.5 U
Dichlorodifluoromethane	5		0.5 U	0.5 U
EDB	0.05		0.5 U	0.5 U
Ethene, 1,2-dichloro-, (E)-	5		0.5 U	0.5 U
Ethylbenzene	5		0.5 U	0.5 U
Hexachlorobutadiene	0.5		0.5 U	0.5 U
m-Dichlorobenzene	3		0.5 U	0.5 U
m/p xylene	5		0.5 U	0.5 U
Methyl bromide	5		0.5 U	0.5 U
Methyl chloride	5		0.5 U	0.5 U
Methyl tert-butyl ether	10		0.5 U	0.5 U
Methylene chloride	5		0.5 U	0.697 U
n-Butylbenzene	5		0.5 U	0.5 U
n-Propylbenzene	5		0.5 U	0.5 U
Naphthalene	10		0.5 U	0.5 U
o-Chlorotoluene	5		0.5 U	0.5 U
o-Dichlorobenzene	3		0.5 U	0.5 U
o-Xylene	5		0.5 U	0.5 U
p-Chlorotoluene	5		0.5 U	0.5 U
p-Dichlorobenzene	3		0.5 U	0.5 U
sec-Butylbenzene	5		0.5 U	0.5 U
Styrene	5		0.5 U	0.5 U
tert-Butylbenzene	5		0.5 U	0.5 U
Tetrachloroethylene	5		0.5 U	0.5 U
Toluene	5		0.5 U	0.5 U
trans-1,3-Dichloropropene	0.4		0.5 U	0.5 U
Trichloroethylene	5		1.21	0.644
Trichlorofluoromethane	5		0.5 U	0.5 U
Vinyl chloride	2		0.5 U	0.5 U
524.2 TVOC	--		4.945	2.243

µg/L - Micrograms per liter.

U - Not detected.

J - Estimated value.

-- No standard applicable.

Table 7. Former Landfill - Summary of 2007 Water Chemistry Data

Analyte	Groundwater Standards		086-42 6/4/2007 (mg/L)	086-42 11/19/2007 (mg/L)	086-72 6/4/2007 (mg/L)	086-72 11/19/2007 (mg/L)	087-22 6/4/2007 (mg/L)	087-22 11/19/2007 (mg/L)
	mg/L							
Alkalinity (as CaCO <sub>3</sub> )	--		17.3 U	35.6	5.6 U	5.86	5.09 U	5.86
Ammonia (as N)	2		0.15	0.03	U 0.08	0.03	U 0.225	0.03 U
Chloride	250		16.6	19.8	5.9	4.91	4.55	4.26
Cyanide	0.2		0.0015 U	0.0015 U	0.0015 U	0.0015 U	0.0015 U	0.0015 U
Nitrate (as N)	10		0.636 J	0.932	0.033 UJ	0.033 U	0.536 J	0.678
Nitrite (as N)	1		0.033 U	0.033 U	0.033 U	0.033 U	0.033 U	0.033 U
Nitrite + Nitrate-N	10		0.618	1.07	0.01 R	0.05 U	0.455	0.725
Nitrogen	--		0.665	1.17	0.029 U	0.05 U	0.455	0.739
Sulfate	250		11.8 J	9.65	9.17 J	8.78	9.66 J	8.34
TDS	--		82 J	90 J	42 J	35 J	48 J	30 J
Total Kjeldahl Nitrogen	--		0.047 J	0.097 J	0.029 U	0.029 U	0.029 U	0.029 U
TSS	--		0.671 U	0.674 J	0.633 U	0.648 U	0.671 U	0.805 J

mg/L - Milligrams per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

Table 7. Former Landfill - Summary of 2007 Water Chemistry Data

Analyte	Groundwater Standards		097-17 6/4/2007 (mg/L)	097-17 11/19/2007 (mg/L)	097-277 6/4/2007 (mg/L)	097-277 11/19/2007 (mg/L)	097-64 6/4/2007 (mg/L)	097-64 11/19/2007 (mg/L)
	mg/L							
Alkalinity (as CaCO <sub>3</sub> )	--		7.13 U	7.32	7.13 U	7.81	19.4 U	25.9
Ammonia (as N)	2		0.03 U	0.03 U	0.15 U	0.03 U	0.03 U	0.03 U
Chloride	250		5.92	4.21	18.5	7.01	5.17	5.24
Cyanide	0.2		0.0015 U	0.0015 U	0.0015 U	0.0015 U	0.0015 U	0.0015 U
Nitrate (as N)	10		0.238 J	0.193	0.311 J	0.114	0.615 J	0.823
Nitrite (as N)	1		0.033 U	0.033 U	0.033 U	0.033 U	0.033 U	0.033 U
Nitrite + Nitrate-N	10		0.148	0.095 J	0.225	0.05 U	0.577	0.915
Nitrogen	--		0.148 J	0.101 J	0.225 J	0.05 U	0.625	0.915
Sulfate	250		8.33 J	8.31	14.1 J	13	14.6 J	8.8
TDS	--		45 J	30 J	94 J	50 J	79 J	60 J
Total Kjeldahl Nitrogen	--		0.145 U	0.029 U	0.145 U	0.029 U	0.048 J	0.029 U
TSS	--		0.633 U	0.633 U	0.713 U	0.64 U	0.889 J	0.778 J

mg/L - Milligrams per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

Table 7. Former Landfill - Summary of 2007 Water Chemistry Data

Analyte	Groundwater Standards mg/L	106-02	106-02	106-30	106-30
		6/4/2007 (mg/L)	11/19/2007 (mg/L)	6/4/2007 (mg/L)	11/19/2007 (mg/L)
Alkalinity (as CaCO <sub>3</sub> )	--	11.2	U	8.79	21.9
Ammonia (as N)	2	0.3	0.03	U	0.15
Chloride	250	4.94	4.3	13.6	6.22
Cyanide	0.2	0.0015	U	0.0015	U
Nitrate (as N)	10	0.774	J	0.355	0.851
Nitrite (as N)	1	0.033	U	0.033	U
Nitrite + Nitrate-N	10	0.753	0.255	0.835	1.11
Nitrogen	--	0.753	0.255	0.866	1.13
Sulfate	250	9.79	J	8.84	20.1
TDS	--	58	J	33	J
Total Kjeldahl Nitrogen	--	0.029	U	0.029	U
TSS	--	0.671	U	0.655	U
				1.9	U
				0.9	J

mg/L - Milligrams per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

Table 8. Former Landfill - Summary of 2007 Metals Data

<b>Analyte</b>	<b>Groundwater Standards</b>		<b>086-42</b>	<b>086-42</b>	<b>086-72</b>	<b>086-72</b>	<b>087-22</b>	<b>087-22</b>	<b>097-17</b>		
	<b>µg/L</b>	<b>6/4/2007</b>	<b>(µg/L)</b>	<b>11/19/2007</b>	<b>(µg/L)</b>	<b>6/4/2007</b>	<b>(µg/L)</b>	<b>6/4/2007</b>	<b>(µg/L)</b>	<b>6/4/2007</b>	<b>(µg/L)</b>
Aluminum	200	68	U	68	U	68	U	68	U	68	U
Antimony	3	4	U	3	B	4	U	3	B	4	U
Arsenic	10	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U
Barium	1000	7.4	B	11.3	B	11	B	9.1	B	13.4	B
Beryllium	3	1	U	1	U	1	U	1	U	1	U
Cadmium	5	1	U	1	U	1	U	1	U	1	U
Calcium	--	6800		10000		2100	B	1830	B	2350	B
Chromium	50	1	U	2	U	1	U	2	U	1	U
Cobalt	--	1	U	1	U	1	U	1	U	1	U
Copper	200	3	U	3	U	3	U	3	U	3	U
Iron	300	18	U	61.4	B	18	U	137	R	18	U
Lead	25	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Magnesium	35000	2860	B	4410	B	1420	B	1410	B	1550	B
Manganese	300	2	U	2	U	3.4	B	3.1	B	2.6	B
Mercury	0.7	0.06	U	0.11	B	0.06	U	0.03	U	0.06	U
Nickel	100	1	U	1	U	1	U	2.3	B	1	U
Potassium	--	1080	B	1310	B	929	B	818	B	1140	B
Selenium	10	2.5	U	1	U	2.5	U	1	U	2.5	U
Silver	50	1	U	1	U	1	U	1	U	1	U
Sodium	20000	10500		14300		5280		4710	B	4390	B
Thallium	0.5	0.4	U	0.3	U	0.4	U	0.3	U	0.4	U
Vanadium	--	1	U	1	U	1	U	1	U	1	U
Zinc	2000	2	U	2	U	2	U	2	U	2	U

µg/L - Micrograms per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

B - Result below reporting limit but above instrument detection limit.

Table 8. Former Landfill - Summary of 2007 Metals Data

<b>Analyte</b>	<b>Groundwater Standards</b> μg/L	097-17 11/19/2007	097-277 6/4/2007	097-277 11/19/2007	097-64 6/4/2007	097-64 11/19/2007	106-02 6/4/2007	106-02 11/19/2007
	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)
Aluminum	200	68	U	68	U	68	U	68
Antimony	3	3	U	4	U	4.4	B	4
Arsenic	10	1.5	U	1.5	U	1.5	B	1.5
Barium	1000	7.4	B	12.8	B	17.4	B	20.1
Beryllium	3	1	U	1	U	1	U	1
Cadmium	5	1	U	1	U	1	U	1
Calcium	--	3830	B	5400		11400		9410
Chromium	50	2	U	1	U	2	U	1
Cobalt	--	1	U	1	U	1	U	1
Copper	200	3	U	3	U	3	U	3
Iron	300	25	U	18	U	40.2	B	43.4
Lead	25	0.5	U	0.5	U	0.5	U	0.5
Magnesium	35000	1760	B	2590	B	1480	B	1410
Manganese	300	15.8		25.1		2	U	15
Mercury	0.7	0.03	U	0.06	U	0.03	U	0.06
Nickel	100	1	U	1	U	1	U	1
Potassium	--	1190	B	1460	B	1880	B	1670
Selenium	10	1	U	2.5	U	1	U	2.5
Silver	50	1	U	1	U	1	U	1
Sodium	20000	6910		11900		5890		5200
Thallium	0.5	0.3	U	0.4	U	0.3	U	0.4
Vanadium	--	1	U	1	U	1	U	1
Zinc	2000	2	U	4.1	B	2	U	2.5

μg/L - Micrograms per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

B - Result below reporting limit but above instrument detection limit.

Table 8. Former Landfill - Summary of 2007 Metals Data

<b>Analyte</b>	<b>Groundwater Standards</b>		<b>106-30</b>	<b>106-30</b>
	<b>μg/L</b>	<b>6/4/2007</b>	<b>(μg/L)</b>	<b>11/19/2007</b>
Aluminum	200	165	B	68 U
Antimony	3	4	U	6.1 B
Arsenic	10	1.5	U	4.2 B
Barium	1000	25.9	B	14.8 B
Beryllium	3	1	U	1 U
Cadmium	5	1	U	1 U
Calcium	--	10600		11500
Chromium	50	1	U	2 U
Cobalt	--	1	U	1 U
Copper	200	3	U	3 U
Iron	300	70.4	B	58.9 B
Lead	25	0.5	U	0.5 U
Magnesium	35000	3670	B	3160 B
Manganese	300	35.3		3.8 B
Mercury	0.7	0.06	U	0.03 U
Nickel	100	1	U	1 U
Potassium	--	2330	B	2310 B
Selenium	10	2.5	U	1 U
Silver	50	1	U	1 U
Sodium	20000	8080		7380
Thallium	0.5	0.4	U	0.3 U
Vanadium	--	1	U	1 U
Zinc	2000	2	U	2 U

μg/L - Micrograms per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

B - Result below reporting limit but above instrument detection limit. Page 3 of 3

Table 9. Former Landfill - Summary of 2007 Pesticide/PCB Data

<b>Analyte</b>	<b>Groundwater Standards</b> µg/L	<b>086-42</b> 11/19/2007 (µg/L)	<b>086-72</b> 11/19/2007 (µg/L)	<b>087-22</b> 11/19/2007 (µg/L)	<b>097-17</b> 11/19/2007 (µg/L)	<b>097-277</b> 11/19/2007 (µg/L)	<b>097-64</b> 11/19/2007 (µg/L)	<b>106-02</b> 11/19/2007 (µg/L)	<b>106-30</b> 11/19/2007 (µg/L)
4,4"-DDD	0.3	0.04 U	0.0392 U	0.0392 U	0.0388 U	0.0388 U	0.04 U	0.0388 U	0.04 U
4,4"-DDE	0.2	0.04 U	0.0392 U	0.0392 U	0.0388 U	0.0388 U	0.04 U	0.0388 U	0.04 U
4,4"-DDT	0.2	0.04 U	0.0392 U	0.0392 U	0.0388 U	0.0388 U	0.04 U	0.0388 U	0.04 U
Aldrin	0	0.02 U	0.0196 U	0.0196 U	0.0194 U	0.0194 U	0.02 U	0.0194 U	0.02 U
alpha-BHC	0.01	0.02 U	0.0196 U	0.0196 U	0.0194 U	0.0194 U	0.02 U	0.0194 U	0.02 U
Aroclor 1016	0.09	0.5 U	0.49 U	0.49 U	0.485 U	0.485 U	0.5 U	0.485 U	0.5 U
Aroclor 1221	0.09	0.5 U	0.49 U	0.49 U	0.485 U	0.485 U	0.5 U	0.485 U	0.5 U
Aroclor 1232	0.09	0.5 U	0.49 U	0.49 U	0.485 U	0.485 U	0.5 U	0.485 U	0.5 U
Aroclor 1248	0.09	0.5 U	0.49 U	0.49 U	0.485 U	0.485 U	0.5 U	0.485 U	0.5 U
Aroclor 1254	0.09	0.5 U	0.49 U	0.49 U	0.485 U	0.485 U	0.5 U	0.485 U	0.5 U
Aroclor 1260	0.09	0.5 U	0.49 U	0.49 U	0.485 U	0.485 U	0.5 U	0.485 U	0.5 U
Aroclor-1242	0.09	0.5 U	0.49 U	0.49 U	0.485 U	0.485 U	0.5 U	0.485 U	0.5 U
beta-BHC	0.01	0.02 U	0.0196 U	0.0196 U	0.0194 U	0.0194 U	0.02 U	0.0194 U	0.02 U
Chlordane	0.05	0.25 U	0.245 U	0.245 U	0.243 U	0.243 U	0.25 U	0.243 U	0.25 U
delta-BHC	0.04	0.02 U	0.0196 U	0.0196 U	0.0194 U	0.0194 U	0.02 U	0.0194 U	0.02 U
Dieldrin	0.004	0.04 U	0.0392 U	0.0392 U	0.0388 U	0.0388 U	0.04 U	0.0388 U	0.04 U
Endosulfan I	0.009	0.02 U	0.0196 U	0.0196 U	0.0194 U	0.0194 U	0.02 U	0.0194 U	0.02 U
Endosulfan II	--	0.04 U	0.0392 U	0.0392 U	0.0388 U	0.0388 U	0.04 U	0.0388 U	0.04 U
Endosulfan sulfate	--	0.04 U	0.0392 U	0.0392 U	0.0388 U	0.0388 U	0.04 U	0.0388 U	0.04 U
Endrin	0	0.04 U	0.0392 U	0.0392 U	0.0388 U	0.0388 U	0.04 U	0.0388 U	0.04 U
Endrin aldehyde	5	0.04 U	0.0392 U	0.0392 U	0.0388 U	0.0388 U	0.04 U	0.0388 U	0.04 U
Heptachlor	0.04	0.02 U	0.0196 U	0.0196 U	0.0194 U	0.0194 U	0.02 U	0.0194 U	0.02 U
Heptachlor epoxide	0.03	0.02 U	0.0196 U	0.0196 U	0.0194 U	0.0194 U	0.02 U	0.0194 U	0.02 U
Lindane	0.05	0.02 U	0.0196 U	0.0196 U	0.0194 U	0.0194 U	0.02 U	0.0194 U	0.02 U
Toxaphene	0.06	0.5 U	0.49 U	0.49 U	0.485 U	0.485 U	0.5 U	0.485 U	0.5 U

µg/L - Micrograms per liter.

U - Not detected.

-- No standard applicable.

Table 10. Former Landfill - Summary of 2007 Radionuclide Data

Analyte	Groundwater Standards*				086-42 6/4/2007				086-42 11/19/2007				086-72 11/19/2007				087-22 11/19/2007						
	pCi/L				Result	pCi/L	Qual	MDA	Error	Result	pCi/L	Qual	MDA	Error	Result	pCi/L	Qual	MDA	Error	Result	pCi/L	Qual	MDA
Americium-241	1.2				0.99	U	5.32	3.11		13.4	J-UI	10.8	9.75		4.6	U	7.73	7.15					
Beryllium-7	40000				-7.84	U	12.4	7.96		-3.4	U	13.7	9.12		-2.72	U	13.1	7.97					
Cesium-134	80				0.254	U	1.55	0.909		-0.0328	U	1.73	1.01		-0.158	U	1.73	1.58					
Cesium-137	120				-0.251	U	1.53	0.911		0.367	U	1.65	0.978		0.324	U	1.54	1.01					
Co-60	200				-0.529	U	1.51	0.933		0.26	U	1.69	0.973		-0.00871	U	1.57	0.937					
Cobalt-57	4000				0.0311	U	1.19	0.722		0.83	U	1.46	1.09		0.316	U	1.39	0.833					
Europium-152	841				-1.73	U	4.22	2.67		-2.39	U	4.62	2.93		-0.00213	U	4.75	2.98					
Europium-154	573				-0.095	U	3.88	2.48		-1.41	U	4.46	2.82		-1.81	U	4.47	3.04					
Europium-155	4000				-1.34	U	5.08	3.09		0.979	U	6.39	3.67		-1.69	U	5.75	3.52					
Gross Alpha	15				1.39	U	1.7	1.17		0.788	U	1.45	0.909		0.0953	U	1.54	0.722					
Gross Beta	1000				1.22	U	1.44	0.908		0.489	U	1.48	0.849		1.17	U	1.38	0.893					
Manganese-54	2000				-0.448	U	1.36	0.84		0.985	U	1.61	0.897		0.415	U	1.62	0.929					
Sodium-22	400				-0.0278	U	1.39	0.888		-0.525	U	1.59	1.01		-0.645	U	1.6	1.08					
Strontium-90	8				-0.353	U	0.755	0.382		0.0782	U	0.599	0.319		0.265	U	0.537	0.318					
Tritium	20000	539	255	165	76.8	U	236	138		0	U	237	134		18.4	U	237	135					
Zinc-65	360				-0.995	U	3.16	1.91		0.353	U	3.26	2.25		-3.28	U	3.18	2.09					

pCi/L - Picocuries per Liter.

U - Not detected.

-- No standard applicable

Table 10. Former Landfill - Summary of 2007 Radionuclide Data

Analyte	Groundwater Standards*					097-17 11/19/2007					097-277 11/19/2007					097-64 11/19/2007					106-02 11/19/2007					106-30 11/19/2007				
	pCi/L					pCi/L					pCi/L					pCi/L					pCi/L					pCi/L				
		Result	Qual	MDA	Error		Result	Qual	MDA	Error		Result	Qual	MDA	Error		Result	Qual	MDA	Error		Result	Qual	MDA	Error		Result	Qual	MDA	Error
Americium-241	1.2	5.83	U	7.37	3.83	4.73	U	6.39	4.23	1.1	U	13.4	8.97	1.67	U	11	7.08	-8.41	U	13	13.2									
Beryllium-7	40000	-4.11	U	13.5	10.3	5.21	U	12.9	7.66	-4.66	U	14.8	8.86	1.35	U	16.3	9.84	-2.47	U	18.9	11.6									
Cesium-134	80	-0.189	U	1.5	0.912	-0.168	U	1.4	0.839	-0.113	U	1.8	1.17	-0.666	U	1.8	1.12	-0.0537	U	2.23	1.43									
Cesium-137	120	0.983	U	1.56	1.05	-0.724	U	1.31	0.808	0.947	U	1.8	1.03	1.31	U	1.82	0.934	-1.8	U	2.15	1.98									
Co-60	200	-0.175	U	1.56	0.934	0.201	U	1.35	0.774	0.15	U	1.73	1.2	-1.54	U	1.72	1.72	-0.702	U	2.04	1.25									
Cobalt-57	4000	-0.0476	U	1.3	0.774	0.179	U	1.25	0.717	0.579	U	1.64	1.39	0.308	U	1.62	0.968	-0.377	U	1.97	1.16									
Europium-152	841	0.624	U	4.52	2.85	-1.26	U	4.14	2.53	-3.37	U	4.87	3.09	1.46	U	5.57	3.27	-0.634	U	6.56	4.08									
Europium-154	573	-0.371	U	4.17	2.49	-0.726	U	3.52	2.21	0.986	U	4.96	2.9	0.615	U	5.13	3.23	-0.0741	U	5.53	3.24									
Europium-155	4000	-0.219	U	5.4	3.19	0.669	U	5.22	2.99	-3.44	U	7.1	5.94	0.997	U	6.94	4.13	-0.793	U	8.24	4.81									
Gross Alpha	15	0.63	U	1.47	0.871	0.312	U	1.76	0.934	0.865	U	1.74	1.04	0.803	U	1.67	1	0.859	U	1.92	1.14									
Gross Beta	1000	1.38	U	1.57	1.01	2.72	UJ	1.57	1.15	4.43	U	1.99	1.35	1.36	U	1.5	0.976	2.74	UJ	1.58	1.06									
Manganese-54	2000	-0.353	U	1.43	0.881	-0.0344	U	1.31	0.777	0.228	U	1.55	0.926	0.0178	U	1.74	1.21	-0.501	U	1.94	1.18									
Sodium-22	400	-0.145	U	1.49	0.888	-0.248	U	1.26	0.789	0.418	U	1.79	1.04	0.182	U	1.83	1.15	-0.0346	U	1.98	1.16									
Strontium-90	8	-0.0581	U	0.538	0.257	0.0135	U	0.654	0.338	1.09	U	0.463	0.367	0.998	U	0.452	0.365	0.375	U	0.667	0.401									
Tritium	20000	-42.3	U	237	132	87.5	U	240	141	132	U	242	144	-62.4	U	237	130	202	U	239	146									
Zinc-65	360	-0.345	U	3.05	2.1	-1.52	U	2.61	3.06	-1.01	U	3.48	2.13	0.464	U	3.6	2.41	-0.766	U	3.87	2.81									

pCi/L - Picocuries per Liter.

U - Not detected.

-- No standard applicable

**Table 11**  
**Soil Gas Monitoring Well Description**

<b>Current Landfill</b>			
<b>Soil Gas Monitoring Well</b>	<b>Screen Location</b>	<b>Top of Screen (Feet BLS)</b>	<b>Bottom Screen (Feet BLS)</b>
SGM-1 PROBE A	Shallow	2.5	7.5
SGM-1 PROBE B	Intermediate	10.5	17.5
SGM-1 PROBE C	Deep	20	29.5
SGM-2 PROBE A	Shallow	2.5	7.5
SGM-2 PROBE B	Intermediate	10.5	16
SGM-2 PROBE C	Deep	19	28
SGM-3 PROBE A	Shallow	2.5	7.5
SGM-3 PROBE B	Intermediate	10.5	17
SGM-3 PROBE C	Deep	20	29
SGM-4 PROBE A	Shallow	2.5	7.5
SGM-4 PROBE B	Intermediate	10.5	20
SGM-4 PROBE C	Deep	23	32
SGM-5 PROBE A	Shallow	2.5	7.5
SGM-5 PROBE B	Intermediate	10.5	22
SGM-5 PROBE C	Deep	25	34
SGM-6 PROBE A	Shallow	2.5	7.5
SGM-6 PROBE B	Intermediate	10.5	18.5
SGM-6 PROBE C	Deep	21.5	30.5
SGM-7 PROBE A	Shallow	2.5	7.5
SGM-7 PROBE B	Intermediate	10.5	16
SGM-7 PROBE C	Deep	19	26
SGM-8 PROBE A	Shallow	2.5	7.5
SGM-8 PROBE B	Intermediate	10.5	16.5
SGM-8 PROBE C	Deep	19.5	28.5
SGM-9 PROBE A	Shallow	2.5	7.5
SGM-9 PROBE B	Intermediate	10.5	20.5
SGM-9 PROBE C	Deep	23.5	32.5
SGM-10 PROBE A	Shallow	2.5	7.5
SGM-10 PROBE B	Intermediate	10.5	15.5
SGM-10 PROBE C	Deep	18.5	27.5
SGM-11 PROBE A	Shallow	2.5	7.5
SGM-11 PROBE B	Intermediate	10.5	16
SGM-12 PROBE A	Shallow	2.5	7.5
SGM-12 PROBE B	Intermediate	10.5	15
SGM-13 PROBE A	Shallow	2.5	7.5
SGM-13 PROBE B	Intermediate	10.5	13
SGM-14 PROBE A	Shallow	2.5	7.5
SGM-14 PROBE B	Intermediate	10.5	13
SGM-15 PROBE A	Shallow	2.5	5.5
SGM-15 PROBE B	Intermediate	8.5	11.5
SGM-16 PROBE A	Shallow	2.5	5.5
SGM-16 PROBE B	Intermediate	8.5	11
SGM-17 PROBE A	Shallow	2.5	5.5
SGM-17 PROBE B	Intermediate	8.5	11

**Table 11**  
**Soil Gas Monitoring Well Description**

Current Landfill			
Soil Gas Monitoring Well	Screen Location	Top of Screen (Feet BLS)	Bottom Screen (Feet BLS)
SGM-18 PROBE A	Shallow	2.5	7.5
SGM-18 PROBE B	Intermediate	10.5	13.5
SGM-19 PROBE A	Shallow	2.5	7.5
SGM-19 PROBE B	Intermediate	10.5	17

BLS – Below Land Surface

Former Landfill			
Soil Gas Monitoring Well	Screen Location	Top of Screen (Feet BLS)	Bottom Screen (Feet BLS)
SGM-1 PROBE A	Shallow	2.5	10
SGM-1 PROBE B	Intermediate	15	43
SGM-2 PROBE A	Shallow	2.5	10
SGM-2 PROBE B	Intermediate	15	40
SGM-3 PROBE A	Shallow	2	9.5
SGM-3 PROBE B	Intermediate	14.5	36
SGM-4 PROBE A	Shallow	2.5	10
SGM-4 PROBE B	Intermediate	15	35.5
SGM-5 PROBE A	Shallow	2.5	10
SGM-5 PROBE B	Intermediate	15	37
SGM-6 PROBE A	Shallow	2.7	10.2
SGM-6 PROBE B	Intermediate	22	37.2
SGM-7 PROBE A	Shallow	2.8	10.3
SGM-7 PROBE B	Intermediate	15	42
SGM-8 PROBE A	Shallow	2.5	10
SGM-8 PROBE B	Intermediate	15	47
SGM-9 PROBE A	Shallow	2.5	10
SGM-9 PROBE B	Intermediate	15	52
SGM-10 PROBE A	Shallow	2.5	10
SGM-10 PROBE B	Intermediate	15	52
SGM-11 PROBE A	Shallow	2.5	10
SGM-11 PROBE B	Intermediate	15	46
SGM-12 PROBE A	Shallow	2.5	10
SGM-12 PROBE B	Intermediate	15	43.5

BLS – Below Land Surface

Table 12


## 2007 Current Landfill Soil Gas Monitoring Summary Table

Soil Gas Monitoring Well	Methane (% By Volume) 2/24/07	Methane (% By Volume) 5/17/07	Methane (% By Volume) 9/20/07	Methane (% By Volume) 12/20/07	LEL (% By Volume) 2/24/07	LEL (% By Volume) 5/17/07	LEL (% By Volume) 9/20/07	LEL (% By Volume) 12/20/07	Hydrogen Sulfide (ppm by volume) 2/24/07	Hydrogen Sulfide (ppm by volume) 5/17/07	Hydrogen Sulfide (ppm by volume) 9/20/07	Hydrogen Sulfide (ppm by volume) 12/20/07	Soil Gas Monitoring Well	
SGMW-01A	10.0	12.2	5.7	3.1	200.0	244	116.0	62	0.0	1.0	0.0	3.0	SGMW-01A	
SGMW-01B	6.4	4.5	6.0	1.6	128	90	118.0	32	0.0	1.0	1.0	0.0	SGMW-01B	
SGMW-01C	5.9	0.3	5.5	2.0	118	6	110.0	40	0.0	0.0	1.0	0.0	SGMW-01C	
SGMW-02A	0.2	0.4	37.5	17.4	4.0	8	750.0	348	0.0	1.0	1.0	0.0	SGMW-02A	
SGMW-02B	0.0	17.6	30.8	10.5	0.0	352	616.0	210	0.0	1.0	1.0	0.0	SGMW-02B	
SGMW-02C	0.0	0.4	27.0	1.1	0.0	8	540.0	22	0.0	1.0	1.0	0.0	SGMW-02C	
SGMW-03A	0.0	25.1	22.4	0.0	0.0	502	448.0	0.0	0.0	1.0	0.0	0.0	SGMW-03A	
SGMW-03B	0.9	0.7	40.0	0.0	18	14	800.0	0.0	0.0	2.0	0.0	0.0	SGMW-03B	
SGMW-03C	0.2	0.6	39.7	0.0	4	12	794.0	0.0	0.0	2.0	0.0	0.0	SGMW-03C	
SGMW-04A	8.4	0.7	43.7	1.0	168	14	874.0	20	0.0	0.0	3.0	0.0	SGMW-04A	
SGMW-04B	17.0	0.7	38.5	3.0	340.0	14	760.0	60	0.0	0.0	1.0	0.0	SGMW-04B	
SGMW-04C	12.0	0.7	31.5	0.0	240	14	630.0	0.0	0.0	0.0	1.0	0.0	SGMW-04C	
SGMW-05A	10.5	0.6	32.6	0.0	210.0	12	652	0.0	0.0	1.0	0.0	0.0	SGMW-05A	
SGMW-05B	17.0	0.7	29.4	1.2	340.0	13	588.0	24	0.0	2.0	1.0	0.0	SGMW-05B	
SGMW-05C	13.5	0.7	22.4	0.0	270	13	444.0	0.0	0.0	2.0	1.0	0.0	SGMW-05C	
SGMW-06A	11.5	0.8	30.7	0.0	230	16	614	0.0	0.0	1.0	1.0	0.0	SGMW-06A	
SGMW-06B	14.3	0.6	29.9	0.0	286	12	598	0.0	0.0	1.0	1.0	0.0	SGMW-06B	
SGMW-06C	12.9	0.0	26.4	0.0	258	0.0	528	0.0	0.0	0.0	1.0	0.0	SGMW-06C	
SGMW-07A	0.0	0.0	0.1	0.1	0.0	0.0	2.0	2.0	0.0	0.0	2.0	0.0	SGMW-07A	
SGMW-07B	0.0	0.0	0.1	0.1	0.0	0.0	2.0	2.0	0.0	0.0	2.0	0.0	SGMW-07B	
SGMW-07C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	SGMW-07C	
SGMW-08A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	SGMW-08A	
SGMW-08B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	SGMW-08B	
SGMW-08C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	SGMW-08C	
SGMW-09A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	SGMW-09A
SGMW-09B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	SGMW-09B
SGMW-09C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	SGMW-09C	
SGMW-10A	0.4	0.0	8.7	0.0	8	0.0	174	0.0	0.0	0.0	0.0	2.0	0.0	SGMW-10A
SGMW-10B	0.0	0.0	10.5	0.0	0.0	0.0	210	0.0	0.0	0.0	0.0	1.0	0.0	SGMW-10B
SGMW-10C	0.0	0.0	9.0	0.0	0.0	0.0	180	0.0	0.0	0.0	0.0	8.0	0.0	SGMW-10C
SGMW-11A	0.0	0.0	8.5	0.0	0.0	0.0	170	0.0	0.0	0.0	0.0	2.0	0.0	SGMW-11A
SGMW-11B	0.0	0.0	8.7	0.0	0.0	0.0	174	0.0	0.0	0.0	0.0	22.0	0.0	SGMW-11B
SGMW-12A	0.0	0.0	8.1	27.5	0.0	0.0	162	550	0.0	0.0	2.0	39.0	0.0	SGMW-12A
SGMW-12B	0.0	0.0	6.1	27.5	0.0	0.0	172	550	0.0	0.0	2.0	0.0	0.0	SGMW-12B
SGMW-13A	0.0	0.3	6.0	0.0	0.0	0.0	120	0.0	0.0	0.0	1.0	0.0	0.0	SGMW-13A
SGMW-13B	0.0	0.0	4.0	0.0	0.0	0.0	80	0.0	0.0	0.0	1.0	0.0	0.0	SGMW-13A
SGMW-14A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	SGMW-14A
SGMW-14B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	SGMW-14B
SGMW-15A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	SGMW-15A
SGMW-15B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	SGMW-15B
SGMW-16A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	SGMW-16A
SGMW-16B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	SGMW-16B
SGMW-17A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	SGMW-17A
SGMW-17B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	SGMW-17B
SGMW-18A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	SGMW-18A
SGMW-18B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	SGMW-18B
SGMW-19A	2.5	4.0	27.0	0.0	50	80	540	0.0	0.0	1.0	29.0	0.0	0.0	SGMW-19A
SGMW-19B	0.0	0.0	19.2	0.0	0.0	0.0	384	0.0	0.0	0.0	17.0	0.0	0.0	SGMW-19B
GSGM-1A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	GSGM-1A
GSGM-1B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	GSGM-1B
GSGM-1C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	GSGM-1C
GSGM-2A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	GSGM-2A
GSGM-2B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	GSGM-2B
GSGM-2C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	GSGM-2C
GSGM-3A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	GSGM-3A
GSGM-3B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	GSGM-3B
GSGM-4A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	GSGM-4A
GSGM-4B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	GSGM-4B

Measurements in ( ) are calculated, not measured.

**Table 13**

## **2007 Former Landfill Soil-Gas Monitoring Summary Table**



**BROOKHAVEN**  
NATIONAL LABORATORY

EWMS Division


TITLE:

**SITE LOCATION MAP  
2007 ENVIRONMENTAL MONITORING REPORT  
CURRENT AND FORMER LANDFILL AREAS**

DWN: <b>KCK</b>	VT: HZ.: -	DATE: <b>02/18/04</b>	PROJECT NO.: <b>07928</b>
CHKD: <b>WRD</b>	APPD: <b>WRD</b>	REV.: -	NOTES: -

FIGURE NO.:

1



**BROOKHAVEN**  
NATIONAL LABORATORY

EWMS Division


TITLE:


CURRENT LANDFILL  
MONITORING WELL LOCATIONS  
2007 ENVIRONMENTAL MONITORING REPORT  
CURRENT AND FORMER LANDFILL AREAS

DWN: <b>KCK</b>	VT: HZ.: -	DATE: <b>02/24/04</b>	PROJECT NO.: <b>07928</b>
CHKD: <b>WRD</b>	APPD: <b>WRD</b>	REV.: -	NOTES: -

FIGURE NO.:

**2**





**BROOKHAVEN**  
NATIONAL LABORATORY


EWMS DIVISION


TITLE:


FORMER LANDFILL  
MONITORING WELL LOCATIONS  
2007 ENVIRONMENTAL MONITORING REPORT  
CURRENT AND FORMER LANDFILL AREAS

DWN: KCK	VT: HZ: -	DATE: 02/18/04	PROJECT NO.: 07928
CHKD: JEB	APPD: WRD	REV.: -	NOTES: -


FIGURE NO.:











TITLE:  
**CURRENT LANDFILL  
IRON TREND PLOTS**  
2007 ENVIRONMENTAL MONITORING REPORT  
CURRENT AND FORMER LANDFILL AREAS

















## Appendix A

Operable Unit 1  
Wooded Wetlands Supplemental Surface Water  
and  
Sediment Sampling and Analysis Report

# **ANNUAL WOODED WETLAND REPORT**

## **2007**

### **1.0 INTRODUCTION**

This report summarizes and evaluates the annual sediment and surface water sampling performed for Operable Unit I (OU I), Wooded Wetland area at Brookhaven National Laboratory, Upton, New York (BNL). The Wooded Wetland is located east of and adjacent to the Current Landfill and has the potential to receive leachate from the landfill. The wetland consists of a North and South pond. The annual sampling of the Wooded Wetland follows the recommendations of the *Focused Ecological Risk Assessment Operable Units I/VI* (CDM, 1999b). This report summarizes the results of the sampling conducted in accordance with the 1999 and 2000 *OU I Wooded Wetlands Supplemental Sampling and Analysis Plans* (BNL, 1999 and BNL, 2000). These plans were prepared as an addendum to the *Sampling and Analysis Plan for the Remedial Investigation/Feasibility Study for Operable Unit I* (SAIC, 1993).

The annual sampling focuses on analysis of metals in the sediment and surface water to evaluate their potential risks to the local tiger salamander population. Seven sediment and seven surface water samples were collected in May 2007 from two ponds (North and South), in the Wooded Wetland area.

### **1.1 Background**

The Wooded Wetland is a two-acre area located between the Former Hazardous Waste Management Facility and the Current Landfill (Figure 1). The wetland receives surface runoff from the Current Landfill, which was capped in 1995, as well as land runoff from the south. The Wooded Wetland usually is flooded during the spring and early summer, and dry in late summer. In the Current Landfill area, the water table is located approximately 10 to 15 ft below the Wooded Wetlands; therefore, the wetland area does not receive groundwater recharge. High clay content of the near-surface soils allows for perching of water from precipitation and runoff.

An ecological review and assessment of the Wooded Wetland is provided in the *OU I/VI Preliminary Ecological Risk Screening Report* (CDM, 1996b). As part of the Feasibility Study for OU I, a Focused Ecological Risk Assessment was conducted for this area of concern (CDM, 1999b).

Two surface water samples (SW-4 and SW-5) and 14 sediment samples (SD-10 through SD-17) were collected from this area in 1994 during the OU I Remedial Investigation (CDM, 1996a). At six of the sediment locations, samples were collected from two intervals: 0 to 0.5 ft, and 1 to 1.5 ft. Samples were collected from the surface only at the remaining two locations (SD-10 and SD-11).

A gap was identified in the 1994 data set and supplemental sampling was carried out in December 1997 as part of the Ecological Risk Assessment. Only two surface water and two sediment samples were collected and analyzed for metals during this sampling event due to the dry conditions at that

time. Results from all four locations indicated lower concentrations of contaminants in both the surface water and sediment, compared to the May 1994 locations. Figure 1 shows the benchmark 1994 and 1997 surface water/sediment sample locations, respectively.

The results of the surface water samples from four of the locations (SW-17, SW-5S, SW-5N, and SW-E) indicated that the risk for larval salamanders was unlikely to low. At location SW-6, the concentration of metals in the surface water sample indicated a moderate risk. Sediment results from the five locations indicated that the risk to adult salamanders is unlikely. (See the Ecological Risk Assessment, CDM, 1999b.)

In August 2000, four surface water samples (two from each pond), and seven sediment samples (four from the South Pond, three from the North Pond) were collected from the Wooded Wetlands Area. The locations are shown in Figure 2. Background and maximum concentration values for sediment and water are presented in Tables 2A and 2B. From 2001 through 2006, seven annual surface water and sediment samples were taken from the ponds (Table 1). Analytical data for all years are provided in Tables 3 through 6. The following discussions focus on the findings of the 2007 sampling season.

## **2.0 GENERAL PROCEDURES**

### **2.1 Environmental Sampling Procedures**

Sampling was conducted by BNL on May 16, 2007, in accordance with the procedures and sampling locations outlined in the *OU I Sampling and Analysis Plan* (SAIC, 1993), supplementary Wooded Wetlands sampling plans (BNL 1999 and 2000) and BNL standard operating procedures for sampling surface water and sediments. Samples of surface water and sediment were collected at seven locations, as shown on Figure 2. These places were chosen based on the locations where samples were collected in 1994 and 1997. Locations SW/SD-5 and SW/SD-6 were near the two 1997 locations. SW/SD-17, SW/SD-12, and SW/SD-13 were close to three of the 1994 sediment sampling locations. Variability in sampling locations and number of samples were related primarily to seasonal drying of the ponds. Table 1 provides the sampling designation for comparison between samples taken each year since 1999.

Water and sediment samples were sent to an off-site certified laboratory for analysis. The samples were submitted for the EPA Target Analyte List (TAL) of total metals by EPA Methods 6010B, and mercury by EPA Methods 7470 for aqueous samples and 7471 for sediment samples. In accordance with the July 2000 Sampling and Analysis Plan, quality assurance/quality control samples included a blind duplicate (one per matrix), matrix spike/matrix spike duplicate (one per matrix), and one equipment blank.

## **2.2 Criteria**

To determine if sediment or surface water concentrations pose a risk to tiger salamanders, analytical data were compared to benchmark sediment concentrations and critical water concentrations (Tables 2A and 2B) that were calculated in the *Ecological Risk Assessment* (CDM, 1999b). A benchmark sediment dose is a dose above which an observable toxic effect may occur in adult tiger salamanders. Table 2A gives the benchmark sediment concentrations for five metals of concern. BNL background levels are higher than established Maximum Sediment Concentrations except for manganese. Critical water concentrations are surface water concentrations that have the potential to produce observable adverse effects to larval salamanders. The ten metals in the surface water that have an estimated critical concentration are summarized in Table 2B. Three of them have benchmark maximum concentrations greater than the critical levels.

## **2.3 Sample Locations**

Seven sediment and seven surface water samples were collected in May 2007 from the North and South Ponds. Four sediment and four surface water samples were taken from the South Pond, and three sediment and three surface water samples were collected from the North Pond. Table 1 lists 2007 samples with cross-references of the sampling locations to 1994, 1997, 1999, and 2000 through 2007. Figure 2 shows the sediment and surface water sampling locations.

## **3.0 SUMMARY OF ANALYTICAL RESULTS**

The results from the total metals sample analyses of sediment and surface water for each year are summarized in Tables 3 and 4, respectively. Tables 5 and 6 contain comparisons of average sediment and surface water sample results for contaminants of concern to maximum contaminant and background concentrations, for each year.

### **3.1 Sediment**

Table 5 summarizes the results for the contaminants of concern, specifically copper, lead, manganese, mercury, and zinc, for the North and South Ponds from 1994, 1997, and 1999 to 2006. These results are compared with the maximum and background sediment concentrations from Table 2A.

To evaluate sediment concentrations in the North and South Ponds for metals, annual averages were calculated from the samples collected. The averages were determined to evaluate trends, since the sediment samples were grab samples collected from a number of locations.

The 2007 results from the four South Pond locations, SD-5, SD-6, SD-16, and SD-17, indicate that the concentrations and average concentrations of the metals of concern at these locations are below the maximum contaminant and background concentrations.

The results from the three North Pond locations, SD-11, SD-12, and SD-2001, indicate that the concentrations of the metals of concern at these locations are below the maximum contaminant and background concentrations, with the exception of location SD-12. At this location, the concentrations of metals were above the maximum sediment concentration but below the background concentration for all metals except manganese. The manganese result of 134 mg/kg was below the maximum sediment concentration of 541 mg/kg but above the background concentration of 84.3 mg/kg.

This analysis indicates that no significant change has occurred since 1994.

### **3.2 Surface-Water**

Table 6 presents the results of the 10 metals of concern for each of the seven surface water samples collected during 2007. Also shown in Table 6, for comparison, are the surface water results from previous monitoring, along with the critical and benchmark water concentrations from Table 1B. Four surface water samples came from the South Pond (SW-5S, SW-6, SW-16 and SW-17) and three samples were collected from the North Pond (SW-4, SW-5N and SW-2001).

The South Pond samples from 2007 show that concentrations of iron exceeded the critical concentration value at three of four locations (SW-5S, SW16, and SW17). Comparison of average values for 2007 indicated that iron was the only metal of concern that was above the critical concentration value.

The North Pond samples from 2007 indicate concentrations of iron above the critical concentration values at all three locations. The average iron concentration was below the BNL background (see Table 2B) . The average 2007 concentrations are similar to those in previous years.

Since metals in water are the primary source of absorption by tiger salamanders, no significant change in dissolved metals provides indication that the wooded wetland is not experiencing an increase in metals concentration.

## **4.0 CONCLUSIONS & RECOMMENDATIONS**

The results of the May 2007 sediment and surface water sampling program indicate no elevated risk to adult salamanders from sediments in the South or the North Ponds when compared to the maximum benchmark concentrations (Table 2A). The average sediment sample concentrations for both ponds were lower than the maximum and/or background concentrations that would result in an elevated hazard quotient as discussed in the *Final Focused Ecological Risk Assessment for OU I* (CDM, 1999b). This analysis indicates that no significant change has occurred.

Since metals in water are the primary source of absorption by tiger salamanders, no significant change in dissolved metals indicates that the wooded wetland is not experiencing an increase in metals concentration.

Surface water samples indicate an average iron concentration of 1,042 µg/l in the South Pond, and 1,767 µg/L in the North Pond, which is higher than the 1,000 µg/l critical concentration. Although the iron concentrations exceeded the background concentration (see Table 2B) in two of the seven samples in both ponds, the average iron concentration in each pond did not.

There is a considerable amount of uncertainty reflected in deriving the critical water concentrations established in the Ecological Risk Assessment (CDM, 1999). This is largely due to the limited number of published toxicity values for the tiger salamander related to the metal of concern. The critical water concentration for iron was taken from the *EPA National Recommended Water Quality Criteria for Non-Priority Pollutants* (EPA, April 1999). No maximum value is given under these criteria.

Overall, the results obtained from the May 2007 sampling indicate that metals in the sediment and the metals of concern in surface water are within the range of variability as compared to previous years' values. The number of sediment and water samples collected from the South Pond in 2007 was the same as those collected in 2006, so the averages can be directly compared for the parameters analyzed. No substantive effect due to leached metals from the landfill is evident in the sediments or surface water.

There is considerable uncertainty inherent in establishing the critical water concentrations for these metals and in assigning the actual risk posed to the tiger salamander larvae. This analysis indicates that no significant change has occurred. Since metals in water are the primary source of absorption by tiger salamanders, no significant change in dissolved metals provides indication that the wooded wetland is not experiencing an increase in metals concentration.

Based on the results of the 2007 sampling event, annual sampling of the Wooded Wetlands during the spring should continue, in order to document and confirm the trends monitored as part of the O&M Landfill Report.

## **5.0 REFERENCES**

- CDM, 1996a. *Brookhaven National Laboratory Final Remedial Investigation/Risk Assessment Report Operable Unit I*. CDM Federal Programs Corp., June 14, 1996.
- CDM, 1996b. *Preliminary Ecological Risk Screening, Volume 2D, BNL Final Remedial Investigation/Risk Assessment Report OU I/VI*. CDM Federal Programs Corp., June 14, 1996.
- CDM, 1999a. *Brookhaven National Laboratory Final Feasibility Study Report Operable Unit I and Radiologically Contaminated Soils*. CDM Federal Programs Corp., March 31, 1999.
- CDM, 1999b. Appendix L, *Final Focused Ecological Risk Assessment for OU I/VI. BNL Final Feasibility Study Report Operable Unit I and Radiologically Contaminated Soils*. CDM Federal Programs Corp., March 31, 1999.
- BNL, 1999. “OU I Wooded Wetland Supplemental Surface-water and Sediment Sampling and Analysis Plan.” Memorandum, A. Bou to J. Brower, May 3, 1999.
- BNL, 2000. “OU I Wooded Wetland Supplemental Surface-water and Sediment Sampling 2000.” Memorandum, P. Riche’ to J. Brower, July 19, 2000.
- P. W. Grosser (2002). *BNL 2001 Environmental Monitoring Report – Current and Former Landfill Areas*. P. W. Grosser Consulting Engineers. February, 2002.
- SAIC, 1993. *Sampling and Analysis Plan for the Remedial Investigation/Feasibility Study for Operable Unit I/VI*. SAIC Inc., October 8, 1993.

## ***TABLES***

Table 1  
Sediment and Surface Sample Locations

Table 1. Crosswalk of sample designation between years for sediment and surface water sampling at the wooded wetland.

Sediment Sample Locations												
Pond Sampled	2007 Sample Designation	2006 Sample Designation	2005 Sample Designation	2004 Sample Designation	2003 Sample Designation	2002 Sample Designation	2001 Sample Designation	2000 Sample Designation	1999 Sample Designation	1997 Sample Designation	1994 Sample Designation	
South	SD-5	SD-B	SD-5	NS								
South	SD-6	SD-C	SD-6	NS								
South	SD-16	NS	NS	SD-16								
South	SD-17	SD-A	NS	SD-17								
North	SD-11	NS	NS	SD-11								
North	SD-12	SD-D	NS	SD-12								
North	NS	SD-13	SD-E	NS	SD-13							
North	SD-2001	NS	NS	NS	NS							

Surface-Water Sample Locations												
Pond Sampled	2007 Sample Designation	2006 Sample Designation	2005 Sample Designation	2004 Sample Designation	2003 Sample Designation	2002 Sample Designation	2001 Sample Designation	2000 Sample Designation	1999 Sample Designation	1997 Sample Designation	1994 Sample Designation	
South	SW-5 S	SW-5	SW-B	SW-5	SW-5							
South	SW-6	SW-C	SW-6	NS								
South	SW-16	NS	NS	NS	NS							
South	SW-17	NS	SW-A	NS	NS							
North	SW-4	NS	NS	SW-4								
North	SW-5N	SW-5N	SW-5N	SW-5N	SW-5 N	SW-5 N	SW-5 N	SW-5	SW-D	NS	NS	
North	NS	SW-E	NS	NS								
North	SW-2001	NS	NS	NS	NS							

NS Not Sampled

**Table 2A**  
**Benchmark Sediment Concentrations for Adult Salamanders\***

Contaminants of Concern	BNL ** Background Concentration (mg/kg)	Maximum Sediment Concentration (mg/kg)	Maximum Dose (mg/kg/day)	Benchmark Dose (mg/kg/day)	Hazard Quotient***
Copper	52.5	29.0	0.00903	0.232	0.0389
Lead	97.6	82.9	3.86	151	0.0255
Manganese	84.3	541	0.168	556	0.000302
Mercury	0.41	0.17	0.0000529	0.00958	0.00552
Zinc	158	122	6.49	105	0.0618

**NOTES:**

\*OU I Feasibility Study, Appendix L. Final Focused Ecological Risk Assessment for Operable Unit I/VI, 3/31/99.

\*\* Off-site stream sediment concentrations from the upper Peconic River. OU V Remedial Investigation Report, IT Corp. 1996.

\*\*\* Contaminants with hazard quotients greater than 0.0001.

**Table 2B**  
**Critical Benchmark Water Concentrations for Larval Salamanders\***

Contaminants of Concern	BNL Background Concentration (ug/l) **	Maximum Concentration* (ug/l)	Critical Concentration (ug/l) ***
Aluminum	820	762	525
Cadmium	3.5	0.3	12.8
Copper	10.1	8.1	15.0
Cobalt	ND	18.7	50.0
Iron	1,990	4,400	1,000
Lead	ND	4.4	14.6
Mercury	0.18	0.24	2.7
Nickel	ND	3.5	420
Silver	ND	ND	2.4
Zinc	62.9	64.9	23.8

**NOTES:**

\*OU I Feasibility Study, Appendix L. Final Focused Ecological Risk Assessment for Operable Unit I/VI, 3/31/99.

\*\* Based on OU V Remedial Investigation Report, IT Corp., 1996 and OU I/VI Remedial Investigation Report, CDM Federal Corp., 1996.

\*\*\*The critical concentration for contaminants of concern in water represents the reported toxic concentration most applicable to salamanders which is adjusted, where necessary, to the equivalent of the No Observable Adverse Effects Levels (NOAEL).

Table 3  
Annual Wooded Wetland Report  
Sediment Sample Results - Metals Analysis

LOCATION	CONTAMINANT Units : mg/Kg	SAMPLES COLLECTED										
		1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	May-07
SD-5 (SD-B)	Aluminum	NS	4,470	11,600	11,000	8,490	10,200	11,300 *	9,200 *	NS	12,600	8450 *N
	Antimony	NS	1.4 U	0.27 U	0.26 U	0.481 B	0.719 UN	0.485 B	0.632 UN	NS	1 U	2.7
	Arsenic	NS	1.1 B	1.4	1.81	1.39 B	1.66	1.8	1.79	NS	2 B	2.2 B
	Barium	NS	18.4 B	19.4	24.4	25.1 B	26.6	28	26.9	NS	31	19.3 *
	Beryllium	NS	0.15 B	0.23 B	0.364 B	0.34 B	0.327 B	0.406 B	0.401 B	NS	0 B	0.22 B
	Cadmium	NS	0.15 B	0.05 B	0.396 B	0.145 B	0.154 B	0.091 U	0.196 B	NS	0 B	0.164 U
	Calcium	NS	915 B	343 B	432 B	554 B	727 *	394 *N	1110 N	NS	459	294
	Chromium	NS	6.1	9.9	13.9	11.7	11.6	14	10.6 *	NS	16	10.3 *
	Cobalt	NS	1.3 B	1.7 B	3.15 B	3.36 B	1.97	3.53	1.91	NS	3	2
	Copper	NS	4.8 B	8.1	9.59	9.03	9.65	11.7	10.5	NS	10 *	7.2 *
	Iron	NS	2,560	7,490	7,590	8,670	6,130	8,820 *N	5,700	NS	6,070 EN	5680 N
	Lead	NS	28	19.4	13.4	13.0	21.1 N	12.7	30.1 *	NS	16 *	22.2 *
	Magnesium	NS	487 B	1150	1890	2,240	1,420	2,080 *N	1,310 *	NS	2,110 *	1320
	Manganese	NS	41.5	45.1	82.4	123	78.7 *	88.3 *N	109 *	NS	89 *	54.4
	Mercury	NS	0.11 U	0.05	0.098	0.053	0.053	0.021	0.052	0.0512	0.047 BN	0.04 B
	Nickel	NS	4.1 B	5.7	8.02	9.25	6.74	8.17	7.31 *	NS	8 *	5.9
	Potassium	NS	238 B	397 B	653 B	891	602	889 N	734 E*N	NS	956	409 *
	Selenium	NS	1.3 U	0.36 B	0.896	0.508 B	0.827	0.468 U	0.384 B	NS	1 U	0.985 U
	Silver	NS	0.44 U	0.29 B	0.151 U	0.126 U	0.172 U	0.235 U	0.166 U	NS	0 U	1.1
	Sodium	NS	42.2 B	27.2 B	33.6 B	50.2 B	40.8	44.9	34.5	NS	55	18.9 B
	Thallium	NS	1 U	0.82 U	0.34 U	0.561 U	0.748 U	0.502 U	3.18	NS	1 U	0.821 U
	Vanadium	NS	15.6 B	17.4	24.1	20.4	21.8	22.5	22.3 *	NS	29 *	18.7 *
	Zinc	NS	22.3	25.1	31.4	29.8	31.9	29.5	26.3 *	NS	34 *	23.1 *
	Cyanide	NS	NA	0.489	NA	NA	NA	NA	NA	NS	NS	NS

Table 3  
Annual Wooded Wetland Report  
Sediment Sample Results - Metals Analysis

LOCATION	CONTAMINANT Units : mg/Kg	SAMPLES COLLECTED										
		1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	May-07
SD-6 (SD-C)	Aluminum	NS	4,920	9,780	1,670	10,500	1,900	1,390 *	2,000 *	NS	2830	1630 *N
	Antimony	NS	1.1 U	0.93 U	0.247 U	0.338 U	0.645 UN	0.417 B	0.481 UN	NS	0.523 U	0.63 B
	Arsenic	NS	0.47 U	1.3 U	0.556 B	1.34	0.535 U	0.372 U	0.366 B	NS	0.785 U	0.785 U
	Barium	NS	15.2 B	21.5	3.57	26.2	4.74	3.27	5	NS	7.1	2.8 *
	Beryllium	NS	0.11 B	0.08 B	0.07 U	0.336	0.045 B	0.033 B	0.082 B	NS	0.131 U	0.131 U
	Cadmium	NS	0.2 B	0.17 U	0.105 U	0.057 B	0.064 B	0.074 U	0.067 U	NS	0.131 U	0.131 U
	Calcium	NS	487 B	774 B	88.3 B	279 B	136 *	51.5 *N	133 N	NS	150	51
	Chromium	NS	6.1	6.5	1.87	13	2.31	1.47	2.33 *	NS	3.6	1.7 *
	Cobalt	NS	1.4 B	0.81 B	0.344 B	3.68 B	0.308 B	0.397 B	0.393 B	NS	0.65 B	0.32 B
	Copper	NS	4.8 B	7.8	0.72 B	7.27	1.85	0.549 B	1.37	NS	1.7 *	0.73 B*
	Iron	NS	2,620	5,710	1,040	8,050	1,060	816 *N	1,280	NS	2080 EN	885 N
	Lead	NS	19.8	63.5	4.62 B	5.28	9.74 N	1.6	10.3 *	NS	5 *	4.5 *
	Magnesium	NS	596 B	568 B	250	2,750	245	214 *N	300 *	NS	503 *	192
	Manganese	NS	29.3	39.3	10.4	144	13.4 *	9.87 *N	15 *	NS	24 *	8
	Mercury	NS	0.1 U	0.18	0.049	0.004 U	0.011 B	0.006 U	0.019	0.0122 B	0.014 BN	0.026 B
	Nickel	NS	4.1 B	5.3	1.28	9.9	1.51	1.05	1.84 *	NS	2.1 *	1.1
	Potassium	NS	273 B	268	103 B	1,240	94	100 N	137 E*N	NS	243	61 *
	Selenium	NS	1 U	0.95 B	0.328 U	0.374 U	0.359 U	0.381 U	0.227 U	NS	0.785 U	0.785 U
	Silver	NS	0.34 U	0.44 U	0.143 U	0.111 U	0.155 U	0.191 U	0.126 U	NS	0.131 U	0.2 B
	Sodium	NS	35.1 B	96.9 U	11.5 B	50.9 B	18.6	13.9	11 B	NS	21.2	6.5 B
	Thallium	NS	0.8 U	2.8 B	0.324 U	0.495 U	0.671 U	0.409 U	1.4 U	NS	0.654 U	0.654 U
	Vanadium	NS	11.5 B	20.2 U	3.35 B	16 B	4.85	2.35	4.96 *	NS	5.6 *	2.8 *
	Zinc	NS	19.7	26 B	5.86	27.6	6.45	3.98	6.67 *	NS	9.5 *	4.6 *
	Cyanide	NS	NA	1.27	NA	NA	NA	NA	NA	NS	NS	NS

Table 3  
Annual Wooded Wetland Report  
Sediment Sample Results - Metals Analysis

LOCATION	CONTAMINANT Units : mg/Kg	SAMPLES COLLECTED										
		1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	May-07
SD-16	Aluminum	5,110 *	NS	NS	1,780	1,240	2,660	716 *	6,120 *	NS	2310	6620 *N
	Antimony	8.7 U	NS	NS	0.226 U	0.302 U	0.702 UN	0.568 B	0.859 BN	NS	0.685 U	2 B
	Arsenic	0.59 B	NS	NS	0.566 B	0.377 B	0.582 U	0.357 U	0.411 U	NS	1.03 U	2.3 B
	Barium	7.1 B	NS	NS	5.25	3.6 B	9.13	1.89	28.5	NS	7.7	17.6 *
	Beryllium	0.25 U	NS	NS	0.064 U	0.036 B	0.071 B	0.023 U	0.23 B	NS	0.171 U	0.28 B
	Cadmium	1.2 U	NS	NS	0.096 U	0.031 U	0.132 B	0.071 U	0.292 B	NS	0.171 U	0.233 U
	Calcium	125 B	NS	NS	216 B	137 B	451 *	62 *N	2160 N	NS	144	619
	Chromium	5.5	NS	NS	2.41	1.63	3.21	1.44	5.7 *	NS	3.6	6.9 *
	Cobalt	1.2 U	NS	NS	0.347 B	0.248 B	0.372 B	0.197 B	1	NS	0.42 B	1.5
	Copper	1 B	NS	NS	1.48	0.904 B	3.78	0.389 B	8.14	NS	2.2 *	9.5 *
	Iron	1,730 *	NS	NS	1,120	817	1320	569 *N	2960	NS	1520 EN	3810 N
	Lead	4.4 NJ	NS	NS	9.99	3.19	16.1 N	1.7	39.5 *	NS	8.8 *	15 *
	Magnesium	259 B	NS	NS	239 B	185 B	293	109 *N	580 *	NS	357 *	837
	Manganese	11.5 *	NS	NS	12.4	9.68	17.7 *	8.07 *N	45 *	NS	16.7 *	41.5
	Mercury	0.01 B	NS	NS	0.064	0.003 U	0.033	0.005 U	0.028	0.0336	0.027 BN	0.038 B
	Nickel	7.5 U	NS	NS	1.43	1.2 B	2.01	0.78	4.74 *	NS	1.6 *	4.5
	Potassium	138 U	NS	NS	113 B	114 B	133	54.5 N	414 E*N	NS	225	240 *
	Selenium	0.25 U,	NS	NS	0.365 B	0.334 U	0.391 U	0.366 U	0.323 U	NS	1.03 U	1.4 U
	Silver	1 U	NS	NS	0.131 U	0.099 U	0.168 U	0.183 U	0.18 U	NS	0.171 U	0.78 B
	Sodium	39 B	NS	NS	14.4 B	17 B	22.9	11.5	17 B	NS	26.5	16.7 B
	Thallium	0.25 U,	NS	NS	0.295 U	0.442 U	0.73 U	0.393 U	2.03	NS	0.856 U	1.16 U
	Vanadium	5.1 B	NS	NS	5.26 B	2.39 B	6.58	1.6	15.1 *	NS	6.2 *	15.8 *
	Zinc	4.7 B	NS	NS	7.34	6.48	12.9	2.58	29.1 *	NS	7.3 *	29.9 *
	Cyanide	3.1 U	NS	NS	NA	NA	NA	NA	NA	NS	NS	NS

Table 3  
Annual Wooded Wetland Report  
Sediment Sample Results - Metals Analysis

LOCATION	CONTAMINANT Units : mg/Kg	SAMPLES COLLECTED										
		1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	May-07
SD-17 (SD-A)	Aluminum	3,550	NS	3,500	2,840	1,440	1,870	2,870 *	1,080 *	NS	11100	4390 *N
	Antimony	8.8 U	NS	0.26 U	0.198 U	0.312 U	0.614 UN	0.415 B	0.492 UN	NS	0.577 U	1.7 B
	Arsenic	0.25 U	NS	1.1	0.397 B	0.424 B	0.51 U	0.435 B	0.296 U	NS	1.2 B	1.3 B
	Barium	8.8 B	NS	21.6	6.32	5.34 B	4.96	5.63	2.96	NS	29.4	15.9 *
	Beryllium	0.25 U	NS	0.17 B	0.056 U	0.037 B	0.042 B	0.052 B	0.072 U	NS	0.29 B	0.204 U
	Cadmium	1.3 U	NS	0.11 B	0.092 B	0.075 B	0.055 B	0.077 U	0.069 U	NS	0.28 B	0.27 B
	Calcium	80.4 B	NS	785	240 B	136 B	183 *	137 *N	107 N	NS	636	878
	Chromium	4.4	NS	7.4	2.54	1.98	1.99	2.68	1.21 *	NS	13	4.3 *
	Cobalt	1.3 U	NS	1.1 B	0.209 B	0.196 B	0.166 B	0.504 B	0.114 U	NS	1.8	0.85 B
	Copper	2.9 B	NS	8.2	1.64	1.41 B	1.42	12.6	1.39	NS	7.1 *	8.9 *
	Iron	1,590	NS	1,750	757	740	742	1210 *N	614	NS	3580 EN	2260 N
	Lead	4.1 NJ	NS	21.3	6.98	6.15	5.29 N	4.71	2.49 *	NS	16.1 *	26 *
	Magnesium	389 B	NS	665 B	157 B	162 B	169	280 *N	128 *	NS	1190 *	379
	Manganese	14.8	NS	40.1	10.9	12.3	9.72 *	16 *N	9.49 *	NS	54.6 *	31.3
	Mercury	0.02 B	NS	0.028 U	0.038	0.003 U	0.014	0.012 B	0.012 B	0.0618	0.037 BN	0.064 B
	Nickel	7.6 U	NS	4.3	1.13	1.25 B	1	3.34	0.792 *	NS	5.8 *	3.3
	Potassium	140 U	NS	216 B	88.7 B	91.6 B	83.2	117 N	69.4 E*N	NS	566	146 *
	Selenium	0.25 U	NS	0.57 B	0.412 B	0.482 B	0.342 U	0.396 U	0.232 U	NS	0.866 U	1.22 U
	Silver	1 U	NS	0.22 B	0.115 U	0.103 U	0.147 U	0.199 U	0.129 U	NS	0.144 U	0.51 B
	Sodium	16.5 B	NS	31.9 B	9.14 B	19.3 B	17	15.6	5.21 U	NS	42.9	15.8 B
	Thallium	0.25 U	NS	0.79 U	0.259 U	0.457 U	0.639 U	0.425 U	1.43 U	NS	0.722 U	1.02 U
	Vanadium	4.4 B	NS	12.6	4.52 B	2.99 B	3.19	4.09	1.62 *	NS	19.7 *	11.1 *
	Zinc	8.8	NS	27.5	7.37	4.6	6.37	6.24	3.4 *	NS	33.7 *	32 *
	Cyanide	3.2 U	NS	0.243	NA	NA	NA	NA	NA	NS	NS	NS

Table 3  
Annual Wooded Wetland Report  
Sediment Sample Results - Metals Analysis

LOCATION	CONTAMINANT Units : mg/Kg	SAMPLES COLLECTED										
		1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	May-07
SD-11	Aluminum	4,030 *	NS	NS	5,070	12,800	11,400	6,920 *	7,570 *	NS	18500	2710 *N
	Antimony	10.9 U	NS	NS	0.311 U	0.532 U	1.51 UN	0.688 U	0.761 UN	NS	1.49 U	1.19 U
	Arsenic	0.31 U,	NS	NS	1.07	0.859 B	2.35	1.81	1.27	NS	3.8 B	1.78 U
	Barium	9.3 NB	NS	NS	27.1	53.4	61.1	35.4	34.6	NS	72.9	15 *
	Beryllium	0.31 U	NS	NS	0.134 B	0.291 B	0.342 B	0.232 B	0.281 B	NS	0.53 B	0.297 U
	Cadmium	1.6 U	NS	NS	0.135 B	0.06 B	0.232 B	0.144 B	0.152 B	NS	0.49 B	0.297 U
	Calcium	125 B	NS	NS	225 B	389	1750 *	551 *N	467 N	NS	2220	502
	Chromium	4.5	NS	NS	4.99	11.6	10.5	6.48	7.1 *	NS	18.5	1.8 *
	Cobalt	1.6 U	NS	NS	0.221 B	0.258 B	1.9	0.586 B	0.439 B	NS	2.7	0.593 U
	Copper	R	NS	NS	5.25	7.06	21.3	7.52	7.55	NS	35.8 *	4.9 *
	Iron	763 *	NS	NS	938	1,260 B	4,920	1,570 *N	1,660	NS	5190 EN	1100 N
	Lead	6.3 N	NS	NS	8.41	13.2	85.7 N	17.8	16.9 *	NS	122 *	16.6 *
	Magnesium	168 B	NS	NS	118 B	295 B	819	262 *N	293 *	NS	1270 *	112
	Manganese	6.6 *	NS	NS	3.74	9.41	33.9 *	10.5 *N	11.4 *	NS	43.1 *	5.3
	Mercury	0.03 B	NS	NS	0.074	0.12	0.198	0.056	0.044	0.0729	0.29 N	0.095 B
	Nickel	9.3 U	NS	NS	2	2.77 B	7.51	3.13	3.3 *	NS	12.1 *	1.7
	Potassium	171 U	NS	NS	131 B	308 B	488	285 N	355 E*N	NS	917	90.2 *
	Selenium	0.31 B	NS	NS	1.43	2.68	1.59	0.993 B	0.817 B	NS	2.24 U	1.78 U
	Silver	1.2 U	NS	NS	0.198 B	0.175 U	0.363 U	0.338 U	0.2 U	NS	0.373 U	0.297 U
	Sodium	40.9 B	NS	NS	32.2 B	58.4 B	87.2	44.3	21 B	NS	115	19.5 B
	Thallium	0.31 U,	NS	NS	0.723 B	0.779 U	1.57 U	0.724 U	2.22 U	NS	1.86 U	1.48 U
	Vanadium	4.2 B	NS	NS	4.27 B	8.33 B	35.8	9.46	10.3 *	NS	53.3 *	5.9 *
	Zinc	R	NS	NS	15.4	16.5	61.7	22.3	20.4 *	NS	83 *	13.3 *
	Cyanide	3.9 U	NS	NS	NA	NA	NA	NA	NA	NS	NS	NS

Table 3  
Annual Wooded Wetland Report  
Sediment Sample Results - Metals Analysis

LOCATION	CONTAMINANT Units : mg/Kg	SAMPLES COLLECTED										
		1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	May-07
SD-12 (SD-D)	Aluminum	7,220 *	NS	30,300	4,420	27,900	20,600	13,600 *	10,500 *	NS	9750	31900 *N
	Antimony	8.7 U	NS	0.6 U	0.247 U	0.734 B	1.34 BN	1.61 B	1.03 BN	NS	0.804 U	7.2
	Arsenic	0.76 B,	NS	5	0.981	6.58 B	4.46	4.17	2.17	NS	1.9 B	7.8
	Barium	17.4 B	NS	85.9	32	77.5	68.2	49.5	46.5	NS	49.8	85.9 *
	Beryllium	0.25 U	NS	0.73 B	0.129 B	0.82 B	0.546 B	0.348 B	0.399 B	NS	0.29 B	0.81 B
	Cadmium	1.2 U	NS	0.54 B	0.148 B	0.724 B	0.241 B	0.199 B	0.096 U	NS	0.43 B	0.31 B
	Calcium	379 B	NS	1,820	964	2,780	2,020 *	2,260 *N	1,870 N	NS	1500	2310
	Chromium	7.8	NS	22.1	4.7	27.8	20.3	13.3	10.9 *	NS	10.7	30.3 *
	Cobalt	2.5 B	NS	5.3 B	0.428 B	6.59 B	3.82	3.09	1.65	NS	1.3	7
	Copper	R	NS	44.6	7.41	36.6	26.4	20.2	13.6	NS	11.5 *	38.1 *
	Iron	5,150	NS	22,000	1,840	18,700	11,700	8,940 *N	5,960	NS	5370 EN	21800 N
	Lead	10.4 NJ	NS	86.3	6.11	71.1	59.8 N	42.3	25.5 *	NS	21.8 *	93.6 *
	Magnesium	943 B	NS	2220	207 B	3,020	1,610	885 *N	672 *	NS	630 *	3530
	Manganese	56 *	NS	125	4.12	147	73.3 *	48.4 *N	33.4 *	NS	23 *	134
	Mercury	0.03 B	NS	0.37	0.074	0.272	0.215	0.214	0.079	0.203	0.3 N	0.2 B
	Nickel	7.5 U	NS	16.5	2.04	19.6	11.6	7.9	5.5 *	NS	5.1 *	20.2
	Potassium	292 B	NS	766 B	130 B	1,300 B	774	611 N	570 E*N	NS	551	1000 *
	Selenium	0.25 U	NS	2.2	1.22	2.01	1.74	1.44	1.23	NS	1.21 U	8.08 U
	Silver	1 U	NS	1.3 B	0.146 B	0.441 U	0.284 U	0.47 U	0.18 U	NS	0.201 U	4.7
	Sodium	29.8 B	NS	106 B	31.4 B	133 B	81.1	69.4	26.5	NS	57.7	81.4
	Thallium	0.25 U	NS	1.8 U	0.323 U	1.03 U	1.23 U	1.01 U	2.46	NS	1.01 U	1.4 B
	Vanadium	10.8 B	NS	54.5	3.49 B	59.9	45.7	31.1	18.7 *	NS	17.2 *	64.7 *
	Zinc	R	NS	123	5.91	137	70.3	38.4	22.3 *	NS	23.4 *	127 *
	Cyanide	3.1 U	NS	0.708	NA	NA	NA	NA	NA	NS	NS	NS

Table 3  
 Annual Wooded Wetland Report  
 Sediment Sample Results - Metals Analysis

LOCATION	CONTAMINANT Units : mg/Kg	SAMPLES COLLECTED										
		1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	May-07
SD-13 (SD-E)	Aluminum	9,100 *	NS	8,360	2,090	NS						
	Antimony	9.2 U	NS	0.51 U	0.194 U	NS						
	Arsenic	1.2 B,	NS	1 B	0.46 B	NS						
	Barium	22.7 B	NS	21.7	10.2	NS						
	Beryllium	0.26 U	NS	0.08 B	0.055 U	NS						
	Cadmium	1.3 U	NS	0.18 B	0.083 U	NS						
	Calcium	640 B	NS	993 B	264 B	NS						
	Chromium	9.1	NS	5.3	2.58	NS						
	Cobalt	2.7 B	NS	0.64 B	0.124 B	NS						
	Copper	8.1	NS	9.5	1.42	NS						
	Iron	7,040 *	NS	3,340	781	NS						
	Lead	15.8 NJ	NS	39.9 B	5.14	NS						
	Magnesium	1190 B	NS	312	108 B	NS						
	Manganese	85 *	NS	16	3.96	NS						
	Mercury	0.06 B	NS	0.13	0.054	NS						
	Nickel	7.9 U	NS	3.2	0.848	NS						
	Potassium	300 B	NS	209 B	113 B	NS						
	Selenium	0.26 U	NS	0.89 B	0.502 B	NS						
	Silver	1.1 U	NS	0.35 B	0.113 U	NS						
	Sodium	48.4 B	NS	76.1 B	14.1 B	NS						
	Thallium	0.26 U	NS	1.5 U	0.254 U	NS						
	Vanadium	16.3	NS	14.9	2.99 B	NS						
	Zinc	27.9	NS	17.3	4.35	NS						
	Cyanide	3.3 U	NS	0.847	NA	NS						

Table 3  
Annual Wooded Wetland Report  
Sediment Sample Results - Metals Analysis

LOCATION	CONTAMINANT Units : mg/Kg	SAMPLES COLLECTED										
		1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	May-07
SD-2001	Aluminum	NS	NS	NS	1,780	46,900	15,800	14,900 *	11,600 *	NS	7030	16300 *N
	Antimony	NS	NS	NS	0.226 U	0.821 U	1.32 UN	1.44 B	0.953 BN	NS	0.87 U	4
	Arsenic	NS	NS	NS	0.566 B	9.03	4.21	4.4	2.23	NS	1.5 B	5.3
	Barium	NS	NS	NS	5.25	118	52.9	52.1	45.4	NS	56.9	59.1 *
	Beryllium	NS	NS	NS	0.064 U	1.23 B	0.434 B	0.359 B	0.397 B	NS	0.28 B	0.46 B
	Cadmium	NS	NS	NS	0.096 U	1.07 B	0.277 B	0.249 B	0.102 U	NS	0.27 B	0.242 U
	Calcium	NS	NS	NS	216 B	2,310 B	1,900 *	1,720 *N	1,430 N	NS	1370	1910
	Chromium	NS	NS	NS	2.41	45.5	15.7	15.1	11.4 *	NS	7.8	15.3 *
	Cobalt	NS	NS	NS	0.347 B	8.87 B	2.98	3.16	1.7	NS	0.93 B	2.9
	Copper	NS	NS	NS	1.48	52.9	23.3	21.2	11.6	NS	8.5 *	22.4 *
	Iron	NS	NS	NS	1,120	25,600	8,720	7,180 *N	5,690	NS	2540 EN	9510 N
	Lead	NS	NS	NS	9.99	145	57 N	60.8	29.7 *	NS	9 *	59.3 *
	Magnesium	NS	NS	NS	239 B	3,940	1,210	853 *N	675 *	NS	315 *	1180
	Manganese	NS	NS	NS	12.4	158	69.3 *	41.2 *N	40.4 *	NS	21.3 *	57.9
	Mercury	NS	NS	NS	0.064	0.727	0.192	0.18	0.098	0.116	0.13 BN	0.14 B
	Nickel	NS	NS	NS	1.43	28	10.1	9.12	5.73 *	NS	3.6 *	9.5
	Potassium	NS	NS	NS	113 B	1,780	603	599 N	570 E*N	NS	354	457 *
	Selenium	NS	NS	NS	0.365 B	2.42	1.4	1.31	0.623 B	NS	1.31 U	1.45 U
	Silver	NS	NS	NS	0.131 U	0.689 B	0.316 U	0.441 U	0.192 U	NS	0.218 U	2.1
	Sodium	NS	NS	NS	14.4 B	149 B	74.7	74.9	21.8	NS	51.1	37.5
	Thallium	NS	NS	NS	0.295 U	1.2 U	1.37 U	0.943 U	3.05	NS	1.09 U	1.6 B
	Vanadium	NS	NS	NS	5.26 B	107	40	41.5	22.6 *	NS	7.9 *	34.7 *
	Zinc	NS	NS	NS	7.34	186	76.6	42.1	24.2 *	NS	17.7 *	57 *
	Cyanide	NS	NS	NS	NA	NA	NA	NA	NA	NS	NS	NS

**Table 3**  
**Annual Wooded Wetland Report**  
**Sediment Sample Results - Metals Analysis**

LOCATION	CONTAMINANT	SAMPLES COLLECTED										
		Units : mg/Kg	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06

**NOTES:**

1994 Samples were collected from 0.0' to 0.5'

Number in parenthesis ( ) indicates alternate identification for same location.

NA Not available

NS Not sampled

U Analyte was analyzed for but not detected.

N - Spike sample recovery was not within control limits

J - Estimated value; concentration below method detection limit.

\* - Duplicate precision is not within control limits.

B - Concentraion less than the contract required detection limit, but greater than or equal to the instrument detection limit.

Table 4  
Annual Wooded Wetland Report  
Surface Water Sample Results - Metals Analysis

Location	Contaminant	SAMPLES COLLECTED											
		UNITS ug/L	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	May-07
SW-5S (SWB)	Aluminum	38,600	304		1,240	253	385	445 E	429	434	210	301	305
	Antimony	35 U	2.5 U		1.9 U	4.14 U	2.65 U	4.79 U	3.46 U	5.08 U	4 U	0.5 U	0.5 U
	Arsenic	8.7 B	1.1 U		2.7 U	2.09 U	4.47 B	3.97 U	3.31 U	2.24 U	6 U	1.5 U	1.5 U
	Barium	136 B	11.7 B		19.6	5.32 B	7.7 B	6.32 B	6.91 B	10.2 B	5.1	5	7.8
	Beryllium	1.2 U	0.1 B		0.14 U	0.46 U	0.158 U	0.185 U	0.21 U	0.158 U	1 U	0.1 U	0.1 U
	Cadmium	5 U	0.2 U		0.44 B	0.69 U	0.274 B	0.21 U	0.66 U	0.313 U	1 U	0.1 U	0.1 U
	Calcium	29,700	8,860		5,520	2,360 B	3,170 B	3,590 B	2,450 B	2,720 B	2,960	2,170	3090
	Chromium	32.1 U	0.7 U		2.8 B	1.03 B	0.774 B	0.781 B	1.69 U	0.892 B	1.3 B	1 U	1.3 B
	Cobalt	18.7 B	1.3 U		1.1 B	0.91 U	0.679 B	0.581 U	1.71 B	0.918 B	1 U	0.46 B	0.53 B
	Copper	56.2	0.9 U		13.4	1.63 U	2.24 B	1.52 B	2.58 B	1.39 U	3 U	1.8	2.8
	Iron	44,000	347		3,740	1,120	1,100	890	779	1,210	832	757	1220
	Lead	NA	2.2 B		5.3	1.38 U	1.47 U	2.16 B	2.4 U	1.72 U	2.5 U	1.1 B	0.89 B
	Magnesium	12,500	2,460 B		1,560 B	985 B	1,060 B	1,230 B	774 B	848 B	939	768	996 E
	Manganese	1,410	96.1		383	181	339	227	153	176	21	171	215
	Mercury	0.25 B	0.1 U		0.13 B	0.05 B	0.057 U	0.04 U	0.095 U	0.047 U	0.05 U	0.06 U	0.06 U
	Nickel	30 U	1.6 U		7.6	1.29 U	1.91 B	2.09 B	1.64 U	1.19 B	3.8 B	1.8 B	2
	Potassium	5,720 B	2,430 B		4,790 B	2,340 B	3,470 B	2,700 B	2,010 B	1,860 B	2,240	2,070	2350
	Selenium	1 U	2.4 U		2.6 B	3.66 U	2.93 U	2.67 U	3.39 U	2.81 U	6 U	2.5 U	2.5 U
	Silver	4 U	0.8 U		0.89 U	0.94 U	0.871 U	1.15 U	1.7 U	0.835 U	1 U	0.2 U	0.2 U
	Sodium	7,200	3,500 B		4,250 B	1,840 B	2,670 B	2,620 B	2,290 BE	2,530 B	3,020	2,550	3200
	Thallium	1 U	1.9 U		5.6 U	2.11 U	3.88 U	4.99 U	3.64 U	10 U	5 U	0.4 U	0.4 U
	Vanadium	74.9 B	3.4 B		9.2 B	1.94 B	2.84 B	2.32 B	4.13 B	2.83 B	1.3 B	2 U	2 U
	Zinc	252	47.5		65.8	8.12 B	12.4 B	13.7 B	34.4	15.4 B	12.2	15.1	28.6

Table 4  
Annual Wooded Wetland Report  
Surface Water Sample Results - Metals Analysis

Location	Contaminant	SAMPLES COLLECTED											
		UNITS ug/L	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	May-07
SW- 6 (SW-C)	Aluminum	NS	762		110,000	503	523	541 E	413	346	539	405	284
	Antimony	NS	2.5 U		3.7 U	4.14 U	2.65 U	4.79 U	3.46 U	5.08 U	4 U	0.5 U	0.5 U
	Arsenic	NS	1.1 U		19.8	2.09 U	2.33 U	3.97 U	3.31 U	2.24 U	6 U	2.4 B	1.5 U
	Barium	NS	13.8 B		507	9.62 B	7.9 B	7.37 B	5.89 B	5.74 B	8	6.5	4.8
	Beryllium	NS	0.1 B		3.3 B	0.46 U	0.158 U	0.185 U	0.21 U	0.158 U	1 U	0.1 U	0.1 U
	Cadmium	NS	0.1 B		7.4 B	0.69 U	0.272 U	0.21 U	0.66 U	0.313 U	1 U	0.1 U	0.1 U
	Calcium	NS	7,000		28,400	2,660 B	2150 B	2450 B	1540 B	1450 B	2520	1700	1280
	Chromium	NS	0.7 U		99.4	1.41 B	0.779 B	0.533 B	1.69 U	0.643 B	1.2 B	1.3 B	1 U
	Cobalt	NS	1.3 U		22.7 B	0.91 U	0.419 U	0.581 U	1.33 B	0.738 B	1 U	0.58 B	0.46 B
	Copper	NS	8.1 B		165	1.92 B	2.48 B	1.55 B	1.91 B	1.39 U	3 U	1.8	1
	Iron	NS	692		77,500	2,140	1,250	725	522	595	1,470	890	928
	Lead	NS	4.4		887	1.38 U	1.47 U	1.24 U	2.4 U	1.72 U	2.5 U	0.89 B	0.51 B
	Magnesium	NS	2,690 B		13200	860 B	810 B	982 B	642 B	624 B	883	717	626 E
	Manganese	NS	256		1,280	107	106	133	78.1	71.6	124	89.3	62.4
	Mercury	NS	0.1 U		1	0.085 B	0.057 U	0.04 U	0.095 U	0.047 U	0.05 U	0.06 U	0.06 U
	Nickel	NS	3.4 B		121	1.93 B	2.07 B	2.07 B	1.64 U	1.07 B	2.5 B	2.3	1.6 B
	Potassium	NS	2,610 B		9,990 B	1,940 B	2,360 B	1,920 B	1,180 B	1,270 B	2,240	1,380	1880
	Selenium	NS	2.4 U		10 B	3.66 U	3.46 B	2.67 U	3.61 B	3.5 B	6 U	2.5 U	2.5 U
	Silver	NS	0.8 U		2.3 B	0.94 U	0.871 U	1.15 U	1.7 U	0.835 U	1 U	0.2 U	0.2 U
	Sodium	NS	3,330 B		4,350 B	2,070 B	2,920 B	3,180 B	2,270 BE	2,560 B	3,390	2,660	3430
	Thallium	NS	1.9 U		11.3 U	2.11 U	3.88 U	4.99 U	3.64 U	10 U	5 U	0.4 U	0.4 U
	Vanadium	NS	9.1 B		348	3.19 B	2.94 B	3.33 B	4.71 B	1.51 B	2 B	2 U	2 U
	Zinc	NS	53.2		699	16.8 B	14.1 B	14.4 B	29.9	11.5 B	20.4	14	9.8 B

Table 4  
Annual Wooded Wetland Report  
Surface Water Sample Results - Metals Analysis

Location	Contaminant	SAMPLES COLLECTED										
		UNITS ug/L	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06
SW- 16	Aluminum	NS	NS	NS	NS	928	521 E	446	543	618	1110	208
	Antimony	NS	NS	NS	NS	2.65 U	4.79 U	3.46 U	5.08 U	4 U	0.5 U	0.5 U
	Arsenic	NS	NS	NS	NS	2.33 U	3.97 U	3.31 U	2.24 U	6 U	1.5 U	1.5 U
	Barium	NS	NS	NS	NS	27.3 B	11.2 B	8.81 B	11.7 B	9.8	11.6	5.4
	Beryllium	NS	NS	NS	NS	0.158 U	0.185 U	0.21 U	0.158 U	1 U	0.1 U	0.1 U
	Cadmium	NS	NS	NS	NS	0.272 U	0.21 U	0.66 U	0.313 U	1 U	0.11 B	0.1 U
	Calcium	NS	NS	NS	NS	5,480	6,040	4,200 B	3,150 B	3,790	3,880	2250
	Chromium	NS	NS	NS	NS	1.31 B	0.723 B	2.07 B	1.26 B	1.5 B	1.9 B	1.1 B
	Cobalt	NS	NS	NS	NS	0.627 B	0.581 U	1.69 B	0.812 B	1 U	0.88 B	0.41 B
	Copper	NS	NS	NS	NS	3.3 B	2.21 B	3.09 B	1.39 U	3 U	3.7	0.94 B
	Iron	NS	NS	NS	NS	2,320	1,330	1,430	1,480	1,820	2,200	1010
	Lead	NS	NS	NS	NS	3.86	1.39 B	2.4 U	1.72 U	2.5 U	3.7	0.52 B
	Magnesium	NS	NS	NS	NS	1,420 B	1,580 B	1,120 B	922 B	1,000	1,180	790 E
	Manganese	NS	NS	NS	NS	156	158	116	83.6	120	136	69
	Mercury	NS	NS	NS	NS	0.057 U	0.04 U	0.095 U	0.047 U	0.05 U	0.06 U	0.06 U
	Nickel	NS	NS	NS	NS	2.81 B	2.23 B	1.64 U	1.03 B	2.1 B	3.2	1.5 B
	Potassium	NS	NS	NS	NS	2,730 B	2,270 B	1,730 B	1,590 B	1,830	1,990	1620
	Selenium	NS	NS	NS	NS	2.93 U	2.67 U	3.39 U	2.81 U	6 U	2.5 U	2.5 U
	Silver	NS	NS	NS	NS	0.871 U	1.15 U	1.7 U	0.835 U	1 U	0.2 U	0.2 U
	Sodium	NS	NS	NS	NS	2,520 B	2,680 B	2,170 BE	2,400 B	2,700	2,620	3040
	Thallium	NS	NS	NS	NS	3.88 U	4.99 U	3.64 U	10 U	5 U	0.4 U	0.4 U
	Vanadium	NS	NS	NS	NS	4.61 B	2.96 B	5.02 B	3.44 B	4 B	3 B	2 U
	Zinc	NS	NS	NS	NS	15.5 B	14.6 B	34	14.8 B	17.1	28	20.3

Table 4  
Annual Wooded Wetland Report  
Surface Water Sample Results - Metals Analysis

Location	Contaminant	SAMPLES COLLECTED										
		UNITS ug/L	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06
SW-17 (SW-A)	Aluminum	NS	NS	1,260	NS	612	441 E	490	485	357	310	163
	Antimony	NS	NS	2 U	NS	2.65 U	4.79 U	3.46 U	5.08 U	4 U	0.5 U	0.5 U
	Arsenic	NS	NS	2.7 U	NS	3.21 B	3.97 U	3.31 U	2.24 U	6 U	1.5 U	1.5 U
	Barium	NS	NS	21.6	NS	36 B	14.6 B	10.3 B	13 B	8.3	6.6	8
	Beryllium	NS	NS	0.14 U	NS	0.158 U	0.185 U	0.21 U	0.158 U	1 U	0.1 U	0.1 U
	Cadmium	NS	NS	0.34 U	NS	0.272 U	0.21 U	0.66 U	0.313 U	1 U	0.1 U	0.1 U
	Calcium	NS	NS	8,570	NS	9,120	7,900	6,930	3,920 B	4,820	3,420	3030
	Chromium	NS	NS	3 B	NS	1.73 B	1.16 B	1.69 U	0.984 B	10	1 U	1 U
	Cobalt	NS	NS	1.1 B	NS	1.49 B	0.759 B	1.82 B	0.754 B	1 U	0.54 B	0.39 B
	Copper	NS	NS	5	NS	4.2 B	2.21 B	3.26 B	1.39 U	17.6	1.5	0.7 B
	Iron	NS	NS	5,410	NS	5430	1650	1120	1170	2320	1130	1010
	Lead	NS	NS	6	NS	3.31	2.04 B	2.4 U	1.72 U	2.5 U	1.1 B	0.5 U
	Magnesium	NS	NS	1,950 B	NS	1,950 B	1,780 B	1,530 B	1,050 B	1,130	964	980 E
	Manganese	NS	NS	240	NS	469	150	157	102	136	110	71.3
	Mercury	NS	NS	0.12 U	NS	0.057 U	0.04 U	0.095 U	0.047 U	0.05 U	0.06 U	0.06 U
	Nickel	NS	NS	6	NS	3.28 B	2.27 B	1.64 U	1.04 B	6.7	1.8 B	1.5 B
	Potassium	NS	NS	2,480 B	NS	3,310 B	2,400 B	1,960 B	1,550 B	1,910	1,810	1600
	Selenium	NS	NS	2.1 B	NS	3 U	3 U	3 U	3 U	6 U	3 U	2.5 U
	Silver	NS	NS	0.89 U	NS	0.871 U	1.15 U	1.7 U	0.835 U	1 U	0.2 U	0.2 U
	Sodium	NS	NS	3,610 B	NS	2,560 B	2,470 B	2,050 BE	2,220 B	2,580	2,260	2880
	Thallium	NS	NS	6 U	NS	3.88 U	4.99 U	3.64 U	10 U	5 U	0.4 U	0.4 U
	Vanadium	NS	NS	6.5 B	NS	7.54 B	4.11 B	4.25 B	2.63 B	3.4 B	2 U	2 U
	Zinc	NS	NS	31.5	NS	24	14.2 B	30.1	16.6 B	14	17.5	7 B

Table 4  
Annual Wooded Wetland Report  
Surface Water Sample Results - Metals Analysis

Location	Contaminant	SAMPLES COLLECTED											
		UNITS ug/L	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	May-07
SW- 4	Aluminum		829	NS	NS	179 B	1,500	1,320 E	326	258	356	461	198
	Antimony		35 U	NS	NS	4.14 U	2.65 U	4.79 U	3.46 U	5.08 U	5.1 B	0.5 U	0.5 U
	Arsenic		1.3 B	NS	NS	2.09 U	2.33 U	3.97 U	3.31 U	2.24 U	6 U	1.7 B	1.5 U
	Barium		21.9 B	NS	NS	17.4 B	77.9 B	15.1 B	6.39 B	8.11 B	9.9	16.2	8.4
	Beryllium		1 U	NS	NS	0.46 U	0.158 U	0.185 U	0.21 U	0.158 U	1 U	0.1 U	0.1 U
	Cadmium		5 U	NS	NS	0.69 U	0.272 U	0.21 U	0.66 U	0.313 U	1 U	0.1 U	0.1 U
	Calcium		8,150	NS	NS	16,400	7,230	5,350	3,630 B	4,300 B	4,290	4,000	5180
	Chromium		5 JUE	NS	NS	0.87 U	1.62 B	1.62 B	1.99 B	0.795 B	4.4 B	1 U	1 U
	Cobalt		5	NS	NS	0.91 U	1.84 B	0.581 U	1.68 B	0.903 B	1 U	0.48 B	0.46 B
	Copper		8.5 B	NS	NS	1.63 U	5.79 B	3.79 B	2.59 B	1.39 U	10.4	3.5	2.7
	Iron		3930	NS	NS	2,600	3,670	1,760	499	996	1,640	702	1190
	Lead		NA	NS	NS	1.38 U	5.61	3.53	2.4 U	1.72 U	4.9 B	1.5 B	0.78 B
	Magnesium		4,260 B	NS	NS	2,780 B	2,170 B	1,930 B	1,340 B	1,560 B	1,520	1,490	1850 E
	Manganese		146	NS	NS	135	312	69.5	39.6	112	47.2	23.1	36.6
	Mercury		0.2 B	NS	NS	0.109 B	0.057 U	0.04 U	0.095 U	0.047 U	0.05 U	0.06 U	0.06 U
	Nickel		30 U	NS	NS	1.29 U	3.5 b	2.14 B	1.64 U	0.69 U	2.2 B	1.3 B	1.8 B
	Potassium		2,130 B	NS	NS	3,350 B	2,980 B	2,200 B	1,380 B	1,560 B	1,920	1,260	1690
	Selenium		1 U	NS	NS	3.66 U	2.93 U	2.67 U	3.84 B	2.81 U	6 U	2.5 U	2.5 U
	Silver		4 U	NS	NS	0.94 U	0.871 U	1.15 U	1.8 B	0.835 U	1 U	0.2 U	0.2 U
	Sodium		6,850	NS	NS	2,410 B	2,860 B	2,960 B	2,390 BE	2,570 B	2,970	2,320	3920
	Thallium		1 U	NS	NS	2.48 B	3.88 U	4.99 U	3.64 U	10 U	5 U	0.4 U	0.4 U
	Vanadium		9 U	NS	NS	2.05 B	6.95 B	4.03 B	4.06 B	1.38 B	2.6 B	2 U	2 U
	Zinc		33.3	NS	NS	2.19 U	28	22	55.8	12.2 B	10.7	183	9.9 B

Table 4  
Annual Wooded Wetland Report  
Surface Water Sample Results - Metals Analysis

Location	Contaminant	SAMPLES COLLECTED										
		UNITS ug/L	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06
SW- 5N (SW-D)	Aluminum	NS	NS	945	179 B	575	238 E	1180	133 B	449	394	186
	Antimony	NS	NS	1.9 U	4.14 U	2.89 B	4.79 U	3.46 U	5.08 U	4 U	0.5 U	0.5 U
	Arsenic	NS	NS	2.7 U	2.09 U	2.33 U	3.97 U	3.31 U	2.24 U	6 U	1.5 U	1.5 U
	Barium	NS	NS	22.8	17.4 B	25.6 B	9.22 B	9.58 B	6.4 B	9.3	6.9	9
	Beryllium	NS	NS	0.14 U	0.46 U	0.158 U	0.185 U	0.21 U	0.158 U	1 U	0.1 U	0.1 U
	Cadmium	NS	NS	0.34 U	0.69 U	0.272 U	0.21 U	0.66 U	0.313 U	1 U	0.1 U	0.1 U
	Calcium	NS	NS	7,990	16,400	15,700	11,000	10,500	9,730	11,300	7,220	11,100
	Chromium	NS	NS	1.4 B	0.87 U	1.06 B	0.532 U	2.12 B	0.558 B	1.7 B	1 U	1 U
	Cobalt	NS	NS	1.1 B	0.91 U	0.515 B	0.581 U	1.78 B	0.541 U	1 U	0.3 B	0.74 B
	Copper	NS	NS	3.2 B	1.63 U	2.28 B	1.3 U	4.09 B	1.39 U	3 U	3.1	1.9
	Iron	NS	NS	6,900	2,600	1,290	598	1,070	564	2,000	776	2030
	Lead	NS	NS	3.6 B	1.38 U	2.27 B	1.24 U	2.4 U	1.72 U	2.5 U	0.72 B	0.88 B
	Magnesium	NS	NS	2,560 B	2,780 B	2,850 B	2,110 B	2,010 B	2,010 B	2,000	1,760	2,580 E
	Manganese	NS	NS	146	135	103	33.2	35.2	18	60	33.8	145
	Mercury	NS	NS	0.12 U	0.109 B	0.057 U	0.04 U	0.095 U	0.047 U	0.05 U	0.06 U	0.06 U
	Nickel	NS	NS	5 B	1.29 U	1.09 B	0.837 U	1.64 U	0.69 U	1 U	1.1 B	1.5 B
	Potassium	NS	NS	3,910 B	3,350 B	3,160 B	2,210 B	1,600 B	1,370 B	770	1,200	1,920
	Selenium	NS	NS	1.9 U	3.66 U	2.93 U	2.67 U	3.39 U	2.81 U	6 U	2.5 U	2.5 U
	Silver	NS	NS	0.89 U	0.94 U	0.871 U	1.15 U	2 B	0.835 U	1.1 B	0.2 U	0.2 U
	Sodium	NS	NS	3,870 B	2,410 B	2,280 B	2,160 B	1,650 BE	1,830 B	2,080	2,090	2,680
	Thallium	NS	NS	5.6 U	2.48 B	3.88 U	4.99 U	3.64 U	10 U	5 U	0.4 U	0.4 U
	Vanadium	NS	NS	4.6 B	2.05 B	2.56 B	1.27 B	4.4 B	1.06 B	4.1 B	2 U	2 U
	Zinc	NS	NS	21.9	2.19 U	4.96 B	4.54 B	25.4	7.02 B	5.9 B	8.4 B	6.6 B

Table 4  
 Annual Wooded Wetland Report  
 Surface Water Sample Results - Metals Analysis

Location	Contaminant	SAMPLES COLLECTED										
		UNITS ug/L	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06
SW- E	Aluminum	NS	NS	1,170	NS							
	Antimony	NS	NS	1.9 U	NS							
	Arsenic	NS	NS	2.7 U	NS							
	Barium	NS	NS	30.4	NS							
	Beryllium	NS	NS	0.14 U	NS							
	Cadmium	NS	NS	0.34 U	NS							
	Calcium	NS	NS	8,410	NS							
	Chromium	NS	NS	3.9 B	NS							
	Cobalt	NS	NS	2.3 B	NS							
	Cooper	NS	NS	6.4	NS							
	Iron	NS	NS	6,970	NS							
	Lead	NS	NS	4.5 B	NS							
	Magnesium	NS	NS	2,610 B	NS							
	Manganese	NS	NS	323	NS							
	Mercury	NS	NS	0.12 U	NS							
	Nickel	NS	NS	6.7	NS							
	Potassium	NS	NS	4,140 B	NS							
	Selenium	NS	NS	1.9 U	NS							
	Silver	NS	NS	0.89 U	NS							
	Sodium	NS	NS	3,990 B	NS							
	Thallium	NS	NS	5.6 U	NS							
	Vanadium	NS	NS	7.5 B	NS							
	Zinc	NS	NS	38.2	NS							

Table 4  
Annual Wooded Wetland Report  
Surface Water Sample Results - Metals Analysis

Location	Contaminant	SAMPLES COLLECTED										
		UNITS ug/L	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06
SW- 2001	Aluminum	NS	NS	NS	NS	466	427 E	4090	119 B	412	1720	1230
	Antimony	NS	NS	NS	NS	2.65 U	4.79 U	3.46 U	5.08 U	4 U	0.5 U	0.5 U
	Arsenic	NS	NS	NS	NS	2.33 U	3.97 U	3.31 U	2.24 U	6 U	1.5 U	1.5 U
	Barium	NS	NS	NS	NS	42.9 B	11.2 B	20.9 B	6.54 B	8.3	16.2	12.4
	Beryllium	NS	NS	NS	NS	0.158 U	0.185 U	0.21 U	0.158 U	1 U	0.1 U	0.1 U
	Cadmium	NS	NS	NS	NS	0.272 U	0.21 U	0.66 U	0.313 U	1 U	0.1 U	0.1 U
	Calcium	NS	NS	NS	NS	15,300	11,700	10,400	9,780	10,300	11,000	11200
	Chromium	NS	NS	NS	NS	0.977 B	0.532 U	4.52 B	0.503 U	1.6 B	1 U	1.6 B
	Cobalt	NS	NS	NS	NS	0.518 B	0.581 U	2.86 B	0.541 U	1 U	1.4	0.7 B
	Copper	NS	NS	NS	NS	1.94 B	2.74 B	7.14 B	1.39 U	3 U	6.4	3
	Iron	NS	NS	NS	NS	1,190	753	3,420	558	1,850	1,990	2080
	Lead	NS	NS	NS	NS	1.66 B	1.24 U	8.68	1.72 U	2.5 U	3.2	4
	Magnesium	NS	NS	NS	NS	2,760 B	2,180 B	2,320 B	2,020 B	1,940	2,030	2460 E
	Manganese	NS	NS	NS	NS	130	103	105	18.9	60.4	328	98.8
	Mercury	NS	NS	NS	NS	0.057 U	0.04 U	0.095 U	0.047 U	0.05 U	0.06 U	0.06 U
	Nickel	NS	NS	NS	NS	0.815 U	1.08 B	1.64 U	0.69 U	1.9 B	1.8 B	1.9 B
	Potassium	NS	NS	NS	NS	3,050 B	2,130 B	1,960 B	1,360 B	811	1,580	1660
	Selenium	NS	NS	NS	NS	2.93 U	2.67 U	3.39 U	2.81 U	6 U	2.5 U	2.5 U
	Silver	NS	NS	NS	NS	0.871 U	1.15 U	1.7 U	0.835 U	1 U	0.2 U	0.2 U
	Sodium	NS	NS	NS	NS	2,270 B	2,230 B	1,800 BE	1,830 B	2,010	1,430	2380
	Thallium	NS	NS	NS	NS	3.88 U	4.99 U	3.64 U	10 U	5 U	0.4 U	0.4 U
	Vanadium	NS	NS	NS	NS	2.32 B	2.13 B	12 B	1.03 B	2.9 B	5.1 B	3 B
	Zinc	NS	NS	NS	NS	4.25 B	5.91 B	72.6	7.05 B	7.7 B	72.5	11.4

**NOTES:**

1994 Samples were collected from 0.0' to 0.5'

U Analyte was analyzed for but not detected.

N - Spike sample recovery was not within control limits

Number in parenthesis ( ) indicates alternate identification for same location.

J - Estimated value; concentration below method detection limit.

NA Not available

\* - Duplicate precision is not within control limits.

NS Not sampled

B - Concentraion less than the contract required detection limit, but greater than or equal to the instrument detection limit.

**Table 5**  
**Wooded Wetlands-Sediment Results and Benchmark Concentrations**  
**Brookhaven National Laboratory, Upton, New York**

**South Pond**

Contaminant units mg/Kg	SD-5 (SD-B)										SD-6 (SD-C)																		
	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	May-07	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	May-07							
Copper	NS	4.8	B	8.1	9.59	9.03	9.65	11.7	10.5	NS	10 * 7.2 *	NS	4.8	B	7.8	0.72	B	7.27	1.85	0.55	B	1.37	NS	1.7 * 0.73	B *				
Lead	NS	28		19.4	13.4	13	21.1	N	12.7	30.1 *	NS	16 *	22.2 *	NS	19.8	63.5	4.62	5.28	9.74	N	1.6	10.3 *	NS	5 *	4.5 *				
Manganese	NS	41.5	45.1	82.4	123	78.7	88.3 * N	109 *	NS	89 *	54.4	NS	29.3	39.3	10.4	144	13.4	9.87	*N	15 *	NS	24 *	8						
Mercury	NS	0.11	U	0.05	0.098	0.053	0.053	0.021	0.052	0.0512	0.047 BN	0.04	B	NS	0.1	U	0.18	0.049	0.004	0.011	B	0.01	U	0.019	0.012	0.014 BN	0.026 B		
Zinc	NS	22.3		25.1	31.4	29.8	31.9	29.5	26.3 *	NS	34 *	23.1 *	NS	19.7	26	5.86	27.6	6.45	3.98	6.67 *	NS	9.5 *	4.6 *						
	SD-16										SD-17 (SD-A)																		
	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	May-07	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	May-07							
Copper	1	B	NS	NS	1.48	0.904	3.78	0.389	B	8.14	NS	2.2 *	9.5 *	2.9	B	NS	8.2	1.64	1.41	1.42	12.6	1.39	NS	7.1 *	8.9 *				
Lead	4.4	NJ	NS	NS	9.99	3.19	16.1	N	1.7	39.5 *	NS	8.8 *	15 *	4.1	NJ	NS	21.3	6.98	6.15	5.29	N	4.71	2.49 *	NS	16.1 *	26 *			
Manganese	11.5	NS	NS	12.4	9.68	17.7	8.07	*N	45 *	NS	16.7 *	41.5	14.8	NS	40.1	10.9	12.3	9.72	16 *N	9.49 *	NS	54.6 *	31.3						
Mercury	0.001	B	NS	NS	0.064	0.003	0.033	0.005	U	0.028	0.0336	0.027 *	0.038	B	0.02	B	NS	0.03	U	0.038	0.003	0.014	0.01	B	0.012	B	0.06	0.037 BN	0.064 B
Zinc	4.7	B	NS	NS	7.34	6.48	12.9	2.58	29.1 *	NS	7.3 *	29.9 *	8.8	NS	27.5	7.37	4.6	6.37	6.24	3.4 *	NS	33.7 *	32 *						

**South Pond Averages**

Contaminant units mg/Kg										Maximum Sediment Conc. <sup>1</sup>	Bkg. Sediment Conc.
	1999	2000	2001	2002	2003	2004	2005	2006	2007		
Copper	8.03	3.36	4.7	4.2	6.3	5.4	NS	5.3	6.6	29	52.5
Lead	34.73	8.75	6.9	13.1	5.2	20.6	NS	11.5	16.9	82.9	97.6
Manganese	41.50	29.03	72.2	29.9	30.6	44.6	NS	46.1	33.8	541	84.3
Mercury	0.09	0.06	0.02	0.03	0.01	0.03	0.04	0.03	0.04	0.17	0.41
Zinc	26.20	12.99	17.1	14.4	10.6	16.4	NS	21.1	22.4	122	158

**North Pond**

Contaminant units mg/Kg	SD-11										SD-12 (SD-D)																
	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	May-07	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	May-07					
Copper	NA	NS	NS	5.25	7.06	21.3	7.52	7.55	NS	35.8 *	4.9 *	NA	NS	45	7.41	37	26.4	20.2	13.6	NS	11.5 *	38.1 *					
Lead	6.3	N	NS	8.41	13.2	85.7	N	17.8	16.9 *	NS	122 *	16.6 *	10.4	NJ	NS	86	6.11	71.1	59.8	N	42.3	25.5 *	NS	21.8 *	93.6 *		
Manganese	6.6	NS	NS	3.74	9.41	33.9	10.5 *	N	11.4 *	NS	43.1 *	5.3	56	NS	125	4.12	147	73.3	48.4 *	N	33.4 *	NS	23 *	134			
Mercury	0.030	B	NS	0.074	0.120	0.198	0.056	0.044	0.0729	0.29	N	0.095	B	0.03	B	NS	0.370	0.074	0.272	0.215	0.21	0.079	0.203	0.3	N	0.2	B
Zinc	NA	NS	NS	15.4	16.5	61.7	22.3	20.4 *	NS	83 *	13.3	NA	NS	123	5.91	137	70.3	38.4	22.3 *	NS	23.4 *	127	*				
	SD-13 (SD-E)										SD-2001																
	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	May-07	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	May-07					
Copper	8.1	NS	9.5	1.42	NS	NS	NS	NS	NS	NS	53	23.3	21.2	11.6	NS	8.5 *	22.4 *										
Lead	15.8	NJ	NS	39.9	5.14	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	145	57	N	60.8	29.7 *	NS	9 *	NS	59.3 *		
Manganese	85	NS	16.0	4.0	NS	NS	NS	NS	NS	NS	158	69.3	41.2 *	N	40.4 *	NS	21.3 *	57.9									
Mercury	0.08	B	NS	0.13	0.054	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.727	0.192	0.18	0.098	0.116	0.13	BN	0.14	B		
Zinc	27.9	NS	17.3	4.35	NS	NS	NS	NS	NS	NS	186	76.6	42.1	24.2 *	NS	17.7 *	57	*									

**North Pond Averages**

Contaminant units mg/Kg										Maximum Sediment Conc. <sup>1</sup>	Bkg. Sediment Conc.
	1999	2000	2001	2002	2003	2004	2005	2006	2007		
Copper	27.1	4.7	32.2	23.7	16.3	10.9	NS	18.6	21.8	29	52.5
Lead	63.1	6.6	76.4	67.5	40.3	24.0	NS	50.9	56.5	82.9	97.6
Manganese	70.5	3.9	104.8	58.8	33.4	28.4	NS	29.1	65.7	541	84.3
Mercury	0.25	0.07	0.37	0.20	0.15	0.07	0.13	0.24	0.15	0.17	0.41
Zinc	70.2	8.6	113.2	69.5	34.3	22.3	NS	41.4	65.8	122	158

NOTES:

<sup>1</sup> Final Focused Ecological Risk Assessment for Operable Unit I/VI (CDM 1999)

1994 Samples were collected from 0.0' to 0.5'

Number in parenthesis ( ) indicates alternate identification for same location.

NA Not available

NS Not sampled

U Analyte was analyzed for but not detected.

N - Spike sample recovery was not within control limits

J - Estimated value; concentration below method detection limit.

\* - Duplicate precision is not within control limits.

B - Concentraion less than the contract required detection limit, but greater than or equal to the instrument detection limit.

**Table 6**  
**Wooded Wetlands-Surface Water Results and Critical Water Concentrations**  
**Brookhaven National Laboratory, Upton, New York**

**South Pond**

Contaminant units ug/L	SW-5S (SW-B)										SW-6 (SW-C)															
	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	May-07	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	May-07				
Aluminum	NS	304	1,240	253	385	445	E	429	434	210	305	NS	762	110,000	503	523	541	E	413	346	539	405	284			
Cadmium	NS	0.2	B	0.44	B	0.69	U	0.274	B	0.210	U	0.660	U	0.313	U	1,000	U	0.1	U	0.1	U	0.1	U			
Cobalt	NS	1.3	U	1.1	B	0.91	U	0.679	B	0.581	U	1.710	B	0.918	B	1,000	U	0.46	B	0.53	B	NS	1.4	B		
Copper	NS	0.9	U	13.4	1.63	U	2.24	B	1.52	B	2.58	B	1.39	U	3	U	1.8	2.8	NS	8.1	B	165	1.92	B		
Iron	NS	347	3,740	1,120	1,100	890	779	1,210	832	757	1220	NS	692	77,500	2,140	1,250	725	522	595	1,470	890	928	1	1		
Lead	NS	2.2	B	5.3	1.38	U	1.47	U	2.16	B	2.4	U	1.72	U	2.5	U	1.1	B	0.89	B	NS	4.4	887	1.38	U	
Mercury	NS	0.1	B	0.13	B	0.05	B	0.057	U	0.04	U	0.10	U	0.05	U	0.05	U	0.06	U	0.06	B	0.05	U	0.06	U	
Nickel	NS	1.6	U	7.6	1.29	U	1.91	B	2.09	B	1.64	U	1.19	B	3.8	B	1.8	B	2	NS	NA	121	1.93	B		
Silver	NS	0.8	U	0.89	U	0.94	U	0.871	U	1.15	U	1.70	U	0.84	U	1.00	U	0.2	U	NS	NA	2.3	B	0.94	U	
Zinc	NS	47.5	65.8	8.12	B	12.4	B	13.7	B	34.4	15.4	B	12.2	15.1	28.6	NS	53.2	699	16.8	B	14.1	B	14.4	B	29.9	
SW-16												SW-17 (SW-A)														
Contaminant units ug/L	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	May-07	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	May-07				
Aluminum	NS	NS	NS	NS	928	521	E	446	543	618	1110	208	NS	NS	1,260	NS	612	441	E	490	485	357	310	163		
Cadmium	NS	NS	NS	NS	0.272	U	0.210	U	0.660	U	0.313	U	1	U	0.11	B	0.1	U	NS	0.34	U	NS	0.272	U		
Cobalt	NS	NS	NS	NS	0.627	B	0.581	U	1.690	B	0.812	B	1	U	0.88	B	0.41	B	NS	NS	1.1	B	NS	1.49	B	
Copper	NS	NS	NS	NS	3.3	B	2.21	B	3.09	B	1.39	U	3	U	3.7	0.94	B	NS	NS	5	NS	4.2	B	2.21	B	
Iron	NS	NS	NS	NS	2,320	1,330	1,430	1,480	1820	2200	1010	NS	NS	NS	5,410	NS	5,430	1,650	1,120	1170	2320	1,130	1010	1010		
Lead	NS	NS	NS	NS	3.86	1.39	B	2.4	U	1.72	U	2.5	U	3.7	0.52	B	NS	NS	5.7	NS	3.31	2.04	B	2.4	U	
Mercury	NS	NS	NS	NS	0.057	U	0.04	U	0.10	U	0.047	U	0.05	U	0.06	U	0.06	U	NS	NS	0.12	U	NS	0.057	U	
Nickel	NS	NS	NS	NS	2.81	B	2.23	B	1.64	U	1.03	B	2.1	B	3.2	1.5	B	NS	NS	5.5	NS	3.28	B	2.27	B	
Silver	NS	NS	NS	NS	0.871	U	1.15	U	1.70	U	0.835	U	1	U	0.2	U	0.2	U	NS	NS	0.89	U	NS	0.871	U	
Zinc	NS	NS	NS	NS	15.5	B	14.6	B	34	14.8	B	17.1	28	20.3	NS	NS	32	NS	24	14.2	B	30.1	16.6	B	14	17.5

**South Pond Averages**

Contaminant units ug/L	Benchmark <sup>1</sup>										Critical												
	1994/97	1999	2000	2001	2002	2003	2004	2005	2006	2007	Conc. <sup>1</sup>	1994	1997	2000	2001	2002	2003	2004	2005	2006	2007		
Aluminum	762	37,500	378	612	487	445	452	431	532	240	525	762	441	E	490	485	357	310	163	163	163		
Cadmium	0.3	2.73	0.69	0.27	0.21	0.66	0.31	1.00	0.10	0.10	12.8	0.3	2.73	0.69	0.27	0.21	0.66	0.313	U	1	U	0.100	U
Cobalt	8.1	8.30	0.91	0.80	0.63	1.64	0.81	1.00	0.62	0.45	15	8.1	8.30	0.91	0.80	0.63	1.64	0.81	1.00	0.62	0.45	15	15
Copper	18.7	61.13	1.78	3.06	1.87	2.71	1.39	6.65	2.20	1.36	50	18.7	61.13	1.78	3.06	1.87	2.71	1.39	6.65	2.20	1.36	50	50
Iron	4,400	28,883	1,630	2,525	1148.75	963	1,114	1,611	1,244	1,042	1,000	4,400	28,883	1,630	2,525	1148.75	963	1,114	1,611	1,244	1,042	1,000	1,000
Lead	4.4	299	1.38	2.53	1.71	2.40	1.72	2.50	1.70	0.61	14.6	4.4	299	1.38	2.53	1.71	2.40	1.72	2.50	1.70	0.61	14.6	14.6
Mercury	0.24	0.42	0.07	0.06	0.04	0.10	0.05	0.05	0.06	0.06	27	0.24	0.42	0.07	0.06	0.04	0.10	0.05	0.05	0.06	0.06	0.06	27
Nickel	3.5	44.70	1.61	2.52	2.17	1.64	1.08	3.78	2.28	1.65	420	3.5	44.70	1.61	2.52	2.17	1.64	1.08	3.78	2.28	1.65	420	420
Silver	ND	1.36	0.94	0.87	1.15	1.70	0.84	1.00	0.20	0.20	2.4	ND	1.36	0.94	0.87	1.15	1.70	0.84	1.00	0.20	0.20	2.4	2.4
Zinc	64.9	265.4	12.5	16.5	14.23	32.10	14.6	15.9	18.7	16.4	23.8	64.9	265.4	12.5	16.5	14.23	32.10	14.6	15.9	18.7	16.4	23.8	23.8

**Table 6**  
**Wooded Wetlands-Surface Water Results and Critical Water Concentrations**  
**Brookhaven National Laboratory, Upton, New York**

**North Pond**

Contaminant units ug/L	SW-4										SW-5N (SW-D)																																	
	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	May-07	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	May-07	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	May-07											
Aluminum	829	NS	NS	193	B	1,500	E	326	258	356	461	198	38,600	NS	945	179	B	575	238	E	1180	133	B	449	394	186																		
Cadmium	5	U	NS	0.69	U	0.272	U	0.210	U	0.66	U	0.313	U	1	U	0.1	U	0.1	U	NA	NS	0.34	U	0.69	U	0.272	U	0.210	U	0.66	U	0.313	U	1	U	0.1	U	0.1	U					
Cobalt	5	U	NS	0.91	U	1.84	B	0.581	U	1.68	B	0.903	B	1	U	0.48	B	0.46	B	18.7	B	NS	1.1	B	0.91	U	0.515	B	0.581	U	1.78	B	0.541	U	1	U	0.3	B	0.74	B				
Copper	8.5	B	NS	NS	1.63	U	5.79	B	3.79	B	2.59	B	1.39	U	3	U	3.5	2.7	56.2	NS	3.2	B	1.63	U	2.28	B	1.3	U	4.09	B	1.39	U	3	U	3.1	1.9								
Iron	3,930	NS	NS	2,790		3,670		1,760		499		996		1640		702		1190		4,400		NS	6,900		2,600		1,290		598		1070		564		2000		776		2030					
Lead	NA	NS	NS	1.38	U	5.61		3.53		2.4	U	1.72	U	4.9	B	1.5	B	0.78	B	NA	NS	3.6	B	1.38	U	2.27	1.24	U	2.4	U	1.72	U	2.5	U	0.72	B	0.88	B						
Mercury	0.2	B	NS	NS	0.106	B	0.057	U	0.04	U	0.095	U	0.047	U	0.05	U	0.06	U	0.06	U	0.24	B	NS	0.12	U	0.109	B	0.057	U	0.04	U	0.095	U	0.047	U	0.05	U	0.06	U	0.06	U			
Nickel	30	U	NS	NS	1.29	U	3.5	B	2.14	B	1.64	U	0.69	U	2.2	B	1.3	B	1.8	B	3.5	B	NS	5	B	1.29	U	1.09	B	0.837	U	1.64	U	0.69	U	1	U	1.1	B	1.5	B			
Silver	4	U	NS	NS	0.94	U	0.871	U	1.15	U	1.8	B	0.835	U	1	U	0.2	U	0.2	U	NA	NS	0.89	U	0.94	U	0.871	U	1.15	U	2	B	0.835	U	1.1	B	0.2	U	0.2	U				
Zinc	33	NS	NS	2.19	U	28		22		55.8		12.2	B	10.7		183		9.9	B	252	NS	21.9		2.19	U	4.96	B	4.54	B	25.4		7.02	B	5.9	B	8.4	B	6.6	B					
	SW-E										SW-2001																																	
	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	May-07	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	May-07	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	May-07											
Aluminum	NS	NS	1,170	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	466	427	E	4090	119	B	412	1720	1230																					
Cadmium	NS	NS	0.34	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.272	U	0.210	U	0.66	U	0.313	U	1	U	0.1	U	0.1	U															
Cobalt	NS	NS	2.3	B	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.518	B	0.581	U	2.86	B	0.541	U	1	U	1.4	0.7	B																
Copper	NS	NS	6.4	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.94	B	2.74	B	7.14	B	1.39	U	3	U	6.4	3																		
Iron	NS	NS	6,970	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	1,190	753		3420	558	1850		1990		2080																				
Lead	NS	NS	4.5	B	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.66	B	1.24	U	8.68	1.72	U	2.5	U	3.2	4																		
Mercury	NS	NS	0.12	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.057	U	0.04	U	0.095	U	0.047	U	0.05	U	0.06	U	0.06	U															
Nickel	NS	NS	6.7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.815	U	1.08	B	1.64	U	0.69	U	1.9	B	1.8	B	1.9	B																
Silver	NS	NS	0.89	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.871	U	1.15	U	1.7	U	0.835	U	1	U	0.2	U	0.2	U															
Zinc	NS	NS	38.2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	4.25	B	5.91	B	72.6		7.05	B	7.7	B	72.5		11.4																	

**North Pond Averages**

Contaminant units ug/L	Bench- mark <sup>1</sup> 1994/97	Critical									
		1999	2000	2001	2002	2003	2004	2005	2006	2007	Conc. <sup>1</sup>
Aluminum	<b>762</b>	<b>945</b>	186	<b>847</b>	<b>662</b>	<b>1,865</b>	170	406	858	538	525
Cadmium	0.3	0.34	0.69	0.27	0.21	0.66	0.31	1.00	0.10	0.10	12.8
Cobalt	8.1	1.10	0.91	0.96	0.58	2.11	0.66	1.00	0.73	0.63	15
Copper	18.7	3.20	1.63	3.34	2.61	4.61	1.39	3	4.3	2.5	50
Iron	<b>4,400</b>	<b>6,900</b>	<b>2,695</b>	<b>2,050</b>	<b>1,037</b>	<b>1,663</b>	706	1,830	1,156	1,767	1,000
Lead	4.4	3.60	1.38	3.18	2.00	4.49	1.72	3.3	1.81	1.89	14.6
Mercury	0.24	0.12	0.11	0.06	0.04	0.10	0.05	0.05	0.06	0.06	27
Nickel	3.5	5.00	1.29	1.80	1.35	1.64	0.69	1.7	1.4	1.73	420
Silver	ND	0.89	0.94	0.87	1.15	1.83	0.84	1.03	0.20	0.20	2.4
Zinc	<b>64.9</b>	21.9	2.2	12.40	10.82	<b>51.27</b>	8.76	8.10	87.97	9.30	23.8

**NOTES:**

<sup>1</sup> Final Focused Ecological Risk Assessment (FERA) for Operable Unit I/VI (CDM 8/98)

Number in parenthesis ( ) indicates alternate identification for same location.

NA Not available

NS Not sampled

U Analyte was analyzed for but not detected.


N - Spike sample recovery was not within control limits

J - Estimated value; concentration below method detection limit.

\* - Duplicate precision is not within control limits.

B - Concentration less than the contract required detection limit, but greater than or equal to the instrument detection limit

## ***FIGURES***




EWMS DIVISION

**TITLE:** WOODED WETLANDS  
BENCHMARK SURFACE AND SEDIMENT  
SAMPLE LOCATIONS FROM ECOLOGICAL RISK  
ASSESSMENT 1994 – 1997  
2007 ENVIRONMENTAL MONITORING REPORT  
CURRENT AND FORMER LANDFILL AREAS

DWN: KCK	VT: HZ.: –	DATE: 02/18/04	PROJECT NO.: 07928
CHKD: JEB	APPD: WRD	REV.: –	NOTES: –

FIGURE NO.:

1



**BROOKHAVEN**  
NATIONAL LABORATORY

EWMS DIVISION

**TITLE:** WOODED WETLANDS  
SEDIMENT AND SURFACE WATER  
SAMPLING LOCATIONS  
2007 ENVIRONMENTAL MONITORING REPORT  
CURRENT AND FORMER LANDFILL AREAS

DWN: KCK	VT: HZ.: -	DATE: 02/18/04	PROJECT NO.: 07928
CHKD: JEB	APPD: WRD	REV.: -	NOTES: -

FIGURE NO.:

## Appendix B

### Soil-gas Sampling Field Notes

78	Sept	
12/26/06	For new land fill	
Location CH <sub>4</sub> %	LEL %	H <sub>2</sub> S ppm
SOMA 9A	0	0
9B	0	0
SOMA 10A	0	0
10B	0	0
SOMA 11A	C	A
11B	0	0
SOMA 12A	0	0
12B	0	0

79	CO Sept.	
12/24/07	Terrestrial fill	
SOMA 3A		
Location CH <sub>4</sub> %	LEL %	H <sub>2</sub> S ppm
SOMA 1A	0	0
1B	0	0
SOMA 2A	C	A
2B	0	0
SOMA 3A	0	0
3B	C	0
SOMA 4A	0	0
4B	C	C
SOMA 5A	C	C
5B	0	C
SOMA 6A	0	C
6B	0	C
SOMA 7A	0	0
7B	C	0
SOMA 8A	0	0
8B	0	0
SOMA 9A	C	0
9B	C	0

✓ 12/26/06

	80	Coef	
32407			
S in 3a		Former Landfill	
Location CH4 %	1.50	H2S ppm	
SOM 10A	0	c	
10B	0	c	
SOM 11A	c	c	
11B	0	c	
SOM 12A	c	c	
12B	c	c	

	81	Coef	
5/17/07			
Sulab		Former Land Fill	
Calibration Check 4			
Land Sec CSA - QD SMC 90			
Perfumed Prior to use.			
Location CH4 % H2S ppm Co-reqt			
SOM 1A	0	c	
1B	c	c	
SOM 2A	c	c	
2B	c	c	
SOM 3A	0	c	
3B	0	c	
SOM 4A	c	c	
4B	c	c	
SOM 5A	0	c	
5B	c	c	
SOM 6A	0	c	
6B	c	c	
SOM 7A	0	c	
7B	c	c	
SOM 8A	0	c	
8B	c	c	

C 2/24/07

82

5/17/07

Logbook

For area (land) - f.11

Location Ch490 LER % 1+2pm

SEM 9A C C C

9B C C C

SEM 10A C C C

10B C C C

SEM 11A C C C

11B C C C

SEM 12A C C C

12B C C C

JW 5/17/07

82

(1)

R Metz

1/22/07		Former Landfill		Former Landfill	
Cloudy 68° F 68° C		Fog! Cloudy 68° F Cloudy 68° C		Fog! Cloudy 68° F Cloudy 68° C	
S 610.		S 845 → 1200		S 845 → 1200	
G A 90 performance prior to use.		Check of Landfill		Check of Landfill	
Location	CH4%	LEL%	H25ppm	Location	CH4% LEL% H25ppm
SGM 1A	0.0	0.0	0.0	SGM 10A	0.0 0.0 1.0
2B	0.0	0.0	1.0	SGM 10B	0.0 0.0 0.0
SGM 2A	0.0	0.0	0.0	SGM 11A	0.0 0.0 0.0
2B	0.0	0.0	0.0	SGM 11B	0.0 0.0 0.0
SGM 3A	0.0	0.0	2.0	SGM 12A	0.0 0.0 1.0
3B	0.0	0.0	2.0	SGM 12B	0.0 0.0 0.0
SGM 4A	0.0	0.0	1.0		
SGM 4B	0.0	0.0	1.0		
SGM 5A	0.0	0.0	0.0		
SB	0.0	0.0	0.0		
SGM 6A	0.0	0.0	0.0		
6B	0.0	0.0	0.0		
SGM 7A	0.0	0.0	1.0		
7B	0.0	0.0	0.0		
SGM 8A	0.0	0.0	0.0		
8B	0.0	0.0	0.0		
SGM 9A	0.0	0.0	0.0		
9B	0.0	0.0	1.0		

Location CH4% LEL% H25ppm Comment

Location CH4% LEL% H25ppm Comment

(2)

R Metz

1/22/07		Former Landfill		Former Landfill	
Cloudy 68° F 68° C		Fog! Cloudy 68° F Cloudy 68° C		Fog! Cloudy 68° F Cloudy 68° C	
S 845 → 1200		S 845 → 1200		S 845 → 1200	
Comment		Comment		Comment	
Location	CH4% LEL% H25ppm	Location	CH4% LEL% H25ppm	Location	CH4% LEL% H25ppm
SGM 10A	0.0 0.0 1.0	SGM 10B	0.0 0.0 0.0	SGM 11A	0.0 0.0 0.0
SGM 11B	0.0 0.0 0.0	SGM 12A	0.0 0.0 1.0	SGM 12B	0.0 0.0 0.0

J M 9/22/07

(3)

10:20 AM  
40°  
Clear

R Metz J. Milligan

on Time 10:50

Former Land Fill

Clear

of Est. Time 11:55

SGM 10A

CH4 %

Level%

H2S ppm

Comments

SGM 10B

0.0

0.0

0.0

0.0

SGM 11A

0.0

0.0

0.0

0.0

SGM 11B

0.0

0.0

0.0

0.0

SGM 12A

0.0

0.0

0.0

0.0

SGM 12B

0.0

0.0

0.0

0.0

Location	CH4 % LEL%	H2S ppm	Comment	Cal check w/ has probe
SGM 1A	0.0	0.0	0.0	
1B	0.0	0.0	0.0	
SGM A	0.0	0.0	0.0	
2B	0.0	0.0	0.0	
SGM 3A	0.0	0.0	0.0	
SGM 3B	0.0	0.0	0.0	
SGM 4A	0.0	0.0	0.0	
4B	0.0	0.0	0.0	
SGM 5A	0.0	0.0	0.0	
SB	0.0	0.0	0.0	
SGM 6A	0.0	0.0	0.0	
SGM 6B	0.0	0.0	0.0	
SGM 7A	0.0	0.0	0.0	
SGM 7B	0.0	0.0	0.0	
SGM 8A	0.0	0.0	0.0	
SGM 8B	0.0	0.0	0.0	
SGM 9A	0.0	0.0	0.0	
SGM 9B	0.0	0.0	0.0	

(4)

12:20 PM  
70°  
Clear

R Metz J. Milligan

Farmer Land Fill

of Est. Time 11:55

SGM 10A

CH4 %

Level%

H2S ppm

Comments

SGM 10B

0.0

0.0

0.0

0.0

SGM 11A

0.0

0.0

0.0

0.0

SGM 11B

0.0

0.0

0.0

0.0

SGM 12A

0.0

0.0

0.0

0.0

SGM 12B

0.0

0.0

0.0

0.0

PM 12:20/9

		CO <sub>2</sub> gate			CO <sub>2</sub> gate	
150					151	
2/24/07					2/24/07	
SUNWIND		CURRENT LANDFILL			CURRENT LANDFILL	
30° Sun						
Calibration	clock	6			Calibration	CH4 (tilt) HzSpan Comment
Lunch time	SA-90	SN (eg 9)			SAT/SA	11.5 230 0
Performed prior to use					LB	14.3 286 0
Time outside	0945 hrs	10/10/07			LC	12.9 258 0
Location	CH4 in	LEL % HzSpan	Comments			
SCM A	10	Zero	0		SCM A	7B 6 0 0 0
1B	6.4	128	0		7C	0 0 0 0
1C	5.9	118	0		SCM SA	0 0 0 0
SCM 2A	0.7	4	0		8B	0 0 0 0
2B	6	0	0		8C	0 0 0 0
2C	D	0	0		SCM SA	0 0 0 0
SCM 3A	0	0	0		9B	0 0 0 0
3B	0.9	18	0		9C	0 0 0 0
3C	0.2	4	0		SCM 1A	0 0 0 0
SCM 4A	5.4	108	0		10B	0 0 0 0
4B	17.0	340	0		10C	0 0 0 0
4C	12.6	240	0		SCM 1A	0 0 0 0
SCM 5A	10.5	210	0		11B	0 0 0 0
5B	17.0	340	0		11C	0 0 0 0
5C	13.5	270	0		SCM 1B	0 0 0 0

152

2/24/57

Ogallala

Current California

Location C 110% Cellophane cement

SOM 4A 0 0 0

14B 0 0 0

SOM 15A 0 0 0

15B 0 0 0

SOM 16A 0 0 0

16B 0 0 0

SOM 17A 0 0 0

17B 0 0 0

SOM 18A 0 0 0

18B 0 0 0

SOM 19A 2.5 50 0

19B 0 0 0

SOM 20A 6 0 0

20B 6 0 0

SOM 21A 0 0 0

21B 0 0 0

SOM 22A 0 0 0

22B 0 0 0

SOM 23A 0 0 0

23B 0 0 0

SOM 24A 0 0 0

24B 0 0 0

SOM 25A 0 0 0

25B 0 0 0

SOM 26A 0 0 0

26B 0 0 0

SOM 27A 0 0 0

27B 0 0 0

Drip Spout

CONTENTS

PAGE	REFERENCE	DATE
N		
T		
Brow K horizon	1/4	
LSM 1	3	
LSM 1A	3	
LSM 1B	3	
LSM 1C	3	
LSM 2A	0.1	
LSM 2B	17.6	
LSM 2C	0.4	
LSM 3A	25.1	
LSM 3B	0.7	
LSM 3C	0.6	
LSM 4A	0.7	
LSM 4B	0.7	
LSM 4C	0.7	
	14	
	14	
	0	
	14	
	0	

*Chart*

Current Land Fill

*Address*

Calibration check  
Level rec GA-90 SNL 07  
W/H<sub>2</sub> Speed performance  
Position to use  
Time opposite 1030  
Time offsite 1520

Location	CH (%)	CE (%)	H <sub>2</sub> Sep	Comments
LSM 1A	12.7	24.1	1	
LSM 1B	4.3	9.0	1	
LSM 1C	0.3	6	0	
LSM 2A	0.1	8	1	
LSM 2B	17.6	35.2	1	
LSM 2C	0.4	8	1	
LSM 3A	25.1	56.2	1	
LSM 3B	0.7	14	2	
LSM 3C	0.6	12	2	
LSM 4A	0.7	14	0	
LSM 4B	0.7	14	0	
LSM 4C	0.7	14	0	

2.  
5/17/07Long  
Beach3.  
5/17/07

West

2.  
5/17/07Cerro  
Lanchill3.  
5/17/07Cerro  
Lanchill

Location Chq% Ltr % Hes% Comp% Count

SEM 1A 0.6 12 1 1 0

SEM 1B 0.7 14 2 2 0

SEM 1C 0.8 16 1 1 0

SEM 1D 0.9 13 1 0 0

SEM 1E 0.9 10 0 0 0

SEM 1F 0.9 10 0 0 0

SEM 1G 0.9 10 0 0 0

SEM 1H 0.9 10 0 0 0

SEM 1I 0.9 10 0 0 0

SEM 1J 0.9 10 0 0 0

SEM 1K 0.9 10 0 0 0

SEM 1L 0.9 10 0 0 0

SEM 1M 0.9 10 0 0 0

SEM 1N 0.9 10 0 0 0

SEM 1O 0.9 10 0 0 0

SEM 1P 0.9 10 0 0 0

SEM 1Q 0.9 10 0 0 0

SEM 1R 0.9 10 0 0 0

SEM 1S 0.9 10 0 0 0

SEM 1T 0.9 10 0 0 0

SEM 1U 0.9 10 0 0 0

SEM 1V 0.9 10 0 0 0

SEM 1W 0.9 10 0 0 0

SEM 1X 0.9 10 0 0 0

SEM 1Y 0.9 10 0 0 0

SEM 1Z 0.9 10 0 0 0

Location Chq% Ltr % Hes% Comp% Count

SEM 1A 0.3 12 0 0 0

SEM 1B 0.3 13 0 0 0

SEM 1C 0.3 14 0 0 0

SEM 1D 0.3 15 0 0 0

SEM 1E 0.3 16 0 0 0

SEM 1F 0.3 17 0 0 0

SEM 1G 0.3 18 0 0 0

SEM 1H 0.3 19 0 0 0

SEM 1I 0.3 20 0 0 0

SEM 1J 0.3 21 0 0 0

SEM 1K 0.3 22 0 0 0

SEM 1L 0.3 23 0 0 0

SEM 1M 0.3 24 0 0 0

SEM 1N 0.3 25 0 0 0

SEM 1O 0.3 26 0 0 0

SEM 1P 0.3 27 0 0 0

SEM 1Q 0.3 28 0 0 0

SEM 1R 0.3 29 0 0 0

SEM 1S 0.3 30 0 0 0

SEM 1T 0.3 31 0 0 0

SEM 1U 0.3 32 0 0 0

SEM 1V 0.3 33 0 0 0

SEM 1W 0.3 34 0 0 0

SEM 1X 0.3 35 0 0 0

SEM 1Y 0.3 36 0 0 0

SEM 1Z 0.3 37 0 0 0

Location Chq% Ltr % Hes% Comp% Count

SEM 1A 0.6 12 1 1 0

SEM 1B 0.6 14 2 2 0

SEM 1C 0.6 16 1 1 0

SEM 1D 0.6 18 1 0 0

SEM 1E 0.6 20 0 0 0

SEM 1F 0.6 22 0 0 0

SEM 1G 0.6 24 0 0 0

SEM 1H 0.6 26 0 0 0

SEM 1I 0.6 28 0 0 0

SEM 1J 0.6 30 0 0 0

SEM 1K 0.6 32 0 0 0

SEM 1L 0.6 34 0 0 0

SEM 1M 0.6 36 0 0 0

SEM 1N 0.6 38 0 0 0

SEM 1O 0.6 40 0 0 0

SEM 1P 0.6 42 0 0 0

SEM 1Q 0.6 44 0 0 0

SEM 1R 0.6 46 0 0 0

SEM 1S 0.6 48 0 0 0

SEM 1T 0.6 50 0 0 0

SEM 1U 0.6 52 0 0 0

SEM 1V 0.6 54 0 0 0

SEM 1W 0.6 56 0 0 0

SEM 1X 0.6 58 0 0 0

SEM 1Y 0.6 60 0 0 0

SEM 1Z 0.6 62 0 0 0

Location Chq% Ltr % Hes% Comp% Count

SEM 1A 0.6 12 1 1 0

SEM 1B 0.6 14 2 2 0

SEM 1C 0.6 16 1 1 0

SEM 1D 0.6 18 1 0 0

SEM 1E 0.6 20 0 0 0

SEM 1F 0.6 22 0 0 0

SEM 1G 0.6 24 0 0 0

SEM 1H 0.6 26 0 0 0

SEM 1I 0.6 28 0 0 0

SEM 1J 0.6 30 0 0 0

SEM 1K 0.6 32 0 0 0

SEM 1L 0.6 34 0 0 0

SEM 1M 0.6 36 0 0 0

SEM 1N 0.6 38 0 0 0

SEM 1O 0.6 40 0 0 0

SEM 1P 0.6 42 0 0 0

SEM 1Q 0.6 44 0 0 0

SEM 1R 0.6 46 0 0 0

SEM 1S 0.6 48 0 0 0

SEM 1T 0.6 50 0 0 0

SEM 1U 0.6 52 0 0 0

SEM 1V 0.6 54 0 0 0

SEM 1W 0.6 56 0 0 0

SEM 1X 0.6 58 0 0 0

SEM 1Y 0.6 60 0 0 0

SEM 1Z 0.6 62 0 0 0

✓ 5/17/07

4

Layton

5

Rancho

WFO 7

Layton City Left to the San Clement

Check off

Current Landfill  
Continuous 1050 → 1140

Calibration Check off  
Layton 6/29/05 #63 off

H2S Rod performed  
prior to use

Time onsite 1050

Location CH 4% CEC 1% H2S per comment

SCM 1B 5.7 116.0 0.0

SCM 1B 6.0 118.0 1.0

SCM 1C 5.5 100.0 1.0

CH 4%  
CEC 1%  
H2S 1.0

SCM 2A 37.5 750.0 1.0

SCM 3A 30.8 616.0 1.0

SCM 3A 37.0 540.0 1.0

SCM 3A 42.4 448.0 0.0

SCM 3A 40.0 800.0 0.0

SCM 3A 37.2 794.0 0.0

SCM 4A 43.7 841.0 0.0

SCM 4A 36.5 760.0 1.0

SCM 5A 31.5 630.0 1.0

SCM 5A 32.6 552.0 0.0

SCM 5A 29.9 538.0 1.0

SCM 5A 32.4 444.0 1.0

4/17/07

K. Muthu

J. Sola  
Ringtons

Alkalinity  
d.m.t.p

Current Landfill

1140 → 1500

Location CH 4% 6.61% 112.5 ppm Comment

SGM 6A	2.07	6.14	1.0
GB	27.9	9.8	1.0
GC	26.4	5.28	1.0
SGM 7A	0.1	2.0	2.0
TB	0.1	2.0	2.0
TC	0.0	0.0	0.0
SGM 8A	0.0	0.0	1.0
GB	0.0	0.0	2.0
GC	0.0	0.0	1.0
SGM 9A	0.0	0.0	2.0
GB	0.0	0.0	2.0
GC	0.0	0.0	1.0
SGM 10A	8.7	174.0	2.0
SGM 10B	10.5	310.0	1.0
GC	7.0	170.0	3.0
SGM 11A	9.5	170.0	2.0
HB	8.7	174.0	2.0
SGM 11B	8.1	162	2.0
HB	6.1	172.0	2.0

Alkalinity  
d.m.t.p

Current Landfill

1500 - 1700 - 1930  
Location CH 4% 6.61% 112.5 ppm Comment

SGM 13A 6.0 12.0 1.0

SGM 13B 4.0 6.0 1.0

SGM 14A 3.0 0.0 0.0

SGM 14B 0.0 0.0 0.0

SGM 15A 0.0 0.0 0.0

SGM 15B 0.0 0.0 0.0

SGM 16A 0.0 0.0 0.0

SGM 17A 0.0 0.0 0.0

SGM 17B 0.0 0.0 0.0

SGM 18A 0.0 0.0 0.0

SGM 18B 0.0 0.0 0.0

SGM 19A 27.0 54.0 2.9.0

SGM 19B 19.0 30.0 12.0

SGM 19B 0.0 0.0 0.0

SGM 19B 0.0 0.0 0.0

SGM 19B 1.0 0.0 0.0

SGM 19B 0.0 0.0 0.0

SGM 19B 0.0 0.0 0.0

R. M. D.

9. R. M. D. 5. 11. 1954  
cont'd. 1400 → 1500 hrs

100 ft  
down

Current Landf. /  
Surrounding Landf.

100 ft  
below  
bottom  
check on landf. in progress

Location Well ID Chg % L.G.L. % H.S. % Current

Location	CHG %	L.G.L %	H.S. %
GSGMA	0.0	3.0	0.0
3B	0.3	0.0	0.0
GSGMA	0.0	0.0	0.0
4B	0.0	0.0	0.0

Location	Well ID	Chg %	L.G.L. %	H.S. %
GGMIA	087-62	3.1	6.0	3.0
1B	087-78	1.6	3.0	0.0
1C	087-79	1.0	40%	0.0
GGMIA	087-63	12.9	34.8%	0.0

Location	Well ID	Chg %	L.G.L. %	H.S. %
GGMIA	087-80	10.5	210%	0.0
1B	087-81	1.1	22%	0.0
GGMIA	087-84	0.0	0%	0.0
3B	087-82	0.0	0.0	0.0

Location	Well ID	Chg %	L.G.L. %	H.S. %
GGMIA	087-83	0.0	0.0	0.0
3C	087-83	0.0	0.0	0.0
GGMIA	087-65	1.0	30.0	0.0

Location	Well ID	Chg %	L.G.L. %	H.S. %
4B	087-84	3.0	60.0	0.0
4C	087-85	0.0	0.0	0.0
GGMIA	087-66	0.0	0.0	0.0

Location	Well ID	Chg %	L.G.L. %	H.S. %
5B	087-86	1.2	24.0	0.0
SC	087-87	0.0	0.0	0.0
GGMIA	087-67	0.0	0.0	0.0

Location	Well ID	Chg %	L.G.L. %	H.S. %
6C	087-88	0.0	0.0	0.0
6C	087-89	0.0	0.0	0.0
6C	087-90	0.1	2.0	0.0

Location	Well ID	Chg %	L.G.L. %	H.S. %
7C	087-91	0.0	0.0	0.0

P. Meltzer

10  
clear  
35°f  
10/21/62

October 0940  
Current Land Fill

Location	Well ID	CH4%	REL%	H2S ppm	Comment
SGM 8A	087-69	0.0	0.0	0.0	
8B	087-72	0.0	0.0	0.0	
8C	087-73	0.0	0.0	0.0	
SGM 9A	087-70	0.0	0.0	0.0	
9B	087-74	0.0	0.0	0.0	
9C	087-45	0.0	0.0	0.0	
SGM 10A	087-71	0.0	0.0	0.0	
SGM 10B	087-96	0.0	0.0	0.0	
10C	087-97	0.0	0.0	0.0	
SGM 11A	087-72	0.0	0.0	0.0	
11B	087-98	0.0	0.0	0.0	
SGM 12A	087-73	27.5	550.0	39.0	
12B	087-99	27.5	550.0	0.0	
SGM 13A	087-74	0.0	0.0	0.0	
13B	087-100	0.0	0.0	0.0	
SGM 14A	087-75	0.0	0.0	0.0	
14B	087-101	0.0	0.0	0.0	
SGM 15A	088-111	0.0	0.0	0.0	
	15B	088-114	0.0	0.0	

11

P. Meltzer

Oct 10 1940  
Current Land Fill

Location	Well ID	CH4%	REL%	H2S ppm	Comment
SGM 16A	088-112	0.0	0.0	0.0	
16B	088-115	0.0	0.0	0.0	
SGM 17A	088-113	0.0	0.0	0.0	
17B	088-116	0.0	0.0	0.0	
SGM 18A	087-74	0.0	0.0	0.0	
18B	087-102	0.0	0.0	0.0	
SGM 19A	087-77	0.0	0.0	0.0	
19B	087-103	0.0	0.0	0.0	
SGM 1A	No ID.	0.0	0.0	0.0	
1B	No ID.	0.0	0.0	0.0	
1C	No ID.	0.0	0.0	0.0	
SGM 2A	No ID.	0.0	0.0	0.0	
2B	No ID.	0.0	0.0	0.0	
2C	No ID.	0.0	0.0	0.0	
SGM 3A	No ID.	0.0	0.0	0.0	
3B	No ID.	0.0	0.0	0.0	
SGM 4A	No ID.	0.0	0.0	0.0	
4B	No ID.	0.0	0.0	0.0	

10/10/62



## Appendix C

### Monthly Landfill Site Inspection Forms

BROOKHAVEN NATIONAL LABORATORY  
 CURRENT LANDFILL AREA  
 SITE INSPECTION FORM

Name of Inspector(s):

ERIC KRANCH

Date of Inspection:

1-17-07

Purpose of Inspection:

Routine    Heavy Rainfall    Reported Incident

Time on Site:

\_\_\_\_\_

Time off Site:

\_\_\_\_\_

Weather Conditions:

\_\_\_\_\_

A. Inspection Checklist

	Component	Observed Condition			Further Action Required	
		Excellent	Fair	Poor	Yes	No
1.0	Landfill Cap: Vegetation Cap. Gas Vents	X	X		X	
		X				
2.0	Drainage Structures: Toe Drain Drainage Channels French Drains/Outfalls Subsurface Drainage Pipes/Outfalls Manholes Recharge Areas	X			X	
		X				
		X			X	
		X				
		X			X	
		X				
		X			X	
		X				
		X			X	
		X				
		X			X	
4.0	Site Access: Asphalt Access Road Crushed-Concrete Access Road		X			X
			X			
			X			
			X			
			X			
			X			
			X			
			X			
			X			

B. Description of Further Action Requirements:

1. Location:

Observed Conditions:

Recommendations:

**BROOKHAVEN NATIONAL LABORATORY**  
**CURRENT LANDFILL AREA**  
**SITE INSPECTION FORM**

Name of Inspector(s): Eric Krame

Date of Inspection: 2-10-87

Purpose of Inspection:

Time on Site:

Time off Site:

Weather Conditions:

**A. Inspection Checklist**

Component	Observed Condition			Further Action Required	
	Excellent	Fair	Poor	Yes	No
1.0 Landfill Cap: Vegetation Cap Gas Vents	X				
	X				
	X				
2.0 Drainage Structures: Toe Drain Drainage Channels French Drains/Outfalls Subsurface Drainage Pipes/Outfalls Manholes Recharge Areas		X		X	X
		X		X	X
		X		X	X
		X			
Monitoring System: Soil Gas Wells Groundwater Wells	X				
	X				
4.0 Site Access: Asphalt Access Road Crushed-Concrete Access Road		X			
		X			
		X			

**B. Description of Further Action Requirements:**

1. Location: \_\_\_\_\_

Observed Conditions: \_\_\_\_\_

Recommendations: \_\_\_\_\_

**BROOKHAVEN NATIONAL LABORATORY**  
**CURRENT LANDFILL AREA**  
**SITE INSPECTION FORM**

Name of Inspector(s): Eri-Kramer

Date of Inspection: 3-27-97

Purpose of Inspection:

Routine  Heavy Rainfall  Reported Incident

Time on Site:

Time off Site:

Weather Conditions:

**A. Inspection Checklist**

	Component	Observed Condition			Further Action Required	
		Excellent	Fair	Poor	Yes	No
1.0	Landfill Cap: Vegetation Cap Gas Vents	X				X
		X				X
		X				X
2.0	Drainage Structures: Toe Drain Drainage Channels French Drains/Outfalls Subsurface Drainage Pipes/Outfalls Manholes Recharge Areas		X			
			X			
		X				
		X				
		X				
		X				
	Monitoring System: Soil Gas Wells Groundwater Wells					
		X				
		X				
4.0	Site Access: Asphalt Access Road Crushed-Concrete Access Road		X			
			X			
			X			

**B. Description of Further Action Requirements:**

1. Location: Drainage channels; Asphalt

Observed Conditions: \_\_\_\_\_

Recommendations: Need weed wacking / asphalt repair

**BROOKHAVEN NATIONAL LABORATORY**  
**CURRENT LANDFILL AREA**  
**SITE INSPECTION FORM**

Name of Inspector(s): Eric Kram

Date of Inspection: 4-10-07

Purpose of Inspection:

Time on Site:

Time off Site:

Weather Conditions:

**A. Inspection Checklist**

1.0	Component	Observed Condition			Further Action Required	
		Excellent	Fair	Poor	Yes	No
	Landfill Cap: Vegetation Cap. Gas Vents	X				
		X				
		X				
2.0	Drainage Structures: Toe Drain Drainage Channels French Drains/Outfalls Subsurface Drainage Pipes/Outfalls Manholes Recharge Areas		X			
			X			
			X			
			X			
			X			
			X			
	Monitoring System: Soil Gas Wells Groundwater Wells	X				
		X				
3.0	Site Access: Asphalt Access Road Crushed-Concrete Access Road		X			
			X			
			X			

**B. Description of Further Action Requirements:**

Location: \_\_\_\_\_

Observed Conditions: Drainage - Need weed wacking

Asphalt Nuds Repair

Recommendations:

**BROOKHAVEN NATIONAL LABORATORY**  
**CURRENT LANDFILL AREA**  
**SITE INSPECTION FORM**

Name of Inspector(s): Eric Kramer

Date of Inspection: 5-14-07

Purpose of Inspection:

Time on Site:

Time off Site:

Weather Conditions:

**A. Inspection Checklist**

1.0	Component	Observed Condition			Further Action Required	
		Excellent	Fair	Poor	Yes	No
	Landfill Cap: Vegetation Cap. Gas Vents	X				X
		X				X
2.0	Drainage Structures: Toe Drain Drainage Channels French Drains/Outfalls Subsurface Drainage Pipes/Outfalls Manholes Recharge Areas		X		X	
			X		X	
		X				
		X				
		X				
	Monitoring System: Soil Gas Wells Groundwater Wells	X				X
		X				X
4.0	Site Access: Asphalt Access Road Crushed-Concrete Access Road		X			
			X			
			X			

**B. Description of Further Action Requirements:**

1. Location: Driveway Ditches - Need sand wacking  
 Observed Conditions: Need sand wacking / Asphalt Repair

Recommendations: Will put work order in

**BROOKHAVEN NATIONAL LABORATORY**  
**CURRENT LANDFILL AREA**  
**SITE INSPECTION FORM**

Name of Inspector(s): Eric Kramer

Date of Inspection: 6-30-01

Purpose of Inspection:

Time on Site:

Time off Site:

Weather Conditions:

**A. Inspection Checklist**

Component	Observed Condition			Further Action Required	
	Excellent	Fair	Poor	Yes	No
1.0 Landfill Cap: Vegetation Cap Gas Vents	X				X
	X				X
	X				X
2.0 Drainage Structures: Toe Drain Drainage Channels French Drains/Outfalls Subsurface Drainage Pipes/Outfalls Manholes Recharge Areas	X				X
	X				X
	X				X
	X				X
	X				X
Monitoring System: Soil Gas Wells Groundwater Wells	X				X
	X				X
4.0 Site Access: Asphalt Access Road Crushed-Concrete Access Road		X			X
		X			X
		X			X

**B. Description of Further Action Requirements:**

Location: Asphalt

Observed Conditions: New Repair From Wunder

Recommendations:

**BROOKHAVEN NATIONAL LABORATORY**  
**CURRENT LANDFILL AREA**  
**SITE INSPECTION FORM**

Name of Inspector(s): Eric Kraynor

Date of Inspection: 7-26-02

Purpose of Inspection:

Routine     Heavy Rainfall     Reported Incident

Time on Site:

Time off Site:

Weather Conditions:

**A. Inspection Checklist**

1.0	Component	Observed Condition			Further Action Required	
		Excellent	Fair	Poor	Yes	No
	Landfill Cap: Vegetation Cap Gas Vents	X				X
		X				X
2.0	Drainage Structures: Toe Drain Drainage Channels French Drains/Outfalls Subsurface Drainage Pipes/Outfalls Manholes Recharge Areas	X				X
		X				X
		X				X
		X				X
		X				X
		X				X
	Monitoring System: Soil Gas Wells Groundwater Wells	X				X
		X				X
4.0	Site Access: Asphalt Access Road Crushed-Concrete Access Road		X			X
			X			X

**B. Description of Further Action Requirements:**

Location: Asphalt Road

Observed Conditions: Wear Repair

Recommendations:

**BROOKHAVEN NATIONAL LABORATORY**  
**CURRENT LANDFILL AREA**  
**SITE INSPECTION FORM**

Name of Inspector(s): E. Krane

Date of Inspection: 8-15-01

Purpose of Inspection:

Time on Site:

Time off Site:

Weather Conditions:

**A. Inspection Checklist**

1.0	Component	Observed Condition			Further Action Required	
		Excellent	Fair	Poor	Yes	No
	Landfill Cap: Vegetation Cap. Gas Vents	X				X
		X				X
		X				>
2.0	Drainage Structures: Toe Drain Drainage Channels French Drains/Outfalls Subsurface Drainage Pipes/Outfalls Manholes Recharge Areas	X				X
		X				X
		X				X
		X				X
		X				X
		X				X
	Monitoring System: Soil Gas Wells Groundwater Wells					X
		X				X
		X				X
3.0	Site Access: Asphalt Access Road Crushed-Concrete Access Road		X			X
			X			X
			X			X

**B. Description of Further Action Requirements:**

Location: Asphalt

Observed Conditions: Needs repair

Recommendations:

**BROOKHAVEN NATIONAL LABORATORY**  
**CURRENT LANDFILL AREA**  
**SITE INSPECTION FORM**

Name of Inspector(s): Eric K. M.

Date of Inspection: 9-19-07

Purpose of Inspection:

Time on Site:

Time off Site:

Weather Conditions:

**A. Inspection Checklist**

	Component	Observed Condition			Further Action Required	
		Excellent	Fair	Poor	Yes	No
1.0	Landfill Cap: Vegetation Cap Gas Vents	X				X
		X				X
		X				X
2.0	Drainage Structures: Toe Drain Drainage Channels French Drains/Outfalls Subsurface Drainage Pipes/Outfalls Manholes Recharge Areas	X				X
		X				X
		X				X
		X				X
		X				X
		X				X
	Monitoring System: Soil Gas Wells Groundwater Wells	X				X
		X				X
3.0	Site Access: Asphalt Access Road Crushed-Concrete Access Road		X			X
			X			X
			X			X

**B. Description of Further Action Requirements:**

Location: Asphalt

Observed Conditions: Needs Repair

Recommendations:

**BROOKHAVEN NATIONAL LABORATORY**  
**CURRENT LANDFILL AREA**  
**SITE INSPECTION FORM**

Name of Inspector(s): Eric Karr

Date of Inspection: 10-25-01

Purpose of Inspection:

Time on Site:

Time off Site:

Weather Conditions:

**A. Inspection Checklist**

	Component	Observed Condition			Further Action Required	
		Excellent	Fair	Poor	Yes	No
1.0	Landfill Cap: Vegetation Cap Gas Vents	X				X
2.0	Drainage Structures: Toe Drain Drainage Channels French Drains/Outfalls Subsurface Drainage Pipes/Outfalls Manholes Recharge Areas	X				X
	Monitoring System: Soil Gas Wells Groundwater Wells	X				X
4.0	Site Access: Asphalt Access Road Crushed-Concrete Access Road		X		X	

**B. Description of Further Action Requirements:**

Location: Asphalt Needs Repair in Places

Observed Conditions:

Recommendations: Will Contract Out Asphalt Repair in Spring

BROOKHAVEN NATIONAL LABORATORY  
CURRENT LANDFILL AREA  
SITE INSPECTION FORM

Name of Inspector(s):

ERIK KRAMER

Date of Inspection:

11/18/87

Purpose of Inspection:

Routine    Heavy Rainfall    Reported Incident

Time on Site:

\_\_\_\_\_

Time off Site:

\_\_\_\_\_

Weather Conditions:

\_\_\_\_\_

A. Inspection Checklist

Component	Observed Condition			Further Action Required	
	Excellent	Fair	Poor	Yes	No
1.0 Landfill Cap: Vegetation Cap. Gas Vents	✓				✓
	✓				✓
	✓				✓
2.0 Drainage Structures: Toe Drain Drainage Channels French Drains/Outfalls Subsurface Drainage Pipes/Outfalls Manholes Recharge Areas	✓				✓
	✓				✓
	✓				✓
	✓				✓
	✓				✓
Monitoring System: Soil Gas Wells Groundwater Wells	✓				✓
	✓				✓
	✓				✓
4.0 Site Access: Asphalt Access Road Crushed-Concrete Access Road		✓			✓
		✓			✓
		✓			✓

B. Description of Further Action Requirements:

■ Location: See LAST Month for Comments

Observed Conditions: \_\_\_\_\_

Recommendations: \_\_\_\_\_

**BROOKHAVEN NATIONAL LABORATORY**  
**CURRENT LANDFILL AREA**  
**SITE INSPECTION FORM**

Name of Inspector(s): Erik Kramer

Date of Inspection: 10-14-07

Purpose of Inspection:

Time on Site:

Time off Site:

Weather Conditions:

**A. Inspection Checklist**

Component	Observed Condition			Further Action Required Yes      No
	Excellent	Fair	Poor	
1.0 Landfill Cap: Vegetation Cap. Gas Vents	/			
	/			
	/			
	/			
	/			
2.0 Drainage Structures: Toe Drain Drainage Channels French Drains/Outfalls Subsurface Drainage Pipes/Outfalls Manholes Recharge Areas	/			
	/			
	/			
	/			
	/			
	/			
	/			
3.0 Monitoring System: Soil Gas Wells Groundwater Wells	/			
	/			
	/			
	/			
	/			
4.0 Site Access: Asphalt Access Road Crushed-Concrete Access Road		/		
		/		
		/		
		/		

**B. Description of Further Action Requirements:**

Location:

Observed Conditions:

*See October Inspection*

Recommendations:

**BROOKHAVEN NATIONAL LABORATORY**  
**LTRA SITE INSPECTION FORM**

Location (AOC): Current Landfill and Wooded Wetland \_\_\_\_\_

Date of Inspection: 4/5/07 \_\_\_\_\_

Name of Inspector(s): R. Howe, W. Dorsch, K. Conkling, E. Kramer, V. Racaniello

Purpose of Inspection:  Routine (Scheduled Frequency of 2x/yr)  Heavy Rainfall  Reported Incident

**A. Inspection Checklist**

Component	Observed Condition				Further Action Req'd	
	Excell.	Fair	Poor	Not Applic.	Yes (describe)	No
1. Landfill Cap/Soil Covers/Wetlands: Vegetation (e.g. grass) Soil (Cap/Cover/Fill) Other: _____	X				Repair burrow areas	X
2. Drainage Structures: Standing Water Toe Drain Drainage Channels French Drains/Outfalls Subsurface Drainage Pipes/Outfalls Manholes Berms Roof Drains Recharge Areas Other: _____	X			X	Signif. water in wetlands	X
	X				Remove small trees	X
	X					X
			X			X
	X			X		X
			X			X
	X				No water in rech. basin	X
3. Monitoring System: Soil Gas Wells Groundwater Wells Gas Vents Other: _____	X					X
	X					X
	X					X
4. Site Access: Asphalt Access Road Crushed-concrete Access Road Fence Gates/locks Radiological Postings Other: X	X				Seal cracks in roads	
	X					X
	X					X
	X			X		X
					POC signs hung	X
5. Evidence of unauthorized work activities and/or unauthorized access has occurred? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe evidence: _____						

**B. Description of Other Observations**

Observed Conditions/Recommendations: Animal burrows were identified on the west and northeast slopes up to 12" deep. They penetrated past the top soil and into the protective soil layer, but not near the liner. Tractor/mower ruts also identified on slopes. Some netting disrupted by mower. PE to repair burrows/ruts under existing Work Order (Update: On 4/6/07 the animal burrows were repaired, see photos). Suspend grass cutting on slopes until further notice and monitor vegetation growth. A Work Order for removing the weeds in the asphalt road and drainage channels and sealing the cracks in the asphalt road is awaiting action by PE. Wooded wetlands look fine. No changes needed to LUIIC factsheet.

**BROOKHAVEN NATIONAL LABORATORY**  
**LTRA SITE INSPECTION FORM**

Location (AOC): Current Landfill and Wooded Wetland \_\_\_\_\_

Date of Inspection: 6/6/07 \_\_\_\_\_

Name of Inspector(s): R. Howe

Purpose of Inspection:  Routine (Sched. Frequency of 2x/yr)  Heavy Rainfall (2.2")  Reported Incident

**A. Inspection Checklist**

Component	Observed Condition				Further Action Req'd																																																																																																																																																																																																								
	Excell.	Fair	Poor	Not Applic.	Yes (describe)	No																																																																																																																																																																																																							
<b>1. Landfill Cap/Soil Covers/Wetlands:</b> Vegetation (e.g. grass) Soil (Cap/Cover/Fill) Other: _____	<table border="1" style="display: inline-table; width: 100px; height: 40px; vertical-align: middle;"> <tr><td>X</td><td></td><td></td><td></td></tr> <tr><td>X</td><td></td><td></td><td></td></tr> </table>	X				X				<table border="1" style="display: inline-table; width: 100px; height: 40px; vertical-align: middle;"> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> </table>									<table border="1" style="display: inline-table; width: 100px; height: 40px; vertical-align: middle;"> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> </table>									<table border="1" style="display: inline-table; width: 100px; height: 40px; vertical-align: middle;"> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> </table>									<table border="1" style="display: inline-table; width: 100px; height: 40px; vertical-align: middle;"> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> </table>																																																																																																																																																																								
X																																																																																																																																																																																																													
X																																																																																																																																																																																																													
<b>2. Drainage Structures:</b> Standing Water Toe Drain Drainage Channels French Drains/Outfalls Subsurface Drainage Pipes/Outfalls Manholes Berms Roof Drains Recharge Areas Other: _____	<table border="1" style="display: inline-table; width: 100px; height: 150px; vertical-align: middle;"> <tr><td>X</td><td></td><td></td><td></td></tr> <tr><td>X</td><td></td><td></td><td></td></tr> <tr><td>X</td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td>X</td></tr> <tr><td>X</td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td>X</td></tr> <tr><td></td><td></td><td></td><td>X</td></tr> <tr><td>X</td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> </table>	X				X				X							X	X							X				X	X												<table border="1" style="display: inline-table; width: 100px; height: 150px; vertical-align: middle;"> <tr><td></td><td></td><td></td><td></td></tr> </table>																																									<table border="1" style="display: inline-table; width: 100px; height: 150px; vertical-align: middle;"> <tr><td></td><td></td><td></td><td></td></tr> </table>																																									<table border="1" style="display: inline-table; width: 100px; height: 150px; vertical-align: middle;"> <tr><td></td><td></td><td></td><td></td></tr> </table>																																									<table border="1" style="display: inline-table; width: 100px; height: 150px; vertical-align: middle;"> <tr><td></td><td></td><td></td><td></td></tr> </table>																																								
X																																																																																																																																																																																																													
X																																																																																																																																																																																																													
X																																																																																																																																																																																																													
			X																																																																																																																																																																																																										
X																																																																																																																																																																																																													
			X																																																																																																																																																																																																										
			X																																																																																																																																																																																																										
X																																																																																																																																																																																																													
<b>3. Monitoring System:</b> Soil Gas Wells Groundwater Wells Gas Vents Other: _____	<table border="1" style="display: inline-table; width: 100px; height: 100px; vertical-align: middle;"> <tr><td>X</td><td></td><td></td><td></td></tr> <tr><td>X</td><td></td><td></td><td></td></tr> <tr><td>X</td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> </table>	X				X				X																																<table border="1" style="display: inline-table; width: 100px; height: 100px; vertical-align: middle;"> <tr><td></td><td></td><td></td><td></td></tr> </table>																																									<table border="1" style="display: inline-table; width: 100px; height: 100px; vertical-align: middle;"> <tr><td></td><td></td><td></td><td></td></tr> </table>																																									<table border="1" style="display: inline-table; width: 100px; height: 100px; vertical-align: middle;"> <tr><td></td><td></td><td></td><td></td></tr> </table>																																																																																	
X																																																																																																																																																																																																													
X																																																																																																																																																																																																													
X																																																																																																																																																																																																													
<b>4. Site Access:</b> Asphalt Access Road Crushed-concrete Access Road Fence Gates/locks Radiological Postings Other: X	<table border="1" style="display: inline-table; width: 100px; height: 150px; vertical-align: middle;"> <tr><td>X</td><td></td><td></td><td></td></tr> <tr><td>X</td><td></td><td></td><td></td></tr> <tr><td>X</td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> </table>	X				X				X																																<table border="1" style="display: inline-table; width: 100px; height: 150px; vertical-align: middle;"> <tr><td></td><td></td><td></td><td></td></tr> </table>																																									<table border="1" style="display: inline-table; width: 100px; height: 150px; vertical-align: middle;"> <tr><td></td><td></td><td></td><td></td></tr> </table>																																									<table border="1" style="display: inline-table; width: 100px; height: 150px; vertical-align: middle;"> <tr><td></td><td></td><td></td><td></td></tr> </table>																																																																																	
X																																																																																																																																																																																																													
X																																																																																																																																																																																																													
X																																																																																																																																																																																																													
<b>5. Evidence of unauthorized work activities and/or unauthorized access has occurred?</b> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe evidence: _____																																																																																																																																																																																																													

**B. Description of Other Observations**

Observed Conditions/Recommendations: No impacts from rain event.

**BROOKHAVEN NATIONAL LABORATORY**  
**LTRA SITE INSPECTION FORM**

Location (AOC): Current Landfill and Wooded Wetland \_\_\_\_\_

Date of Inspection: 11/16/07

Name of Inspector(s): R. Howe, W. Dorsch, K. Conlding, E. Kramer, M. Davis, T. Green

Purpose of Inspection:  Routine (Scheduled Frequency of 2x/yr)  Heavy Rainfall  Reported Incident

**A. Inspection Checklist**

Component	Observed Condition				Further Action Req'd	
	Excell.	Fair	Poor	Not Applic.	Yes (describe)	No
1. Landfill Cap/Soil Covers/Wetlands:						
Vegetation (e.g. grass)	X					X
Soil (Cap/Cover/Fill)		X			Repair burrow areas	
Other: _____						
2. Drainage Structures:						
Standing Water	X				No water in wetland area	X
Toe Drain	X					X
Drainage Channels	X				Remove small trees	
French Drains/Outfalls			X			X
Subsurface Drainage Pipes/Outfalls	X					X
Manholes			X			X
Berms			X			X
Roof Drains			X			X
Recharge Areas	X				No water in rech. basin	X
Other: _____						
3. Monitoring System:						
Soil Gas Wells	X					X
Groundwater Wells	X					X
Gas Vents	X					X
Other: _____						
4. Site Access:						
Asphalt Access Road		X			Seal cracks in roads	
Crushed-concrete Access Road	X					X
Fence	X					X
Gates/locks	X					X
Radiological Postings			X			X
Other: _____						X
5. Evidence of unauthorized work activities and/or unauthorized access has occurred? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No						
If yes, describe evidence: _____						

**B. Description of Other Observations**

Observed Conditions/Recommendations: Several narrow animal burrows were identified on the south, east and north slopes, some up to 12" deep. They penetrated past the top soil and into the 24" protective soil layer, but not near the liner. Grass cutting on slopes should continue to be suspended until further notice. Monitor vegetation growth. PE to remove weeds and seal the cracks in the asphalt road, remove small trees in the toe drain and drainage channels, and repair animal burrows. Wooded wetlands look fine. No changes needed to LUIC factsheet. See photos.

**BROOKHAVEN NATIONAL LABORATORY  
FORMER LANDFILL AREA  
SITE INSPECTION FORM**

Name of Inspector(s): Eric Krauer

Date of Inspection: 7-17-07  
 Purpose of Inspection:  Routine  Heavy Rainfall  Reported Incident  
 Time on Site:  
 Time off Site:  
 Weather Conditions: Cold

**A. Inspection Checklist**

	Component	Observed Condition			Further Action Required	
		Excellent	Fair	Poor	Yes	No
1.0	Landfill Cap:		X			
	Vegetation		X			
	Cap					
	Gas Vents	X				
2.0	Drainage Structures:	X				X
	Toe Drain	X				X
	Drainage Channels	X				X
	French Drains/Outfalls	X				X
	Subsurface Drainage Pipes/Outfalls	X				X
	Manholes	X				X
	Recharge Areas	X				X
3.0	Monitoring System:		X			
	Soil Gas Wells		X			
	Groundwater Wells		X			
4.0	Site Access:		X			
	Asphalt Access Road		X			
	Crushed-Concrete Access Road		X			

**B. Description of Further Action Requirements:**

1. Location: Top of Landfill  
 Observed Conditions: Ruts on Landfill

Recommendations: WORK order g.d.

**BROOKHAVEN NATIONAL LABORATORY**  
**FORMER LANDFILL AREA**  
**SITE INSPECTION FORM**

Name of Inspector(s): Eric Kramer

Date of Inspection: 2-20-07

Purpose of Inspection:

Time on Site:

Time off Site:

Weather Conditions:

**A. Inspection Checklist**

	Component	Observed Condition			Further Action Required	
		Excellent	Fair	Poor	Yes	No
1.0	Landfill Cap: Vegetation Cap Gas Vents		X			
			X			
		X				
2.0	Drainage Structures: Toe Drain Drainage Channels French Drains/Outfalls Subsurface Drainage Pipes/Outfalls Manholes Recharge Areas	X				
		X				
		X				
		X				
		X				
		X				
3.0	Monitoring System: Soil Gas Wells Groundwater Wells	X				
		X				
4.0	Site Access: Asphalt Access Road Crushed-Concrete Access Road		X			
			X			

**B. Description of Further Action Requirements:**

1. Location: Top of Landfill  
 Observed Conditions: Ruts from Tires

Recommendations: Work Order in

**BROOKHAVEN NATIONAL LABORATORY  
FORMER LANDFILL AREA  
SITE INSPECTION FORM**

Name of Inspector(s): Eric Kramer

Date of Inspection: 3-27-97

Purpose of Inspection:

Time on Site:

Time off Site:

Weather Conditions:

**A. Inspection Checklist**

	Component	Observed Condition			Further Action Required	
		Excellent	Fair	Poor	Yes	No
1.0	Landfill Cap: Vegetation Cap Gas Vents		X		X	
		X			X	
2.0	Drainage Structures: Toe Drain Drainage Channels French Drains/Outfalls Subsurface Drainage Pipes/Outfalls Manholes Recharge Areas	X				X
		X				X
		X				X
		X				X
		X				X
3.0	Monitoring System: Soil Gas Wells Groundwater Wells	X			X	
		X			X	
4.0	Site Access: Asphalt Access Road Crushed-Concrete Access Road	X			X	
		X			X	

**B. Description of Further Action Requirements:**

1. Location: Top of Landfill

Observed Conditions:

RUTs from Tires

Recommendations:

Work Order F

BROOKHAVEN NATIONAL LABORATORY  
 FORMER LANDFILL AREA  
 / SITE INSPECTION FORM

Name of Inspector(s): Eric Kramer

Date of Inspection: 4-13-07

Purpose of Inspection:

Time on Site:

Time off Site:

Weather Conditions:

A. Inspection Checklist

	Component	Observed Condition			Further Action Required	
		Excellent	Fair	Poor	Yes	No
1.0	Landfill Cap: Vegetation Cap Gas Vents	X	X		X	X
		X	X			
		X				
2.0	Drainage Structures: Toe Drain Drainage Channels French Drains/Outfalls Subsurface Drainage Pipes/Outfalls Manholes Recharge Areas		X		X	X
			X			
		X				
		X				
		X				
3.0	Monitoring System: Soil Gas Wells Groundwater Wells	X			X	X
		X				
4.0	Site Access: Asphalt Access Road Crushed-Concrete Access Road	X			X	X
		X				

B. Description of Further Action Requirements:

1. Location: Top of Landfill  
 Observed Conditions:

Ruts filled in with sand. Need to be replaced by topsoil. Some weed wacking needed in drain.

Recommendations:

**BROOKHAVEN NATIONAL LABORATORY**  
**FORMER LANDFILL AREA**  
**SITE INSPECTION FORM**

Name of Inspector(s):

Eric Kramer

Date of Inspection:

5-14-07

Purpose of Inspection:

Routine  Heavy Rainfall  Reported Incident

Time on Site:

Time off Site:

Weather Conditions:

**A. Inspection Checklist**

Component	Observed Condition			Further Action Required	
	Excellent	Fair	Poor	Yes	No
1.0 Landfill Cap: Vegetation Cap Gas Vents	X				X
	X				X
2.0 Drainage Structures: Toe Drain Drainage Channels French Drains/Outfalls Subsurface Drainage Pipes/Outfalls Manholes Recharge Areas		X		X	X
		X		X	X
	X				
	X				
		X			
		X			
			X		
			X		
3.0 Monitoring System: Soil Gas Wells Groundwater Wells	X				X
	X				X
4.0 Site Access: Asphalt Access Road Crushed-Concrete Access Road	X				X
	X				X

**B. Description of Further Action Requirements:**

1. Location: Drains - some weed wacking needed  
 Observed Conditions:

Recommendations:

BROOKHAVEN NATIONAL LABORATORY  
FORMER LANDFILL AREA  
SITE INSPECTION FORM

Name of Inspector(s): Eric Kram

Date of Inspection: 6-30-07

Purpose of Inspection:  Routine  Heavy Rainfall  Reported Incident

Time on Site:

Time off Site:

Weather Conditions:

A. Inspection Checklist

	Component	Observed Condition			Further Action Required	
		Excellent	Fair	Poor	Yes	No
1.0	Landfill Cap: Vegetation Cap Gas Vents	X				X
		X				X
		X				X
2.0	Drainage Structures: Toe Drain Drainage Channels French Drains/Outfalls Subsurface Drainage Pipes/Outfalls Manholes Recharge Areas	X				X
		X				X
		X				X
		X				X
		X				X
		X				X
3.0	Monitoring System: Soil Gas Wells Groundwater Wells	X				X
		X				X
4.0	Site Access: Asphalt Access Road Crushed-Concrete Access Road	X				X
		X				X
		X				X

B. Description of Further Action Requirements:

1. Location: Weed Wacking And Mowing Has been Completed  
Observed Conditions: \_\_\_\_\_

Recommendations: \_\_\_\_\_

**BROOKHAVEN NATIONAL LABORATORY  
FORMER LANDFILL AREA  
SITE INSPECTION FORM**

Name of Inspector(s): Eric Krumm

Date of Inspection: 7-26-07

Purpose of Inspection:  Routine  Heavy Rainfall  Reported Incident

Time on Site:

Time off Site:

Weather Conditions:

**A. Inspection Checklist**

Component	Observed Condition			Further Action Required	
	Excellent	Fair	Poor	Yes	No
1.0 Landfill Cap: Vegetation Cap Gas Vents	X				/
	X				
	X				
	X				
2.0 Drainage Structures: Toe Drain Drainage Channels French Drains/Outfalls Subsurface Drainage Pipes/Outfalls Manholes Recharge Areas	X				/
	X				
	X				
	X				
	X				
	X				
3.0 Monitoring System: Soil Gas Wells Groundwater Wells	X				/
	X				
	X				
4.0 Site Access: Asphalt Access Road Crushed-Concrete Access Road	X				/
	X				
	X				

**B. Description of Further Action Requirements:**

1. Location:

Observed Conditions:

Recommendations:

**BROOKHAVEN NATIONAL LABORATORY**  
**FORMER LANDFILL AREA**  
**SITE INSPECTION FORM**

Name of Inspector(s): Eric Kramer

Date of Inspection: 8-15-07

Purpose of Inspection:

Time on Site:

Time off Site:

Weather Conditions:

**A. Inspection Checklist**

	Component	Observed Condition			Further Action Required	
		Excellent	Fair	Poor	Yes	No
1.0	Landfill Cap: Vegetation Cap Gas Vents	X				X
		X				X
2.0	Drainage Structures: Toe Drain Drainage Channels French Drains/Outfalls Subsurface Drainage Pipes/Outfalls Manholes Recharge Areas	X				X
		X				X
		X				X
		X				X
		X				X
		X				X
3.0	Monitoring System: Soil Gas Wells Groundwater Wells	X				X
		X				X
4.0	Site Access: Asphalt Access Road Crushed-Concrete Access Road	X				X
		X				X

**B. Description of Further Action Requirements:**

1. Location: \_\_\_\_\_

Observed Conditions: \_\_\_\_\_

Recommendations: \_\_\_\_\_

**BROOKHAVEN NATIONAL LABORATORY  
FORMER LANDFILL AREA  
SITE INSPECTION FORM**

Name of Inspector(s): Eric Kramer

Date of Inspection: 9-19-07

Purpose of Inspection: Routine Heavy Rainfall Reported Incident

Time on Site:

Time off Site:

Weather Conditions:

**A. Inspection Checklist**

	Component	Observed Condition			Further Action Required	
		Excellent	Fair	Poor	Yes	No
1.0	Landfill Cap: Vegetation Cap Gas Vents	X				X
		X				X
		X				X
2.0	Drainage Structures: Toe Drain Drainage Channels French Drains/Outfalls Subsurface Drainage Pipes/Outfalls Manholes Recharge Areas	X				X
		X				X
		X				X
		X				X
		X				X
3.0	Monitoring System: Soil Gas Wells Groundwater Wells	X				X
		X				X
4.0	Site Access: Asphalt Access Road Crushed-Concrete Access Road	X				X
		X				X

**B. Description of Further Action Requirements:**

1. Location: \_\_\_\_\_

Observed Conditions: \_\_\_\_\_

Recommendations: \_\_\_\_\_

BROOKHAVEN NATIONAL LABORATORY  
FORMER LANDFILL AREA  
SITE INSPECTION FORM

Name of Inspector(s): E. Karp

Date of Inspection: 10-25-07

Purpose of Inspection:

Time on Site:

Time off Site:

Weather Conditions:

A. Inspection Checklist

Component	Observed Condition			Further Action Required	
	Excellent	Fair	Poor	Yes	No
1.0 Landfill Cap: Vegetation Cap Gas Vents	X				X
	+				
	X				
2.0 Drainage Structures: Toe Drain Drainage Channels French Drains/Outfalls Subsurface Drainage Pipes/Outfalls Manholes Recharge Areas	X				X
	X				
	X				
	X				
	X				
	X				
3.0 Monitoring System: Soil Gas Wells Groundwater Wells	X				X
	X				
4.0 Site Access: Asphalt Access Road Crushed-Concrete Access Road	X				X
	X				

B. Description of Further Action Requirements:

1. Location:

Observed Conditions:

Recommendations:

BROOKHAVEN NATIONAL LABORATORY  
 FORMER LANDFILL AREA  
 SITE INSPECTION FORM

Name of Inspector(s):

Eric KRAMER

Date of Inspection:

11-18-07

Purpose of Inspection:

Routine    Heavy Rainfall    Reported Incident

Time on Site:

\_\_\_\_\_

Time off Site:

\_\_\_\_\_

Weather Conditions:

\_\_\_\_\_

A. Inspection Checklist

	Component	Observed Condition			Further Action Required	
		Excellent	Fair	Poor	Yes	No
1.0	Landfill Cap: Vegetation Cap Gas Vents	/				/
		/				/
		/				/
2.0	Drainage Structures: Toe Drain Drainage Channels French Drains/Outfalls Subsurface Drainage Pipes/Outfalls Manholes Recharge Areas	/				/
		/				/
		/				/
		/				/
		/				/
3.0	Monitoring System: Soil Gas Wells Groundwater Wells		/			/
			/			/
			/			/
4.0	Site Access: Asphalt Access Road Crushed-Concrete Access Road	/				/
		/				/

B. Description of Further Action Requirements:

1. Location:

Observed Conditions:

Recommendations:

BROOKHAVEN NATIONAL LABORATORY  
 FORMER LANDFILL AREA  
 SITE INSPECTION FORM

Name of Inspector(s): Eric Kramer

Date of Inspection: 12-14-07

Purpose of Inspection: Routine Heavy Rainfall Reported Incident

Time on Site:

Time off Site:

Weather Conditions: Cold, Sunny

A. Inspection Checklist

	Component	Observed Condition			Further Action Required	
		Excellent	Fair	Poor	Yes	No
1.0	Landfill Cap:					
	Vegetation	/				/
	Cap	/				/
	Gas Vents	/				/
2.0	Drainage Structures:					
	Toe Drain	/				/
	Drainage Channels	/				/
	French Drains/Outfalls	/				/
	Subsurface Drainage Pipes/Outfalls	/				/
	Manholes	/				/
	Recharge Areas	/				/
3.0	Monitoring System:					
	Soil Gas Wells	/				/
	Groundwater Wells	/				/
4.0	Site Access:					
	Asphalt Access Road	/				/
	Crushed-Concrete Access Road	/				/

B. Description of Further Action Requirements:

1. Location: \_\_\_\_\_

Observed Conditions: \_\_\_\_\_

Recommendations: \_\_\_\_\_

**BROOKHAVEN NATIONAL LABORATORY**  
**LTRA SITE INSPECTION FORM**

Location (AOC): Former Landfill Area (includes the former and interim landfills, and slit trench)  
 Date of Inspection: 4/18/07  
 Name of Inspector(s): R. Howe, W. Dorsch, K. Klaus  
 Purpose of Inspection:  Routine (Scheduled Frequency of 2x/yr)  Heavy Rainfall  Reported Incident

**A. Inspection Checklist**

Component	Observed Condition				Further Action Req'd	
	Excell.	Fair	Poor	Not Applic.	Yes (describe)	No
1. Landfill Cap/Soil Covers/Wetlands: Vegetation (e.g. grass) Soil (Cap/Cover/Fill) Other: _____	X				Add topsoil-seed to ruts	X
2. Drainage Structures: Standing Water Toe Drain Drainage Channels French Drains/Outfalls Subsurface Drainage Pipes/Outfalls Manholes Berms Roof Drains Recharge Areas Other: _____	X				Little water in ruts	X
	X				Remove vegetation	X
	X					X
		X				X
		X				X
	X					X
3. Monitoring System: Soil Gas Wells Groundwater Wells Gas Vents Other: _____	X					X
	X					X
	X					X
4. Site Access: Asphalt Access Road Crushed-concrete Access Road Fence Gates/locks Radiological Postings Other: _____	X					X
	X					X
			X			X
	X					X
			X			X
5. Evidence of unauthorized work activities and/or unauthorized access has occurred? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe evidence: _____						

**B. Description of Other Observations**

Observed Conditions/Recommendations: Have PE remove some sand, add top soil, and seed the tractor ruts on the NE portion of the landfill soil cover. Have PE remove weeds and small trees from drainage channels. Work Orders are in place. (see photos)

**BROOKHAVEN NATIONAL LABORATORY**  
**LTRA SITE INSPECTION FORM**

Location (AOC): Former Landfill Area (includes the former and interim landfills, and slit trench)  
 Date of Inspection: 6/6/07  
 Name of Inspector(s): R. Howe  
 Purpose of Inspection:  Routine (Sched. Frequency of 2x/yr)  Heavy Rainfall (2.2")  Reported Incident

**A. Inspection Checklist**

Component	Observed Condition				Further Action Req'd	
	Excell.	Fair	Poor	Not Apply.	Yes (describe)	No
<b>1. Landfill Cap/Soil Covers/Wetlands:</b> Vegetation (e.g. grass) Soil (Cap/Cover/Fill) Other: _____	X				Need to weed whack	
		X			Add topsoil-seed to ruts	
<b>2. Drainage Structures:</b> Standing Water Toe Drain Drainage Channels French Drains/Outfalls Subsurface Drainage Pipes/Outfalls Manholes Berms Roof Drains Recharge Areas Other: _____	X				No standing water	X
	X					X
	X				Remove vegetation	
	X					X
		X				X
		X				X
	X					X
<b>3. Monitoring System:</b> Soil Gas Wells Groundwater Wells Gas Vents Other: _____	X					X
	X					X
	X					X
<b>4. Site Access:</b> Asphalt Access Road Crushed-concrete Access Road Fence Gates/locks Radiological Postings Other: _____	X					X
	X					X
			X			X
	X					X
			X			X
<b>5. Evidence of unauthorized work activities and/or unauthorized access has occurred?</b> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe evidence: _____						

**B. Description of Other Observations**

Observed Conditions/Recommendations: No impacts from rain event.

**BROOKHAVEN NATIONAL LABORATORY**  
**LTRA SITE INSPECTION FORM**

Location (AOC): Former Landfill Area (includes the former and interim landfills, and slit trench)  
 Date of Inspection: 11/9/07  
 Name of Inspector(s): R. Howe, M. Davis, R. Lee  
 Purpose of Inspection:  Routine (Scheduled Frequency of 2x/yr)  Heavy Rainfall  Reported Incident

**A. Inspection Checklist**

Component	Observed Condition				Further Action Req'd	
	Excell.	Fair	Poor	Not Applic.	Yes (describe)	No
1. Landfill Cap/Soil Covers/Wetlands: Vegetation (e.g. grass) Soil (Cap/Cover/Fill) Other: _____	<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	Remove small trees  Add topsoil-seed to ruts	<input type="checkbox"/> <input type="checkbox"/>
2. Drainage Structures: Standing Water Toe Drain Drainage Channels French Drains/Outfalls Subsurface Drainage Pipes/Outfalls Manholes Berms Roof Drains Recharge Areas Other: _____	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	No standing water  Remove vegetation	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
3. Monitoring System: Soil Gas Wells Groundwater Wells Gas Vents Other: _____	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
4. Site Access: Asphalt Access Road Crushed-concrete Access Road Fence Gates/locks Radiological Postings Other: _____	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
5. Evidence of unauthorized work activities and/or unauthorized access has occurred? _____ If yes, describe evidence: _____					<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No

**B. Description of Other Observations**

Observed Conditions/Recommendations: Have PE add top soil and seed the tractor ruts on the NE portion of the Former Landfill soil cover. Have PE remove small trees from drainage channels and small trees on borders of Interim Landfill and Slit Trench. (see photos)

BROOKHAVEN NATIONAL LABORATORY  
LTRA SITE INSPECTION FOLLOWUP ACTION SUMMARY

Maintenance for Location (AOC): Current Landfill \_\_\_\_\_

Date of Repair: 4/6/07 \_\_\_\_\_

Condition to be repaired: Repair animal burrow areas on slope.  
\_\_\_\_\_  
\_\_\_\_\_

Description of Work Performed and by Who:

- PE fixed the animal burrow areas by adding soil. Check grass regrowth in spring/summer 2007.
- \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

BROOKHAVEN NATIONAL LABORATORY  
LTRA SITE INSPECTION FOLLOWUP ACTION SUMMARY

Maintenance for Location (AOC): Former Landfill Area \_\_\_\_\_

Date of Repair: 2/8/07 \_\_\_\_\_

Condition to be repaired: Filled in tire ruts at FLF \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Description of Work Performed and by Who: Via WO EP1781057, Filled in ruts with sand as a temporary measure until spring (couldn't use top soil since it was frozen). In spring, remove some sand and add topsoil and seed (see attached pictures).  
\_\_\_\_\_  
\_\_\_\_\_

BROOKHAVEN NATIONAL LABORATORY  
LTRA SITE INSPECTION FOLLOWUP ACTION SUMMARY

Maintenance for Location (AOC): Current and Former Landfill Area \_\_\_\_\_

Date of Repair: 3/07 - 5/07 \_\_\_\_\_

Condition to be repaired: Broken or missing handles on the soil gas well covers. \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Description of Work Performed and by Who: BNL Sampling Team installed new soil gas well cover  
handles on those that were broken. \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



## Appendix D

### Historical Soil-gas Monitoring Data

# 1996 CURRENT LANDFILL SOIL GAS MONITORING SUMMARY TABLE

1998 Environmental Monitoring Report

Current and Former Landfills - Brookhaven National Laboratory

Soil Gas Monitoring Well	Methane (% By Volume)			
	April-96	June-96	July-96	December-96
SGMW-01A	21.6	0	16.5	29.8
SGMW-01B	23.2	0	11	28.9
SGMW-01C	24.1	0	11.4	26.8
SGMW-02A	55.1	53	49.5	64.8
SGMW-02B	55.5	52.7	51.4	59
SGMW-02C	55.6	56.4	43.8	58
SGMW-03A	66	61.2	54	62.8
SGMW-03B	62	59.5	45	61.6
SGMW-03C	57.8	58.1	54	57.9
SGMW-04A	49.7	0	48.9	52.4
SGMW-04B	53	0	49.4	54.3
SGMW-04C	52.8	0	48.6	55.9
SGMW-05A	50.1	49.4	46.5	52
SGMW-05B	50.9	47.5	42	53.7
SGMW-05C	48.7	46.9	30.4	51.6
SGMW-06A	40.1	44.2	0.8	0
SGMW-06B	44	46	41.9	0
SGMW-06C	45.2	46.7	42	0
SGMW-07A	8.6	10.4	14.5	6.2
SGMW-07B	76	11.6	0.2	0.8
SGMW-07C	8.4	11.7	3.2	8.7
SGMW-08A	0	0	0.7	0
SGMW-08B	0	0	0	0
SGMW-08C	0	0	0	0
SGMW-09A	0.3	0	0	2.8
SGMW-09B	1.2	0	0	6.7
SGMW-09C	2.5	0.3	0	5.8
SGMW-10A	16.7	22.8	23	22.7
SGMW-10B	16.6	14.3	15.8	32.5
SGMW-10C	14	18.2	11.4	29.2
SGMW-11A	16.4	26.8	23.5	39.3
SGMW-11B	15.7	25.6	25	29.6
SGMW-12A	57.5	0	36.9	57.2
SGMW-12B	51.3	0	32.3	55.7
SGMW-13A	46.3	0	18.7	0
SGMW-13B	47.5	0	26	0
SGMW-14A	34.9	0	18.2	38.6
SGMW-14B	41.4	44.2	16	0
SGMW-15A	0	0.6	3.6	3.4
SGMW-15B	12.7	0	0	0
SGMW-16A	0	0	0	0
SGMW-16B	0	0	0.7	0
SGMW-17A	0	0	0	0
SGMW-17B	0	0	0	0
SGMW-18A	8.6	0	0	7.1
SGMW-18B	0.6	0	0	0
SGMW-19A	40.8	29	16	52.5
SGMW-19B	36.7	30.1	6.9	46.5
GSGM-1A	NA	◊	0	◊
GSGM-1B	NA	◊	0	◊
GSGM-1C	NA	◊	0	◊
GSGM-2A	NA	0	0	◊
GSGM-2B	NA	0	0	◊
GSGM-2C	NA	0	0	◊
GSGM-3A	NA	0	◊	◊
GSGM-3B	NA	0	0	◊
GSGM-4A	NA	0	0	◊
GSGM-4B	NA	0	0	◊

◊ No measurement was recorded.

NA Well was not yet installed.

**1997 CURRENT LANDFILL SOIL GAS MONITORING SUMMARY TABLE**  
**1998 Environmental Monitoring Report**

Current and Former Landfills - Brookhaven National Laboratory

Soil Gas Monitoring Well	Methane (% By Volume)			Hydrogen sulfide (ppm By Volume)		
	March-97	August-97	November-97	March-97	August-97	November-97
SGMW-01A	33.4	17.1	16.4	5	5	8
SGMW-01B	32.5	17.2	15.8	1	4	7
SGMW-01C	34.2	15.9	14.5	1	0	1
SGMW-02A	62.4	47.7	53.2	40	39	137
SGMW-02B	64.7	57	56.7	9	17	43
SGMW-02C	62.6	56.6	55.6	2	0	-
SGMW-03A	65.2	55.7	52.2	3	24	0
SGMW-03B	67.5	55.8	57	7	5	15
SGMW-03C	62.5	55.8	57	3	6	9
SGMW-04A	57.6	53.9	52.5	6	52	6
SGMW-04B	58.2	52.5	55.8	7	29	25
SGMW-04C	58.2	52.5	54.5	6	14	15
SGMW-05A	55.2	47.5	50.5	6	44	29
SGMW-05B	54.4	43.3	45.5	10	21	20
SGMW-05C	53.6	37.5	38.7	3	1	2
SGMW-06A	42.6	44	42.9	7	33	3
SGMW-06B	45	43.5	44.4	10	16	17
SGMW-06C	46	42	43.1	7	13	15
SGMW-07A	10.1	2.3	0	3	0	0
SGMW-07B	8.8	0	0	5	0	6
SGMW-07C	9.9	4.1	0.2	3	0	9
SGMW-08A	0	0	0	1	0	5
SGMW-08B	0	0	0	0	0	9
SGMW-08C	0	0	0	0	0	10
SGMW-09A	0.3	0	0	0	0	15
SGMW-09B	3.4	0	0	0	0	14
SGMW-09C	4.6	0.8	1	0	0	12
SGMW-10A	20.5	28	19	1	19	13
SGMW-10B	19.8	24.5	24	1	0	5
SGMW-10C	0	21.7	20.6	0	0	18
SGMW-11A	24.3	27.6	25.2	20	60	56
SGMW-11B	0	27.8	20.5	0	74	32
SGMW-12A	55.9	48	42	21	89	98
SGMW-12B	0	46.5	44.3	0	0	25
SGMW-13A	28.7	45.2	0.7	2	16	19
SGMW-13B	0	0.4	38.9	0	0	27
SGMW-14A	39.1	20.1	5.2	6	10	24
SGMW-14B	0	0	13.5	0	0	13
SGMW-15A	1.8	0.2	2.5	0	0	14
SGMW-15B	0	0	2.6	0	0	14
SGMW-16A	0	31.7	1.1	0	0	9
SGMW-16B	0	◊	0	0	◊	0
SGMW-17A	0	0	0	0	0	20
SGMW-17B	0	0	0	0	0	0
SGMW-18A	0	0	0	0	0	14
SGMW-18B	0	0	0	0	0	15
SGMW-19A	35.1	22	10.6	41	51	42
SGMW-19B	0	29	17.3	0	30	12
GSGM-1A	0	◊	0	4	◊	0
GSGM-1B	0	◊	0	5	◊	1
GSGM-1C	0	◊	0	6	◊	0
GSGM-2A	0	◊	0	6	◊	0
GSGM-2B	0	◊	0	6	◊	4
GSGM-2C	0	◊	0	6	◊	0
GSGM-3A	0	◊	0	5	◊	0
GSGM-3B	0	◊	0	4	◊	0
GSGM-4A	0	◊	0	5	◊	8
GSGM-4B	0	◊	0	5	◊	0

\* Values are calculated, not measured.

◊ No measurement was recorded.

**Brookhaven National Laboratory**  
**1998 Landfill Environmental Monitoring Report**  
**1998 Current Landfill Soil Gas Monitoring Summary Table**

Soil Gas Monitoring Well	Methane (% By Volume) February-98	Methane (% By Volume) May-98	Methane (% By Volume) August-98	Methane (% By Volume) December-98	Hydrogen sulfide (ppm By Volume) February-98		Hydrogen sulfide (ppm By Volume) May-98		Hydrogen sulfide (ppm By Volume) August-98		Hydrogen sulfide (ppm By Volume) December-98		Soil Gas Monitoring Well
	SGMW-01A	26.3	28.1	24.2	6	4	0	0	0	0	0	0	SGMW-01A
SGMW-01B	25.1	30.1	26	19.7	1	3	1	1	4	4	2	2	SGMW-01B
SGMW-01C	24	29	70.4	61.1	92	3	6	6	6	8	4	4	SGMW-01C
SGMW-02A	87.6	65.3	66	64.9	93	6	0	0	0	0	0	0	SGMW-02A
SGMW-02B	84.1	66	65	63.1	11	0	0	0	0	0	0	0	SGMW-02B
SGMW-02C	81.5	64.7	78.8	2.5	10	3	2	2	0	0	0	0	SGMW-02C
SGMW-03A	20.4	80	74	51.1	23	0	0	0	0	0	0	0	SGMW-03A
SGMW-03B	78.6	74	74	41.5	4	3	0	0	0	0	0	0	SGMW-03B
SGMW-03C	65.5	65.3	65.3	41.5	4	3	0	0	0	0	0	0	SGMW-03C
SGMW-04A	11.3	54.2	65	0.4	9	7	4	4	3	0	0	0	SGMW-04A
SGMW-04B	50.9	65.8	68	36.1	6	4	2	2	0	0	0	0	SGMW-04B
SGMW-04C	80.5	67.5	57.5	0	17	6	5	5	0	0	0	0	SGMW-04C
SGMW-05A	48.1	62.4	60	48.9	3	6	5	5	2	0	0	0	SGMW-05A
SGMW-05B	54	52.1	55.4	47.7	3	4	3	3	2	0	0	0	SGMW-05B
SGMW-05C	49	50.3	48	41.7	0	0	3	3	2	0	0	0	SGMW-05C
SGMW-06A	27.3	44.1	38.3	17.5	2	7	0	0	0	0	0	0	SGMW-06A
SGMW-06B	44.3	46.5	7.8	47.2	15	0	0	0	0	0	0	0	SGMW-06B
SGMW-06C	46.3	48	6.4	0	0	0	0	0	0	0	0	0	SGMW-06C
SGMW-07A	2.2	8.9	7.2	0	0	0	0	0	0	0	0	0	SGMW-07A
SGMW-07B	0	6.5	7	0	0	0	0	0	0	0	0	0	SGMW-07B
SGMW-07C	4.9	8.5	0.5	0.1	1	1	0	0	0	0	0	0	SGMW-07C
SGMW-08A	0	0	0	0	0	2	0	0	0	0	0	0	SGMW-08A
SGMW-08B	0	0	0	0	0	3	0	0	0	0	0	0	SGMW-08B
SGMW-08C	0	0	0	0	0	4	1	0	0	0	0	0	SGMW-08C
SGMW-09A	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-09A
SGMW-09B	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-09B
SGMW-09C	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-09C
SGMW-10A	17.9	28.7	30	28.2	0	0	0	0	0	0	0	0	SGMW-10A
SGMW-10B	23.5	28.4	28.3	26	2	0	0	0	0	0	0	0	SGMW-10B
SGMW-10C	20.7	24	23	23.7	0	0	0	0	0	0	0	0	SGMW-10C
SGMW-11A	22.0	31	29.4	17.0	18	0	0	0	0	0	0	0	SGMW-11A
SGMW-11B	18.0	29	25.3	26.4	9	0	0	0	0	0	0	0	SGMW-11B
SGMW-12A	53.7	60.4	33.9	37	2	1	0	0	0	0	0	0	SGMW-12A
SGMW-12B	60.3	3	39.2	11	3	4	0	0	0	0	0	0	SGMW-12B
SGMW-13A	7	61.5	59	0	0	0	0	0	0	0	0	0	SGMW-13A
SGMW-13B	0.1	0.1	0	0	0	0	0	0	0	0	0	0	SGMW-13B
SGMW-14A	17.1	21	20	1.2	0	1	0	0	0	0	0	0	SGMW-14A
SGMW-14B	0	16	0	0	0	0	0	0	0	0	0	0	SGMW-14B
SGMW-15A	4	1.2	0	0	0	0	0	0	0	0	0	0	SGMW-15A
SGMW-15B	0	0	0.7	0	0	0	0	0	0	0	0	0	SGMW-15B
SGMW-16A	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-16A
SGMW-16B	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-16B
SGMW-17A	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-17A
SGMW-17B	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-17B
SGMW-18A	0.2	0	0	0	0	0	0	0	0	0	0	0	SGMW-18A
SGMW-18B	37.4	47.2	30.4	0.7	69	0	0	0	0	0	0	0	SGMW-18B
SGMW-19A	36.7	4	4	12	5	1	1	1	1	1	1	4	SGMW-19B

Soil Gas Monitoring Well	Methane (% By Volume) February-98	Methane (% By Volume) May-98	Methane (% By Volume) August-98	Methane (% By Volume) December-98
GSGM-1A	0	0	0	0
GSGM-1B	0	0	0	0
GSGM-1C	0	0	0	0
GSGM-2A	0	0	0	0
GSGM-2B	0	0	0	0
GSGM-2C	0	0	0	0
GSGM-3A	0	0	0	0
GSGM-3B	0	0	0	0
GSGM-4A	0	0	0	0
GSGM-4B	0	0	0	0

Hydrogen sulfide (ppm By Volume) February-88		Hydrogen sulfide (ppm By Volume) May-89	Hydrogen sulfide (ppm By Volume) August-89	Hydrogen sulfide (ppm By Volume) December-89	Soil Gas Monitoring Well
0	0	0	0	0	GSGM-1A
1	0	0	0	0	GSGM-1B
0	0	0	0	0	GSGM-1C
0	0	0	0	0	GSGM-2A
2	0	0	1	0	GSGM-2B
0	0	0	0	0	GSGM-2C
0	0	0	0	0	GSGM-3A
0	0	0	0	0	GSGM-3B
0	0	0	0	0	GSGM-4A
2	0	0	0	0	GSGM-4B

• Values are calculated, not measured.  
• No measurement was recorded.

**Brookhaven National Laboratory**  
**1999 Landfills Environmental Monitoring Report**  
**1999 Current Landfill Soil Gas Monitoring Summary Table**

Soil Gas Monitoring Well	Methane (% By Volume) June-99	Methane (% By Volume) October-99	Methane (% By Volume) December-99	LEL (% By Volume)			Hydrogen sulfide (ppm By Volume) June-99	Hydrogen sulfide (ppm By Volume) October-99	Hydrogen sulfide (ppm By Volume) December-99	Soil Gas Monitoring Well		
				LEL (% By Volume) October-99	LEL (% By Volume) December-99	LEL (% By Volume) December-99						
SGMW-01A	19.5	17.9	19.0	390	370	360	0	372	394	2	SGMW-01A	
SGMW-01B	18.6	18.1	18.0	390	362	360	0	390	394	3	SGMW-01B	
SGMW-01C	17.2	14.2	16.7	344	344	344	0	394	0	1	SGMW-01C	
SGMW-02A	52.4	62.6	55.0	1048	1052	1116	13	1116	1134	25	SGMW-02A	
SGMW-02B	54.4	55	58.7	1058	1106	1150	3	1106	1134	11	SGMW-02B	
SGMW-02C	55.3	55.2	57.5	1106	1104	1150	0	1104	1134	3	SGMW-02C	
SGMW-03A	59.6	41.5	2.3	1192	830	60	3	1192	60	1	SGMW-03A	
SGMW-03B	61.4	54.3	61.3	1228	1168	1228	0	1228	0	4	SGMW-03B	
SGMW-03C	59.9	53.3	59.5	1198	1080	1160	0	1080	0	3	SGMW-03C	
SGMW-04A	53.9	0	39.1	1076	0	702	0	1076	0	2	SGMW-04A	
SGMW-04B	53.5	63.5	62.6	1070	1070	1056	0	1070	0	7	SGMW-04B	
SGMW-04C	62.4	55.2	40.7	1048	1104	974	2	1048	974	9	SGMW-04C	
SGMW-05A	47.0	51.1	47.4	940	940	1022	0	940	0	6	SGMW-05A	
SGMW-05B	45	51.5	46	900	900	1030	0	900	0	4	SGMW-05B	
SGMW-05C	39.7	35	38.3	794	794	760	0	794	0	4	SGMW-05C	
SGMW-06A	41.1	0.1	39.2	826	2	704	0	826	0	2	SGMW-06A	
SGMW-06B	43.2	46.0	46.0	802	834	934	0	802	0	7	SGMW-06B	
SGMW-06C	43.1	0	46.0	862	0	928	0	862	0	5	SGMW-06C	
SGMW-07A	3.3	0.1	0	66	2	0	0	66	0	2	SGMW-07A	
SGMW-07B	0.9	0	0	18	0	0	0	18	0	2	SGMW-07B	
SGMW-07C	4.4	0.17	1.3	68	34	28	0	68	0	2	SGMW-07C	
SGMW-08A	0	0	0	0	0	0	0	0	0	0	SGMW-08A	
SGMW-08B	0	0	0	0	0	0	0	0	0	0	SGMW-08B	
SGMW-08C	0	0	0	0	0	0	0	0	0	0	SGMW-08C	
SGMW-09A	0	0	0	0	0	0	0	0	0	0	SGMW-09A	
SGMW-09B	0	0	0.1	0	0	0	0	0	0	0	SGMW-09B	
SGMW-09C	0	0	0	0	0	0	0	0	0	0	SGMW-09C	
SGMW-10A	15.7	20	428	314	400	400	1	400	314	2	SGMW-10A	
SGMW-10B	26.7	21.1	396	532	420	0	0	532	420	3	SGMW-10B	
SGMW-10C	22.0	16.1	360	464	324	0	0	464	324	3	SGMW-10C	
SGMW-11A	19.3	31.2	19.9	388	824	398	8	824	398	9	SGMW-11A	
SGMW-11B	19.2	26.6	14.6	384	512	294	10	512	294	3	SGMW-11B	
SGMW-12A	46.8	45.1	47.1	636	602	642	30	602	642	8	SGMW-12A	
SGMW-12B	44.2	48.6	47.6	684	830	954	5	830	954	3	SGMW-12B	
SGMW-13A	53.1	0.1	0	1082	2	0	0	1082	2	0	SGMW-13A	
SGMW-13B	0.2	0.2	24.5	4	4	492	0	4	492	0	2	SGMW-13B
SGMW-14A	7.6	5.9	7.1	152	116	142	0	152	116	6	SGMW-14A	
SGMW-14B	0	22.0	3.4	0	452	68	0	452	68	2	SGMW-14B	
SGMW-15A	0	1.0	2.9	0	32	68	0	32	68	3	SGMW-15A	
SGMW-15B	0	0.1	0	0	2	0	0	2	0	2	SGMW-15B	
SGMW-16A	0	0.1	0	0	2	0	0	2	0	2	SGMW-16A	
SGMW-16B	0	0.1	0	0	2	0	0	2	0	2	SGMW-16B	
SGMW-17A	screen in water table	0.1	0	<2	2	0	<2	2	0	2	SGMW-17A	
SGMW-17B	screen in water table	0.1	0	<2	2	0	<2	2	0	2	SGMW-17B	
SGMW-18A	0	0.1	0	0	2	0	0	2	0	2	SGMW-18A	
SGMW-18B	0	1	0.4	0	20	8	0	20	8	1	SGMW-18B	
SGMW-19A	25.1	23	20.3	502	480	406	16	502	480	15	SGMW-19A	
SGMW-19B	30.1	27.3	20.5	602	644	410	8	602	644	12	SGMW-19B	

Brookhaven National Laboratory  
 1999 Landfill Environmental Monitoring Report  
 1999 Current Landfill Soil Gas Monitoring Summary Table

Soil Gas Monitoring Well	Methane (% By Volume) June-99	Methane (% By Volume) October-99	Methane (% By Volume) December-99	LEL (% By Volume) June-99	LEL (% By Volume) October-99	LEL (% By Volume) December-99	Hydrogen sulfide (ppm By Volume) June-99	Hydrogen sulfide (ppm By Volume) October-99	Hydrogen sulfide (ppm By Volume) December-99	Soil Gas Monitoring Well
GSGM-1A	0	0	0	0	0	0	0	0	0	GSGM-1A
GSGM-1B	0	0	0	0	0	0	0	0	0	GSGM-1B
GSGM-1C	0	broken valve	0	0	0	0	0	0	0	GSGM-1C
GSGM-2A	0	0	0	0	0	0	0	0	2	GSGM-2A
GSGM-2B	0	0	0	0	0	0	0	0	1	GSGM-2B
GSGM-2C	0	0	0	0	0	0	0	0	1	GSGM-2C
GSGM-3A	0	0	0	0	0	0	0	0	0	GSGM-3A
GSGM-3B	0	0	0	0	0	0	0	0	0	GSGM-3B
GSGM-4A	0	0	0	0	0	0	0	0	0	GSGM-4A
GSGM-4B	0	0	0	0	0	0	0	0	0	GSGM-4B

<> No measurement was recorded.

**Brookhaven Environmental Monitoring Report**  
**2000 Current Landfill Soil Gas Monitoring Summary Table**

Soil Gas Monitoring Well	February-00	March (% By Volume)	May (% By Volume)	June (% By Volume)	September (% By Volume)	December (% By Volume)	February (% By Volume)	April (% By Volume)	June (% By Volume)	September (% By Volume)	December (% By Volume)	February (% By Volume)	Hydrogen Sulfide (ppm by volume)	Hydrogen Sulfide (ppm by volume)	Hydrogen Sulfide (ppm by volume)	Sulfide Monitoring Well
SGMW-01A	20.0	20.6	20.3	21.0	19.0	19.2	40.2	41.0	38.9	40.8	35.0	29.0	280	0	0	SGMW-01A
SGMW-01B	10.3	13.7	11.6	13.0	13.3	13.0	40.5	40.6	35.0	27.6	23.0	20.0	1	1	0	SGMW-01B
SGMW-01C	17.5	59.5	64.0	50	64.1	59.0	1000	(1000)	(1000)	(1000)	(1000)	(1000)	16	16	0	SGMW-01C
SGMW-02A	49.5	55.1	57.1	56.3	60.2	61.0	(1102)	(1102)	(1102)	(1102)	(1102)	(1102)	11	11	0	SGMW-02B
SGMW-02B													5	5	0	SGMW-02C
SGMW-02C													5	5	0	SGMW-03A
SGMW-03A	58.0	49.3	62.0	40.3	56.9	49.0	(1250)	(1250)	(1250)	(1250)	(1250)	(1250)	0	0	0	SGMW-03B
SGMW-03B	57.0	67.0	67.0	67.2	60.2	67.4	(1140)	(1140)	(1140)	(1140)	(1140)	(1140)	0	0	0	SGMW-03C
SGMW-03C	57.3	44.8	50.0	61.2	62.0	68.7	(1146)	(1146)	(1146)	(1146)	(1146)	(1146)	0	0	0	SGMW-04A
SGMW-04A	30.7	30.7	51.9	57.1	2.0	51.6	61.4	(1000)	(1000)	(1000)	(1000)	(1000)	0	0	0	SGMW-04B
SGMW-04B	40.0	52.6	52.6	56.0	50.0	57.8	(1050)	(1050)	(1050)	(1050)	(1050)	(1050)	0	0	0	SGMW-04C
SGMW-04C	43.0	62.1	43.0	47.6	45.2	80.0	90.0	90.0	90.0	90.0	90.0	90.0	0	0	0	SGMW-05A
SGMW-05A	47.7	49.4	47.7	47.6	47.2	85.4	90.0	90.0	90.0	90.0	90.0	90.0	0	0	0	SGMW-05B
SGMW-05B	44.8	50.0	48.2	48.2	43.9	89.2	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	0	0	0	SGMW-05C
SGMW-05C	36.7	43.7	40.7	38.7	73.4	87.4	(1224)	(1224)	(1224)	(1224)	(1224)	(1224)	0	0	0	SGMW-06A
SGMW-06A	33.0	41.7	16.0	44.0	60.0	60.0	80.0	80.0	80.0	80.0	80.0	80.0	0	0	0	SGMW-06B
SGMW-06B	43.0	45.6	45.6	45.0	49.0	49.0	80.0	80.0	80.0	80.0	80.0	80.0	2	2	2	SGMW-06C
SGMW-06C	44.3	46.3	33.7	46.0	46.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	1	1	1	SGMW-07A
SGMW-07A	0.3	6.8	0.3	0.3	0.0	0.0	0	0	0	0	0	0	0	0	0	SGMW-07B
SGMW-07B	0	0	0.6	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	SGMW-07C
SGMW-07C	2.6	3.0	1.8	0.6	0.6	0.6	60	60	60	60	60	60	0	0	0	SGMW-08A
SGMW-08A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-08B
SGMW-08B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-08C
SGMW-08C	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-09A
SGMW-09A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-09B
SGMW-09B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-09C
SGMW-09C	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-09D
SGMW-09D	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-10A
SGMW-10A	9.3	26.1	23.7	17.0	19.8	52.2	47.4	47.4	34.0	34.0	34.0	34.0	2	2	2	SGMW-10B
SGMW-10B	13.5	21.2	20.1	16.6	27.0	42.4	52.2	52.2	52.2	52.2	52.2	52.2	2	2	2	SGMW-10C
SGMW-10C	10.0	19.5	22.2	12.0	30.0	44.4	44.4	44.4	44.4	44.4	44.4	44.4	3	3	3	SGMW-11A
SGMW-11A	10.1	27.1	64.0	13.0	20.2	34.2	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	7	7	7	SGMW-11B
SGMW-11B	6.0	26.4	54.3	9.2	136	528	528	528	528	528	528	528	2	2	2	SGMW-12A
SGMW-12A	43.9	60.0	64.4	48.6	87.6	(1200)	(1200)	(1200)	(1200)	(1200)	(1200)	(1200)	63	63	7	SGMW-12B
SGMW-12B	42.6	40.6	46.1	47.0	85.2	90.0	0.62	0.62	0.62	0.62	0.62	0.62	0	0	0	SGMW-13A
SGMW-13A	23.4	57.4	63.6	40.6	48.0	(1152)	(1276)	(1276)	(1276)	(1276)	(1276)	(1276)	67	67	67	SGMW-13B
SGMW-13B	45.1	0	0	40.2	90.2	0	0	0	0	0	0	0	0	0	0	SGMW-14A
SGMW-14A	2.7	20.2	16.0	12.1	64	404	242	242	242	242	242	242	0	0	0	SGMW-14B
SGMW-14B	0	0	0	22.3	0	0	44.6	44.6	44.6	44.6	44.6	44.6	0	0	0	SGMW-15A
SGMW-15A	2.0	0	1.6	0.0	40	0	0	0	0	0	0	0	0	0	0	SGMW-16B
SGMW-16A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-16B
SGMW-16B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-17A
SGMW-17A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-17B
SGMW-17B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-18A
SGMW-18A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-19A
SGMW-19A	12.9	30.9	34.9	14.2	256	77.0	550	550	550	550	550	550	0	0	0	SGMW-19B
SGMW-19B	16.7	34.6	32.6	10.0	334	692	692	692	692	692	692	692	4	4	4	SGSM-1A
GSGM-1A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	GSGM-1B
GSGM-1B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	GSGM-1C
GSGM-1C	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	GSGM-1D
GSGM-1D	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	GSGM-1E
GSGM-1E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	GSGM-1F
GSGM-1F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	GSGM-1G
GSGM-1G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	GSGM-1H
GSGM-1H	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	GSGM-1I

← = No Measurement was collected due to other work in the area.  
 Measurements in () are calculated, not measured.

Brookhaven National Laboratory  
2001 Landfill Environmental Monitoring Report  
2001 Current Landfill Soil Gas Monitoring Summary Table

Soil Gas Monitoring Well	Methane (% By Volume)	LEL (%)	LEL (%)	LEL (%)	LEL (%)	Hydrogen Sulfide (ppm by volume)	Sample Number 01									
SGMW-01A	22.2	20.0	23.1	18.3	17.1	15.3	16.3	44.0	43.4	30.8	30.8	368	354	2	11	0
SGMW-01B		16.3		20.4	20.4	62.9	67.0			1200	1058	>1,000	>1,000	0	0	0
SGMW-01C						69.9	65.3	4108	0	1168	1158	140	67	1	1	49
SGMW-02A				50.0	0.0	0.0	63.2		0	>1,000	>1,000	101	0	0	0	0
SGMW-02C				39.8	61.0	62.0	62.0	78.0	0	1344	1330	>1,000	28	21	5	43
SGMW-03A				67.2	86.5	64.7	64.7					0	0	0	0	0
SGMW-03B						0.0	0.0	63.6	4	0	>1,000	1,000	1	2	0	
SGMW-03C		0.2				0.0	0.0	62.0	65.6	78	>1,000	2	4	2	32	
SGMW-04A		12.0		3.8		62.0	62.0			1016	1072	>1,000	15	15	14	
SGMW-04B		50.0		50.0		0.0	0.0	80.0	0	0	>1,000	1,000	1	1	0	
SGMW-04D				0.0	0.2	40.2	67.5	912	0	0	0	0	0	0	0	
SGMW-05A		46.0				0.2	62.0	67.0	4	0	0	0	2	3	0	
SGMW-05B		43.9				0.2	62.0			1018	908	0	0	3	0	
SGMW-05C				0.0	0.1	46.3	0		2	0	0	0	0	0	0	
SGMW-06A		10.4		0.3		64.4	38.8			166	1,000	0	0	4	0	
SGMW-06A				0.0	0.2	60.0	0	0	4	0	0	0	0	5	0	
SGMW-06C				0.0	0.1	62.0	0		2	>1,000	>1,000	0	0	2	0	
SGMW-07A		0.8		6.1	0.2	0.2	0	0	0	0	0	0	0	3	0	
SGMW-07B		0.0		0.3	0.2	0	0	0	0	0	0	0	0	3	0	
SGMW-07C		0.0		0.0	0.0	0.2	1.1	10	0	0	0	0	0	4	0	
SGMW-08A		0		0	0	0	0	0	0	0	0	0	0	1	0	
SGMW-08B		0		0	0	0	0	0	0	0	0	0	0	1	0	
SGMW-08C		0		0	0	0	0	0	0	0	0	0	0	0	0	
SGMW-09A				0	0	0	0	0	0	0	0	0	0	0	0	
SGMW-09C		0				0.2	0	0	0	0	0	0	0	2	0	
SGMW-10A		10.0		10.0		20.0	20.0	210	0	330	500	0	0	2	0	
SGMW-10B				11.2		25.6	22.4			378	612	2	2	2	0	
SGMW-10C		8.0		13.2		10.0	16.0	160	0	284	378	2	2	2	0	
SGMW-11A		0.0		21.5		26.3	26.3			430	568	18	43	0	0	
SGMW-11B		9.1		19.3		25.0	25.0			122	308	0	0	27	30	
SGMW-12A		49.0		63.7		63.7	900	1080	0	0	1074	1	1	0		
SGMW-12B		44.4		0.2		60.1	60.1	601	4	1002	3	0	0	0	0	
SGMW-13A		10.3		66.1		65.7	320			1382	1114	0	0	5	0	
SGMW-13A		6.0		0.2		0	18	4	0	0	0	0	2	0	0	
SGMW-14A		17.4		6.2		7.4	346			124	160	0	0	4	0	
SGMW-14B		0		0		0	0	0	0	0	0	0	0	3	0	
SGMW-15A		0.0		0.3		0.0	0	0	0	0	0	0	0	2	0	
SGMW-15B		0		0		0	0	0	0	0	0	0	0	0	0	
SGMW-16A						0	0	0	0	0	0	0	0	0	0	
SGMW-16B						0	0	0	0	0	0	0	0	0	0	
SGMW-17A		0		0		0	0	0	0	0	0	0	0	0	1	
SGMW-17B		0		0		0	0	0	0	0	0	0	0	0	0	
SGMW-18A						0	0	0	2	0	0	0	0	0	0	
SGMW-18A		21.0		38.2		28.0	210	210	0	238	784	0	0	200	0	
SGMW-18B		20.3		30.0		28.1	408			408	736	624	5	63	0	
GSGM-1A						0	0	0	0	0	0	0	0	0	0	
GSGM-1B						0	0	0	0	0	0	0	0	0	0	
GSGM-1C						0	0	0	0	0	0	0	0	0	0	
GSGM-1A						0	0	0	0	0	0	0	0	1	0	
GSGM-1B						0	0	0	0	0	0	0	0	1	0	
GSGM-1C						0	0	0	0	0	0	0	0	0	0	
GSGM-1A						0	0	0	0	0	0	0	0	0	0	
GSGM-1B						0	0	0	0	0	0	0	0	0	0	
GSGM-1C						0	0	0	0	0	0	0	0	0	0	
GSGM-1A						0	0	0	0	0	0	0	0	0	0	
GSGM-1B						0	0	0	0	0	0	0	0	0	0	
GSGM-1C						0	0	0	0	0	0	0	0	0	0	
GSGM-1A						0	0	0	0	0	0	0	0	0	0	
GSGM-1B						0	0	0	0	0	0	0	0	0	0	
GSGM-1C						0	0	0	0	0	0	0	0	0	0	
GSGM-1A						0	0	0	0	0	0	0	0	0	0	
GSGM-1B						0	0	0	0	0	0	0	0	0	0	
GSGM-1C						0	0	0	0	0	0	0	0	0	0	

⇒ No Measurement was collected due to other work in the area.  
Measurements in ( ) are calculated, not measured.

2002 Current Landfill Soil Gas Monitoring Summary

Soil Gas Monitoring Wall	SGMW						SGMW						
	March-02		June-02		September-02		March-02		June-02		September-02		
	Methane (% By Volume)	LEL (% By Volume)	Hydrogen Sulfide (ppm by volume)										
SGMW-01A	13.6	14.1	0.8	10.0	27.0	27.4	23.0	18.4	334	0	7	3	
SGMW-01B	13.7	11.5	0.2	16.0	21.0	17.2	11.0	23.4	0	1	1	14	
SGMW-01C	10.6	8.6	5.5	11.6	0.20	0.02	0.04	1.10	132	0	1	4	
SGMW-02A	48.0	48.8	48.2	56.6	34.2	67.0	60.2	64	0	2	0	40	
SGMW-02B	17.1	26.5	34.6	43.2	34.2	67.0	(1040)	0	50	0	1	77	
SGMW-02C	37.6	43.0	52.0	61.7	78.0	(1040)	(1034)	148	0	15	16	SGMW-03A	
SGMW-02D	SGMW-03A	53.6	64.1	41.4	730	(1072)	(1062)	148	0	12	12	SGMW-03B	
SGMW-03A	36.5	38.6	42.6	56.9	(1140)	(1246)	(1130)	13	0	6	6	SGMW-03C	
SGMW-03B	57.0	62.4	69.0	65.9	(1082)	(1172)	(1100)	0	1	20	3	SGMW-04A	
SGMW-03C	54.1	58.6	68.0	60.0	(1016)	936	(1016)	0	1	75	37	SGMW-04C	
SGMW-04A	40.8	46.8	50.8	48.1	88.0	48.0	(1026)	0	32	38	22	SGMW-05A	
SGMW-04B	44.0	49.0	51.3	10.2	870	888	844	26	0	2	34	SGMW-05B	
SGMW-04C	36.5	43.5	44.4	42.6	730	(1072)	(1102)	44	2	20	20	SGMW-05C	
SGMW-05A	39.1	38.6	38.0	42.6	782	776	850	0	13	13	12	SGMW-06A	
SGMW-05B	37.4	38.4	42.0	41.2	730	788	840	0	10	10	13	SGMW-06B	
SGMW-05C	28.0	31.0	31.0	34.2	670	620	632	0	3	37	2	SGMW-06C	
SGMW-06A	30.7	33.6	40.0	41.6	672	600	612	0	11	22	22	SGMW-07A	
SGMW-06B	36.1	35.6	40.0	43.1	712	716	804	0	10	21	12	SGMW-07B	
SGMW-06C	36.3	35.2	38.1	42.0	722	704	782	0	8	2	2	SGMW-07C	
SGMW-07A	0.2	0.4	0.0	0.0	0	0	0	0	1	0	1	1	SGMW-08A
SGMW-07B	0.2	0.0	0.0	0.0	4	0	0	0	0	0	0	0	SGMW-08B
SGMW-07C	0.2	1.2	0.0	0.0	4	24	0	0	0	0	0	0	SGMW-09A
SGMW-08A	0.2	0	0	0	0	0	0	0	0	0	0	0	SGMW-09B
SGMW-08B	0.2	0	0	0	4	0	0	0	0	0	0	0	SGMW-09C
SGMW-08C	0.2	0	0	0	0	0	0	0	0	0	2	2	SGMW-09D
SGMW-09A	0.1	0	0	0	2	0	0	0	0	0	1	1	SGMW-09E
SGMW-09B	0.2	0	0	0	4	0	0	0	0	0	0	0	SGMW-10A
SGMW-09C	0.2	0	0	0	4	0	0	0	0	0	1	1	SGMW-10B
SGMW-10A	10.6	15.0	25.5	16.6	21.2	300	610	339	0	5	5	2	SGMW-10C
SGMW-10B	10.7	14.2	20.0	14.8	214	264	400	262	0	3	1	1	SGMW-11A
SGMW-10C	0.0	12.2	17.1	12.2	160	244	342	246	0	2	1	2B	SGMW-11B
SGMW-10D	0.0	14.6	28.7	17.0	184	208	334	338	69	0	1	1	SGMW-11C
SGMW-11A	9.2	14.8	26.7	16.4	122	283	404	208	1	40	162	16	SGMW-11D
SGMW-11B	6.1	14.5	24.7	16.4	752	860	(1058)	976	16	0	0	34	SGMW-12A
SGMW-11C	37.6	43.0	50.4	49.0	780	870	984	984	0	13	32	15	SGMW-12B
SGMW-12A	37.6	43.0	48.0	45.0	718	710	846	860	633	156	76	3	SGMW-13A
SGMW-12B	35.8	38.0	47.3	47.3	710	670	842	842	0	4	22	5	SGMW-14A
SGMW-13A	35.5	43.5	46.2	47.1	674	646	842	842	4	2	0	7	SGMW-14B
SGMW-13B	31.7	42.3	40.1	0.1	20	66	212	212	0	0	0	1	SGMW-15A
SGMW-13C	1.0	4.9	2.8	10.5	112	220	268	268	0	2	2	4	SGMW-15B
SGMW-14A	5.6	11.0	10.4	14.8	2	0	4	4	0	0	0	2	SGMW-16B
SGMW-14B	0.1	0	4.0	8.3	2	0	0	0	0	0	0	0	SGSM-1C
SGMW-14C	0.1	0	4.45	10.1	2	0	0	0	0	0	0	3	SGSM-2A
SGMW-15B	0.1	0	0.1	0.0	0	0	0	0	0	0	0	1	GSGM-3C
SGMW-16A	0	0	0	0.1	0	0	0	0	0	0	0	2	GSGM-4A
SGMW-16B	0.1	0	0.1	0.0	0	0	0	0	0	0	0	2	GSGM-4B
SGMW-17A	0	0	0.2	0.0	0	0	0	0	0	0	0	2	GSGM-5A
SGMW-17B	0	0	0.2	0.0	0	0	0	0	0	0	0	2	GSGM-5B
SGMW-18A	0	0	0.1	0.0	0	0	0	0	0	0	0	2	GSGM-6A
SGMW-18B	0	0	0.0	0.0	0	0	0	0	0	0	0	2	GSGM-6B
SGMW-19A	0	0	0.0	0.0	0	0	0	0	0	0	0	2	GSGM-7A
SGMW-19B	0	0	0.0	0.0	0	0	0	0	0	0	0	2	GSGM-7B
SGMW-19C	0	0	0.0	0.0	0	0	0	0	0	0	0	2	GSGM-8A
SGMW-19D	0	0	0.0	0.0	0	0	0	0	0	0	0	2	GSGM-8B
SGMW-19E	0	0	0.0	0.0	0	0	0	0	0	0	0	2	GSGM-9A
SGMW-19F	0	0	0.0	0.0	0	0	0	0	0	0	0	2	GSGM-9B
SGMW-19G	0	0	0.0	0.0	0	0	0	0	0	0	0	2	GSGM-10A
SGMW-19H	0	0	0.0	0.0	0	0	0	0	0	0	0	2	GSGM-10B
SGSM-1A	0	0	0.0	0.0	0	0	0	0	0	0	1	4	GSGM-11A
SGSM-1B	0	0	0.0	0.0	0	0	0	0	0	0	0	2	GSGM-11B
SGSM-1C	0	0	0.0	0.0	0	0	0	0	0	0	0	2	GSGM-11D
GSCH-2A	0	0	0.0	0.0	0	0	0	0	0	0	0	3	GSCH-3A
GSCH-2B	0	0	0.0	0.0	0	0	0	0	0	0	0	3	GSCH-3B
GSGM-2C	0	0	0.0	0.0	0	0	0	0	0	0	0	3	GSGM-4A
GSGM-3A	0	0	0.0	0.0	0	0	0	0	0	0	0	2	GSGM-4B
GSGM-3B	0	0	0.0	0.0	0	0	0	0	0	0	0	2	GSGM-5A
GSGM-4A	0	0	0.0	0.0	0	0	0	0	0	0	0	2	GSGM-5B
GSGM-4B	0	0	0.0	0.0	0	0	0	0	0	0	0	2	GSGM-6A

Measurements in ( ) are calculated, not measured

2003 Current Landfill Soil Gas Monitoring Summary Table

Soil Gas Monitoring Well	Soil Gas Monitoring Well					
	Methane (% By Volume)	Methane (% By Volume)	Methane (% By Volume)	Methane (% By Volume)	Methane (% By Volume)	Methane (% By Volume)
SGMW-01A	17.5	22.1	21.1	21.5	352	444
SGMW-01B	18.6	16.2	19.7	18.8	372	324
SGMW-01C	18.0	13.9	20.0	17.1	360	262
SGMW-02A	50.2	41.2	5.0	22.2	(1184)	324
SGMW-02B	55.7	0.0	0.1	0.0	(1140)	0
SGMW-02C	56.1	0.0	0.0	42.7	530	0
SGMW-02D	26.8	57.0	55.0	0.6	(1182)	0
SGMW-02E	69.1	0.0	54.2	11.7	(1078)	0
SGMW-02F	63.9	0.0	0.2	41.0	(1052)	0
SGMW-02G	54.1	0.0	0.5	0.4	900	0
SGMW-02H	53.0	0.0	0.2	47.0	936	2
SGMW-02I	52.6	0.0	0.1	41.5	802	0
SGMW-02J	48.0	48.0	54.9	23.4	860	860
SGMW-02K	46.9	43.0	51.6	30.6	875	(1070)
SGMW-02L	43.1	0.0	41.0	32.1	802	0
SGMW-02M	40.3	5.8	15.5	0.0	806	110
SGMW-02N	42.9	0.0	0.0	20.7	858	0
SGMW-02O	43.6	0.0	0.0	44.0	672	0
SGMW-02P	0.0	0.0	0.0	45.1	16	0
SGMW-02Q	0.0	0.0	0.0	0.0	60	0
SGMW-02R	0.0	0.0	0.0	0.0	0	0
SGMW-02S	0.0	0.0	0.0	0.0	0	0
SGMW-02T	0.0	0.0	0.0	0.0	0	0
SGMW-02U	0.0	0.0	0.0	0.0	0	0
SGMW-02V	0.0	0.0	0.0	0.0	0	0
SGMW-02W	0.0	0.0	0.0	0.0	0	0
SGMW-02X	0.1	0.0	0.1	0.0	0	0
SGMW-02Y	18.0	22.0	27.9	5.8	380	440
SGMW-02Z	15.0	17.7	22.0	0.0	316	440
SGMW-10B	14.0	10.0	18.2	0.0	280	332
SGMW-10C	14.0	29.1	0.4	17.7	312	384
SGMW-11A	15.0	26.0	0.1	0.0	274	580
SGMW-11B	13.7	47.4	64.7	0.0	0	(1284)
SGMW-12A	50.9	0.3	0.5	1.8	(1061)	6
SGMW-12B	30.5	0.0	67.2	66.4	0	1128
SGMW-12C	0.0	0.8	0.1	0.0	0	0
SGMW-12D	29.4	0.9	0.3	0.0	500	104
SGMW-12E	0.2	0.0	0.1	4	0	2
SGMW-12F	0.1	0.0	0.1	0.0	0	0
SGMW-12G	0.0	0.0	0.1	0.0	0	0
SGMW-12H	0.0	0.0	0.0	0.0	0	0
SGMW-12I	0.0	0.0	0.0	0.0	0	0
SGMW-12J	0.0	0.0	0.0	0.0	0	0
SGMW-12K	0.0	0.0	0.0	0.0	0	0
SGMW-12L	0.0	0.0	0.0	0.0	0	0
SGMW-12M	0.0	0.0	0.0	0.0	0	0
SGMW-12N	0.0	0.0	0.0	0.0	0	0
SGMW-12O	0.0	0.0	0.0	0.0	0	0
SGMW-12P	0.0	0.0	0.0	0.0	0	0
SGMW-12Q	0.0	0.0	0.0	0.0	0	0
SGMW-12R	0.0	0.0	0.0	0.0	0	0
SGMW-12S	0.0	0.0	0.0	0.0	0	0
SGMW-12T	0.0	0.0	0.0	0.0	0	0
SGMW-12U	0.0	0.0	0.0	0.0	0	0
SGMW-12V	0.0	0.0	0.0	0.0	0	0
SGMW-12W	0.0	0.0	0.0	0.0	0	0
SGMW-12X	0.0	0.0	0.0	0.0	0	0
SGMW-12Y	0.0	0.0	0.0	0.0	0	0
SGMW-12Z	0.0	0.0	0.0	0.0	0	0
SGMW-13A	0.0	0.0	0.0	0.0	0	0
SGMW-13B	0.0	0.0	0.0	0.0	0	0
SGMW-13C	0.0	0.0	0.0	0.0	0	0
SGMW-13D	0.0	0.0	0.0	0.0	0	0
SGMW-13E	0.0	0.0	0.0	0.0	0	0
SGMW-13F	0.0	0.0	0.0	0.0	0	0
SGMW-13G	0.0	0.0	0.0	0.0	0	0
SGMW-13H	0.0	0.0	0.0	0.0	0	0
SGMW-13I	0.0	0.0	0.0	0.0	0	0
SGMW-13J	0.0	0.0	0.0	0.0	0	0
SGMW-13K	0.0	0.0	0.0	0.0	0	0
SGMW-13L	0.0	0.0	0.0	0.0	0	0
SGMW-13M	0.0	0.0	0.0	0.0	0	0
SGMW-13N	0.0	0.0	0.0	0.0	0	0
SGMW-13O	0.0	0.0	0.0	0.0	0	0
SGMW-13P	0.0	0.0	0.0	0.0	0	0
SGMW-13Q	0.0	0.0	0.0	0.0	0	0
SGMW-13R	0.0	0.0	0.0	0.0	0	0
SGMW-13S	0.0	0.0	0.0	0.0	0	0
SGMW-13T	0.0	0.0	0.0	0.0	0	0
SGMW-13U	0.0	0.0	0.0	0.0	0	0
SGMW-13V	0.0	0.0	0.0	0.0	0	0
SGMW-13W	0.0	0.0	0.0	0.0	0	0
SGMW-13X	0.0	0.0	0.0	0.0	0	0
SGMW-13Y	0.0	0.0	0.0	0.0	0	0
SGMW-13Z	0.0	0.0	0.0	0.0	0	0
SGMW-14A	0.1	0.7	0.0	0.0	0	0
SGMW-14B	0.0	0.0	0.0	0.0	0	0
SGMW-14C	0.0	0.0	0.0	0.0	0	0
SGMW-14D	0.0	0.0	0.0	0.0	0	0
SGMW-14E	0.0	0.0	0.0	0.0	0	0
SGMW-14F	0.0	0.0	0.0	0.0	0	0
SGMW-14G	0.0	0.0	0.0	0.0	0	0
SGMW-14H	0.0	0.0	0.0	0.0	0	0
SGMW-14I	0.0	0.0	0.0	0.0	0	0
SGMW-14J	0.0	0.0	0.0	0.0	0	0
SGMW-14K	0.0	0.0	0.0	0.0	0	0
SGMW-14L	0.0	0.0	0.0	0.0	0	0
SGMW-14M	0.0	0.0	0.0	0.0	0	0
SGMW-14N	0.0	0.0	0.0	0.0	0	0
SGMW-14O	0.0	0.0	0.0	0.0	0	0
SGMW-14P	0.0	0.0	0.0	0.0	0	0
SGMW-14Q	0.0	0.0	0.0	0.0	0	0
SGMW-14R	0.0	0.0	0.0	0.0	0	0
SGMW-14S	0.0	0.0	0.0	0.0	0	0
SGMW-14T	0.0	0.0	0.0	0.0	0	0
SGMW-14U	0.0	0.0	0.0	0.0	0	0
SGMW-14V	0.0	0.0	0.0	0.0	0	0
SGMW-14W	0.0	0.0	0.0	0.0	0	0
SGMW-14X	0.0	0.0	0.0	0.0	0	0
SGMW-14Y	0.0	0.0	0.0	0.0	0	0
SGMW-14Z	0.0	0.0	0.0	0.0	0	0
SGMW-15A	0.1	0.0	0.0	0.0	0	0
SGMW-15B	0.0	0.0	0.0	0.0	0	0
SGMW-15C	0.0	0.0	0.0	0.0	0	0
SGMW-15D	0.0	0.0	0.0	0.0	0	0
SGMW-15E	0.0	0.0	0.0	0.0	0	0
SGMW-15F	0.0	0.0	0.0	0.0	0	0
SGMW-15G	0.0	0.0	0.0	0.0	0	0
SGMW-15H	0.0	0.0	0.0	0.0	0	0
SGMW-15I	0.0	0.0	0.0	0.0	0	0
SGMW-15J	0.0	0.0	0.0	0.0	0	0
SGMW-15K	0.0	0.0	0.0	0.0	0	0
SGMW-15L	0.0	0.0	0.0	0.0	0	0
SGMW-15M	0.0	0.0	0.0	0.0	0	0
SGMW-15N	0.0	0.0	0.0	0.0	0	0
SGMW-15O	0.0	0.0	0.0	0.0	0	0
SGMW-15P	0.0	0.0	0.0	0.0	0	0
SGMW-15Q	0.0	0.0	0.0	0.0	0	0
SGMW-15R	0.0	0.0	0.0	0.0	0	0
SGMW-15S	0.0	0.0	0.0	0.0	0	0
SGMW-15T	0.0	0.0	0.0	0.0	0	0
SGMW-15U	0.0	0.0	0.0	0.0	0	0
SGMW-15V	0.0	0.0	0.0	0.0	0	0
SGMW-15W	0.0	0.0	0.0	0.0	0	0
SGMW-15X	0.0	0.0	0.0	0.0	0	0
SGMW-15Y	0.0	0.0	0.0	0.0	0	0
SGMW-15Z	0.0	0.0	0.0	0.0	0	0
SGMW-16A	41.9	29.1	40.0	27.0	510	540
SGMW-16B	44.0	0.7	33.2	29.5	680	592
SGSM-1A	0.1	0.0	0.0	0	2	0
SGSM-1B	0	0	0	0	0	0
SGSM-1C	0	0	0	0	0	0
SGSM-1D	0	0	0	0	0	0
SGSM-2A	0	0	0	0	0	0
SGSM-2B	0	0	0	0	0	0
SGSM-2C	0	0	0	0	0	0
SGSM-2D	0	0	0	0	0	0
SGSM-3A	0	0	0	0	0	0
SGSM-3B	0	0	0	0	0	0
SGSM-4A	0	0	0	0	0	0
SGSM-4B	0	0	0	0	0	0

Measurements in () are calculated, not measured.  
\* H2S part was not operating correctly.  
July measurements taken with a Littmatics GEM 500.

Larval Growth and Survival of *Gasterosteus aculeatus* in Lake Ontario

Soil Gas Monitoring Well									
Soil Gas Monitoring Well	Hydrogen Sulfide (ppm by volume)			LEL (% By Volume)			LEL (% By Volume)		
	Methane (% By Volume)	Methane (% By Volume)	Methane (% By Volume)	LEL (% By Volume)					
SGMW-01A	16.6	14.4	6.8	6.8	332	288	135	150	2
SGMW-01B	15.5	8.5	6.0	2.5	312	172	90	23	0
SGMW-01C	14.0	0.2	4.2	6.1	280	4	84	34	0
SGMW-02A	8.6	19.7	2.1	692	172	794	42	191	0
SGMW-02B	22.7	12.7	0.0	454	12	254	0	177	0
SGMW-02C	44.4	0.0	2.4	686	0	4	97	0	0
SGMW-03A	25.4	15.2	4.1	0.0	508	304	82	0	0
SGMW-03B	52.1	28.0	14.0	0.1	1042	560	280	2	0
SGMW-03C	51.3	7.3	1.8	0.1	1025	146	36	0	0
SGMW-04A	37.5	49.1	1.5	1.8	748	932	70	36	0
SGMW-04B	41.0	50.7	23.2	14.4	860	1014	454	285	0
SGMW-04C	16.2	40.9	21.2	14.5	724	818	424	290	0
SGMW-05A	36.1	40.0	13.6	3.7	722	860	272	74	150
SGMW-05B	36.8	41.4	25.2	13.6	735	658	504	272	0
SGMW-05C	25.0	24.0	18.6	13.6	590	480	172	272	0
SGMW-06A	31.8	9.7	3.9	1.9	636	154	78	36	0
SGMW-06B	40.4	27.4	20.6	0.3	803	548	412	6	0
SGMW-06C	42.1	26.6	4.7	13.2	842	566	94	264	0
SGMW-07A	0.2	0.1	0.0	0.0	4	2	0	0	0
SGMW-07B	0.5	0.1	0.0	0.0	10	2	0	0	0
SGMW-07C	0.0	0.0	0.0	0.0	0	0	0	0	0
SGMW-08A	0.0	0.0	0.0	0.0	0	0	0	0	0
SGMW-08B	0.0	0.0	0.0	0.0	0	0	0	0	0
SGMW-08C	0.0	0.0	0.0	0.0	0	0	0	0	0
SGMW-09A	0.0	0.0	0.0	0.0	0	0	0	0	0
SGMW-09B	0.0	0.0	0.0	0.0	0	0	0	0	0
SGMW-09C	0.2	0.0	0.0	0.0	4	36	48	0	0
SGMW-10A	1.9	16.4	2.0	0.0	318	372	240	78	0
SGMW-10B	2.4	16.1	12.0	3.9	48	200	48	0	0
SGMW-10C	0.0	14.5	10.0	2.4	0	200	0	0	0
SGMW-11A	0.0	16.0	5.5	0.0	310	110	0	109	0
SGMW-11B	0.0	14.7	10.1	0.3	284	202	6	122	21
SGMW-12A	22.5	48.5	9.9	0.0	450	970	196	0	0
SGMW-12B	0.0	0.2	7.2	0.0	0	4	144	0	0
SGMW-13A	0.0	0.6	1.0	0.0	0	12	20	0	0
SGMW-13B	0.0	0.1	0.1	1.1	0	2	0	22	181
SGMW-14A	0.0	0.1	0.0	0.0	0	0	0	0	130
SGMW-14B	0.0	0.1	0.0	0.0	0	2	0	0	122
SGMW-14C	0.0	0.1	0.0	0.0	0	3	0	0	46
SGMW-15A	0.0	0.1	0.0	0.0	0	0	0	0	0
SGMW-15B	0.0	0.1	0.0	0.0	0	0	0	0	116
SGMW-15C	0.0	0.1	0.0	0.0	0	2	0	0	0
SGMW-16A	0.0	0.0	0.0	0.0	0	0	0	0	0
SGMW-16B	0.0	0.0	0.0	0.0	0	0	0	0	0
SGMW-16C	0.0	0.0	0.0	0.0	0	0	0	0	0
SGMW-17A	0.0	0.0	0.0	0.0	0	0	0	0	0
SGMW-17B	0.0	0.0	0.0	0.0	0	0	0	0	0
SGMW-17C	0.0	0.0	0.0	0.0	0	0	0	0	0
SGMW-18A	0.0	0.0	0.0	0.0	0	0	0	0	0
SGMW-18B	0.0	0.0	0.0	0.0	0	0	0	0	0
SGMW-19A	6.0	26.7	13.0	1.0	120	534	516	260	0
SGMW-19B	5.8	30.0	27.7	9.2	116	600	554	184	0
GSGM-1A	0.0	0.0	0.0	0.0	0	0	0	0	0
GSGM-1B	0.0	0.0	0.0	0.0	0	0	0	0	0
GSGM-1C	0.0	0.0	0.0	0.0	0	0	0	0	0
GSGM-2A	0.0	0.0	0.0	0.0	0	0	0	0	0
GSGM-2B	0.0	0.0	0.0	0.0	0	0	0	0	0
GSGM-2C	0.0	0.0	0.0	0.0	0	0	0	0	0
GSGM-3A	0.0	0.0	0.0	0.0	0	0	0	0	0
GSGM-3B	0.0	0.0	0.0	0.0	0	0	0	0	0
GSGM-4A	0.0	0.0	0.0	0.0	0	0	0	0	0
GSGM-4B	0.0	0.0	0.0	0.0	0	0	0	0	0

Measurements in { } are calculated, not measured.  
HTS pod suspected of not operating correctly in March

2005 Current Landfill Soil Gas Monitoring Summary Table

Soil Gas Monitoring Well	Methane (% By Volume)		Methane (% By Volume)		LEL (% By Volume)		LEL (% By Volume)		Hydrogen Sulfide (parts by volume)		Hydrogen Sulfide (parts by volume)		Soil Gas Monitoring Well		
	3/30/05	12/28/05	10/7/05	7/21/05	3/30/05	12/28/05	10/7/05	7/21/05	3/30/05	10/7/05	7/21/05	3/30/05	10/7/05	7/21/05	
SGMW-01A	9.6	5.4	5	5.7	3.8	60	55	60	60	76	0	0	0	2	0
SGMW-01B	3.0	2.9	3	5.5	6.1	150	112	110	122	0	0	0	0	0	0
SGMW-01C	7.5	5.6	5.5	6.1	3.0	6	27.4	34	60	60	0	0	0	0	0
SGMW-02A	0.3	13.7	1.7	1.0	0.3	4	14	544	248	1	0	0	0	3	0
SGMW-02B	0.2	0.7	27.2	12.4	0.2	6	2	494	0	1	0	0	0	0	0
SGMW-02C	0.1	0.1	247	0.0	0.0	14	736	14	0	0	0	0	0	0	0
SGMW-03A	0.7	36.8	0.7	0.0	0.0	14	50	952	220	0	0	2	1	0	0
SGMW-03B	0.5	2.5	47.6	11.0	10	50	4	0	0	0	0	1	0	0	0
SGMW-03C	0.1	2.5	39.9	0.0	2	4	214	924	105	99	0	1	0	0	0
SGMW-04A	0.2	10.7	46.2	0.3	4	4	502	488	360	0	0	0	0	0	0
SGMW-04B	0.2	25.1	42.4	16.0	130	4	0	0	0	0	0	0	0	0	0
SGMW-04C	6.3	6.5	20.2	14.1	125	4	764	282	0	0	0	1	0	0	0
SGMW-05A	0.7	14.3	36.6	10.2	14	285	732	204	0	0	0	0	0	0	0
SGMW-05B	13.4	21.1	34.6	22.8	288	422	692	495	0	0	0	0	0	0	0
SGMW-05C	9.2	16.6	27.3	18.3	184	376	546	376	0	0	0	0	0	0	0
SGMW-06A	0.2	2.4	20.7	6.1	4	48	594	162	0	0	0	0	0	0	0
SGMW-06B	7.7	24.4	29.7	16.0	151	469	594	336	0	0	0	0	0	0	0
SGMW-06C	8.5	24.7	27.2	14.9	172	494	544	299	0	0	0	0	0	0	0
SGMW-07A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0
SGMW-07B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0
SGMW-07C	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0
SGMW-08A	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-08B	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-08C	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-09A	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-09B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-09C	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-10A	0.2	2.7	12.3	0.0	4	54	245	0	0	0	0	0	0	0	0
SGMW-10B	0.2	12.0	16.7	1.6	1.6	4	240	334	32	24	0	0	0	0	0
SGMW-10C	0.1	1.6	14.3	1.2	2	120	344	286	24	0	1	0	0	0	0
SGMW-11A	0.2	6.0	17.2	0.0	4	764	392	0	0	0	1	0	0	0	0
SGMW-11B	0.2	13.2	19.6	0.0	4	78	802	60	0	0	0	0	0	0	0
SGMW-11C	0.2	3.9	40.1	4.0	4	4	0	0	0	0	0	0	0	0	0
SGMW-11D	0.1	0.6	25.7	0.0	2	16	514	0	0	0	0	0	0	0	0
SGMW-12A	0.2	1	1	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-12B	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-13A	0.1	6.7	0.1	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-13B	0.2	0.4	5.6	0.1	6	4	0	0	0	0	0	0	0	0	0
SGMW-14A	0.3	0.2	0.2	0.1	4	4	0	0	0	0	0	0	0	0	0
SGMW-14B	0	0	2.0	0.1	0	0	0	0	0	0	0	0	0	0	0
SGMW-15A	0.0	0	2	0.1	0	0	0	0	0	0	0	0	0	0	0
SGMW-15B	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
SGMW-16A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-16B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0
SGMW-17A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-17B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-17C	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-18A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-18B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-19A	5.6	6.3	29.2	15.7	112	584	314	0	0	0	0	0	0	0	0
SGMW-19B	0.0	0.0	31.8	8.1	0	0	0	0	0	0	0	0	0	0	0
GSGM-1A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GSGM-1B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GSGM-1C	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GSGM-2A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GSGM-2B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GSGM-3A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GSGM-3B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GSGM-4A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GSGM-4B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Measurements in ( ) are calculated, not measured.

Table 12

Digitized by srujanika@gmail.com

Memes have been used in a variety of contexts, including marketing, politics, and science.

# 1996/97 FORMER LANDFILL AREA SOIL GAS MONITORING SUMMARY TABLE

1998 Environmental Monitoring Report

Current and Former Landfills Brookhaven National Laboratory

Soil Gas Monitoring Well	Methane (% By Volume)				Hydrogen Sulfide (ppm by volume)			
	Aug-96	Mar-97	Aug-97	Nov-97	Aug-96	Mar-97	Aug-97	Nov-97
SGMW-01A	0	0	0.3	0	◇	6	-5	0
SGMW-01B	0	0	0.3	0	◇	4	-5	0
SGMW-02A	0	0	0	0	◇	6	-2	0
SGMW-02B	0	0	0	0	◇	3	-2	0
SGMW-03A	0	0	0	0	◇	1	-4	0
SGMW-03B	0	0	0	0	◇	5	-4	0
SGMW-04A	0	0	0.2	0.1	◇	7	-5	8
SGMW-04B	0	0	0.2	0.1	◇	7	-5	9
SGMW-05A	0	0	0	0	◇	7	-2	12
SGMW-05B	0	0	0	0	◇	4	-2	0
SGMW-06A	0	0	0	0	◇	7	-4	0
SGMW-06B	0	0	0.1	0	◇	4	-4	0
SGMW-07A	0	0	◇	◇	◇	7	◇	◇
SGMW-07B	0	0	◇	◇	◇	7	◇	◇
SGMW-08A	0	0	0.1	0	◇	6	-5	0
SGMW-08B	0	0	0.1	0	◇	6	-1	0
SGMW-09A	0	0	0	0	◇	5	-2	1
SGMW-09B	0	0	0	0	◇	4	-2	0
SGMW-10A	0	0	0	0	◇	7	-1	1
SGMW-10B	0	0	0	0	◇	5	-2	0
SGMW-11A	0	0	0.3	0	◇	9	-5	0
SGMW-11B	0	0	0	0	◇	4	-1	2
SGMW-12A	0	0	0.3	0	◇	9	-5	0
SGMW-12B	0	0	0.3	0	◇	5	-5	0

◇ No measurement taken.

Negative numbers reported are due to equipment problems.

**Brookhaven National Laboratory**  
**1998 Landfills Environmental Monitoring Report**  
**1998 Former Landfill Area Soil Gas Monitoring Summary Table**

Soil Gas Monitoring Well	Methane (% By Volume) February-98	Methane (% By Volume) May-98	Methane (% By Volume) August-98	Methane (% By Volume) December-98
SGMW-01A	0	0	0	0
SGMW-01B	0.1	0	0	0
SGMW-02A	0	0	0	0
SGMW-02B	0.1	0	0	0
SGMW-03A	0	0	0	0
SGMW-03B	0	0	0	0
SGMW-04A	0	0.1	0	0
SGMW-04B	0	0	0	0
SGMW-05A	0	0	0	0
SGMW-05B	0	0	0	0
SGMW-06A	0	0	0	0
SGMW-06B	0	0	0	0
SGMW-07A	0	0	0	0
SGMW-07B	0	0	0	0
SGMW-08A	0	0	0	0
SGMW-08B	0	0	0	0
SGMW-09A	0	0	0	0
SGMW-09B	0	0	0	0
SGMW-10A	0	0	0	0
SGMW-10B	0	0	0	0
SGMW-11A	0	0	0	0
SGMW-11B	0	0	0	0
SGMW-12A	0	0	0	0
SGMW-12B	0	0	0	0

Soil Gas Monitoring Well	Methane (% By Volume) February-98	Methane (% By Volume) May-98	Methane (% By Volume) August-98	Methane (% By Volume) December-98	Hydrogen sulfide (ppm By Volume) August-98	Hydrogen sulfide (ppm By Volume) December-98	Hydrogen sulfide (ppm By Volume) December-98	Soil Gas Monitoring Well
SGMW-01A	1	1	0	0	0	0	0	SGMW-01B
SGMW-01B	6	6	0	0	0	0	0	SGMW-02A
SGMW-02A	0	0	0	0	0	0	0	SGMW-02B
SGMW-02B	0	0	0	0	0	0	0	SGMW-03A
SGMW-03A	0	0	0	0	0	0	0	SGMW-03B
SGMW-03B	3	0	0	0	1	1	1	SGMW-04A
SGMW-04A	0	0	0	0	2	0	0	SGMW-04B
SGMW-04B	0	0	0	0	0	0	0	SGMW-05A
SGMW-05A	0	0	0	0	0	0	0	SGMW-05B
SGMW-05B	0	0	0	0	0	0	0	SGMW-06A
SGMW-06A	0	0	0	0	0	0	0	SGMW-06B
SGMW-06B	0	0	0	0	0	0	0	SGMW-07A
SGMW-07A	0	0	0	0	0	0	0	SGMW-07B
SGMW-07B	0	0	0	0	0	0	0	SGMW-08A
SGMW-08A	0	0	0	0	0	0	0	SGMW-08B
SGMW-08B	0	0	0	0	0	0	0	SGMW-09A
SGMW-09A	0	0	0	0	0	0	0	SGMW-09B
SGMW-09B	0	0	0	0	0	0	0	SGMW-10A
SGMW-10A	0	0	0	0	0	0	0	SGMW-10B
SGMW-10B	0	0	0	0	0	0	0	SGMW-11A
SGMW-11A	0	0	0	0	0	0	0	SGMW-11B
SGMW-11B	0	0	0	0	0	0	0	SGMW-12A
SGMW-12A	0	0	0	0	0	0	0	SGMW-12B
SGMW-12B	0	0	0	0	0	0	0	

<> Well SGM07 was not accessible

Brookhaven National Laboratory  
 1999 Landfills Environmental Monitoring Report  
 1999 Former Landfill Soil Gas Monitoring Summary Table

Soil Gas Monitoring Well	Methane (% By Volume)		Methane (% By Volume)		LEL (% By Volume)		LEL (% By Volume)		Hydrogen sulfide (ppm By Volume)		Hydrogen sulfide (ppm By Volume)		Soil Gas Monitoring Well
	June-99	October-99	June-99	December-99	October-99	December-99	June-99	December-99	October-99	December-99	SGMW-01A	SGMW-01B	
SGMW-01A	0	0	0	0	0	0	0	0	0	0	SGMW-01A	0	SGMW-01A
SGMW-01B	0	0	0	0	0	0	0	0	0	0	SGMW-01B	0	SGMW-01B
SGMW-02A	0	0	0	0	0	0	0	0	0	0	SGMW-02A	0	SGMW-02A
SGMW-02B	0	0	0	0	0	0	0	0	0	0	SGMW-02B	0	SGMW-02B
SGMW-03A	0	0	0	0	0	0	0	0	0	0	SGMW-03A	0	SGMW-03A
SGMW-03B	0.1	0	0	0	0	0	0	0	0	0	SGMW-03B	0	SGMW-03B
SGMW-04A	0	0	0	0	0	0	0	0	0	0	SGMW-04A	0	SGMW-04A
SGMW-04B	0	0	0	0	0	0	0	0	0	0	SGMW-04B	0	SGMW-04B
SGMW-05A	0	0	0	0	0	0	0	0	0	0	SGMW-05A	0	SGMW-05A
SGMW-05B	0	0	0	0	0	0	0	0	0	0	SGMW-05B	0	SGMW-05B
SGMW-06A	0	0	0	0	0	0	0	0	0	0	SGMW-06A	0	SGMW-06A
SGMW-06B	0	0	0	0	0	0	0	0	0	0	SGMW-06B	0	SGMW-06B
SGMW-07A	0	0	0	0	0	0	0	0	0	0	SGMW-07A	0	SGMW-07A
SGMW-07B	0	0	0	0	0	0	0	0	0	0	SGMW-07B	0	SGMW-07B
SGMW-08A	0	0	0	0	0	0	0	0	0	0	SGMW-08A	0	SGMW-08A
SGMW-08B	0	0	0	0	0	0	0	0	0	0	SGMW-08B	0	SGMW-08B
SGMW-09B	0	0	0	0	0	0	0	0	0	0	SGMW-09B	0	SGMW-09B
SGMW-09A	0	0	0	0	0	0	0	0	0	0	SGMW-09A	0	SGMW-09A
SGMW-10A	0	0	0	0	0	0	0	0	0	0	SGMW-10A	0	SGMW-10A
SGMW-10B	0	0	0	0	0	0	0	0	0	0	SGMW-10B	0	SGMW-10B
SGMW-11A	0	0	0	0	0	0	0	0	0	0	SGMW-11A	0	SGMW-11A
SGMW-11B	0	0	0	0	0	0	0	0	0	0	SGMW-11B	0	SGMW-11B
SGMW-12A	0	0	0	0	0	0	0	0	0	0	SGMW-12A	0	SGMW-12A
SGMW-12B	0	0	0	0	0	0	0	0	0	0	SGMW-12B	0	SGMW-12B

<> No measurement was recorded.

**Brookhaven National Laboratory**  
**2000 Landfill Environmental Monitoring Report**  
**2000 Former Landfill Soil Gas Monitoring Summary Table**

Soil Gas Monitoring Well	Methane (% By Volume)			Methane (% By Volume)			Methane (% By Volume)			LEL			Hydrogen Sulfide (ppm by volume)			Hydrogen Sulfide (ppm by volume)			Soil Gas Monitoring Well			
	February-00	June-00	September-00	December-00	June-00	September-00	December-00	February-00	September-00	December-00	February-00	September-00	December-00	June-00	September-00	December-00	January-01	February-01	March-01	SGMWV-01A	SGMWV-01B	SGMWV-02A
SGMWV-01A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMWV-01A	SGMWV-01B	SGMWV-02A
SGMWV-01B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMWV-02A	SGMWV-02B	SGMWV-03A
SGMWV-02A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMWV-03A	SGMWV-03B	SGMWV-04A
SGMWV-02B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMWV-03B	SGMWV-04A	SGMWV-04B
SGMWV-03A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMWV-04B	SGMWV-05A	SGMWV-05B
SGMWV-03B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMWV-05A	SGMWV-05B	SGMWV-06A
SGMWV-04A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMWV-06A	SGMWV-06B	SGMWV-07A
SGMWV-04B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMWV-07A	SGMWV-07B	SGMWV-08A
SGMWV-05A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMWV-08A	SGMWV-08B	SGMWV-09A
SGMWV-05B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMWV-09A	SGMWV-09B	SGMWV-10A
SGMWV-06A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMWV-09B	SGMWV-10B	SGMWV-11A
SGMWV-06B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMWV-10B	SGMWV-11B	SGMWV-12A
SGMWV-07A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMWV-11B	SGMWV-12B	SGMWV-12B
SGMWV-07B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMWV-12B	SGMWV-12B	SGMWV-12B
SGMWV-08A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMWV-12B	SGMWV-12B	SGMWV-12B
SGMWV-08B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMWV-12B	SGMWV-12B	SGMWV-12B
SGMWV-09A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMWV-12B	SGMWV-12B	SGMWV-12B
SGMWV-09B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMWV-12B	SGMWV-12B	SGMWV-12B
SGMWV-10A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMWV-12B	SGMWV-12B	SGMWV-12B
SGMWV-10B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMWV-12B	SGMWV-12B	SGMWV-12B
SGMWV-11A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMWV-12B	SGMWV-12B	SGMWV-12B
SGMWV-11B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMWV-12B	SGMWV-12B	SGMWV-12B
SGMWV-12A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMWV-12B	SGMWV-12B	SGMWV-12B
SGMWV-12B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMWV-12B	SGMWV-12B	SGMWV-12B

<> No Measurement was collected due to other work in the area.

**Brookhaven National Laboratory**  
**2001 Landfill Environmental Monitoring Report**  
**2001 Former Landfill Soil Gas Monitoring Summary Table**

Soil Gas Monitoring Well	Methane (% By Volume) March-01	Methane (% By Volume) June-01	Methane (% By Volume) September-01	LEL (% By Volume) March-01	LEL (% By Volume) June-01	LEL (% By Volume) September-01	Hydrogen Sulfide (ppm by volume) March-01	Hydrogen Sulfide (ppm by volume) June-01	Hydrogen Sulfide (ppm by volume) September-01
SGMW-01A	0	0	0	0	0	0	0	0	1
SGMW-01B	0	0	0	0	0	0	0	0	2
SGMW-02A	0	0	0.1	0	0	0	0.2	4	2
SGMW-02B	0	0	0	0	0	0	0.2	5	2
SGMW-03A	0	0	0.1	0	0	0	0.2	4	3
SGMW-03B	0	0	0.1	0	0	0	0.2	4	2
SGMW-04A	0	0	0	0	0	0	0	5	0
SGMW-04B	0	0	0	0	0	0	0	6	0
SGMW-05A	0	0	0	0	0	0	0	5	0
SGMW-05B	0	0	0	0	0	0	0	6	0
SGMW-06A	0	0	0	0	0	0	0	5	0
SGMW-06B	0	0	0	0	0	0	0	6	0
SGMW-07A	0	0	0	0	0	0	0	7	0
SGMW-07B	0	0	0	0	0	0	0	6	0
SGMW-08A	0	0	0	0	0	0	0	6	0
SGMW-08B	0	0	0	0	0	0	0	7	0
SGMW-09A	0	0	0	0	0	0	0	4	0
SGMW-09B	0	0	0	0	0	0	0	6	0
SGMW-10A	0	0	0	0	0	0	0	7	0
SGMW-10B	0	0	0	0	0	0	0	6	0
SGMW-11A	0	0	0	0	0	0	0	6	0
SGMW-11B	0	0	0	0	0	0	0	7	0
SGMW-12A	0	0	0	0	0	0	0	6	0
SGMW-12B	0	0	0	0	0	0	0	6	0

> No Measurement was collected due to other work in the area.



2003 Former Landfill Soil Gas Monitoring Summary

Soil Gas Monitoring Well	Methane (% By Volume)				LEL (% By Volume)				Hydrogen Sulfide (ppm by volume)				Hydrogen Sulfide (ppm by volume)			
	March-03	July-03	October-03	December-03	March-03	July-03	October-03	December-03	March-03	July-03	October-03	December-03	March-03	July-03	October-03	December-03
SGMW-01A	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-01B	0.1	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-02A	0.1	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-02B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-03A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-03B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-04A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-04B	0.1	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-05B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-06A	0.1	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-06B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-07A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-07B	0.1	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-08A	0.2	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-08B	0.1	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-08C	0.2	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-09A	0.1	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-09B	0.1	0	0	0.2	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-09C	0.1	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-10A	0.2	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-10B	0.2	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-11A	0.1	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-11B	0.1	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-12A	0.1	0	0	0.1	0	0	0	0.1	0	0	0	0	0	0	0	0
SGMW-12B	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

July measurements taken with a Landtec GEM 500

- H2S pod not operational.

2004 Former Landfill Soil Gas Monitoring Summary

Soil Gas Monitoring Well	Methane (% By Volume)			LEL (% By Volume)			LEL (% By Volume)			Hydrogen Sulfide (ppm by volume) 10/20/04			Hydrogen Sulfide (ppm by volume) 10/25/04			Soil Gas Monitoring Well		
	3/11/04	6/25/04	10/20/04	3/11/04	6/25/04	10/20/04	3/11/04	6/25/04	10/20/04	3/11/04	6/25/04	10/20/04	3/11/04	6/25/04	10/20/04	3/11/04	6/25/04	10/20/04
SGMW-01A	0.1	0	0	0	0	0	0	0	0	2	150	0	0	0	0	SGMW-01A	0	0
SGMW-01B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-01B	0	0
SGMW-02A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-02A	0	0
SGMW-02B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-02B	0	0
SGMW-03A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-03A	0	0
SGMW-03B	0	0.1	0.1	0	0	0	0	0	0	2	0	0	0	0	0	SGMW-03B	0	0
SGMW-04A	0.1	0.1	0.1	0	0	0	0	0	0	2	0	0	0	0	0	SGMW-04A	0	0
SGMW-04B	0	0.1	0.1	0	0	0	0	0	0	2	0	0	0	0	0	SGMW-04B	0	0
SGMW-05A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-05A	0	0
SGMW-05B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-05B	0	0
SGMW-06A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-06A	0	0
SGMW-06B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-06B	0	0
SGMW-07A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-07A	0	0
SGMW-07B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-07B	0	0
SGMW-08A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-08B	0	0
SGMW-08B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-08A	0	0
SGMW-09A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-09B	0	0
SGMW-09B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-09B	0	0
SGMW-10A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-10A	0	0
SGMW-10B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-10B	0	0
SGMW-10C	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-10C	0	0
SGMW-11A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-11A	0	0
SGMW-11B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-11B	0	0
SGMW-12A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-12A	0	0
SGMW-12B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-12B	0	0

NR = Not read; access to well was not possible due to construction.

H2S pod suspected of not operating correctly in March.

2005 Former Landfill Soil Gas Monitoring Summary Table

Table 13

Formaldehyde Emissions from Landfill Soil Gas Monitoring Summary Table

Soil Gas Monitoring Well	Methane (% By Volume)			Hydrogen Sulfide (ppm by volume) 6/23/06			Hydrogen Sulfide (ppm by volume) 9/26/06			Hydrogen Sulfide (ppm by volume) 12/26/06			Soil Gas Monitoring Well		
	2/20/06	9/23/06	12/25/06	2/20/06	9/23/06	12/25/06	2/20/06	9/23/06	12/25/06	2/20/06	9/23/06	12/25/06	2/20/06	9/23/06	12/25/06
SGMW-01A	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-01A	0
SGMW-01B	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-01B	0
SGMW-02A	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-02A	0
SGMW-02B	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-02B	0
SGMW-03A	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-03A	0
SGMW-03B	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-03B	0
SGMW-04A	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-04A	0
SGMW-04B	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-04B	0
SGMW-05A	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-05A	0
SGMW-05B	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-05B	0
SGMW-06A	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-06A	0
SGMW-06B	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-06B	0
SGMW-07A	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-07A	0
SGMW-07B	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-07B	0
SGMW-08A	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-08A	0
SGMW-08B	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-08B	0
SGMW-09A	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-09A	0
SGMW-09B	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-09B	0
SGMW-10A	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-10A	0
SGMW-10B	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-10B	0
SGMW-11A	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-11A	0
SGMW-11B	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-11B	0
SGMW-12A	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-12A	0
SGMW-12B	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-12B	0

