



**BROOKHAVEN NATIONAL LABORATORY
2006 ENVIRONMENTAL MONITORING
REPORT
CURRENT AND FORMER LANDFILL AREAS**

Prepared by
**Brookhaven National Laboratory
Environmental and Waste Management Services Division
Upton, New York**

March 15, 2007



**ENVIRONMENTAL
MANAGEMENT SYSTEM
REGISTERED TO
ISO 14001:2004**

TABLE OF CONTENTS

1.0	INTRODUCTION	1
1.1	Site Description and Project Background	1
1.2	Overview of the Monitoring Program	4
2.0	GROUNDWATER MONITORING	5
2.1	Monitoring Well Networks	5
2.1.1	<i>Sampling Frequency and Analytical Parameters</i>	6
2.1.2	<i>Quality Assurance / Quality Control</i>	7
2.2	Landfill Groundwater Monitoring Results	8
2.2.1	Current Landfill	9
2.2.1.1	<i>Volatile Organic Compounds (VOCs)</i>	9
2.2.1.2	<i>Water Chemistry Parameters</i>	9
2.2.1.3	<i>Metals</i>	11
2.2.1.4	<i>Radionuclides</i>	12
2.2.2	Former Landfill	12
2.2.2.1	<i>VOCs</i>	12
2.2.2.2	<i>Water Chemistry Parameters</i>	13
2.2.2.3	<i>Metals</i>	14
2.2.2.4	<i>Pesticides/PCBs</i>	14
2.2.2.5	<i>Radionuclides</i>	14
3.0	Wooded Wetland Monitoring	14
4.0	SOIL GAS MONITORING	16
4.1	Soil Gas Monitoring Networks	16
4.1.1	<i>Current Landfill</i>	16
4.1.2	<i>Former Landfill Area</i>	16
4.1.3	<i>Sampling Frequency</i>	16
4.2	Results of Soil-Gas Monitoring	16
4.2.1	Current Landfill	17
4.2.1.1	<i>Trend in Soil-Gas Data</i>	18
4.2.2	Former Landfill Area	18
4.2.2.1	<i>Trends in Soil-Gas Data</i>	19
5.0	MAINTENANCE AND REPAIR	19
5.1	Landfill Cap and Gas Vents	19
5.2	Drainage Structures	20
5.3	Environmental Monitoring System	20
5.4	Related Structures	20
6.0	CONCLUSIONS AND RECOMMENDATIONS	20
6.1	Groundwater Monitoring	20
6.1.1	<i>Conclusions for the Current Landfill</i>	20
6.1.2	<i>Recommendations for the Current Landfill</i>	21
6.1.3	<i>Conclusions for the Former Landfill</i>	22
6.1.4	<i>Recommendations for the Former Landfill</i>	22
6.2	Soil Gas Monitoring	22
6.2.1	<i>Conclusions for the Current Landfill</i>	22
6.2.2	<i>Recommendations for the Current Landfill</i>	23
6.2.3	<i>Conclusions for the Former Landfill</i>	23
6.2.4	<i>Recommendations for the Former Landfill</i>	23

6.3	Maintenance and Repair	23
6.3.1	<i>Current Landfill</i>	23
6.3.2	<i>Former Landfill Area</i>	23
7.0	REFERENCES	24

LIST OF TABLES

1. Analytical Requirements For Groundwater Samples
2. Current Landfill – Summary of 2006 VOC Data
3. Current Landfill – Summary of 2006 Water Chemistry Data
4. Current Landfill – Summary of 2006 Metals Data
5. Current Landfill – Summary of 2006 Radionuclide Data
6. Former Landfill – Summary of 2006 VOC Data
7. Former Landfill – Summary of 2006 Water Chemistry Data
8. Former Landfill – Summary of 2006 Metals Data
9. Former Landfill – Summary of 2006 Pesticide/PCB Data
10. Former Landfill – Summary of 2006 Radionuclide Data
11. Soil Gas Monitoring Well Description
12. 2006 Current Landfill Soil Gas Monitoring Summary
13. 2006 Former Landfill Soil Gas Monitoring Summary

LIST OF FIGURES

1. Site Location Map
2. Current Landfill Monitoring Well Locations
3. Former Landfill Monitoring Well Locations
4. Water Table Contour Map
5. Current Landfill VOC Trend Plots
6. Current Landfill Alkalinity and Chloride Trend Plots
7. Current Landfill Iron Trend Plots
8. Current Landfill Tritium and Strontium-90 Trend Plots
9. Former Landfill VOC Trend Plots
10. Former Landfill Alkalinity and Chloride Trend Plots
11. Former Landfill Iron Trend Plots
12. Former Landfill Tritium and Strontium-90 Trend Plots
13. Current Landfill Soil Gas Monitor Location Map
14. Former Landfill Soil Gas Monitor Location Map

LIST OF APPENDICES

- A.** Operable Unit I Wooded Wetlands Supplemental Surface Water and Sediment Sampling and Analysis Report
- B.** Soil Gas Sampling Field Notes
- C.** Monthly Site Landfill Inspection Forms
- D.** Historical Soil Gas Monitoring Data

1.0 INTRODUCTION

This report documents the Operation and Maintenance (O&M) activities undertaken during calendar year 2006 for the Current Landfill and the Former Landfill Areas (Former Landfill, Interim Landfill, and Slit Trench). Brookhaven National Laboratory (BNL) is responsible for performing this work to comply with the post-closure O&M requirements specified in 6 New York State Code of Rules and Regulations (NYCRR) Part 360, Solid Waste Management Facilities, effective December 31, 1988. The details of the O&M programs are described in the Final Operations and Maintenance Manuals for the Current Landfill (CDM Federal, 1996a) and the Former Landfill Areas (CDM Federal, 1996b).

The following are the primary objectives of the O&M program:

- Monitor the effectiveness of the impermeable caps in protecting groundwater quality;
- Monitor the potential generation and migration of soil gas; and
- Maintain and monitor the various components of the closure system (landfill caps, drainage structure, and environmental monitoring systems).

This is the 11 year of O&M for the Current Landfill, the tenth year for the Former Landfill and Slit Trench, and the ninth year for the Interim Landfill.

1.1 Site Description and Project Background

BNL is a 5,265-acre site located in central eastern Long Island, New York. The facility is a federally owned and funded international research and learning center managed, by Brookhaven Science Associates (BSA) under contract with the United States Department of Energy (DOE). On December 21, 1989, the site was placed on the United States Environmental Protection Agency's (USEPA's) National Priorities List (NPL), a ranking of hazardous waste sites compiled by the federal government as part of the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA). Placing BNL on the NPL resulted in the establishment of a remediation-

task list for various locations around the facility. The site subsequently was divided into seven (7) separate remediation work areas known as Operable Units. The Current Landfill and Former Landfill Area are located in Operable Unit I (OU I), near the south central portion of the BNL site (see Figure 1).

Current Landfill (CLF) The Current Landfill consists of one unlined waste-cell that was operated from the late 1960s until 1990 for disposing of waste generated at the Laboratory. An impermeable cap covering the cell was completed in November 1995. Additional information about the cap's construction can be obtained from the *Construction Certification Report for the Current Landfill* (CDM Federal, 1996b). Following the installation of the cap, the post-closure groundwater-monitoring program was implemented in December 1996, in accordance with 6 NYCRR Part 360 section 2.15, Solid Waste Management Facilities (effective December 31, 1988).

Groundwater quality near the Current Landfill is monitored under the O&M program for a wide variety of volatile organic compounds (VOCs), metals, radiological and water chemistry (landfill leachate) parameters. Monitoring in this vicinity was expanded in 1999 to include a wetland area adjacent to the landfill's eastern boundary. This area, known as the Wooded Wetland area, is a two-acre wetland located between the Former Hazardous Waste Management Facility (HWMF) and the Current Landfill. The wetland receives surface runoff from the Current Landfill, and usually is flooded during the spring/early summer, and dry in late summer/fall. Monitoring of the Wooded Wetland area has been incorporated into the Current Landfill Monitoring Program and consists of sampling and analyzing surface water and sediment to evaluate the potential for leachate migrating into this area, as originally performed under the *OU I Ecological Risk Assessment* (CDM Federal, 1999).

As required under 6 NYCRR Part 360, groundwater quality must be monitored for a minimum of five years, after which the permittee may request modification of the sampling and analysis requirements. In October 2001, BNL submitted the *Five-Year Evaluation Report for the Current Landfill* (BNL, 2001). This report assessed groundwater trends over the five years after capping, and proposed changes to the sampling program. These changes were implemented in CY02.

Former Landfill (FLF) The Former Landfill Area encompasses three closely located landfill units; the Former Landfill, the Slit Trench, and the Interim Landfill. The Former Landfill is an unlined waste-disposal area originally used by the United States Army in the 1940's. Waste disposal operations ceased in 1966, and the landfill was covered with soil. The Interim Landfill also is unlined, and was reportedly used for approximately one year between the time the Former Landfill was closed, and the Current Landfill was opened. The Slit Trench is unlined as well, and believed to have been operated between 1960 and 1967 for disposal of construction and demolition debris (CDM Federal, 1996).

The Former Landfill and Slit Trench were capped in November 1996 and the Interim Landfill was capped in October 1997. Additional information about the construction of the caps can be found in the *Construction Certification Report for the Former Landfill* (Roy F. Weston, 1997) and the Interim Landfill (PW Grosser, 1997). BNL started O&M activities in December 1996 at the Former Landfill and Slit Trench, and in November 1997 at the Interim Landfill. Under this O&M program, groundwater quality in downgradient wells in the vicinity of the Former Landfill is monitored for VOCs, metals radionuclides and landfill-leachate parameters.

In March 2002, BNL submitted a Five-Year Evaluation Report for the Former Landfill (P.W. Grosser, 2002), which assessed trends in groundwater quality over the 5-year period following capping and proposed changes to the sampling program. These changes were implemented in CY03.

1.2 Overview of the Monitoring Program

Groundwater Monitoring

Data quality objectives (DQOs) for each of BNL's groundwater monitoring programs are presented in the BNL Environmental Monitoring Plan (BNL, 2006). The design of the data-collection network was optimized as part of the process. Such optimization continues annually as part of the O&M program and is based on the interpretation of new data as well as historical trends. The primary decision identified for the landfill monitoring programs was "Are the controls effectively improving groundwater quality below and downgradient of the landfill?"

Groundwater samples are collected from monitoring wells positioned upgradient and downgradient of each landfill area. Analytical data are reviewed, and determinations are made regarding the effectiveness of landfill controls.

The monitoring program for the landfill areas consists of:

Soil Gas Monitoring. Measurements of methane, Lower Explosive Limit (LEL), and hydrogen sulfide are taken quarterly from numerous monitoring locations surrounding the landfills to evaluate the movement of soil gas from the landfills.

Wooded Wetland Monitoring. Surface waters and sediments in the wooded wetland adjacent to the eastern boundary of the Current Landfill are sampled annually to evaluate possible effects of landfill leachate on Tiger Salamander habitats. This work was incorporated into the routine landfill monitoring program, and is carried out annually (See Appendix A).

Routine Visual Inspection, Maintenance, and Repair. Monthly inspections are performed to monitor the structural and/or operational status of the landfill caps, drainage structures, and environmental monitoring systems.

Leachate Discharge. Visual inspections of the landfills are performed monthly to monitor for signs of leachate discharge. If observed, samples of the leachate are collected and analyzed.

These activities are discussed in greater detail in Sections 2 through 5 of this report. Section 6 contains the conclusions and recommendations. References are included in Section 7.

2.0 GROUNDWATER MONITORING

2.1 Monitoring Well Networks

Current Landfill

Since February 1996, groundwater quality at the Current Landfill has been monitored using ten downgradient wells and one background monitoring well. Figure 2 depicts the location of the monitoring wells. Figure 3 shows the water table contours for December 2006. The depths of the screen intervals for the Current Landfill wells are listed below.

Well ID	Screen Interval (feet BLS)
087-09*	24-34
087-11	11-21
087-23	25-40
087-24	70-80
087-26	70-80
087-27	5-20
088-109	6-21
088-110	10-25
088-21	5-20
088-22	70-80
088-23	120-130

*Background well

BLS - Below Land Surface

Former Landfill

Since January 1997, groundwater quality at the Former Landfill area has been monitored using eight shallow monitoring wells (3 background and five downgradient). The locations of the eight monitoring wells are presented in Figure 4. The direction of groundwater flow in the

Operable Unit I area of the site is generally to the south-southeast. Figure 3 shows the December 2006 water table contours for the area. The screen zones for Former Landfill wells are summarized below.

Well ID	Screen Interval (feet BLS)
086-42*	65-75
086-72*	41.5-56.5
087-22*	43-53
097-17	29-39
097-64	29-44
097-277	40-55
106-02	55-65
106-30	29-44

*Background well

BLS - Below Land Surface

2.1.1 Sampling Frequency and Analytical Parameters

Monitoring wells at both landfills were sampled in 2006 during the following periods:

Sampling Event	Sampling Dates
Round 1	March 28
Round 2	May -9 - 11
Round 3	August 9
Round 4	October 25 - 26

R&C Formation, Ltd of Bellmore, New York conducted the groundwater sampling and Severn Trent Laboratories, Inc analyzed the samples. See Table 1 for a summary of analyses performed by well and sampling round.

2.1.2 Quality Assurance / Quality Control

The groundwater samples were collected and analyzed in accordance with strict quality assurance, quality control (QA/QC) requirements as described in the BNL Groundwater Monitoring Program Quality Assurance Project Plan (QAPP) (BNL, 1999). The analytical results for groundwater samples collected during 2006 satisfied the data-quality objectives. The sampling team personnel are responsible for assuring that a master calibration/maintenance log is maintained for each field-measuring device (e.g., pH conductivity, turbidity meters e.g.). The sample coordinator provided a calibration/maintenance log for equipment supplied to the contractor's sampling teams.

The analytical results of samples collected for the Current and Former Landfill projects underwent data verification, using BNL standard operating procedures EM-SOP-203, Chemical Data Verification and EM-SOP-204, Radiochemical Data Verification. These procedures are designed to verify the accuracy and/or completeness of analytical data. The data-verification process is implemented to detect the most common analytical problems that affect the quality of the results. To accomplish this task, QA/QC items such as the following were checked: holding times, matrix spikes, laboratory and field blanks, and field logs. If items are found that can affect the use and interpretation of the data, they are either corrected, as in the case of unreadable information on the field logs, or the data is qualified, as in the case of contamination of the blanks or violations of the holding time.

Guidance on the collection of QA/QC samples is contained in the QAPP, and in BNL procedure EM-SOP-200 "Collection and Frequency of Field Quality Control Samples". The QA/QC samples collected included trip blanks, field blanks, matrix spike/matrix spike duplicate (MS/MSDs), and blind duplicates.

Trip blanks were analyzed for aqueous VOCs only. One trip blank was shipped to the analytical laboratory with each set of samples submitted for VOC analyses. One duplicate sample was collected during the first and third quarters when only the Current Landfill was sampled and two duplicate sample were collected during the second and fourth quarters when both landfills were

sampled. No errors were detected in the duplicate analyses. Matrix spike/matrix spike duplicates (MS/MSDs) samples were collected at a frequency of one MS/MSD samples during the first and third quarters and two MS/MSD samples during the second and fourth quarters. This ensures that the matrix of the sample does not adversely impact the analysis. In March and August, nitrate matrix spike recoveries were below QC limits and chloride matrix spike recoveries were below QC limits in August. Sample results associated with these analyses were qualified as unusable. The amount of rejected data was within acceptable limits and did not adversely impact the review of the groundwater quality.

2.2 Landfill Groundwater Monitoring Results

This section summarizes the results for VOCs, metals, water-chemistry parameters, and radionuclides detected for both the Current Landfill and Former Landfill in calendar year 2006. The historical trends in concentrations of key contaminants are assessed and shown graphically in Figures 5 through 12. Summary tables of all 2006 landfill groundwater data are presented in Tables 2 through 10. Detections that exceed groundwater standards are bolded. The summary tables include groundwater standards, laboratory results, minimum detection limits, and laboratory data qualifiers.

The groundwater standards used for evaluating groundwater data include those contained in the NYSDEC Ambient Water Quality Standards and Guidance Values (June 1998, with addendums April 2000 and June 2004). Groundwater standards for radiological compounds were supplemented with New York State Department of Health's (NYSDOH's) standards for drinking water when a NYSDEC groundwater standard was not available. When there were no groundwater standards for a radiological compound, a Groundwater Screening Level was used. This value is based on a dose equivalent of 4 mrem/year and was calculated as 4% of the USDOE Derived Concentration Guides (DCG) (DOE Order 5400.5) for the isotope of concern. These values are listed under the "groundwater standards" column in the summary tables and annotated where appropriate. Laboratory results that exceed the groundwater standards are highlighted in the data summary tables to facilitate review of the information.

The laboratory data qualifiers included in the summary tables vary for the different analyses. Explanations for the most commonly used laboratory data qualifiers are included in the notes in each summary table. Complete 2006 laboratory data reports, chain of custody forms, and well-sampling logs for both landfills are archived and available upon request. In addition, analytical results are stored in the BNL Environmental Information Management System (EIMS) database.

2.2.1 Current Landfill

2.2.1.1 Volatile Organic Compounds (VOCs)

Benzene, and/or chloroethane, were detected above their respective groundwater standards in four of the ten-downgradient monitoring wells during 2006 (Table 2). These VOCs have historically been the primary groundwater contaminants detected downgradient of the Current Landfill. No other VOCs were detected above groundwater standards during 2006.

Figure 5 plots the concentration trends of total VOCs (TVOC), benzene and chloroethane. As shown, VOCs remained relatively stable at low concentrations. Overall, the trend plots also show a distinct decrease in VOC concentrations from the high concentrations seen prior to the installation of the cap. This reflects the positive effects of the capping on the groundwater quality downgradient.

Benzene exceeded the 1 µg/L standard in well 087-11. Chloroethane exceeded the 5 µg/L standard in wells 087-11, 087-23, 088-109, and 088-110. The maximum chloroethane concentration was 53 µg/L in well 088-109; which is a decrease from the 2005 high of 94 µg/L. Benzene was detected at a maximum of 1.6 µg/L in well 087-11. There have been no detections of VOCs exceeding groundwater standards in wells 087-24, 088-22, and 088-23 since 1998. These downgradient wells are screened in the mid-to deep-Upper Glacial Aquifer as perimeter wells to monitor the vertical extent of contamination from the Current Landfill. Background well 087-09 had a small amount of chloroform detected (0.12 µg/L) during the October sampling round.

2.2.1.2 Water Chemistry Parameters

Groundwater samples near the Current Landfill were analyzed for ammonia, total kjeldahl nitrogen (TKN) cyanide, sulfate, nitrite, nitrate, total nitrogen, chloride, alkalinity, total dissolved solids

(TDS or residue, nonfilterable) and total suspended solids (TSS or residue, filterable), during 2006 (Table 1). The results are provided in Table 3. Elevated levels of these parameters can be indicative of the presence of landfill leachate.

Ammonia was the only compound detected above the standard of 2 mg/L, with exceedances in four downgradient wells (087-11, 087-27, 088-109 and 088-110) during four sampling events as shown in Table 3. The highest concentration of 6.8 mg/L was reported for well 087-11 in May. The levels of ammonia detected seem to have stabilized from their pre-cap highs.

During 2006, all sulfate and chloride concentrations remained below the groundwater standard of 250 mg/L. The highest sulfate value reported for 2006 was detected in the October sample from monitoring well 088-109, at a concentration of 120 mg/L.

Chloride concentrations ranged from 1.4 mg/L in well 088-109 during October, to a high of 59.9 mg/L in well 087-09 in May. Chloride concentrations historically have been significantly below the groundwater standard of 250 mg/L in all Current Landfill wells. Figure 6 plots these trends, showing the low and stable nature of chloride concentrations in the vicinity of the Current Landfill.

Alkalinity, in the form of bicarbonate, is the concentration of anions available to neutralize acid, and is often used as an indicator of leachate contamination. The alkalinity in background well 087-09 ranged from non-detect to 12 mg/L during 2006. The highest alkalinity concentration during 2006 was detected in downgradient, shallow Upper Glacial Aquifer well 087-11, at 180 mg/L in August. There is no groundwater standard for alkalinity. The concentration trends plotted in Figure 6 show an overall decrease in alkalinity following the capping of the landfill. Alkalinity levels in the background well remained stable during this period.

TDS and TSS results were similar to those from previous years, and indicate some continuing movement of leachate from the Current Landfill as evidenced by comparing data from downgradient and background wells. TDS and TSS concentrations in background well 087-09 ranged from 98

mg/L to 339 mg/L, and 8 mg/L to 45 mg/L, respectively. The maximum concentrations observed in downgradient wells were 220 mg/L and 186 mg/L of TDS and TSS, respectively.

No water chemistry parameters have exceeded groundwater standards in downgradient wells 087-24, 088-22, and 088-23, since 1998. These wells are all screened in the mid to deep-Upper Glacial Aquifer to monitor the vertical extent of contamination from the Current Landfill. A comparison of downgradient and background wells shows that leachate continues to be generated from the Current Landfill, albeit at low concentrations. Decreasing trends in concentration indicate that the capping is effectively reducing the generation and migration of leachate.

2.2.1.3 *Metals*

Historically, iron and manganese were detected consistently above groundwater standards in the majority of wells surrounding the landfill. While these metals indicate the presence of leachate, the groundwater standards for these compounds are considered secondary standards based on aesthetics and taste rather than risk to human health. Precipitated iron from the BNL Water Treatment Plant was disposed of at the Current Landfill during past operations. The highest concentrations generally are found in the shallow wells 87-11 and 87-27, located immediately south of the Current Landfill (see Figure 7). There have been no detections of metals, other than iron and manganese, exceeding groundwater standards in wells 087-24, 087-26, and 088-23 since 1998. These wells are all screened in the mid-to-deep Upper Glacial Aquifer to monitor the vertical extent of contamination from the Current Landfill. Concentrations in upgradient well 87-09 still are lower than in the downgradient wells, suggesting continued leachate migration from the landfill. Given the relatively short time that the landfill has been capped (i.e. 11 years), the anticipated transport time of groundwater from the north end of the landfill to the downgradient monitoring network, and the disposal of sludge containing metals during the landfill's operation, the continued presence of iron, magnesium and sodium in these wells is not unexpected.

During 2006, iron, manganese, sodium, arsenic, aluminum, and chromium continued to be detected above their respective groundwater standards (Table 4). Iron in the downgradient wells peaked at a maximum of 122,000 µg/L in well 088-110 during March, in contrast to background concentrations,

in well 87-09, iron ranged from 1,560 µg/L to 4,800 µg/L. Manganese ranged from 6.4 µg/L to 107 µg/L in background well 087-09, and up to 7,540 µg/L in the downgradient wells. Background sodium levels ranged from 31,600 to 35,100 µg/L; whereas downgradient levels ranged up to 22,800 µg/L. The proximity of well 087-09 to Brookhaven Avenue and the affects of road salting in the winter may be contributing to the higher values. Arsenic was reported above the standard of 10 µg/L in wells 087-23, 088-110, and 088-22 at concentrations up to 45.1 µg/L. Arsenic detections have historically been observed at similar levels in Current Landfill wells. Aluminum and chromium were detected in the background well, 087-09 above the standards of 200 µg/L and 50 µg/L, respectively. Concentrations of aluminum ranged up to 350 µg/L in background well 087-09 and concentrations of chromium were as high as 287 µg/L.

2.2.1.4 Radionuclides

No radionuclides were detected above groundwater standards during 2006 (Table 5). Strontium-90 and tritium were the only radionuclides detected during 2006. Low levels of strontium-90 were detected in downgradient well 088-21. The concentrations detected, 1.95 pCi/L, was well below the 8 pCi/L groundwater standard. Overall, strontium-90 concentrations have shown either decreasing or stable trends, with concentrations at or near the detection limit (Figure 8). Detectable gross beta activity, which is a possible indicator of strontium-90 in groundwater, ranged from 2.4 pCi/L in well 088-22 to 6.5 pCi/L in well 088-109.

Tritium was detected significantly below the groundwater standard of 20,000 pCi/L with a maximum value of 860 pCi/L in shallow downgradient well 088-110 (Figure 8). Tritium and Sr-90 concentrations have not exceeded groundwater standards in all wells since 1998.

2.2.2 Former Landfill

2.2.2.1 VOCs

During 2006 there were no detections of VOCs above groundwater standards in wells in the Former Landfill Area (Table 6). The compounds consistently found in the Former Landfill monitoring wells include 1,1,1-trichloroethane, 1,1-dichloroethane, and chloroform. Chloroform was reported in several wells during the year at concentrations ranging from 0.33 µg/L to 2.1 µg/L, well below the

groundwater standard of 7 µg/L. Trichloroethene was also detected in two wells, 097-64 and 106-30, at concentrations ranging from 0.12 µg/L to 0.5 µg/L. These detections may be the result of low level contamination during the analysis of the sample.

Figure 9 shows plots of the historical VOC detections for the Former Landfill monitoring wells. During 2006, VOCs were detected at the Former Landfill in several wells, but only at trace concentrations, indicating that the cap on the landfill is operating as intended.

2.2.2.2 Water Chemistry Parameters

Groundwater samples from monitoring wells in the Former Landfill Area were analyzed for sulfate, nitrite, nitrate, total nitrogen, chloride, alkalinity, TDS (TDS or residue, non-filterable) and TSS (TSS or residue, filterable). During 2006, none of the of water chemistry parameters exceeded applicable groundwater standards (Table 7). In general, all of the landfill leachate indicator parameters were relatively low concentrations in comparison to background, and displayed either decreasing or stable trends in 2006. These trends indicate that the landfill cap is effective.

Sulfate concentrations ranged from 9.3 mg/L to 12.6 mg/L in the background wells, and from 7.2 mg/L to 20 mg/L in downgradient wells, significantly below the standard of 250 mg/L. Nitrogen in the form of nitrate (NO₃), and chloride were consistently low, with levels in the downgradient wells nearly indistinguishable from those in the background wells. Chloride concentrations ranged from 5.5 mg/L to 18.3 mg/L in downgradient monitoring wells, well below the groundwater standard of 250 mg/L. The trends plotted in Figure 10, indicate chloride concentrations are stable over time.

Detections of alkalinity ranged from non detect to 12 mg/L in background wells and from 5 mg/L to 26 mg/L in downgradient wells. The trends plotted in Figure 10, demonstrate the alkalinity concentrations in 2006 are generally consistent with 2005 levels. The concentrations are approaching background, and suggest a gradual decline in the release of landfill leachate since the landfill was capped.

TDS concentrations ranged from 34 mg/L to 97 mg/L in the background wells and from 20 mg/L to 78 mg/L in the downgradient wells. TSS concentrations were from 1 mg/L to 15 mg/L in the background wells, and from 1 mg/L to 16 mg/L in the downgradient wells.

TKN concentrations ranged from 0.19 mg/L to 0.26 mg/L in the background wells. TKN concentrations in the downgradient wells ranged from 0.18 mg/L to 0.22 mg/L. Nitrite, and ammonia were not detected in the Former Landfill monitoring wells during 2006.

2.2.2.3 Metals

The sampling results are summarized in Table 8, and concentration trend plots for iron are shown on Figure 11. Only two background wells had detections of metals that exceeded the groundwater standards during 2006. Wells 086-42 and 086-72 had detects of thallium at 0.52 µg/L and 0.58 µg/L, respectively. This is slightly above the standard of 0.5 µg/L.

2.2.2.4 Pesticides/PCBs

There were no detections of pesticides or polychlorinated biphenyls (PCBs) during 2006. The sampling results are summarized in Table 9.

2.2.2.5 Radionuclides

There were no detections of radionuclides above the groundwater standards during 2006. The sampling results are summarized in Table 10, and concentration trend plots are shown on Figure 12.

Strontium-90 was detected in downgradient well 097-64, at an estimated concentration of 2.03 pCi/L, and in well 106-30 at a concentration of 0.28 pCi/L, which are well below the standard of 8 pCi/L. Strontium-90 concentrations in well 097-64 have been decreasing since a peak of 12 pCi/L in 1998. Tritium was not detected in any of the Former Landfill monitoring wells.

3.0 Wooded Wetland Monitoring

Sampling at the Wooded Wetland is performed as part of the compliance monitoring for the Current Landfill. Prior to the capping of the Current Landfill, leachate was periodically observed in the wetland. The monitoring is focused on metal concentrations in the sediment and surface water to

evaluate potential risks to the local Tiger Salamander population. See Appendix A for a detailed discussion of the sampling and analysis results.

Surface Water

Seven surface water samples from the Southern and Northern Ponds were collected. They had average iron concentrations of 1,244 µg/L and 1,156 µg/L, respectively (Appendix A, Table 6). Although the average concentrations were higher than the 1,000-µg/L critical toxicity concentration (Appendix A, Table 2B), it was lower than the BNL background concentration of 1,990 µg/L .

Aluminum had average concentrations of 532 ug/L and 858 ug/L in the Southern and Northern Ponds, respectively. These are above the critical toxicity concentration of 525 ug/L and in the case of the Northern pond, above the background concentration of 820 ug/L.

The average zinc concentration in the Northern Pond was 87.97 ug/L which is above both the critical toxicity concentration of 23.8 ug/L and the background concentration of 62.0 ug/L.

Since metals in water are the primary source of absorption by tiger salamanders, no significant change in dissolved metals provides indication that the wooded wetland is not experiencing an increase in metals concentration.

Based on the 2006 sampling results, annual sampling of the Wooded Wetlands should continue as part of the annual O&M landfills monitoring activities for at least another year. A complete copy of the 2006 Annual Wooded Wetlands Report is included in Appendix A of this report.

Sediment

Seven sediment samples were collected from the Wooded Wetland Area in May 2006. The results for 2006 indicate that mercury concentrations in sediments in the South Pond are less than the maximum concentration benchmarks (See Appendix A, Table 2A). The average mercury concentration in the North Pond was 0.24 mg/kg which is above the critical toxicity concentration of 0.17 mg/kg but below the background concentration of 0.41 mg/kg. Historically, the highest average

value of mercury was detected in 2001 at 0.37 mg/kg. This analysis indicates that no significant change from historic values has occurred.

4.0 SOIL GAS MONITORING

4.1 Soil Gas Monitoring Networks

Soil gas readings were collected from wells surrounding the Current and Former Landfills in February, June, September, and December 2006. Methane, lower explosive limit (LEL), and hydrogen sulfide were measured using a Landtec GA-90 (Serial # 690). The LEL for methane is 5.3% and the upper explosive limit (UEL) is 15%.

4.1.1 Current Landfill

Along the perimeter of the Current Landfill, 58 points were sampled for soil gas, which includes four outpost soil gas well clusters, GSGM-1 to GSGM-4, located along the south side of Brookhaven Avenue. The sampling points include 12 soil-gas well clusters consisting of three sampling intervals per cluster, and 11 soil-gas well couplets consisting of two sampling intervals per couplet. Table 11 describes each soil-gas well. Their locations are illustrated on Figure 13.

4.1.2 Former Landfill Area

Twenty-four sampling points were monitored for the Former Landfill Area. These points include twelve well couplets consisting of two sampling points per couplet. Details of each soil gas well are given in Table 11 and their locations shown in Figure 14.

4.1.3 Sampling Frequency

Soil-gas was monitored for each landfill on the following months.

Sampling Event	Current Landfill	Former Landfill
Round 1	February 2006	February 2006
Round 2	June 2006	June 2006
Round 3	September 2006	September 2006
Round 4	December 2006	December 2006

4.2 Results of Soil-Gas Monitoring

Action levels for soil gas are specified in 6 NYCRR Part 360-2.17(f) in terms of percent LEL, which is primarily related to the amount of methane present. This discussion focuses primarily on the

methane levels detected during quarterly monitoring. Hydrogen sulfide is monitored, but has no regulatory action level. 6 NYCRR Part 360-2.17(f) specifies that active measures to control decomposition gases are required when the concentration of methane or other explosive gases exceeds 25 percent of the LEL (or 1.3% methane) in facility structures, or 100 percent (%) of the LEL (or 5.3% methane) at the site boundary.

4.2.1 Current Landfill

A total of 23-soil gas monitoring well clusters are positioned around the Current Landfill (Figure 13). Potential receptors, or areas where methane can accumulate in the vicinity of the Current Landfill, include the National Weather Service building located 480 feet north northwest of the Current Landfill on the north side of Brookhaven Avenue. Should methane extend to the south side of Brookhaven Avenue, active measures will be required to control its migration. The four outpost soil gas wells, GSGM-1 to GSGM-4, located along the south side of Brookhaven Avenue are used to monitor the northern extent of migration of landfill gas.

The results of the soil gas monitoring for 2006 are summarized in Table 12. Appendix B contains the field notes recorded during the sampling events. Instrument measurements show that methane continues to be generated in several areas of the landfill. The percent of the LEL is equivalent to 20 times the methane concentrations in the landfill and is elevated along the northwest corner and the south boundary of the Current Landfill. The highest levels were recorded in well cluster SGM-3 (ranging from 0 % of the LEL to 970 % of the LEL) and in well cluster SGM-4 (ranging from 0 % of the LEL to 1040 % of the LEL) located along the western boundary. These levels have remained stable since 1996 when monitoring began and the current gas venting system appears to be controlling gas accumulation. These data are consistent with previous years (see Appendix D).

Outpost wells, GSGM-1 to GSGM-4, located along the south side of Brookhaven Avenue showed no methane during 2006, indicating that the methane accumulation and migration does not extend to this area. Should methane extend to the south side of Brookhaven Avenue, active measures will be required to control its migration.

Hydrogen sulfide is a product of anaerobic decay in landfills and can produce an odor like rotten eggs. It is a nuisance, but rarely a toxicity problem. For reference, the National Institute of Occupational Safety and Health sets an exposure limit of 10 parts per million (ppm) hydrogen sulfide in the breathing zone for an 8-hour period.

Hydrogen sulfide measurements collected from the soil gas monitoring wells ranged from 0 ppm to 27 ppm. Well SGM-02B located near the landfills western section, had the highest hydrogen-sulfide concentration, which was above the 10 ppm exposure limit; however it was taken from a vapor point screened 2.5 - 7.5 feet below the surface and not from the breathing zone. Like methane, receptors to hydrogen sulfide are considered to be in areas such as basements where the gas can accumulate. Based upon the readings obtained from the outpost soil gas wells along the south side of Brookhaven Avenue (GSGM-1 – GSGM-4), there is no evidence that hydrogen sulfide is migrating toward the National Weather Service building.

4.2.1.1 Trend in Soil-Gas Data

Appendix D contains the results of methane monitoring for the Current Landfill from 1996 through 2005. Generally the levels of methane and hydrogen sulfide in the wells along the northwest landfill boundary and southeast corner have remained stable.

4.2.2 Former Landfill Area

A total of 12 soil gas monitoring well clusters are positioned around the Former Landfill areas. During 2006, the well clusters were monitored on a quarterly basis. The only existing operating facility within the immediate vicinity of the Former Landfill area is Building 670 located approximately 250 feet to the south. This building houses the Chemical/Animal Holes strontium-90 groundwater treatment system. Because this facility does not have a basement, there is minimal potential for hazardous levels of landfill gases to accumulate in this structure.

Based upon the four sampling events, little to no methane or hydrogen sulfide was detected. Table 13 details the 2006 soil gas monitoring results for the Former Landfill Area. Appendix B contains the field notes recorded during the sampling events.

4.2.2.1 Trends in Soil-Gas Data

The results of monitoring the Former Landfill continue to be consistent with the initial survey of the methane- gas migration conducted in 1995, during which concentrations between 0% to 0.1% methane were recorded. Hydrogen-sulfide gas also was measured during this survey. The hydrogen sulfide results indicate there were only minimal detections (1 ppm) during 2006. Appendix D includes the results of monitoring methane in the Former Landfill Area for 1996 through 2005.

Presently, there is no measured pathway for methane-gas migration, nor do the concentrations represent an explosive hazard as shown by the non-detect readings on the LEL meter. The age of the Former Landfill and the types of materials disposed of would likely result in the low levels or absence of methane or hydrogen sulfide.

5.0 MAINTENANCE AND REPAIR

Monthly site inspections were performed by BNL at the Current and Former Landfill areas to monitor the structural and/or operational status of the landfill cap, gas vents, drainage structure, fences and environmental monitoring system (groundwater wells, soil gas wells) in accordance with the approved O&M Manuals. A copy of the inspection reports is included in Appendix C. Maintenance and repair work completed or required by BNL is discussed below.

5.1 Landfill Cap and Gas Vents

The grass cover on the Former Landfill Area and the Current Landfill were maintained in accordance with the O&M Plan (CDM, 1996a and CDM 1996c). Due to heavy rains, an area of the Current Landfill cap approximately 20 feet long by 2 feet wide by 1 foot deep was washed out in November 2005. This area was repaired in February 2006. In June 2006 it was noted that the blacktop on the road next to both landfills needed repair. The repair for the Former Landfill was completed in September 2006. Small cracks in the asphalt road next to the Current Landfill will be sealed in 2007. In October 2006, ruts were observed on the top of the Former Landfill. These ruts were caused by lawn mowing equipment. The ruts were temporarily repaired in February 2007 and will be fully repaired with topsoil and seed in Spring 2007. No gas vents at either landfill required repair. Due to the ruts in the landfills caused by the weight of the lawn mowers and a significant

amount of precipitation, the cutting of the grass will be suspended until optimal soil conditions are evident. Access to the soil gas monitoring wells will be cleared via mechanical weed wacking.

5.2 Drainage Structures

The drainage structures at both the Current and Former landfill areas were maintained and any obstructions removed. They were observed to be operational and structurally sound during the site inspections. Grass and small brush were weeded from the drainage channels during the year.

5.3 Environmental Monitoring System

The monitoring wells and soil gas monitoring wells associated with the landfills required no significant maintenance.

5.4 Related Structures

No other structures required maintenance during 2006.

6.0 CONCLUSIONS AND RECOMMENDATIONS

6.1 Groundwater Monitoring

6.1.1 Conclusions for the Current Landfill

- VOCs such as benzene, and/or chloroethane continue to be detected in downgradient wells 087-11, 087-23, 087-27, 088-109, and 088-110 at concentrations above groundwater standards. The maximum VOC concentration (chloroethane) in 2006 was 53 µg/L in well 088-109. TVOC concentrations in these five wells have ranged between 3.97 µg/L to 57.41 µg/L over the past several years indicating that low level VOCs continue to emanate from the landfill. However, an analysis of the trends of VOCs indicated the concentrations are stable to decreasing. The continued presence of leachate indicators is expected and normal.
- Landfill water chemistry parameters and metals evaluated during the year suggest that leachate continues to emanate from the landfill. The continued presence of leachate indicators is expected and normal relative to the time that the landfill has been capped.

- Tritium and Sr-90 continue to be detected in the wells downgradient of the Current Landfill, but at concentrations well below groundwater standards. These concentrations were consistent with those observed in 2005.
- Since 1998, there have been no detections of VOCs, metals, water chemistry parameters or radionuclides exceeding groundwater standards in wells 087-24, 088-22, and 088-23. These wells are all screened in the mid-to deep-Upper Glacial Aquifer to monitor the vertical extent of contamination from the Current Landfill.
- Although low levels of contaminants continue to be detected, the landfill controls are effective as evidenced by the improving quality of groundwater downgradient of the landfill.
- The average values of the concentrations of the metals of concern other than mercury, in the Wooded Wetlands sediments in either pond in 2006 were not above benchmark or BNL background concentrations. The mercury level, while above the maximum sediment concentration, was below the BNL background concentration. This indicates that a risk to adult salamanders is unlikely.
- The averages for the water samples collected from each pond in 2006 indicate that zinc in the North Pond and aluminum and iron in both ponds was present above BNL critical water concentrations. However, aluminum in the South Pond and iron in both ponds were below the BNL background levels. No significant changes have occurred compared to previous year's data. Since metals in water are the primary source of absorption by tiger salamanders, and there was no significant increase in dissolved metals in 2006, this provides indication that the wooded wetland is not experiencing an increase in metals concentrations.

6.1.2 Recommendations for the Current Landfill

The groundwater monitoring program is adequate at this time. Since leachate is continuing to discharge from the Landfill, there are no recommended changes to the monitoring program.

6.1.3 Conclusions for the Former Landfill

- The Former Landfill is not a significant source of VOC contamination. No VOCs were detected above groundwater standards in 2006. VOC concentrations in the downgradient wells were at or near the minimum detectable limits.
- Landfill-leachate indicators in downgradient wells continue to be detected at concentrations above background, indicating some continued generation of leachate. However, the leachate concentrations are very low and remain stable. This low level of generation is expected, given the age of the landfill.
- The Former Landfill no longer appears to be a source of strontium-90 contamination. Strontium-90 was only detected in two downgradient wells (097-64, and 106-30), but at a concentrations below the standard of 8 pCi/L.
- The implemented landfill controls are effective, as evidenced by the improving quality of groundwater downgradient of the landfill.

6.1.4 Recommendations for the Former Landfill

The groundwater monitoring program is adequate at this time. Since leachate is continuing to discharge from the Landfill, there are no recommended changes to the monitoring program.

6.2 Soil Gas Monitoring

6.2.1 Conclusions for the Current Landfill

Methane and hydrogen sulfide levels in wells located along the northwest landfill boundary and southeast corner have remained stable and have not shown any significant increases or decreases over time. No gas migration has been observed this year at the outpost soil gas wells along Brookhaven Avenue.

6.2.2 Recommendations for the Current Landfill

The soil-gas monitoring program is adequate at this time, since methane gas is still being produced and leachate is continuing to discharge from the Landfill.

6.2.3 Conclusions for the Former Landfill

Methane and hydrogen sulfide levels at the Former Landfill area continue to show little to no levels of landfill gasses.

6.2.4 Recommendations for the Former Landfill

The soil-gas monitoring program is adequate at this time since there have been little to no detections of methane during monitoring at the Former Landfill over the past 8 years.

6.3 Maintenance and Repair

Maintenance of the landfill caps will continue in accordance with the O&M requirements.

6.3.1 Current Landfill

Monthly inspections and maintenance will continue in accordance with the O&M requirements. To prevent ruts in the landfills caused by the weight of the lawn mowers and a significant amount of precipitation, the cutting of the grass will be suspended until optimal soil conditions are evident. Access to the soil gas monitoring wells will be cleared via mechanical weed wacking.

6.3.2 Former Landfill Area

Monthly inspections and maintenance will continue in accordance with the O&M requirements. To prevent ruts in the landfills caused by the weight of the lawn mowers and a significant amount of precipitation, the cutting of the grass will be suspended until optimal soil conditions are evident. Access to the soil gas monitoring wells will be cleared via mechanical weed wacking.

7.0 REFERENCES

Brookhaven National Laboratory, 1999, BNL Groundwater Monitoring Program Quality Assurance/Quality Control Project Plan, BNL, August 1999.

Brookhaven National Laboratory, 2001a, Groundwater Monitoring Data Quality Objectives Project, BNL, September 2001.

Brookhaven National Laboratory, 2001b, Current Landfill Area Five-Year Evaluation Report. BNL Environmental Services Division, October 29, 2001.

Brookhaven National Laboratory. 2005. *Environmental Monitoring Plan CY 2005 Update*. Brookhaven National Laboratory, Upton, NY. January 2005.

CDM Federal, 1995a, Final Design Specifications for the Current Landfill, Brookhaven National Laboratory, CDM Federal Programs Corporation, February 1995.

CDM Federal, 1995b, Engineering Evaluation/Cost Analysis for Groundwater: Operable Unit I, Brookhaven National Laboratory, CDM Federal Programs Corporation, September 1995.

CDM Federal, 1995c, Final Closure/Design Report for the Former Landfill Area, Brookhaven National Laboratory, CDM Federal Programs Corporation, November 1995.

CDM Federal, 1996a, Final Operations and Maintenance Manual for the Current Landfill, Brookhaven National Laboratory, CDM Federal Programs Corporation, March 1996.

CDM Federal, 1996b, Final Construction Certification Report for Current Landfill Capping, Brookhaven National Laboratory, CDM Federal Programs Corporation, May 1996.

CDM Federal, 1996c, Final Operations and Maintenance Manual for the Former Landfill Area, Brookhaven National Laboratory, CDM Federal Programs Corporation, May 1996.

CDM Federal, 1997, Environmental Monitoring Report for Current Landfill, Brookhaven National Laboratory, CDM Federal Programs Corporation January 1997.

CDM Federal, 1999, Focused Ecological Risk Assessment, Appendix L., Final Feasibility Study Report OU I, CDM Federal Programs Corporation March 31, 1999.

EM-SOP-200, Collection and Frequency of Field Quality Control Samples, Brookhaven National Laboratory, Environmental Monitoring Standard Operating Procedure

EM-SOP-203, Chemical Data Verification, Brookhaven National Laboratory Environmental Monitoring, Standard Operating Procedure.

EM-SOP-204, Radiochemical Data Verification, Brookhaven National Laboratory Environmental Monitoring, Standard Operating Procedure

6NYCRR Part 360, Solid Waste Management facilities, New York State Department of Environmental Conservation, Division of Solid & Hazardous Waste.

PW Grosser Consulting, 1997, Construction Certification Report for the Interim Landfill Capping, Brookhaven National Laboratory, October 1997

PW Grosser Consulting, 2001, Current Landfill Area Five-Year Evaluation Report, October 29, 2001.

PW Grosser Consulting, 2002, Former Landfill Area Five-Year Evaluation Report, March 8, 2002.

Roy F. Weston, 1997, Final Construction Certification Report for Former Landfill Capping, Brookhaven National Laboratory, March 1997.

OER, 1997, Statement of Work For Hazardous Chemical and Radiochemical Data Validation, Brookhaven National Laboratory, April, 1997.

United States Department of Energy Order 5400.5, Radiation Protection of the Public and the Environment. Washington D.C., February 8, 1990.

Table 1. Analytical Requirements for Groundwater Samples

Well ID	Project	Decision Subunit	EPA 524.2 VOCs	Pesticides Method 608	PCBs Method 608	TSS/TDS	Sulfates/Chloride/Alkalinity	TK Nitrogen	Total Nitrogen	Nitrates	Nitrites	Ammonia	TAL Metals	Cyanide	EPA 900 Gross Alpha/Beta	EPA 901 Gamma Spec	EPA 906 Tritium	EPA 905 Sr 90	Blind Duplicate/MS/MSD	Frequency (events/year)
087-09	CLF	Background	X ^f			X	X	X	X	X	X	X	X	X	X ^a	X ^a	X ^a	X ^a		4
087-11	CLF	Downgradient	X ^f			X	X	X	X	X	X	X	X	X	X ^a	X ^a	X ^a	X ^a		4
087-23	CLF	Downgradient	X ^f			X	X	X	X	X	X	X	X	X	X ^a	X ^a	X ^a	X ^a		4
087-24	CLF	Downgradient	X ^a			X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^a	X ^a	X ^a	X ^a		2f
087-26	CLF	Downgradient	X ^f			X	X	X	X	X	X	X	X	X	X ^a	X ^a	X ^a	X ^a		4
087-27	CLF	Downgradient	X ^f			X	X	X	X	X	X	X	X	X	X ^a	X ^a	X ^a	X ^a		4
088-109	CLF	Downgradient	X			X	X	X	X	X	X	X	X	X	X ^a	X ^a	X ^a	X ^a	X	4
088-110	CLF	Downgradient	X ^f			X	X	X	X	X	X	X	X	X	X ^a	X ^a	X ^a	X ^a		4
088-21	CLF	Downgradient	X ^f			X	X	X	X	X	X	X	X	X	X ^a	X ^a	X ^a	X ^a		4
088-22	CLF	Downgradient	X ^a			X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^a	X ^a	X ^a	X ^a		2f
088-23	CLF	Downgradient	X ^a			X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^a	X ^a	X ^a	X ^a		2f
086-42	FLF	Background	X ^a	X ^a	X ^a	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^a	X ^a	X	X ^a		2f
086-72	FLF	Background	X ^a	X ^a	X ^a	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^a	X ^a	X ^a	X ^a		2f
087-22	FLF	Background	X ^a	X ^a	X ^a	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^a	X ^a	X ^a	X ^a		2f
097-17	FLF	Downgradient	X	X ^a	X ^a	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^a	X ^a	X ^a	X ^a		2f
097-277	FLF	Downgradient	X	X ^a	X ^a	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^a	X ^a	X ^a	X ^a		2f
097-64	FLF	Downgradient	X	X ^a	X ^a	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^a	X ^a	X ^a	X ^a		2f
106-02	FLF	Downgradient	X	X ^a	X ^a	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^a	X ^a	X ^a	X ^a		2f
106-30	FLF	Downgradient	X	X ^a	X ^a	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^a	X ^a	X ^a	X ^a	X	2f

NOTES:

a: Collect in 4th Quarter only.

f: Collect in 2nd and 4th Quarters.

Table 2. Current Landfill - Summary of 2006 VOC Data

Analyte	Groundwater Standards ug/L	087-09		087-09		087-11		087-11	
		5/10/2006 (ug/L)		10/25/2006 (ug/L)		5/10/2006 (ug/L)		10/25/2006 (ug/L)	
1,1,1,2-Tetrachloroethane	5	0.5	U	0.5	U	0.5	U	0.5	U
1,1,1-Trichloroethane	5	0.5	U	0.5	U	0.5	U	0.5	U
1,1,2,2-Tetrachloroethane	5	0.5	U	0.5	U	0.5	U	0.5	U
1,1,2-Trichloroethane	1	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloroethane	5	0.5	U	0.5	U	0.13	J	0.085	J
1,1-Dichloroethylene	5	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloropropene	5	0.5	U	0.5	U	0.5	U	0.5	U
1,2,3-Trichlorobenzene	5	0.5	U	0.5	U	0.5	U	0.5	U
1,2,3-Trichloropropane	0.04	0.5	U	0.5	U	0.5	U	0.5	U
1,2,4-Trichlorobenzene	5	0.5	U	0.5	U	0.5	U	0.5	U
1,2-Dichloroethane	0.6	0.5	U	0.5	U	0.5	U	0.5	U
1,2-Dichloropropane	1	0.5	U	0.5	U	0.5	U	0.5	U
1,3-Dichloropropane	5	0.5	U	0.5	U	0.5	U	0.5	U
2,2-Dichloropropane	5	0.5	U	0.5	U	0.5	U	0.5	U
Benzene	1	0.5	U	0.5	U	1.6		1.1	
Benzene, 1,2,4-trimethyl	5	0.5	U	0.5	U	0.5	U	0.5	U
Benzene, 1,3,5-trimethyl-	5	0.5	U	0.5	U	0.5	U	0.091	J
Benzene, 1-methylethyl-	--	0.5	U	0.5	U	0.5	U	0.5	U
Bromobenzene	5	0.5	U	0.5	U	0.5	U	0.5	U
Bromodichloromethane	50	0.5	U	0.5	U	0.5	U	0.5	U
Bromoform	50	0.5	U	0.5	U	0.5	U	0.5	U
Carbon tetrachloride	5	0.5	U	0.5	U	0.5	U	0.5	U
Chlorobenzene	5	0.5	U	0.5	U	0.45	J	0.34	J
Chlorobromomethane	5	0.5	U	0.5	U	0.5	U	0.5	U
Chloroethane	5	0.5	U	0.5	U	5.2		4.1	
Chloroform	7	0.5	U	0.12	J	0.5	U	0.5	U
cis-1,2-Dichloroethylene	5	0.5	U	0.5	U	0.18	J	0.5	U
cis-1,3-Dichloropropene	0.4	0.5	U	0.5	U	0.5	U	0.5	U
Cymene	5	0.5	U	0.5	U	0.5	U	0.21	J
DBCP	0.04	0.5	U	0.5	U	0.5	U	0.5	U
Dibromochloromethane	5	0.5	U	0.5	U	0.5	U	0.5	U
Dibromomethane	5	0.5	U	0.5	U	0.5	U	0.5	U
Dichlorodifluoromethane	5	0.5	U	0.5	U	0.5	U	0.5	U
EDB	0.05	0.5	U	0.5	U	0.5	U	0.5	U
Ethene, 1,2-dichloro-, (E)-	5	0.5	U	0.5	U	0.5	U	0.5	U
Ethylbenzene	5	0.5	U	0.5	U	0.5	U	0.5	U
Hexachlorobutadiene	0.5	0.5	U	0.5	U	0.5	U	0.5	U
m-Dichlorobenzene	3	0.5	U	0.5	U	0.5	U	0.5	U
m/p xylene	5	0.5	U	0.5	U	0.5	U	0.5	U
Methyl bromide	5	0.5	U	0.5	U	0.5	U	0.5	U
Methyl chloride	5	0.5	U	0.5	U	0.5	U	0.5	U
Methyl tert-butyl ether	10	0.5	U	0.5	U	0.5	U	0.5	U
Methylene chloride	5	0.5	U	0.5	U	0.5	U	0.27	J
n-Butylbenzene	5	0.5	U	0.5	U	0.5	U	0.5	U
n-Propylbenzene	5	0.5	U	0.5	U	0.5	U	0.5	U
Naphthalene	10	0.5	U	0.5	U	0.81		0.34	J
o-Chlorotoluene	5	0.5	U	0.5	U	0.5	U	0.5	U
o-Dichlorobenzene	3	0.5	U	0.5	U	0.11	J	0.5	U
o-Xylene	5	0.5	U	0.5	U	0.5	U	0.5	U
p-Chlorotoluene	5	0.5	U	0.5	U	0.5	U	0.5	U
p-Dichlorobenzene	3	0.5	U	0.5	U	0.4	J	0.5	U
sec-Butylbenzene	5	0.5	U	0.5	U	0.11	J	0.5	U
Styrene	5	0.5	U	0.5	U	0.5	U	0.5	U
tert-Butylbenzene	5	0.5	U	0.5	U	0.5	U	0.24	J
Tetrachloroethylene	5	0.5	U	0.5	U	0.5	U	0.5	U
Toluene	5	0.5	U	0.5	U	0.5	U	0.5	U
trans-1,3-Dichloropropene	0.4	0.5	U	0.5	U	0.5	U	0.5	U
Trichloroethylene	5	0.5	U	0.5	U	0.5	U	0.5	U
Trichlorofluoromethane	5	0.5	U	0.5	U	0.5	U	0.5	U
Vinyl chloride	2	0.5	U	0.5	U	0.14	J	0.16	J
524.2 TVOC	--	0		0.12		9.53		6.936	

ug/L - Micrograms per liter.

U - Not detected.

J - Estimated value.

-- No standard applicable.

Table 2. Current Landfill - Summary of 2006 VOC Data

Analyte	Groundwater Standards ug/L	087-23		087-23		087-24		087-26		087-26	
		5/10/2006 (ug/L)		10/25/2006 (ug/L)		10/25/2006 (ug/L)		5/10/2006 (ug/L)		10/25/2006 (ug/L)	
1,1,1,2-Tetrachloroethane	5	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,1-Trichloroethane	5	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,2,2-Tetrachloroethane	5	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,2-Trichloroethane	1	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloroethane	5	0.35	J	0.51		0.5	U	0.5	U	0.5	U
1,1-Dichloroethylene	5	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloropropene	5	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2,3-Trichlorobenzene	5	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2,3-Trichloropropane	0.04	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2,4-Trichlorobenzene	5	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2-Dichloroethane	0.6	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2-Dichloropropane	1	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,3-Dichloropropane	5	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
2,2-Dichloropropane	5	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Benzene	1	0.43	J	0.89		0.5	U	0.5	U	0.5	U
Benzene, 1,2,4-trimethyl	5	0.5	U	0.34	J	0.5	U	0.5	U	0.5	U
Benzene, 1,3,5-trimethyl-	5	0.5	U	0.12	J	0.5	U	0.5	U	0.5	U
Benzene, 1-methylethyl-	--	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromobenzene	5	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromodichloromethane	50	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromoform	50	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Carbon tetrachloride	5	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chlorobenzene	5	0.3	J	0.92		0.5	U	0.5	U	0.5	U
Chlorobromomethane	5	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chloroethane	5	4.4		6.8		0.5	U	0.5	U	0.5	U
Chloroform	7	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
cis-1,2-Dichloroethylene	5	0.5	U	0.23	J	0.5	U	0.5	U	0.5	U
cis-1,3-Dichloropropene	0.4	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Cymene	5	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
DBCP	0.04	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Dibromochloromethane	5	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Dibromomethane	5	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Dichlorodifluoromethane	5	0.5	U	0.2	J	0.5	U	0.5	U	0.5	U
EDB	0.05	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Ethene, 1,2-dichloro-, (E)-	5	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Ethylbenzene	5	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Hexachlorobutadiene	0.5	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
m-Dichlorobenzene	3	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
m/p xylene	5	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Methyl bromide	5	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Methyl chloride	5	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Methyl tert-butyl ether	10	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Methylene chloride	5	0.5	U	0.5	U	0.5	U	0.5	U	0.52	
n-Butylbenzene	5	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
n-Propylbenzene	5	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Naphthalene	10	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
o-Chlorotoluene	5	0.074	J	0.22	J	0.5	U	0.5	U	0.5	U
o-Dichlorobenzene	3	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
o-Xylene	5	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
p-Chlorotoluene	5	0.5	U	0.29	J	0.5	U	0.5	U	0.5	U
p-Dichlorobenzene	3	0.25	J	0.5	U	0.5	U	0.5	U	0.5	U
sec-Butylbenzene	5	0.5	U	0.19	J	0.5	U	0.5	U	0.5	U
Styrene	5	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
tert-Butylbenzene	5	0.5	U	0.087	J	0.5	U	0.5	U	0.5	U
Tetrachloroethylene	5	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Toluene	5	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
trans-1,3-Dichloropropene	0.4	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Trichloroethylene	5	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Trichlorofluoromethane	5	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Vinyl chloride	2	0.071	J	0.24	J	0.5	U	0.5	U	0.5	U
524.2 TVOC	--	5.875		11.037		0		0		0.52	

ug/L - Micrograms per liter.

U - Not detected.

J - Estimated value.

-- No standard applicable.

Table 2. Current Landfill - Summary of 2006 VOC Data

Analyte	Groundwater Standards ug/L	087-27 5/10/2006 (ug/L)	087-27 10/25/2006 (ug/L)	088-109 3/28/2006 (ug/L)	088-109 5/10/2006 (ug/L)	088-109 8/9/2006 (ug/L)	088-109 10/25/2006 (ug/L)
1,1,1,2-Tetrachloroethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	5	0.5 U	0.5 U	0.53	0.5 U	3.3	0.97
1,1-Dichloroethylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.39 J	0.091 J
1,1-Dichloropropene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichloropropane	0.04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene	1	0.65	0.72	0.5 U	0.5 U	0.35 J	0.48 J
Benzene, 1,2,4-trimethyl	5	0.5 U	0.27 J	0.5 U	0.5 U	0.5 U	0.5 U
Benzene, 1,3,5-trimethyl-	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene, 1-methylethyl-	--	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	50	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	50	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon tetrachloride	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	5	0.8	0.67	0.5 U	0.5 U	0.08 J	0.5 U
Chlorobromomethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	5	1.4	1.7	5.9	0.5 U	53 D	19
Chloroform	7	0.26 J	0.5 U	0.59	0.5	0.5 U	0.5 U
cis-1,2-Dichloroethylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.17 J	0.053 J
cis-1,3-Dichloropropene	0.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cymene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
DBCP	0.04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dichlorodifluoromethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
EDB	0.05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethene, 1,2-dichloro-, (E)-	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m-Dichlorobenzene	3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m/p xylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Methyl bromide	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Methyl chloride	5	0.5 U	0.5 U	0.5 U	0.5 U	0.12 J	0.5 U
Methyl tert-butyl ether	10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Methylene chloride	5	0.5 U	0.38 J	0.5 U	0.5 U	0.5 U	0.73
n-Butylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
n-Propylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Napthalene	10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Chlorotoluene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Dichlorobenzene	3	0.16 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Chlorotoluene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Dichlorobenzene	3	0.17 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
sec-Butylbenzene	5	0.18 J	0.18 J	0.5 U	0.5 U	0.5 U	0.5 U
Styrene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
tert-Butylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tetrachloroethylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
trans-1,3-Dichloropropene	0.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichlorofluoromethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl chloride	2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
524.2 TVOC	--	3.79	3.92	7.02	0.5	57.41	21.324

ug/L - Micrograms per liter.

U - Not detected.

J - Estimated value.

-- No standard applicable.

Table 2. Current Landfill - Summary of 2006 VOC Data

Analyte	Groundwater Standards ug/L	088-110 5/10/2006 (ug/L)	088-110 10/25/2006 (ug/L)	088-21 5/9/2006 (ug/L)	088-21 10/25/2006 (ug/L)	088-22 10/25/2006 (ug/L)	088-23 10/25/2006 (ug/L)
1,1,1,2-Tetrachloroethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	5	3.6	3.2	0.5 U	0.5 U	0.5 U	0.12 J
1,1-Dichloroethylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichloropropane	0.04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene	1	0.99	0.76	0.5 U	0.5 U	0.5 U	0.5 U
Benzene, 1,2,4-trimethyl	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene, 1,3,5-trimethyl-	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene, 1-methylethyl-	--	0.14 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	50	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	50	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon tetrachloride	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	5	0.35 J	0.27 J	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobromomethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	5	5.9	4.6	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,2-Dichloroethylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,3-Dichloropropene	0.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cymene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
DBCP	0.04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dichlorodifluoromethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
EDB	0.05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethene, 1,2-dichloro-, (E)-	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	5	0.46 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m-Dichlorobenzene	3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m/p xylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Methyl bromide	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Methyl chloride	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Methyl tert-butyl ether	10	0.16 J	0.13 J	0.5 U	0.5 U	0.5 U	0.5 U
Methylene chloride	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.39 J
n-Butylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
n-Propylbenzene	5	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Naphthalene	10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Chlorotoluene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Dichlorobenzene	3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Chlorotoluene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Dichlorobenzene	3	0.54	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
sec-Butylbenzene	5	0.093 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Styrene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
tert-Butylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tetrachloroethylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
trans-1,3-Dichloropropene	0.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichlorofluoromethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl chloride	2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
524.2 TVOC	--	12.333	8.96	0	0	0	0.51

ug/L - Micrograms per liter.

U - Not detected.

J - Estimated value.

-- No standard applicable.

Table 3. Current Landfill - Summary of 2006 Water Chemistry Data

<i>Analyte</i>	<i>Groundwater Standards mg/L</i>	087-09 3/28/2006 (mg/L)	087-09 5/10/2006 (mg/L)	087-09 8/9/2006 (mg/L)	087-09 10/25/2006 (mg/L)	087-11 3/28/2006 (mg/L)	087-11 5/10/2006 (mg/L)
Alkalinity (as CaCO3)	--	5 U	5 U	5 U	12	160	160
Ammonia (as N)	2	0.05 U	0.05 U	0.05 U	0.05 U	6.3	6.8
Chloride	250	39.9 J	59.9 J	43	39.8	20.8 J	21.3 J
Cyanide	0.2	0.005 U	0.005 U	0.005 R	0.005 U	0.005 U	0.005 U
Nitrate (as N)	10	0.41	1.3	0.67 J	0.82	0.02 U	0.02 U
Nitrite (as N)	1	0.02 R	0.02 U	0.02 R	0.02 U	0.02 R	0.02 U
Nitrite + Nitrate-N				0.793			
Nitrogen	--	0.58	1.6	0.9	1.1	4.4	5.6
Sulfate	250	17.3 R	15.4	18.8	16.7	0.87 R	0.99
TDS	--	98 J	168 J	339 J	126	182 J	220 J
Total Kjeldahl Nitrogen	--	0.17 J	0.25 UJ	0.1 J	0.26	4.4 J	5.6 UJ
TSS	--	9 U	8	45	11	20 J	36

ug/L - Micrograms per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

Table 3. Current Landfill - Summary of 2006 Water Chemistry Data

<i>Analyte</i>	<i>Groundwater Standards mg/L</i>	087-11 8/9/2006 (mg/L)	087-11 10/25/2006 (mg/L)	087-23 3/28/2006 (mg/L)	087-23 5/10/2006 (mg/L)	087-23 8/9/2006 (mg/L)	087-23 10/25/2006 (mg/L)
Alkalinity (as CaCO3)	--	180	121	50	68	88	120
Ammonia (as N)	2	5.9	0.48	0.54	0.45	1.3	0.05 U
Chloride	250	21.7	16.1	13 J	11.1 J	15.7	11.6
Cyanide	0.2	0.005 R	0.005 U	0.005 U	0.005 U	0.005 R	0.005 U
Nitrate (as N)	10	0.0089 B J	0.014 B	0.02 U	0.032 U	0.02 U	0.015 B
Nitrite (as N)	1	0.02 R	0.02 U	0.02 R	0.02 U	0.02 R	0.02 U
Nitrite + Nitrate-N		0.05 U				0.05 U	
Nitrogen	--	6.3	2.8	0.5	0.85 U	1.6	1.6
Sulfate	250	2.4	6.4	9.6 R	10.4	9.7	8.5
TDS	--	170 J	150	84 J	184 J	110 J	124
Total Kjeldahl Nitrogen	--	6.3 J	2.8	0.5 J	0.82 UJ	1.6 J	1.6
TSS	--	31	31	14 U	35	24	25

ug/L - Micrograms per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

Table 3. Current Landfill - Summary of 2006 Water Chemistry Data

<i>Analyte</i>	<i>Groundwater Standards mg/L</i>	087-24 5/10/2006 (mg/L)	087-24 10/25/2006 (mg/L)	087-26 3/28/2006 (mg/L)	087-26 5/10/2006 (mg/L)	087-26 8/9/2006 (mg/L)	087-26 10/25/2006 (mg/L)
Alkalinity (as CaCO3)	--	5 U	17	5 U	5 U	5 U	18
Ammonia (as N)	2	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U
Chloride	250	35.7 J	20.3	14.8 J	15.9 J	15.8	15
Cyanide	0.2	0.005 U	0.005 U	0.005 U	0.0054	0.005 R	0.005 U
Nitrate (as N)	10	0.51	0.6	0.47	0.6	0.47 J	0.43
Nitrite (as N)	1	0.02 U	0.02 U	0.02 R	0.02 U	0.02 R	0.02 U
Nitrite + Nitrate-N						0.0489	
Nitrogen	--	0.83 U	0.74	0.47	0.92 U	0.49	0.66
Sulfate	250	12	18.7	12.3 R	11.7	11.6	11.4
TDS	--	97 J	89	5 R	71 J	30 J	56
Total Kjeldahl Nitrogen	--	0.32 UJ	0.14	0.1 UJ	0.32 UJ	0.1 UJ	0.23
TSS	--	1 U	1 U	5 U	4	1 U	1

ug/L - Micrograms per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

Table 3. Current Landfill - Summary of 2006 Water Chemistry Data

<i>Analyte</i>	<i>Groundwater Standards mg/L</i>	087-27 3/28/2006 (mg/L)	087-27 5/10/2006 (mg/L)	087-27 8/9/2006 (mg/L)	087-27 10/25/2006 (mg/L)	088-109 3/28/2006 (mg/L)	088-109 5/10/2006 (mg/L)
Alkalinity (as CaCO3)	--	64	88	86	107	62	5 U
Ammonia (as N)	2	0.9	2	3	2.5	0.76	0.05 U
Chloride	250	9.5 J	17.7 J	27.3	27.4	16.7 J	9.3 J
Cyanide	0.2	0.005 U	0.005 U	0.005 R	0.005 U	0.005 U	0.005 U
Nitrate (as N)	10	0.016 B	0.02 U	0.02 U	0.0076 B	0.029	0.041 U
Nitrite (as N)	1	0.02 R	0.02 U	0.02 R	0.02 U	0.02 R	0.02 U
Nitrite + Nitrate-N				0.05 U			
Nitrogen	--	0.77	1.8	3.2	2.3	0.67	0.26 U
Sulfate	250	8.8 R	7.9	11.5	10.2	18.4 R	21.9
TDS	--	72 J	198 J	125 J	179	103 J	91 J
Total Kjeldahl Nitrogen	--	0.75 J	1.8 UJ	3.2 J	2.3	0.64 J	0.22 UJ
TSS	--	35 J	55	23	27	4 U	2

ug/L - Micrograms per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

Table 3. Current Landfill - Summary of 2006 Water Chemistry Data

<i>Analyte</i>	<i>Groundwater Standards mg/L</i>	088-109 8/9/2006 (mg/L)	088-109 10/25/2006 (mg/L)	088-110 3/28/2006 (mg/L)	088-110 5/10/2006 (mg/L)	088-110 8/9/2006 (mg/L)	088-110 10/25/2006 (mg/L)
Alkalinity (as CaCO3)	--	150	122	50	142	64	96
Ammonia (as N)	2	4	4.6	1.4	3.6	2.1	2
Chloride	250	21.9	1.4	30 J	32.1 J	32.1	34.6
Cyanide	0.2	0.005 R	0.005 U	0.005 U	0.005 U	0.005 R	0.005 U
Nitrate (as N)	10	0.02 U	0.11	0.02 U	0.02 U	0.02 U	0.02 U
Nitrite (as N)	1	0.02 R	0.02 U	0.02 R	0.02 U	0.02 R	0.02 U
Nitrite + Nitrate-N		0.05 U				0.05 U	
Nitrogen	--	4.3	3.9	1.2	3	2.2	2.1
Sulfate	250	6.5	120	20.8 R	17.4	16.4	16.5
TDS	--	158 J	175	161 J	208 J	148 J	167
Total Kjeldahl Nitrogen	--	4.3 J	3.8	1.2 J	3 UJ	2.2 J	2.1
TSS	--	30	20	186 J	58	23	18

ug/L - Micrograms per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

Table 3. Current Landfill - Summary of 2006 Water Chemistry Data

<i>Analyte</i>	<i>Groundwater Standards mg/L</i>	088-21 3/28/2006 (mg/L)	088-21 5/9/2006 (mg/L)	088-21 8/9/2006 (mg/L)	088-21 10/25/2006 (mg/L)	088-22 5/9/2006 (mg/L)	088-22 10/25/2006 (mg/L)
Alkalinity (as CaCO3)	--	20	26	42	25	5 U	5 U
Ammonia (as N)	2	0.05 U	0.05 U	0.05 U	0.083	0.05 U	0.05 U
Chloride	250	22.9 J	28.4 J	15.5	15.9	15.6 J	16.6
Cyanide	0.2	5 U	5 U	5 R	5 U	5 U	5 U
Nitrate (as N)	10	0.32	0.17	0.043 J	0.031	0.02 U	0.056
Nitrite (as N)	1	0.02 R	0.02 U	0.02 R	0.02 U	0.02 U	0.02 U
Nitrite + Nitrate-N							
Nitrogen	--	0.32	0.36	0.25	0.4	0.26	0.26
Sulfate	250	3.3 R	3.6	2.8	3.3	11.5	12
TDS	--	5 R	96	61 J	35	64	9
Total Kjeldahl Nitrogen	--	0.1 U	0.18	0.18 J	0.37	0.26	0.2
TSS	--	3 U	4	2 U	7	72	36

ug/L - Micrograms per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

Table 3. Current Landfill - Summary of 2006 Water Chemistry Data

<i>Analyte</i>	<i>Groundwater Standards mg/L</i>	088-23 5/9/2006 (mg/L)	088-23 10/25/2006 (mg/L)
Alkalinity (as CaCO3)	--	34	26
Ammonia (as N)	2	0.05 U	0.05 U
Chloride	250	17.7 J	18.5
Cyanide	0.2	5 U	5 U
Nitrate (as N)	10	0.02 U	0.011 B
Nitrite (as N)	1	0.02 U	0.02 U
Nitrite + Nitrate-N			
Nitrogen	--	0.2	0.15
Sulfate	250	12.1	13.4
TDS	--	135	81
Total Kjeldahl Nitrogen	--	0.2	0.15
TSS	--	4	9

ug/L - Micrograms per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

Table 4. Current Landfill - Summary of Metals Data

<i>Analyte</i>	<i>Groundwater Standards</i> ug/L	087-09 3/28/2006 (ug/L)	087-09 5/10/2006 (ug/L)	087-09 8/9/2006 (ug/L)	087-09 10/25/2006 (ug/L)	087-11 3/28/2006 (ug/L)	087-11 5/10/2006 (ug/L)	087-11 8/9/2006 (ug/L)	087-11 10/25/2006 (ug/L)
Aluminum	200	250	350	222	45.5 B	85.1	26.3 B	19 B	70.3
Antimony	3	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Arsenic	10	3 B	2.3 B	3.2 B	5 U	4.1 B	4.6 B	5.2	4.8 B
Barium	1000	38	44.9	35.7	25	50.4	51.2	54.3	26.8
Beryllium	3	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Cadmium	5	2 U	0.06 B	0.15 B	2 U	2 U	2 U	2 U	2 U
Calcium	--	7080	8440	6510	4850	25100	22800	25700	17500
Chromium	50	21	26.4	287	10.1	5 U	5 U	5 U	5 U
Cobalt	--	1.8 B	0.96 B	1.2 B	5 U	0.49 B	0.42 B	0.43 B	0.35 B
Copper	200	2.4 B	2.9 B	6.5 B J	0.9 B	0.96 B	0.76 B	0.96 B J	2.3 B
Iron	300	2230 J	1820	4800 J	1560 J	67300 J	68500	79100 J	65000 J
Lead	25	3 U	3 U	1.1 B	3 U	3 U	3 U	3 U	3 U
Magnesium	35000	3050	3510	2810	2360	7390	6510	6960	4220
Manganese	300	107	66.3	67.5	6.4	1550	1390	1640	1650
Mercury	0.7	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Nickel	100	21.5	32.9	49.9	6.9 B	1.7 B	1.4 B	1.6 B	0.96 B
Potassium	--	1330 B	1450 B	1230 B	954 B	9080	7940	8440	4280
Selenium	10	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Silver	50	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sodium	20000	31600	34500	35100	32900	13900	13200	16400	14900
Thallium	0.5	0.28 B J	1.2 B	0.74 B	0.5 B	5 U	5 U	5 U	5 U
Vanadium	--	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Zinc	2000	8 B	11.6	10 U	10 U	10 U	10 U	10 U	10 U

ug/L - Micrograms per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

B - Result below reporting limit but above instrument detection limit.

Table 4. Current Landfill - Summary of Metals Data

<i>Analyte</i>	<i>Groundwater Standards</i> <i>ug/L</i>	087-23 3/28/2006 (ug/L)	087-23 5/10/2006 (ug/L)	087-23 8/9/2006 (ug/L)	087-23 10/25/2006 (ug/L)	087-24 5/10/2006 (ug/L)	087-24 10/25/2006 (ug/L)	087-26 3/28/2006 (ug/L)	087-26 5/10/2006 (ug/L)
Aluminum	200	50 U	21.4 B	50 U	50 U	50 U	11.2 B	50 U	50 U
Antimony	3	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Arsenic	10	7.7	10.1	10.8	10.9	5 U	5 U	5 U	5 U
Barium	1000	27.7	33.9	50.8	68.2	18.8 B	12.6 B	19.4 B	20.2
Beryllium	3	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Cadmium	5	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Calcium	--	4680	5190	8010	11000	8800	6240	5260	4910
Chromium	50	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Cobalt	--	2.3 B	2.6 B	4.5 B	9.9	1.2 B	1.3 B	2.4 B	2.3 B
Copper	200	0.27 B	2.2 B	0.7 B J	0.85 B	0.34 B	0.39 B	3.6 B	3.4 B
Iron	300	48400 J	50500	62800 J	78900 J	50 U	57.5 J	80.8 J	36.3 B
Lead	25	3 U	3 U	3 U	3 U	3 U	3 U	3 U	3 U
Magnesium	35000	1440 R	1500	2070	2860	5540	3890	3690	3360
Manganese	300	5280	5230	4940	7540	5 U	1.1 B	0.52 B	0.38 B
Mercury	0.7	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Nickel	100	0.88 B	1.1 B	1.9 B	2.7 B	10 U	0.6 B	1.1 B	1.1 B
Potassium	--	1140 B	1080 B	1720 B	2280	1410 B	1230 B	894 B	854 B
Selenium	10	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Silver	50	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sodium	20000	10300	8910	9960	9650	16300	16300	11000	11900
Thallium	0.5	0.8 B J	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Vanadium	--	5 U	5 U	1.9 B	5 U	5 U	5 U	5 U	5 U
Zinc	2000	14.6	10 U	10 U	10 U	10 U	10 U	9.8 B	10 U

ug/L - Micrograms per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

B - Result below reporting limit but above instrument detection limit.

Table 4. Current Landfill - Summary of Metals Data

<i>Analyte</i>	<i>Groundwater Standards</i> ug/L	087-26 8/9/2006 (ug/L)	087-26 10/25/2006 (ug/L)	087-27 3/28/2006 (ug/L)	087-27 5/10/2006 (ug/L)
Aluminum	200	50 U	50 U	42.2 B	26.5 B
Antimony	3	5 U	5 U	5 U	5 U
Arsenic	10	5 U	5 U	5 U	2.7 B
Barium	1000	19.5 B	17.8 B	16.6 B	24.2
Beryllium	3	2 U	2 U	2 U	2 U
Cadmium	5	2 U	2 U	2 U	2 U
Calcium	--	5100	968 q	20200	23900
Chromium	50	5 U	5 U	5 U	5 U
Cobalt	--	2 B	2.4 B	3.4 B	3.9 B
Copper	200	3.3 B J	3.4 B	0.42 B	0.36 B
Iron	300	103 J	192 J	23800 J	27000
Lead	25	3 U	3 U	3 U	3 U
Magnesium	35000	3430	3400	5900	7200
Manganese	300	0.69 B	1 B	1430	1350
Mercury	0.7	0.2 U	0.2 U	0.2 U	0.2 U
Nickel	100	1 B	1 B	1.1 B	1.3 B
Potassium	--	874 B	862 B	2090	2970
Selenium	10	5 U	5 U	5 U	5 U
Silver	50	2 U	2 U	2 U	2 U
Sodium	20000	11900	12200	4830	10200
Thallium	0.5	5 U	5 U	5 U	5 U
Vanadium	--	5 U	5 U	5 U	5 U
Zinc	2000	10 U	10 U	7.3 B	10 U

ug/L - Micrograms per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

B - Result below reporting limit but above instrument detection limit.

Table 4. Current Landfill - Summary of Metals Data

<i>Analyte</i>	<i>Groundwater Standards</i> ug/L	087-27 8/9/2006 (ug/L)	087-27 10/25/2006 (ug/L)	088-109 3/28/2006 (ug/L)	088-109 5/10/2006 (ug/L)	088-109 8/9/2006 (ug/L)	088-109 10/25/2006 (ug/L)
Aluminum	200	52.1	110	20.6 B	13.9 B	70.7	15.1 B
Antimony	3	5 U	5 U	5 U	5 U	5 U	5 U
Arsenic	10	4.3 B	6.6	5 U	5 U	2.5 B	3.7 B
Barium	1000	38.8	40.7	25	7.9 B	68.6	62.8
Beryllium	3	2 U	2 U	2 U	2 U	2 U	2 U
Cadmium	5	2 U	2 U	0.063 B	2 U	2 U	2 U
Calcium	--	19900	21000	17700	9180	29100	32900
Chromium	50	5 U	5 U	5 U	5 U	5 U	5 U
Cobalt	--	7.8	7.1	1.4 B	5 U	4.8 B	1.7 B
Copper	200	0.42 B J	0.48 B	0.38 B	0.28 B	0.61 B J	0.45 B
Iron	300	34900 J	36500 J	4820 J	164	35900 J	27000 J
Lead	25	3 U	3 U	3 U	3 U	3 U	3 U
Magnesium	35000	4970	6190	5380	3950	6060	7730
Manganese	300	1510	1750	472	18.2	1070	1020
Mercury	0.7	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Nickel	100	2.2 B	2.1 B	1.2 B	10 U	2.8 B	2.4 B
Potassium	--	4430	4200	3540	647 B	8920	8190
Selenium	10	5 U	5 U	5 U	5 U	5 U	5 U
Silver	50	2 U	2 U	2 U	2 U	2 U	2 U
Sodium	20000	14500	15600	9410	6770	15200	13500
Thallium	0.5	5 U	5 U	0.22 B J	0.33 B	5 U	5 U
Vanadium	--	2.1 B	5 U	5 U	5 U	5 U	5 U
Zinc	2000	10 U	10 U	10 U	10 U	10 U	10 U

ug/L - Micrograms per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

B - Result below reporting limit but above instrument detection limit.

Table 4. Current Landfill - Summary of Metals Data

<i>Analyte</i>	<i>Groundwater Standards</i> ug/L	088-110 3/28/2006 (ug/L)	088-110 5/10/2006 (ug/L)	088-110 8/9/2006 (ug/L)	088-110 10/25/2006 (ug/L)	088-21 3/28/2006 (mg/L)	088-21 5/9/2006 (mg/L)
Aluminum	200	176	9.5 B	42.1 B	25.9 B	38.5 B	18.6 B
Antimony	3	5 U	5 U	5 U	5 U	5 U	5 U
Arsenic	10	45.1	6.3	9	10.3	5 U	5 U
Barium	1000	42.3	52.6	36.4	44.4	6.3 B	7.1 B
Beryllium	3	0.33 B	2 U	2 U	2 U	2 U	2 U
Cadmium	5	2 U	2 U	2 U	2 U	2 U	2 U
Calcium	--	20000	26500	19700	20000	6050	6420
Chromium	50	5 U	5 U	5 U	5 U	5 U	5 U
Cobalt	--	2.9 B	9.1	4.6 B	4.8 B	5 U	5 U
Copper	200	0.38 B	0.33 B	0.69 B J	0.36 B	0.27 B	0.4 B
Iron	300	122000 J	71300	55500 J	54700 J	279 J	98.6 J
Lead	25	3 U	3 U	3 U	3 U	3 U	3 U
Magnesium	35000	7790	7980	6610	7660	3230	3220
Manganese	300	3900	2960	2610	2820	35.1	22.4 J
Mercury	0.7	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.11 B
Nickel	100	1.4 B	2.4 B	1.8 B	1.8 B	10 U	10 U
Potassium	--	2700	5840	3950	3740	1250 B	1090 B
Selenium	10	5 U	5 U	5 U	5 U	5 U	5 U
Silver	50	2 U	2 U	2 U	2 U	2 U	2 U
Sodium	20000	16800	21600	19000	22800	12900	16700 J
Thallium	0.5	5 U	5 U	5 U	5 U	5 U	5 U
Vanadium	--	5 U	5 U	5 U	5 U	5 U	5 U
Zinc	2000	10 U	10 U	10 U	10 U	8.1 B	12.4

ug/L - Micrograms per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

B - Result below reporting limit but above instrument detection limit.

Table 4. Current Landfill - Summary of Metals Data

<i>Analyte</i>	<i>Groundwater Standards</i> ug/L	088-21 8/9/2006 (mg/L)	088-21 10/25/2006 (mg/L)	088-22 5/9/2006 (mg/L)	088-22 10/25/2006 (mg/L)	088-23 5/9/2006 (mg/L)
Aluminum	200	21.6 B	24.7 B	50 U	9.1 B	50 U
Antimony	3	5 U	5 U	5 U	5 U	5 U
Arsenic	10	5 U	5 U	39.2	24.6	2.5 B
Barium	1000	4.6 B	5.5 B	34.8	32.4	4.5 B
Beryllium	3	2 U	2 U	2 U	2 U	2 U
Cadmium	5	2 U	2 U	2 U	2 U	2 U
Calcium	--	8350	6010	1590	2410	10700
Chromium	50	5 U	5 U	5 U	5 U	5 U
Cobalt	--	1.2 B	2 B	5.7	5.5	5 U
Copper	200	0.56 B J	0.38 B	10 U	0.58 B	10 U
Iron	300	913 J	1940 J	35400 J	24100 J	2570 J
Lead	25	3 U	3 U	3 U	3 U	3 U
Magnesium	35000	3960	3040	671	956	2530
Manganese	300	681	285	1560 J	2160	2010 J
Mercury	0.7	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Nickel	100	0.52 B	10 U	4.9 B	4.7 B	10 U
Potassium	--	1090 B	1250 B	1140 B	1120 B	722 B
Selenium	10	5 U	5 U	5 U	5 U	5 U
Silver	50	2 U	2 U	2 U	2 U	2 U
Sodium	20000	19700	13100	10600 J	11600	13500 J
Thallium	0.5	5 U	5 U	0.56 B J	5 U	1.1 B J
Vanadium	--	5 U	5 U	5 U	5 U	5 U
Zinc	2000	10 U	10 U	10 U	10 U	10 U

ug/L - Micrograms per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

B - Result below reporting limit but above instrument detection limit.

Table 4. Current Landfill - Summary of Metals Data

<i>Analyte</i>	<i>Groundwater Standards</i> <i>ug/L</i>	088-23 10/25/2006 <i>(mg/L)</i>
Aluminum	200	50 U
Antimony	3	5 U
Arsenic	10	2.5 B
Barium	1000	3.6 B
Beryllium	3	2 U
Cadmium	5	2 U
Calcium	--	8590
Chromium	50	5 U
Cobalt	--	5 U
Copper	200	10 U
Iron	300	2820 J
Lead	25	3 U
Magnesium	35000	2240
Manganese	300	2490
Mercury	0.7	0.2 U
Nickel	100	10 U
Potassium	--	884 B
Selenium	10	5 U
Silver	50	2 U
Sodium	20000	14600
Thallium	0.5	5 U
Vanadium	--	5 U
Zinc	2000	10 U

ug/L - Micrograms per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

B - Result below reporting limit but above instrument detection limit.

Table 5. Current Landfill - Summary of 2006 Radionuclide Data.

Analyte	Groundwater Standards pCi/L	087-09 10/25/2006 pCi/L				087-11 10/25/2006 pCi/L				087-23 10/25/2006 pCi/L				087-24 10/25/2006 pCi/L				087-26 10/25/2006 pCi/L			
		Result	Qual	MDA	Error	Result	Qual	MDA	Error	Result	Qual	MDA	Error	Result	Qual	MDA	Error	Result	Qual	MDA	Error
Americium-241	1.2	0.9	U	10	5.7	-1.6	U	13	7.4	-2.1	U	12	6.9	-1.9	U	14	8.1	2.1	U	14	7.7
Beryllium-7	40000	-19	U	55	32	35	U	77	37	17	U	77	41	-17	U	70	40	11	U	77	41
Cesium-134	80	-6	U	7.2	4.6	-5.9	U	9.7	6.1	2.4	U	8.8	5.1	-7.9	U	9	6	-3.4	U	9.8	5.8
Cesium-137	120	-1.6	U	11	5.8	1.5	U	11	5.5	0.9	U	11	5.9	-0.9	U	9.8	5.4	1.6	U	11	5.5
Co-60	200	-6	U	9.3	5.5	-1.2	U	9.6	4.9	5.1	U	14	6.4	0.5	U	13	6.5	5.2	U	15	7.2
Cobalt-57	4000	2	U	34	19	-4	U	42	24	-19	U	43	26	-33	U	40	25	-3	U	45	26
Europium-152	841	-1	U	17	9.8	-10	U	24	14	-1	U	26	15	11	U	26	13	-0.4	U	25	14
Europium-154	573	-6	U	65	36	-1	U	85	45	-25	U	72	43	-46	U	59	41	2	U	80	42
Europium-155	4000	3	U	14	8.2	-7	U	18	11	3	U	19	11	-1	U	20	11	-9	U	17	10
Gross Alpha	15	0.21	U	1.1	0.61	0.31	U	1.1	0.63	0.41	U	0.97	0.59	0.1	U	0.99	0.52	-0.15	U	0.96	0.44
Gross Beta	1000	1.6	U	1.9	1.2	5.4	U	2	1.5	2.5	J-N2	2.1	1.4	1.2	U	1.9	1.2	1.4	U	2	1.2
Manganese-54	2000	-0.4	U	7.4	4.1	-1	U	7.7	4.1	-5.2	U	9.2	5.8	-3.6	U	6.5	4.2	2.1	U	12	6.4
Sodium-22	10000	-1.9	U	9.1	5.2	-0.9	U	11	5.9	-2.8	U	10	6	-4.7	U	9	5.7	-0.7	U	11	5.6
Strontium-90	8	0.36	U	0.41	0.26	0.008	U	0.41	0.23	-0.21	U	0.42	0.23	-0.21	U	0.39	0.21	-0.88	U	0.54	0.28
Tritium	20000	-100	U	370	200	100	U	360	210	340	U	360	230	30	U	360	190	790	U	370	260
Zinc-65	360	-4	U	19	11	-0.9	U	22	11	-5	U	18	10	-3	U	21	11	-5	U	22	12

pCi/L - Picocuries per Liter.
 U - Not detected.
 J - Estimated value.
 -- No standard applicable
 N2 - Potential false positive.

Table 5. Current Landfill - Summary of 2006 Radionuclide Data.

Analyte	Groundwater Standards pCi/L	087-27 10/25/2006 pCi/L				088-109 10/25/2006 pCi/L				088-110 10/25/2006 pCi/L				088-110 10/26/2006 pCi/L				088-21 10/25/2006 pCi/L			
		Result	Qual	MDA	Error	Result	Qual	MDA	Error	Result	Qual	MDA	Error	Result	Qual	MDA	Error	Result	Qual	MDA	Error
Americium-241	1.2	3.9	U	14	7.5	1.2	U	10	5.8					-5.1	U	12	7.2	0.3	U	13	7.4
Beryllium-7	40000	-28	U	68	40	-27	U	46	35					-35	U	68	42	10	U	75	41
Cesium-134	80	0.5	U	8.3	5	0.5	U	7.6	4.5					-7.3	U	10	6.4	-3.2	U	9.2	6.6
Cesium-137	120	-3.2	U	11	6.4	-3.1	U	10	5.7					4.7	U	12	5.9	-0.5	U	11	6.4
Co-60	200	1.6	U	10	4.6	-2.3	U	12	6.4					3.1	U	12	5.3	-1.4	U	11	6.1
Cobalt-57	4000	-4	U	42	24	-1	U	31	17					-30	U	40	26	10	U	46	26
Europium-152	841	5	U	25	13	7	U	21	12					-0.6	U	25	14	2	U	25	14
Europium-154	573	16	U	96	48	-10	U	59	33					-0.2	U	89	48	8	U	99	53
Europium-155	4000	6	U	21	12	-4.8	U	15	8.9					7.8	U	18	9.9	11	U	20	11
Gross Alpha	15	-0.14	U	1.7	0.86	0.32	U	1.5	0.85					0.9	U	1.6	1	0.45	U	0.94	0.58
Gross Beta	1000	3.8	J	1.9	1.4	6.5		2	1.6					5.3		1.8	1.4	4.5		1.9	1.4
Manganese-54	2000	1.9	U	9.1	4.4	-1.1	U	8.2	4.7					0.06	U	11	5.8	-6.5	U	7.6	5.3
Sodium-22	10000	3.4	U	12	5.2	-3	U	7.9	4.7					0.003	U	12	6	-5.6	U	11	6.9
Strontium-90	8	0.23	U	0.33	0.2	0.24	U	0.53	0.32					0.09	U	0.34	0.2	1.95		0.46	0.4
Tritium	20000	530		370	250	120	U	370	230	860		360	270					-5	U	370	90
Zinc-65	360	-4	U	20	11	-2	U	20	12					-15	U	20	13	-6	U	24	14

pCi/L - Picocuries per Liter.
 U - Not detected.
 J - Estimated value.
 -- No standard applicable
 N2 - Potential false positive.

Table 5. Current Landfill - Summary of 2006 Radionuclide Data.

Analyte	Groundwater Standards pCi/L	088-22 10/25/2006 pCi/L				088-23 10/25/2006 pCi/L			
		Result	Qual	MDA	Error	Result	Qual	MDA	Error
Americium-241	1.2	0.3	U	13	7.1	3.2	U	14	7.6
Beryllium-7	40000	-18	U	61	35	-14	U	67	37
Cesium-134	80	-3.4	U	9.3	5.6	-5	U	8.2	6.4
Cesium-137	120	6.9	U	12	5.8	-4.1	U	9.1	5.6
Co-60	200	-1.6	U	11	5.7	3.9	U	13	6
Cobalt-57	4000	-4	U	45	26	-13	U	40	24
Europium-152	841	-2	U	22	13	-0.8	U	22	12
Europium-154	573	29	U	97	47	0.2	U	92	49
Europium-155	4000	5	U	20	11	-4	U	18	11
Gross Alpha	15	0.37	U	1.1	0.62	-0.06	U	1.4	0.72
Gross Beta	1000	2.4	J-N2	2.1	1.3	4.7	U	1.8	1.4
Manganese-54	2000	-2.2	U	8.4	4.8	1	U	11	5.5
Sodium-22	10000	-0.08	U	12	6.1	-5.9	U	7.6	5.5
Strontium-90	8	-0.25	U	0.31	0.16	-0.23	U	0.39	0.21
Tritium	20000	470	J	370	240	160	U	370	220
Zinc-65	360	0.2	U	22	11	-3.6	U	17	9.5

pCi/L - Picocuries per Liter.
 U - Not detected.
 J - Estimated value.
 -- No standard applicable
 N2 - Potential false positive.

Table 6. Former Landfill - Summary of 2006 VOC Data

Analyte	Groundwater Standards ug/L	086-42	086-72	087-22	097-17	097-17
		10/26/2006 (ug/L)	10/26/2006 (ug/L)	10/26/2006 (ug/L)	5/11/2006 (ug/L)	10/26/2006 (ug/L)
1,1,1,2-Tetrachloroethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Tetrachloroethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichloropropane	0.04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene	1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene, 1,2,4-trimethyl	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene, 1,3,5-trimethyl-	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene, 1-methylethyl-	--	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	50	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	50	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon tetrachloride	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobromomethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	7	0.5 U	2.1	0.53	0.39 J	0.7
cis-1,2-Dichloroethylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,3-Dichloropropene	0.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cymene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
DBCP	0.04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dichlorodifluoromethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
EDB	0.05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethene, 1,2-dichloro-, (E)-	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m-Dichlorobenzene	3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m/p xylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Methyl bromide	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Methyl chloride	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Methyl tert-butyl ether	10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Methylene chloride	5	0.5 U	0.5 U	0.52	0.5 U	0.5 U
n-Butylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
n-Propylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Naphthalene	10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Chlorotoluene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Dichlorobenzene	3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Chlorotoluene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Dichlorobenzene	3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
sec-Butylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Styrene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
tert-Butylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tetrachloroethylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
trans-1,3-Dichloropropene	0.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichlorofluoromethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl chloride	2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
524.2 TVOC	--	0	2.1	1.05	0.39	0.7

ug/L - Micrograms per liter.

U - Not detected.

J - Estimated value.

-- No standard applicable.

Table 6. Former Landfill - Summary of 2006 VOC Data

Analyte	Groundwater Standards ug/L	097-277		097-64		106-02	
		5/11/2006 (ug/L)	10/26/2006 (ug/L)	5/11/2006 (ug/L)	10/26/2006 (ug/L)	5/11/2006 (ug/L)	10/26/2006 (ug/L)
1,1,1,2-Tetrachloroethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	5	0.5 U	0.5 U	0.14 J	0.13 J	0.5 U	0.5 U
1,1,2-Tetrachloroethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichloropropane	0.04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene	1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene, 1,2,4-trimethyl	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene, 1,3,5-trimethyl-	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene, 1-methylethyl-	--	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	50	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	50	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon tetrachloride	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobromomethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	7	1.1	1.7	0.24 J	0.33 J	0.33 J	0.33 J
cis-1,2-Dichloroethylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,3-Dichloropropene	0.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cymene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
DBCP	0.04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dichlorodifluoromethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
EDB	0.05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethene, 1,2-dichloro-, (E)-	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m-Dichlorobenzene	3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m/p xylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Methyl bromide	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Methyl chloride	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Methyl tert-butyl ether	10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Methylene chloride	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
n-Butylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
n-Propylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Napthalene	10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Chlorotoluene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Dichlorobenzene	3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Chlorotoluene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Dichlorobenzene	3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
sec-Butylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Styrene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
tert-Butylbenzene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tetrachloroethylene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
trans-1,3-Dichloropropene	0.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethylene	5	0.5 U	0.5 U	0.12 J	0.12 J	0.5 U	0.5 U
Trichlorofluoromethane	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl chloride	2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
524.2 TVOC	--	1.1	1.7	0.5	0.58	0.33	0.33

ug/L - Micrograms per liter.

U - Not detected.

J - Estimated value.

-- No standard applicable.

Table 6. Former Landfill - Summary of 2006 VOC Data

Analyte	Groundwater Standards ug/L	106-02		106-30		106-30	
		10/26/2006 (ug/L)		5/11/2006 (ug/L)		10/26/2006 (ug/L)	
1,1,1,2-Tetrachloroethane	5	0.5	U	0.5	U	0.5	U
1,1,1-Trichloroethane	5	0.5	U	0.44	J	1.9	
1,1,2,2-Tetrachloroethane	5	0.5	U	0.5	U	0.68	
1,1,2-Trichloroethane	1	0.5	U	0.5	U	0.5	U
1,1-Dichloroethane	5	0.5	U	0.5	U	1.6	
1,1-Dichloroethylene	5	0.5	U	0.5	U	0.5	U
1,1-Dichloropropene	5	0.5	U	0.5	U	0.5	U
1,2,3-Trichlorobenzene	5	0.5	U	0.5	U	0.5	U
1,2,3-Trichloropropane	0.04	0.5	U	0.5	U	0.5	U
1,2,4-Trichlorobenzene	5	0.5	U	0.5	U	0.5	U
1,2-Dichloroethane	0.6	0.5	U	0.5	U	0.5	U
1,2-Dichloropropane	1	0.5	U	0.5	U	0.5	U
1,3-Dichloropropane	5	0.5	U	0.5	U	0.5	U
2,2-Dichloropropane	5	0.5	U	0.5	U	0.5	U
Benzene	1	0.5	U	0.5	U	0.5	U
Benzene, 1,2,4-trimethyl	5	0.5	U	0.5	U	0.5	U
Benzene, 1,3,5-trimethyl-	5	0.5	U	0.5	U	0.5	U
Benzene, 1-methylethyl-	--	0.5	U	0.5	U	0.5	U
Bromobenzene	5	0.5	U	0.5	U	0.5	U
Bromodichloromethane	50	0.5	U	0.5	U	0.5	U
Bromoform	50	0.5	U	0.5	U	0.5	U
Carbon tetrachloride	5	0.5	U	0.5	U	0.5	U
Chlorobenzene	5	0.5	U	0.5	U	0.5	U
Chlorobromomethane	5	0.5	U	0.5	U	0.5	U
Chloroethane	5	0.5	U	0.5	U	0.5	U
Chloroform	7	0.54		0.59		0.46	J
cis-1,2-Dichloroethylene	5	0.5	U	0.5	U	0.5	U
cis-1,3-Dichloropropene	0.4	0.5	U	0.5	U	0.5	U
Cymene	5	0.5	U	0.5	U	0.5	U
DBCP	0.04	0.5	U	0.5	U	0.5	U
Dibromochloromethane	5	0.5	U			0.5	U
Dibromomethane	5	0.5	U	0.5	U	0.5	U
Dichlorodifluoromethane	5	0.5	U	0.5	U	0.5	U
EDB	0.05	0.5	U	0.5	U	0.5	U
Ethene, 1,2-dichloro-, (E)-	5	0.5	U	0.5	U	0.5	U
Ethylbenzene	5	0.5	U	0.5	U	0.5	U
Hexachlorobutadiene	0.5	0.5	U	0.5	U	0.5	U
m-Dichlorobenzene	3	0.5	U	0.5	U	0.5	U
m/p xylene	5	0.5	U	0.5	U	0.5	U
Methyl bromide	5	0.5	U	0.5	U	0.5	U
Methyl chloride	5	0.5	U	0.5	U	0.5	U
Methyl tert-butyl ether	10	0.5	U	0.5	U	0.5	U
Methylene chloride	5	0.5	U	0.5	U	0.5	U
n-Butylbenzene	5	0.5	U	0.5	U	0.5	U
n-Propylbenzene	5	0.5	U	0.5	U	0.5	U
Napthalene	10	0.5	U	0.5	U	0.5	U
o-Chlorotoluene	5	0.5	U	0.5	U	0.5	U
o-Dichlorobenzene	3	0.5	U	0.5	U	0.5	U
o-Xylene	5	0.5	U	0.5	U	0.5	U
p-Chlorotoluene	5	0.5	U	0.5	U	0.5	U
p-Dichlorobenzene	3	0.5	U	0.5	U	0.5	U
sec-Butylbenzene	5	0.5	U	0.5	U	0.5	U
Styrene	5	0.5	U	0.5	U	0.5	U
tert-Butylbenzene	5	0.5	U	0.5	U	0.5	U
Tetrachloroethylene	5	0.5	U	0.5	U	0.5	U
Toluene	5	0.5	U	0.5	U	0.5	U
trans-1,3-Dichloropropene	0.4	0.5	U	0.5	U	0.5	U
Trichloroethylene	5	0.5	U	0.5	U	0.5	
Trichlorofluoromethane	5	0.5	U	0.5	U	0.5	U
Vinyl chloride	2	0.5	U	0.5	U	0.5	U
524.2 TVOC	--	0.54		1.03		5.14	

ug/L - Micrograms per liter.

U - Not detected.

J - Estimated value.

-- No standard applicable.

Table 7. Former Landfill - Summary of 2006 Water Chemistry Data.

Analyte	Groundwater Standards mg/L	086-42		086-72		087-22	
		5/11/2006 (mg/L)	10/26/2006 (mg/L)	5/11/2006 (mg/L)	10/26/2006 (mg/L)	5/11/2006 (mg/L)	10/26/2006 (mg/L)
Alkalinity (as CaCO ₃)	--	5 U	12	5 U	5 U	5 U	5 U
Ammonia (as N)	2	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U
Chloride	250	16.5 J	18.3 J	11.4 J	7.2 J	4.9 J	5.9 J
Cyanide	0.2	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Nitrate (as N)	10	0.44	0.51	0.024 U	0.039	0.13	0.23
Nitrite (as N)	1	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
Nitrogen	--	0.44 U	0.7	0.024 U	0.3	0.29 U	0.45
Sulfate	250	12.6 J	11.5	9.8 J	9.5	10.4 J	9.3
TDS	--	97 J	51	97 J	34	62 J	34
Total Kjeldahl Nitrogen	--	0.1 U	0.19	0.1 U	0.26	0.16 U	0.22
TSS	--	1	15	1	2	1 U	1 U

ug/L - Micrograms per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

Table 7. Former Landfill - Summary of 2006 Water Chemistry Data.

<i>Analyte</i>	<i>Groundwater Standards mg/L</i>	097-17		097-17		097-277		097-277		097-64		097-64	
		5/11/2006	(mg/L)	10/26/2006	(mg/L)	5/11/2006	(mg/L)	10/26/2006	(mg/L)	5/11/2006	(mg/L)	10/26/2006	(mg/L)
Alkalinity (as CaCO3)	--	5	U	5		5	U	7		24		17	
Ammonia (as N)	2	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U
Chloride	250	5.5	J	6.2	J	18.3	J	15.5	J	6.3	J	6.6	J
Cyanide	0.2	0.005	U	0.005	U	0.005	U	0.005	U	0.005	U	0.005	U
Nitrate (as N)	10	0.23		0.19		0.34		0.18		0.63		0.64	
Nitrite (as N)	1	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
Nitrogen	--	0.38	U	0.37		0.34	U	0.38		0.85		0.83	
Sulfate	250	7.2	J	7.8		20	J	14.6		15.9	J	12.7	
TDS	--	52	UJ	20		56	J	78		63	J	32	
Total Kjeldahl Nitrogen	--	0.15	U	0.18		0.1	U	0.2		0.22	U	0.19	
TSS	--	3		4		2		1		2		16	

ug/L - Micrograms per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

Table 7. Former Landfill - Summary of 2006 Water Chemistry Data.

Analyte	Groundwater Standards mg/L	106-02 5/11/2006 (mg/L)		106-02 10/26/2006 (mg/L)		106-30 5/11/2006 (mg/L)		106-30 10/26/2006 (mg/L)	
Alkalinity (as CaCO3)	--	26		11		5	U	18	
Ammonia (as N)	2	0.05	U	0.05	U	0.05	U	0.05	U
Chloride	250	7.5	J	7.6	J	9.3	J	14	J
Cyanide	0.2	0.005	U	0.005	U	0.005	U	0.005	U
Nitrate (as N)	10	0.5		0.38		0.21		0.83	
Nitrite (as N)	1	0.02	U	0.02	U	0.02	U	0.02	U
Nitrogen	--	0.5	U	0.6		0.35	U	1	
Sulfate	250	12.8	J	10.3		13.4	J	18.2	
TDS	--	73	J	44		26	UJ	76	
Total Kjeldahl Nitrogen	--	0.1	U	0.22		0.14	U	0.17	
TSS	--	1	U	4		4		7	

ug/L - Micrograms per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

Table 8. Former Landfill - Summary of Metals Data

Analyte	Groundwater Standards	086-42		086-42		086-72		086-72		087-22	
	ug/L	5/11/2006		10/26/2006		5/11/2006		10/26/2006		5/11/2006	
		(ug/L)		(ug/L)		(ug/L)		(ug/L)		(ug/L)	
Aluminum	200	11.1	B	20.2	B	8.4	B	11	B	9.7	B
Antimony	3	5	U	5	U	5	U	5	U	5	U
Arsenic	10	5	U	5	U	5	U	5	U	5	U
Barium	1000	8.5	B J	8.9	B J	12.6	B J	11.2	B J	13.9	B J
Beryllium	3	2	U	2	U	2	U	2	U	2	U
Cadmium	5	2	U	2	U	2	U	2	U	2	U
Calcium	--	7020		5940		2070		1920		2540	
Chromium	50	5	UJ	5	U	3.4	UJB	5	U	3.8	UJB
Cobalt	--	0.79	B	1	B	5	U	5	U	5	U
Copper	200	0.47	B	0.44	B	0.35	B	0.38	B	0.32	B
Iron	300	50	U	41.9	B	50	U	50	U	50	U
Lead	25	3	U	3	U	3	U	3	U	3	U
Magnesium	35000	3120		2960		1460		1570		1800	
Manganese	300	1	B	1.8	B	2.9	B	2.8	B	2.2	B
Mercury	0.7	0.2	U	0.2	U	0.2	U	0.2	U	0.2	U
Nickel	100	10	U	10	U	10	U	10	U	10	U
Potassium	--	979	B	1010	B	821	B	789	B	994	B
Selenium	10	5	U	5	U	5	U	5	U	5	U
Silver	50	2	U	2	U	2	U	2	U	2	U
Sodium	20000	9860		12100		5590		5280		3800	
Thallium	0.5	5	U	0.52	B	5	U	0.58	B	5	U
Vanadium	--	5	U	5	U	5	U	5	U	5	U
Zinc	2000	10	U	10	U	10	U	10	U	10	U

ug/L - Micrograms per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

B - Result below reporting limit but above instrument detection limit.

Table 8. Former Landfill - Summary of Metals Data

Analyte	Groundwater Standards	087-22		097-17		097-17		097-277		097-277	
	ug/L	10/26/2006		5/11/2006		10/26/2006		5/11/2006		10/26/2006	
		(ug/L)		(ug/L)		(ug/L)		(ug/L)		(ug/L)	
Aluminum	200	9.7	B	34.5	B	28.5	B	50	U	50	U
Antimony	3	5	U	5	U	5	U	5	U	5	U
Arsenic	10	5	U	5	U	5	U	5	U	5	U
Barium	1000	12.9	B J	16	B J	14.3	B J	14.2	B J	11.4	B J
Beryllium	3	2	U	0.088	B	2	U	2	U	2	U
Cadmium	5	2	U	0.084	B	2	U	2	U	2	U
Calcium	--	2600		3320		3350		5770		5490	
Chromium	50	5	U	2.9	UJB	5	U	3.9	UJB	5	U
Cobalt	--	5	U	5	U	5	U	5	U	5	U
Copper	200	10	U	0.33	B	10	U	1.8	B	1.2	B
Iron	300	50	U	50	U	50	U	50	U	50	U
Lead	25	3	U	3	U	3	U	3	U	3	U
Magnesium	35000	1720		1280		1300		2620		2250	
Manganese	300	2.2	B	24.6		26.6		17.8		16.8	
Mercury	0.7	0.1	B	0.2	U	0.2	U	0.2	U	0.2	U
Nickel	100	10	U	0.64	B	10	U	0.72	B	1.6	B
Potassium	--	913	B	783	B	657	B	1390	B	1250	B
Selenium	10	5	U	5	U	5	U	5	U	5	U
Silver	50	2	U	2	U	2	U	2	U	2	U
Sodium	20000	3730		3770		3770		12200		9670	
Thallium	0.5	5	U	5	U	5	U	5	U	5	U
Vanadium	--	5	U	5	U	5	U	5	U	5	U
Zinc	2000	10	U	10	U	10	U	10	U	10	U

ug/L - Micrograms per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

B - Result below reporting limit but above instrument detection limit.

Table 8. Former Landfill - Summary of Metals Data

Analyte	Groundwater Standards ug/L	097-64 5/11/2006 (ug/L)		097-64 10/26/2006 (ug/L)		106-02 5/11/2006 (ug/L)		106-02 10/26/2006 (ug/L)		106-30 5/11/2006 (ug/L)		106-30 10/26/2006 (ug/L)	
Aluminum	200	45.1	B	33.7	B	28	B	32.2	B	167		262	
Antimony	3	5	U	1.8	B	5	U	5	U	5	U	5	U
Arsenic	10	5	U	5	U	5	U	5	U	5	U	5	U
Barium	1000	24	J	16.5	B J	13.1	B J	9.7	B J	14.8	B J	21.3	J
Beryllium	3	2	U	2	U	2	U	2	U	0.25	B	0.16	B
Cadmium	5	2	U	2	U	2	U	2	U	0.15	B	0.063	B
Calcium	--	12000		9790		11700		8060		6220		9920	
Chromium	50	5	UJ	5	U	3.4	UJB	5	U	29.2	UJ	5	U
Cobalt	--	5	U	5	U	5	U	5	U	5	U	5	U
Copper	200	10	U	0.45	B	0.55	B	0.7	B	1.6	B	0.73	B
Iron	300	50	U	50	U	50	U	29.4	B	38.3	B	150	
Lead	25	3	U	3	U	3	U	3	U	3	U	3	U
Magnesium	35000	1780		1510		2300		1730		2170		4050	
Manganese	300	9.1		7.3		3.4	B	3.8	B	35.9		36.8	
Mercury	0.7	0.2	U	0.2	U	0.2	U	0.2	U	0.2	U	0.2	U
Nickel	100	10	U	0.53	B	10	U	10	U	1	B	0.83	B
Potassium	--	2000		1310	B	1310	B	1160	B	1660	B	1720	B
Selenium	10	5	U	5	U	5	U	5	U	5	U	5	U
Silver	50	2	U	2	U	2	U	2	U	2	U	2	U
Sodium	20000	4460		4870		4930		4910		6790		8120	
Thallium	0.5	5	U	5	U	5	U	5	U	5	U	5	U
Vanadium	--	5	U	5	U	5	U	5	U	5	U	5	U
Zinc	2000	10	U	10	U	10	U	10	U	10	U	10	U

ug/L - Micrograms per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

R - Unusable data.

B - Result below reporting limit but above instrument detection limit.

Table 9. Former Landfill - Summary of 2006 Pesticide/PCB Data

Analyte	Groundwater Standards ug/L	086-42		086-72		087-22		097-17		097-277		097-64		106-02		106-30	
		10/26/2006 (ug/L)		10/26/2006 (ug/L)		10/26/2006 (ug/L)		10/26/2006 (ug/L)		10/26/2006 (ug/L)		10/26/2006 (ug/L)		10/26/2006 (ug/L)		10/26/2006 (ug/L)	
4,4"-DDD	0.3	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U
4,4"-DDE	0.2	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U
4,4"-DDT	0.2	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U
Aldrin	0	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U
alpha-BHC	0.01	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U
Aroclor 1016	0.09	1	U	1	U	1	U	1	U	1	U	1	U	1	U	1	U
Aroclor 1221	0.09	1	U	1	U	1	U	1	U	1	U	1	U	1	U	1	U
Aroclor 1232	0.09	1	U	1	U	1	U	1	U	1	U	1	U	1	U	1	U
Aroclor 1248	0.09	1	U	1	U	1	U	1	U	1	U	1	U	1	U	1	U
Aroclor 1254	0.09	1	U	1	U	1	U	1	U	1	U	1	U	1	U	1	U
Aroclor 1260	0.09	1	U	1	U	1	U	1	U	1	U	1	U	1	U	1	U
Aroclor-1242	0.09	1	U	1	U	1	U	1	U	1	U	1	U	1	U	1	U
beta-BHC	0.01	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U
Chlordane	0.05	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
delta-BHC	0.04	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U
Dieldrin	0.004	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U
Endosulfan I	0.009	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U
Endosulfan II	--	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U
Endosulfan sulfate	--	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U
Endrin	0	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U
Endrin aldehyde	5	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U
Endrin ketone	5	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U
Heptachlor	0.04	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U
Heptachlor epoxide	0.03	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U
Lindane	0.05	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U
Methoxychlor	35	0.1	U	0.1	U	0.1	U	0.1	U	0.1	U	0.1	U	0.1	U	0.1	U
Toxaphene	0.06	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U

ug/L - Micrograms per liter.

U - Not detected.

J - Estimated value.

-- No standard applicable.

Table 10. Former Landfill - Summary of 2006 Radionuclide Data.

Analyte	Groundwater Standards pCi/L	086-42 5/11/2006 pCi/L				086-42 10/26/2006 pCi/L				086-72 10/26/2006 pCi/L				087-22 10/26/2006 pCi/L			
		Result	Qual	MDA	Error	Result	Qual	MDA	Error	Result	Qual	MDA	Error	Result	Qual	MDA	Error
Americium-241	1.2					1.8	U	14	8.1	-4	U	14	8.3	-2.5	U	12	7.2
Beryllium-7	40000					-13	U	60	34	-2	U	68	37	-25	U	66	39
Cesium-134	80					0.2	U	8.6	5.2	-7.5	U	8.1	5.5	-9.9	U	8.2	6
Cesium-137	120					1.3	U	10	5.2	3.1	U	10	4.8	-4.4	U	9.8	6
Co-60	200					-0.2	U	12	6	0.6	U	9.9	4.7	-4	U	8.8	5.3
Cobalt-57	4000					-10	U	44	26	-10	U	42	25	18	U	46	25
Europium-152	841					-6	U	27	16	3	U	26	14	5	U	27	15
Europium-154	573					-25	U	63	38	-21	U	73	42	8	U	79	39
Europium-155	4000					0.2	U	19	10	0.8	U	20	11	-2.3	U	17	9.7
Gross Alpha	15					0.41	U	1.2	0.7	0.18	U	0.97	0.54	0.31	U	1	0.58
Gross Beta	1000					1	U	1.8	1.1	2	J	1.8	1.2	1.3	U	1.9	1.2
Manganese-54	2000					0.9	U	9.6	4.9	4.6	U	11	5.2	-0.5	U	9.1	4.9
Sodium-22	10000					0.6	U	12	5.9	3.3	U	13	6.2	4.1	U	12	5.4
Strontium-90	8					-0.18	U	0.33	0.19	-0.13	U	0.3	0.16	0.03	U	0.33	0.19
Tritium	20000	470	UJ	360	240	290	U	420	310	-350	U	400	220	-40	U	410	140
Zinc-65	360					-5	U	21	12	0.4	U	23	12	4	U	23	11

pCi/L - Picocuries per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

Table 10. Former Landfill - Summary of 2006 Radionuclide Data.

Analyte	Groundwater Standards pCi/L	097-17 10/26/2006 pCi/L				097-277 10/26/2006 pCi/L				097-64 10/26/2006 pCi/L				106-02 10/26/2006 pCi/L			
		Result	Qual	MDA	Error	Result	Qual	MDA	Error	Result	Qual	MDA	Error	Result	Qual	MDA	Error
Americium-241	1.2	-0.6	U	12	6.9	2.4	U	11	5.9	-1.4	U	14	8.1	3.9	U	14	7.3
Beryllium-7	40000	-23	U	71	41	-15	U	60	35	26	U	79	40	-2	U	72	39
Cesium-134	80	1.3	U	9.1	5.3	-0.6	U	7.3	4.8	-4	U	8.7	5.3	-1	U	8.6	5.2
Cesium-137	120	-1.3	U	11	6.3	-2.4	U	11	6	-2.9	U	8	4.8	-3.6	U	9.1	5.5
Co-60	200	3.9	U	14	6.3	5	U	14	6.9	-4.4	U	9.2	5.7	4.6	U	14	6.2
Cobalt-57	4000	-18	U	42	25	-17	U	34	20	-38	U	40	26	-2	U	46	26
Europium-152	841	9	U	27	14	3	U	21	12	-14	U	23	14	-6	U	23	13
Europium-154	573	14	U	89	45	12	U	72	38	4	U	79	40	37	U	110	57
Europium-155	4000	1	U	19	11	2.6	U	15	8.3	-5	U	19	11	1	U	19	11
Gross Alpha	15	0.13	U	0.89	0.47	0	U	1.2	0.16	1.61	J	1.1	0.9	0.23	U	1.3	0.72
Gross Beta	1000	1.3	U	1.7	1.1	1.3	U	1.9	1.2	5.2		1.8	1.4	2.1	J	1.9	1.2
Manganese-54	2000	0.002	U	9.1	4.8	1.3	U	8.4	4.5	1	U	11	5.8	-7.8	U	6.9	5.3
Sodium-22	10000	-2.5	U	6.2	3.8	1	U	10	5.5	3.4	U	12	5.3	-1.6	U	9.9	5.4
Strontium-90	8	-0.07	U	0.28	0.16	-0.12	U	0.31	0.17	2.03		0.36	0.37	-0.14	U	0.3	0.16
Tritium	20000	-190	U	410	190	70	U	410	560	-330	U	410	210	-70	U	410	150
Zinc-65	360	-8	U	22	13	-8	U	18	11	-8	U	24	14	-18	U	21	14

pCi/L - Picocuries per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

Table 10. Former Landfill - Summary of 2006 Radionuclide Data.

Analyte	Groundwater Standards pCi/L	106-30 10/26/2006 pCi/L			
		Result	Qual	MDA	Error
Americium-241	1.2	-3.4	U	11	7.2
Beryllium-7	40000	-9	U	71	40
Cesium-134	80	-7.5	U	8.3	5.5
Cesium-137	120	0.08	U	9.8	5.3
Co-60	200	1.8	U	13	6.5
Cobalt-57	4000	-20	U	43	27
Europium-152	841	-2	U	24	14
Europium-154	573	22	U	96	49
Europium-155	4000	3	U	19	11
Gross Alpha	15	0.39	U	1.3	0.77
Gross Beta	1000	4	J	1.8	1.3
Manganese-54	2000	0.4	U	11	5.7
Sodium-22	10000	4	U	13	6.1
Strontium-90	8	0.28	J	0.22	0.15
Tritium	20000	-220	U	420	190
Zinc-65	360	0.3	U	25	13

pCi/L - Picocuries per Liter.

U - Not detected.

J - Estimated value.

-- No standard applicable

Table 11
Soil Gas Monitoring Well Description

Current Landfill			
Soil Gas Monitoring Well	Screen Location	Top of Screen (Feet BLS)	Bottom Screen (Feet BLS)
SGM-1 PROBE A	Shallow	2.5	7.5
SGM-1 PROBE B	Intermediate	10.5	17.5
SGM-1 PROBE C	Deep	20	29.5
SGM-2 PROBE A	Shallow	2.5	7.5
SGM-2 PROBE B	Intermediate	10.5	16
SGM-2 PROBE C	Deep	19	28
SGM-3 PROBE A	Shallow	2.5	7.5
SGM-3 PROBE B	Intermediate	10.5	17
SGM-3 PROBE C	Deep	20	29
SGM-4 PROBE A	Shallow	2.5	7.5
SGM-4 PROBE B	Intermediate	10.5	20
SGM-4 PROBE C	Deep	23	32
SGM-5 PROBE A	Shallow	2.5	7.5
SGM-5 PROBE B	Intermediate	10.5	22
SGM-5 PROBE C	Deep	25	34
SGM-6 PROBE A	Shallow	2.5	7.5
SGM-6 PROBE B	Intermediate	10.5	18.5
SGM-6 PROBE C	Deep	21.5	30.5
SGM-7 PROBE A	Shallow	2.5	7.5
SGM-7 PROBE B	Intermediate	10.5	16
SGM-7 PROBE C	Deep	19	26
SGM-8 PROBE A	Shallow	2.5	7.5
SGM-8 PROBE B	Intermediate	10.5	16.5
SGM-8 PROBE C	Deep	19.5	28.5
SGM-9 PROBE A	Shallow	2.5	7.5
SGM-9 PROBE B	Intermediate	10.5	20.5
SGM-9 PROBE C	Deep	23.5	32.5
SGM-10 PROBE A	Shallow	2.5	7.5
SGM-10 PROBE B	Intermediate	10.5	15.5
SGM-10 PROBE C	Deep	18.5	27.5
SGM-11 PROBE A	Shallow	2.5	7.5
SGM-11 PROBE B	Intermediate	10.5	16
SGM-12 PROBE A	Shallow	2.5	7.5
SGM-12 PROBE B	Intermediate	10.5	15
SGM-13 PROBE A	Shallow	2.5	7.5
SGM-13 PROBE B	Intermediate	10.5	13
SGM-14 PROBE A	Shallow	2.5	7.5
SGM-14 PROBE B	Intermediate	10.5	13
SGM-15 PROBE A	Shallow	2.5	5.5
SGM-15 PROBE B	Intermediate	8.5	11.5
SGM-16 PROBE A	Shallow	2.5	5.5
SGM-16 PROBE B	Intermediate	8.5	11
SGM-17 PROBE A	Shallow	2.5	5.5
SGM-17 PROBE B	Intermediate	8.5	11

**Table 11
Soil Gas Monitoring Well Description**

Current Landfill			
SGM-18 PROBE A	Shallow	2.5	7.5
SGM-18 PROBE B	Intermediate	10.5	13.5
SGM-19 PROBE A	Shallow	2.5	7.5
SGM-19 PROBE B	Intermediate	10.5	17

BLS – Below Land Surface

Former Landfill			
Soil Gas Monitoring Well	Screen Location	Top of Screen (Feet BLS)	Bottom Screen (Feet BLS)
SGM-1 PROBE A	Shallow	2.5	10
SGM-1 PROBE B	Intermediate	15	43
SGM-2 PROBE A	Shallow	2.5	10
SGM-2 PROBE B	Intermediate	15	40
SGM-3 PROBE A	Shallow	2	9.5
SGM-3 PROBE B	Intermediate	14.5	36
SGM-4 PROBE A	Shallow	2.5	10
SGM-4 PROBE B	Intermediate	15	35.5
SGM-5 PROBE A	Shallow	2.5	10
SGM-5 PROBE B	Intermediate	15	37
SGM-6 PROBE A	Shallow	2.7	10.2
SGM-6 PROBE B	Intermediate	22	37.2
SGM-7 PROBE A	Shallow	2.8	10.3
SGM-7 PROBE B	Intermediate	15	42
SGM-8 PROBE A	Shallow	2.5	10
SGM-8 PROBE B	Intermediate	15	47
SGM-9 PROBE A	Shallow	2.5	10
SGM-9 PROBE B	Intermediate	15	52
SGM-10 PROBE A	Shallow	2.5	10
SGM-10 PROBE B	Intermediate	15	52
SGM-11 PROBE A	Shallow	2.5	10
SGM-11 PROBE B	Intermediate	15	46
SGM-12 PROBE A	Shallow	2.5	10
SGM-12 PROBE B	Intermediate	15	43.5

BLS – Below Land Surface


Table 12

2006 Current Landfill Soil Gas Monitoring Summary Table

Soil Gas Monitoring Well	Methane (% By Volume) 2/24/06	Methane (% By Volume) 6/23/06	Methane (% By Volume) 9/28/06	Methane (% By Volume) 12/27/06	LEL (% By Volume) 2/24/06	LEL (% By Volume) 6/23/06	LEL (% By Volume) 9/28/06	LEL (% By Volume) 12/27/06	Hydrogen Sulfide (ppm by volume) 2/24/06	Hydrogen Sulfide (ppm by volume) 6/23/06	Hydrogen Sulfide (ppm by volume) 9/28/06	Hydrogen Sulfide (ppm by volume) 12/27/06	Soil Gas Monitoring Well
SGMW-01A	8.6	11.9	12.5	11.3	174.0	238	250	226	0	0	6	0	SGMW-01A
SGMW-01B	0.0	0.0	11.0	3.1	0	0	220	62	0	0	1	0	SGMW-01B
SGMW-01C	0.0	0.0	10.5	0.2	0	0	210	4	0	0	5	0	SGMW-01C
SGMW-02A	13.9	18.1	46.9	1.4	282.0	362	938	28	0	0	9	0	SGMW-02A
SGMW-02B	6.8	12.8	33.4	0.2	142.0	256	668	4	0	0	27	0	SGMW-02B
SGMW-02C	0.0	0.8	30.5	0.3	0	16	610	6	0	0	0	0	SGMW-02C
SGMW-03A	19.3	26.8	27.0	0.2	386.0	536	540	4	0	0	8	0	SGMW-03A
SGMW-03B	0.0	11.9	48.5	0.1	0	238	970	2	0	0	12	0	SGMW-03B
SGMW-03C	0.0	1.5	45.0	0.3	0	30	900	6	0	0	7	0	SGMW-03C
SGMW-04A	0.0	16.4	52.1	0.2	0	328	1040	4	0	0	1	0	SGMW-04A
SGMW-04B	10.0	31.6	48.8	0.0	200.0	632	976	0	0	0	2	0	SGMW-04B
SGMW-04C	0.0	22.2	42.1	0.0	0	444	842	0	0	0	0	0	SGMW-04C
SGMW-05A	0.9	16.3	44.8	0.0	20.0	326	896	0	0	0	0	0	SGMW-05A
SGMW-05B	1.4	26.3	41.3	0.0	89.0	526	826	0	0	0	3	3	SGMW-05B
SGMW-05C	0.0	20.7	33.8	0.0	0	414	676	0	0	0	1	0	SGMW-05C
SGMW-06A	0.0	11.5	41.5	0.0	0	230	830	0	0	0	1	0	SGMW-06A
SGMW-06B	0.0	21.3	40.3	0.0	0	426	806	0	0	0	2	0	SGMW-06B
SGMW-06C	0.0	21.7	37.3	0.0	0	434	746	0	0	0	0	0	SGMW-06C
SGMW-07A	0.0	0.0	0.3	0.0	0	0	6	0	0	0	0	0	SGMW-07A
SGMW-07B	0.0	0.0	0.3	0.0	0	0	6	0	0	0	0	0	SGMW-07B
SGMW-07C	0.0	0.0	0.3	0.0	0	0	6	0	0	0	0	0	SGMW-07C
SGMW-08A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-08A
SGMW-08B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	2	0	SGMW-08B
SGMW-08C	0.0	0.0	0.0	0.0	0	0	0	0	0	0	2	0	SGMW-08C
SGMW-09A	0.0	0.1	0.0	0.0	0	2	0	0	0	0	0	0	SGMW-09A
SGMW-09B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-09B
SGMW-09C	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-09C
SGMW-10A	0.0	9.8	15.4	0.0	0	196	308	0	0	0	0	0	SGMW-10A
SGMW-10B	0.0	12.0	18.0	0.0	0	240	360	0	0	0	2	0	SGMW-10B
SGMW-10C	0.0	10.6	16.2	0.0	0	212	324	0	0	0	2	0	SGMW-10C
SGMW-11A	0.0	7.6	15.3	0.0	0	152	306	0	0	0	2	0	SGMW-11A
SGMW-11B	0.0	9.8	14.9	0.0	0	196	298	0	0	0	25	0	SGMW-11B
SGMW-12A	0.0	16.7	41.3	0.0	0	336	826	0	0	0	18	0	SGMW-12A
SGMW-12B	1.1	2.0	0.0	0.0	22	40	0	0	0	0	0	0	SGMW-12B
SGMW-13A	0.0	0.0	0.2	0.0	0	0	4	0	0	0	0	0	SGMW-13A
SGMW-13B	0.0	0.0	0.2	0.0	0	0	4	0	0	0	0	0	SGMW-13B
SGMW-14A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-14A
SGMW-14B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-14B
SGMW-15A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-15A
SGMW-15B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-15B
SGMW-16A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	1	0	SGMW-16A
SGMW-16B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	1	0	SGMW-16B
SGMW-17A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-17A
SGMW-17B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-17B
SGMW-18A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-18A
SGMW-18B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-18B
SGMW-19A	16.7	17.3	16.6	23.9	340	348	332	478	0	0	2	5	SGMW-19A
SGMW-19B	1.7	9.4	18.0	0.0	32	186	360	0	0	0	1	0	SGMW-19B
GSGM-1A	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	GSGM-1A
GSGM-1B	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	GSGM-1B
GSGM-1C	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	GSGM-1C
GSGM-2A	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	GSGM-2A
GSGM-2B	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	GSGM-2B
GSGM-2C	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	GSGM-2C
GSGM-3A	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	GSGM-3A
GSGM-3B	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	GSGM-3B
GSGM-4A	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	GSGM-4A
GSGM-4B	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	GSGM-4B

Measurements in () are calculated, not measured.

R:\Gw_projects\Landfills\2006 Report\Fig01.dwg




BROOKHAVEN
NATIONAL LABORATORY

EWMS Division

TITLE:
SITE LOCATION MAP
2006 ENVIRONMENTAL MONITORING REPORT
CURRENT AND FORMER LANDFILL AREAS

DWN: KCK	VT: HZ.: -	DATE: 02/18/04	PROJECT NO.: 07928
CHKD: WRD	APPD: WRD	REV.: -	NOTES: -
FIGURE NO.:			1

R:\Gw_projects\Landfills\2006 Report\Fig02.dwg



LEGEND

087-11 BNL MONITORING WELL

95 BNL GRID NUMBER

○ TREE LINE

SCALE

0 90 METERS

0 300 FEET

BROOKHAVEN
NATIONAL LABORATORY

EWMS Division


TITLE:

**CURRENT LANDFILL
MONITORING WELL LOCATIONS**

2006 ENVIRONMENTAL MONITORING REPORT
CURRENT AND FORMER LANDFILL AREAS

DWN: KCK	VT:HZ.: -	DATE: 02/24/04	PROJECT NO.: 07928
CHKD: WRD	APPD: WRD	REV.: -	NOTES: -
FIGURE NO.:		2	

R:\Gw_projects\Landfills\2006 Report\Fig03.dwg




BROOKHAVEN
NATIONAL LABORATORY

EWMS DIVISION

TITLE:
**WATER TABLE CONTOUR MAP
2006 ENVIRONMENTAL MONITORING REPORT
CURRENT AND FORMER LANDFILL AREAS**

DWN: CAJ	VT:HZ.: -	DATE: 02/16/07	PROJECT NO.: 07928
CHKD: JEB	APPD: BH	REV.: -	NOTES: -
FIGURE NO.:			3

R:\Gw_projects\Landfills\2006 Report\Fig04.dwg



LEGEND

- 106-02 BNL MONITORING WELL
- ◆ BNL GRID NUMBER
- 95 TREE LINE
- TREE LINE

SCALE 90 METERS
0 300 FEET

BROOKHAVEN
NATIONAL LABORATORY

EWMS DIVISION


TITLE:

**FORMER LANDFILL
MONITORING WELL LOCATIONS**


2006 ENVIRONMENTAL MONITORING REPORT
CURRENT AND FORMER LANDFILL AREAS

DWN: KCK	VT:HZ.: -	DATE: 02/18/04	PROJECT NO.: 07928
CHKD: JEB	APPD: WRD	REV.: -	NOTES: -
FIGURE NO.:			4

T:\LTRA Projects\Landfills\2006 Report\Figures\FIG 5.DWG



T:\LTRA Projects\Landfills\2006 Report\Figures\FIG 6.DWG



BROOKHAVEN
NATIONAL LABORATORY


EWMS DIVISION

TITLE:

**CURRENT LANDFILL
ALKALINITY AND CHLORIDE TREND PLOTS
2006 ENVIRONMENTAL MONITORING REPORT
CURRENT AND FORMER LANDFILL AREAS**

DWN: YS	VT:HZ.: -	DATE: 02/12/07	PROJECT NO.: -
CHKD: JEB	APPD: WRD	REV.: -	NOTES: -
FIGURE NO.:			6

T:\LTRA Projects\Landfills\2006 Report\Figures\FIG 7.DWG




BROOKHAVEN
NATIONAL LABORATORY
EWMS DIVISION

TITLE:
**CURRENT LANDFILL
IRON TREND PLOTS**
2006 ENVIRONMENTAL MONITORING REPORT
CURRENT AND FORMER LANDFILL AREAS










DWN: YS	VT:HZ.: -	DATE: 02/12/07	PROJECT NO.: -
CHKD: JEB	APPD: WRD	REV.: -	NOTES: -
FIGURE NO.:			7

T:\LIRA Projects\Landfills\2006 Report\Figures\FIG 9.DWG



97

T:\LTRA Projects\Landfills\2006 Report\Figures\FIG 10.DWG




LEGEND


- 17 **MONITORING WELL**
- ✕ **Alkalinity (as CaCO3) (mg/L)**
- ✕ **Chloride (mg/L)**
- 32 **BNL GRID NUMBER**
- RA V **BNL RECHARGE BASIN**
- 267 **BACKGROUND**
- 267 **DOWNGRAIDENT**


SCALE
0 250 FEET

T:\LTRA Projects\Landfills\2006 Report\Figures\FIG 11.DWG



T:\LTRA Projects\Landfills\2006_Report\Figures\FIG 12.DWG





R:\Gw_projects\Landfills\2006 Report\Fig13.dwg


BROOKHAVEN
NATIONAL LABORATORY

EWMS DIVISION

TITLE:
**CURRENT LANDFILL
SOIL GAS MONITOR LOCATION MAP**
2006 ENVIRONMENTAL MONITORING REPORT
CURRENT AND FORMER LANDFILL AREAS

DWN: KCK	VT.HZ.: -	DATE: 02/18/04	PROJECT NO.: 07928
CHKD: JEB	APPD: WRD	REV.: -	NOTES: -
FIGURE NO.:		13	

R:\Gw_projects\Landfills\2006 Report\Fig14.dwg



BROOKHAVEN
NATIONAL LABORATORY

EWMS DIVISION

TITLE: **FORMER LANDFILL
SOIL GAS MONITOR LOCATION MAP
2006 ENVIRONMENTAL MONITORING REPORT
CURRENT AND FORMER LANDFILL AREAS**

DWN: KCK	VT: HZ.: -	DATE: 02/18/04	PROJECT NO.: 07928
CHKD: JEB	APPD: WRD	REV.: -	NOTES: -
FIGURE NO.:			14

Appendix A

Operable Unit 1 Wooded Wetlands Supplemental Surface Water and Sediment Sampling and Analysis Report

ANNUAL WOODED WETLAND REPORT 2006

1.0 INTRODUCTION

This report summarizes and evaluates the annual sediment and surface-water sampling performed for Operable Unit I (OU I), Wooded Wetland area at Brookhaven National Laboratory, Upton, New York (BNL). The Wooded Wetland is located east of and adjacent to the Current Landfill and has the potential to receive leachate from the landfill. The wetland consists of a North and South pond. The annual sampling of the Wooded Wetland follows the recommendations of the Focused Ecological Risk Assessment Operable Units I/VI (CDM, 1999b). This report summarizes the results of the sampling conducted in accordance with the 1999 and 2000 OU I Wooded Wetlands Supplemental Sampling and Analysis Plans (BNL, 1999 and BNL, 2000). These plans were prepared as an addendum to the Sampling and Analysis Plan for the Remedial Investigation/Feasibility Study for Operable Unit I (SAIC, 1993).

The annual sampling focuses on analysis of metals in the sediment and surface-water to evaluate their potential risks to the local Tiger Salamander population. Seven sediment and seven surface-water samples were collected in May 2006 from two ponds (North and South), in the Wooded Wetland area.

1.1 Background

The Wooded Wetland is a two-acre area located between the Former Hazardous Waste Management Facility and the Current Landfill (Figure 1). The wetland receives surface runoff from the Current Landfill, which was capped in 1995, as well as land runoff from the south. The Wooded Wetland usually is flooded during the spring and early summer and dry in late summer. In the Current Landfill area, the water table is located approximately 10 to 15 feet below the Wooded Wetlands; therefore the wetland area does not receive groundwater recharge. High clay content of the near surface soils allows for perching of water from precipitation and runoff.

An ecological review and assessment of the wooded wetland is provided in the *OU I/VI Preliminary Ecological Risk Screening Report* (CDM, 1996b). As part of the Feasibility Study for OU I, a Focused Ecological Risk Assessment was conducted for this area of concern (CDM, 1999b).

Two surface-water samples (SW-4 and SW-5) and 14 sediment samples (SD-10 through SD-17) were collected from this area in 1994 during the OU I Remedial Investigation (CDM, 1996a). At six of the sediment locations, samples were collected from two intervals: 0 to 0.5 feet, and 1 to 1.5 feet. Samples were collected from the surface only at the remaining two locations (SD-10 and SD-11).

A gap was identified in the 1994 data set and supplemental sampling was carried out in December 1997 as part of the Ecological Risk Assessment. Only two surface-water and two sediment samples were collected and analyzed for metals during this sampling event due to the dry conditions at this time. Results from all four locations indicated lower concentrations of contaminants in both the

surface-water and sediment compared to the May 1994 locations. Figure 1 shows the benchmark 1994 and 1997 surface-water/sediment sample locations, respectively.

The results of the surface-water samples from four of the locations (SW-17, SW-5S, SW-5N, and SW-E) indicated that the risk for larval salamanders was unlikely to low. At location SW-6, the concentration of metals in the surface-water sample indicated a moderate risk. Sediment results from the five locations indicated that the risk to adult salamanders is unlikely. (See the Ecological Risk Assessment, CDM, 1999b.)

In August 2000, four surface-water samples (2 from each pond), and seven sediment samples (4 from the South Pond, 3 from the North Pond) were collected from the Wooded Wetlands Area. The locations are shown in Figure 2. Background and maximum concentration values for sediment and water are presented in Tables 2A and 2B. From 2001 through 2006 seven annual surface-water and sediment samples were taken from the ponds (Table 1). Analytical data for all years are provided in Tables 3 through 6. The following discussions focus on the findings of the 2006 sampling season.

2.0 GENERAL PROCEDURES

2.1 Environmental Sampling Procedures

Sampling was conducted by BNL on May 18, 2006, in accordance with the procedures and sampling locations outlined in the *OUI Sampling and Analysis Plan* (SAIC, 1993), supplementary Wooded Wetlands sampling plans (BNL 1999 and 2000) and BNL standard operating procedures for sampling surface-water and sediments. Samples of surface-water and sediment were collected at seven locations, as shown on Figure 2. These places were chosen based upon the locations where samples were collected in 1994 and 1997. Locations SW/SD-5 and SW/SD-6 were near to the two 1997 locations. SW/SD-17, SW/SD-12, and SW/SD-13 were close to three of the 1994 sediment sampling locations. Variability in sampling locations and number of samples were related primarily to seasonal drying of the ponds. Table 1 provides the sampling designation for comparison between samples taken each year since 1999.

Water and sediment samples were sent to an off-site certified laboratory for analysis. The samples were submitted for the EPA Target Analyte List (TAL) of total metals by EPA Methods 6010B, and mercury by EPA Methods 7470 for aqueous samples and 7471 for sediment samples. In accordance with the July 2000 Sampling and Analysis Plan, quality assurance/quality control samples included a blind duplicate (one per matrix), matrix spike/matrix spike duplicate (one per matrix), and, one equipment blank.

2.2 Criteria

To determine if sediment or surface-water concentrations pose a risk to tiger salamanders, analytical data were compared to benchmark sediment concentrations and critical water concentrations (Tables 2A and 2B) that were calculated in the *Ecological Risk Assessment* (CDM, 1999b). A benchmark sediment dose is a dose above which an observable toxic effect may occur in adult tiger salamanders. Table 2A gives the benchmark sediment concentrations for five metals of concern.

BNL background levels are higher than established Maximum Sediment Concentrations. Critical water concentrations are surface-water concentrations that have the potential to produce observable adverse effects to larval salamanders. The ten metals in the surface-water that have an estimated critical concentration are summarized in Table 2B. Three of them have benchmark maximum concentrations greater than the critical levels.

2.3 Sample Locations

Seven sediment and seven surface-water samples were collected in May 2006 from the Northern and Southern Ponds. Four sediment and four surface-water samples were taken from the Southern Pond, and three sediment and three surface-water samples were collected from the Northern Pond. Table 1 lists 2006 samples with cross-references of the sampling locations to 1994, 1997, 1999, and 2000, through 2006. Figure 2 shows the sediment and surface-water sampling locations.

3.0 SUMMARY OF ANALYTICAL RESULTS

The results from the total metals sample analyses of sediment and surface-water for each year are summarized in Tables 3 and 4, respectively. Tables 5 and 6 contain comparisons of average sediment and surface-water sample results for contaminants of concern to maximum contaminant and background concentrations, for each year.

3.1 Sediment

Table 5 summarizes the results for the contaminants of concern, specifically copper, lead, manganese, mercury and zinc, for the Northern and Southern Ponds from 1994, 1997, and 1999 to 2006. These results are compared with the maximum and background sediment concentrations from Table 2A.

To evaluate sediment concentrations in the Northern and Southern Ponds for metals, annual averages were calculated from the samples collected. The averages were determined to evaluate trends, since the sediment samples were grab samples collected from a number of locations.

The 2006 results from the four Southern Pond locations, SD-5, SD-6, SD-16, and SD-17 indicate that the average concentrations of the metals of concern at these locations are below the maximum contaminant and background concentrations. Manganese was detected at SD-5 at a concentration of 89 mg/kg which is above the background concentration of 84.3 mg/kg but well below the maximum sediment concentration of 541 mg/kg.

The results from the three Northern Pond locations, SD-11, SD-12, and SD-2001, indicate that the concentrations of the metals of concern at these locations are below the maximum contaminant and background concentrations, with the exception of mercury taken at locations SD-11 and SD-12 and copper, and lead at location SD-11. At these locations, the concentrations of mercury were above the maximum sediment concentration but below the background concentration. The concentration of copper at location SD-11 was above the maximum contaminant concentration but below the background concentration. The lead concentration at location SD-11 was above both the maximum

and background concentrations. With the exception of mercury in the North Pond, the average concentrations for metals of concern in 2006 are within the historic range seen in the Southern Pond and are below both the maximum and background sediment concentration values. The average mercury concentration in the North Pond is above the maximum concentration but below the background concentration.

This analysis indicates that no significant change has occurred.

3.2 Surface-Water

Table 6 presents the results of the ten metals of concern for each of the seven surface water samples collected during 2006. Also shown in Table 6, for comparison, are the surface water results from previous monitoring, along with the critical and benchmark water concentrations from Table 1B. Four surface water samples came from the Southern Pond (SW-5S, SW-6, SW-16 and SW-17) and three samples were collected from the Northern Pond (SW-4, SW-5N and SW-2001).

The Southern Pond samples from 2006 show concentrations of aluminum above the critical concentration value at location SW-16. Values for iron were in excess of the critical concentration value at two of four locations (SW16 and SW17). Also, the zinc concentration at SW-16 was above the Critical Concentration of 23.8 µg/L but below the BNL background of 62.9 µg/L (see Table 2B). Comparison of average values for 2006 indicated that aluminum and iron were the only metal of concern that was above the critical concentration value.

The North Pond samples from 2006 indicated concentrations of aluminum and iron above the critical concentration values at location SW-2001. The iron concentration was below the BNL background (see Table 2B) and aluminum was below the historic average high of 1,865 µg/L detected in 2003. Zinc concentrations were above the critical concentration value at location SW-4 and SW-2001. The average 2006 concentrations are similar to those in previous years.

Since metals in water are the primary source of absorption by tiger salamanders, no significant change in dissolved metals provides indication that the wooded wetland is not experiencing an increase in metals concentration.

4.0 CONCLUSIONS & RECOMMENDATIONS

The results of the May 2006 sediment and surface water sampling program indicate no elevated risk to adult salamanders from sediments in the Southern or the Northern Ponds when compared to the maximum benchmark concentrations (Table 2A). The average sediment sample concentrations for both ponds were lower than the maximum and /or background concentrations that would result in an elevated hazard quotient as discussed in the Final Focused Ecological Risk Assessment for OU I (CDM, 1999b). This analysis indicates that no significant change has occurred. Since metals in water are the primary source of absorption by tiger salamanders, no significant change in dissolved metals provides indication that the wooded wetland is not experiencing an increase in metals concentration.

Surface water samples indicated an average iron concentration of 1,244 µg/l in the Southern Pond, and 1,156 µg/L in the Northern Pond, which is higher than the 1,000 µg/l critical concentration. Although the iron concentrations exceeded the background concentration (see Table 2B) in three of the seven samples in both ponds, the average concentrations were within the historic range. The average concentration of aluminum was below the BNL background water concentration (820 µg/l) in the Southern Pond but above both the critical water and background concentrations in the North Pond. The average concentration of zinc was above the critical water concentration (23.8 µg/L) in the Northern Pond.

There is a considerable amount of uncertainty reflected in deriving the critical water concentrations established in the Ecological Risk Assessment (CDM, 1999). This is largely due to the limited number of published toxicity values for the tiger salamander related to the metal of concern. In the case of aluminum, the critical water concentration is calculated by applying a correction factor of 0.1 (to account for uncertainty) to the mortality as indicated by the Lowest Observed Adverse Effects Level (LOAEL) for the mortality of the Jefferson salamander larvae. The Jefferson salamander larvae species is the closest match for the tiger salamander larvae. The critical water concentration for iron was taken from the EPA National Recommended Water Quality Criteria for Non-Priority Pollutants (EPA, April 1999). No maximum value is given under these criteria.

Overall, the results obtained from the May 2006 sampling indicates that metals in the sediment and the metals of concern in surface-water are within the range of variability as compared to previous year values. The number of sediment and water samples collected from the Southern Pond in 2006 was the same as those collected in 2004, so the averages can be directly compared for the parameters analyzed. No substantive effect due to leached metals from the landfill is evident in the sediments or surface-water.

In summary, the average values of the concentrations of the metals of concern other than mercury, in the sediments in either pond in 2006 were not above benchmark or BNL background concentrations. The mercury level, while above the maximum sediment concentration, was below the background concentration. This indicates that a risk to adult salamanders is unlikely. The averages for the water samples collected from each pond in 2006 indicate that zinc in the North Pond and aluminum and iron in both ponds was present above BNL critical water concentrations. However, aluminum in the South Pond and iron in both ponds were below the BNL background levels (see Table 2B). There is considerable uncertainty inherent in the establishing the critical water concentrations for these

metals and in assigning the actual risk posed to the tiger salamander larvae. This analysis indicates that no significant change has occurred. Since metals in water are the primary source of absorption by tiger salamanders, no significant change in dissolved metals provides indication that the wooded wetland is not experiencing an increase in metals concentration.

Based on the results of the 2006 sampling event, annual sampling of the Wooded Wetlands during the spring should continue for another year to document and confirm the trends monitored as part of the O&M Landfill Report.

5.0 REFERENCES

SAIC, 1993. Sampling and Analysis Plan for the Remedial Investigation/Feasibility Study for Operable Unit I/VI. SAIC Inc., October 8, 1993.

CDM, 1996a. Brookhaven National Laboratory Final Remedial Investigation/Risk Assessment Report Operable Unit I. CDM Federal Programs Corp., June 14, 1996.

CDM, 1996b. Preliminary Ecological Risk Screening, Volume 2D, BNL Final Remedial Investigation/Risk Assessment Report OU I/VI. CDM Federal Programs Corp., June 14, 1996.

CDM, 1999a. Brookhaven National Laboratory Final Feasibility Study Report Operable Unit I and Radiologically Contaminated Soils. CDM Federal Programs Corp., March 31, 1999.

CDM, 1999b. Appendix L, Final Focused Ecological Risk Assessment for OU I/VI. BNL Final Feasibility Study Report Operable Unit I and Radiologically Contaminated Soils. CDM Federal Programs Corp., March 31, 1999.

BNL, 1999. OU I Wooded Wetland Supplemental Surface-water and Sediment Sampling and Analysis Plan. Memorandum, A. Bou to J. Brower, May 3, 1999.

BNL, 2000. OU I Wooded Wetland Supplemental Surface-water and Sediment Sampling 2000. Memorandum, P. Riche' to J. Brower, July 19, 2000.

P. W. Grosser (2002). BNL 2001 Environmental Monitoring Report – Current and Former Landfill Areas. P. W. Grosser Consulting Engineers. February, 2002.

SAIC, 1993. Sampling and Analysis Plan for the Remedial Investigation/Feasibility Study for Operable Unit I/VI. SAIC Inc., October 8, 1993.

TABLES

Table 1
Sediment and Surface Sample Locations

Table 1. Crosswalk of sample designation between years for sediment and surface water sampling at the wooded wetland.

Sediment Sample Locations										
Pond Sampled	2006 Sample Designation	2005 Sample Designation	2004 Sample Designation	2003 Sample Designation	2002 Sample Designation	2001 Sample Designation	2000 Sample Designation	1999 Sample Designation	1997 Sample Designation	1994 Sample Designation
South	SD-5	SD-5	SD-5	SD-5	SD-5	SD-5	SD-5	SD-B	SD-5	NS
South	SD-6	SD-6	SD-6	SD-6	SD-6	SD-6	SD-6	SD-C	SD-6	NS
South	SD-16	SD-16	SD-16	SD-16	SD-16	SD-16	SD-16	NS	NS	SD-16
South	SD-17	SD-17	SD-17	SD-17	SD-17	SD-17	SD-17	SD-A	NS	SD-17
North	SD-11	SD-11	SD-11	SD-11	SD-11	SD-11	SD-11	NS	NS	SD-11
North	SD-12	SD-12	SD-12	SD-12	SD-12	SD-12	SD-12	SD-D	NS	SD-12
North	NS	NS	NS	NS	NS	NS	SD-13	SD-E	NS	SD-13
North	SD-2001	SD-2001	SD-2001	SD-2001	SD-2001	SD-2001	NS	NS	NS	NS

Surface-Water Sample Locations										
Pond Sampled	2006 Sample Designation	2005 Sample Designation	2004 Sample Designation	2003 Sample Designation	2002 Sample Designation	2001 Sample Designation	2000 Sample Designation	1999 Sample Designation	1997 Sample Designation	1994 Sample Designation
South	SW-5 S	SW-5 S	SW-5 S	SW-5 S	SW-5 S	SW-5 S	SW-5	SW-B	SW-5	SW-5
South	SW-6	SW-6	SW-6	SW-6	SW-6	SW-6	SW-6	SW-C	SW-6	NS
South	SW-16	SW-16	SW-16	SW-16	SW-16	SW-16	NS	NS	NS	NS
South	SW-17	SW-17	SW-17	SW-17	SW-17	SW-17	NS	SW-A	NS	NS
North	SW-4	SW-4	SW-4	SW-4	SW-4	SW-4	SW-4	NS	NS	SW-4
North	SW-5N	SW-5N	SW-5N	SW-5 N	SW-5 N	SW-5 N	SW-5	SW-D	NS	NS
North	NS	NS	NS	NS	NS	NS	NS	SW-E	NS	NS
North	SW-2001	SW-2001	SW-2001	SW-2001	SW-2001	SW-2001	NS	NS	NS	NS

NS Not Sampled

Table 2A
Benchmark Sediment Concentrations for Adult Salamanders*

Contaminants of Concern	BNL** Background Concentration (mg/kg)	Maximum Sediment Concentration (mg/kg)	Maximum Dose (mg/kg/day)	Benchmark Dose (mg/kg/day)	Hazard Quotient***
Copper	52.5	29.0	0.00903	0.232	0.0389
Lead	97.6	82.9	3.86	151	0.0255
Manganese	84.3	541	0.168	556	0.000302
Mercury	0.41	0.17	0.0000529	0.00958	0.00552
Zinc	158	122	6.49	105	0.0618

NOTES:

*OU I Feasibility Study, Appendix L. Final Focused Ecological Risk Assessment for Operable Unit I/VI, 3/31/99.

** Off-site stream sediment concentrations from the upper Peconic River. OU V Remedial Investigation Report, IT Corp. 1996.

*** Contaminants with hazard quotients greater than 0.0001.

Table 2B
Critical Benchmark Water Concentrations for Larval Salamanders*

Contaminants of Concern	BNL Background Concentration (ug/l) **	Maximum Concentration* (ug/l)	Critical Concentration (ug/l) ***
Aluminum	820	762	525
Cadmium	3.5	0.3	12.8
Copper	10.1	8.1	15.0
Cobalt	ND	18.7	50.0
Iron	1,990	4,400	1,000
Lead	ND	4.4	14.6
Mercury	0.18	0.24	2.7
Nickel	ND	3.5	420
Silver	ND	ND	2.4
Zinc	62.9	64.9	23.8

NOTES:

*OU I Feasibility Study, Appendix L. Final Focused Ecological Risk Assessment for Operable Unit I/VI, 3/31/99.

** Based on OU V Remedial Investigation Report, IT Corp., 1996 and OU I/VI Remedial Investigation Report, CDM Federal Corp., 1996.

***The critical concentration for contaminants of concern in water represents the reported toxic concentration most applicable to salamanders which is adjusted, where necessary, to the equivalent of the No Observable Adverse Effects Levels (NOAEL).

Table 3
Annual Wooded Wetland Report
Sediment Sample Results - Metals Analysis

LOCATION	CONTAMINANT Units : mg/Kg	SAMPLES COLLECTED									
		1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06
SD-5 (SD-B)	Aluminum	NS	4,470	11,600	11,000	8,490	10,200	11,300 *	9,200 *	NS	12,600
	Antimony	NS	1.4 U	0.27 U	0.26 U	0.481 B	0.719 UN	0.485 B	0.632 UN	NS	1 U
	Arsenic	NS	1.1 B	1.4	1.81	1.39 B	1.66	1.8	1.79	NS	2 B
	Barium	NS	18.4 B	19.4	24.4	25.1 B	26.6	28	26.9	NS	31
	Beryllium	NS	0.15 B	0.23 B	0.364 B	0.34 B	0.327 B	0.406 B	0.401 B	NS	0 B
	Cadmium	NS	0.15 B	0.05 B	0.396 B	0.145 B	0.154 B	0.091 U	0.196 B	NS	0 B
	Calcium	NS	915 B	343 B	432 B	554 B	727 *	394 *N	1110 N	NS	459
	Chromium	NS	6.1	9.9	13.9	11.7	11.6	14	10.6 *	NS	16
	Cobalt	NS	1.3 B	1.7 B	3.15 B	3.36 B	1.97	3.53	1.91	NS	3
	Copper	NS	4.8 B	8.1	9.59	9.03	9.65	11.7	10.5	NS	10 *
	Iron	NS	2,560	7,490	7,590	8,670	6,130	8,820 *N	5,700	NS	6,070 EN
	Lead	NS	28	19.4	13.4	13.0	21.1 N	12.7	30.1 *	NS	16 *
	Magnesium	NS	487 B	1150	1890	2,240	1,420	2,080 *N	1,310 *	NS	2,110 *
	Manganese	NS	41.5	45.1	82.4	123	78.7 *	88.3 *N	109 *	NS	89 *
	Mercury	NS	0.11 U	0.05	0.098	0.053	0.053	0.021	0.052	0.0512	0.047 BN
	Nickel	NS	4.1 B	5.7	8.02	9.25	6.74	8.17	7.31 *	NS	8 *
	Potassium	NS	238 B	397 B	653 B	891	602	889 N	734 E*N	NS	956
	Selenium	NS	1.3 U	0.36 B	0.896	0.508 B	0.827	0.468 U	0.384 B	NS	1 U
	Silver	NS	0.44 U	0.29 B	0.151 U	0.126 U	0.172 U	0.235 U	0.166 U	NS	0 U
	Sodium	NS	42.2 B	27.2 B	33.6 B	50.2 B	40.8	44.9	34.5	NS	55
Thallium	NS	1 U	0.82 U	0.34 U	0.561 U	0.748 U	0.502 U	3.18	NS	1 U	
Vanadium	NS	15.6 B	17.4	24.1	20.4	21.8	22.5	22.3 *	NS	29 *	
Zinc	NS	22.3	25.1	31.4	29.8	31.9	29.5	26.3 *	NS	34 *	
Cyanide	NS	NA	0.489	NA	NA	NA	NA	NA	NS	NS	

Table 3
Annual Wooded Wetland Report
Sediment Sample Results - Metals Analysis

LOCATION	CONTAMINANT Units : mg/Kg	SAMPLES COLLECTED									
		1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06
SD-6 (SD-C)	Aluminum	NS	4,920	9,780	1,670	10,500	1,900	1,390 *	2,000 *	NS	2830
	Antimony	NS	1.1 U	0.93 U	0.247 U	0.338 U	0.645 UN	0.417 B	0.481 UN	NS	0.523 U
	Arsenic	NS	0.47 U	1.3 U	0.556 B	1.34	0.535 U	0.372 U	0.366 B	NS	0.785 U
	Barium	NS	15.2 B	21.5	3.57	26.2	4.74	3.27	5	NS	7.1
	Beryllium	NS	0.11 B	0.08 B	0.07 U	0.336	0.045 B	0.033 B	0.082 B	NS	0.131 U
	Cadmium	NS	0.2 B	0.17 U	0.105 U	0.057 B	0.064 B	0.074 U	0.067 U	NS	0.131 U
	Calcium	NS	487 B	774 B	88.3 B	279 B	136 *	51.5 *N	133 N	NS	150
	Chromium	NS	6.1	6.5	1.87	13	2.31	1.47	2.33 *	NS	3.6
	Cobalt	NS	1.4 B	0.81 B	0.344 B	3.68 B	0.308 B	0.397 B	0.393 B	NS	0.65 B
	Copper	NS	4.8 B	7.8	0.72 B	7.27	1.85	0.549 B	1.37	NS	1.7 *
	Iron	NS	2,620	5,710	1,040	8,050	1,060	816 *N	1,280	NS	2080 EN
	Lead	NS	19.8	63.5	4.62 B	5.28	9.74 N	1.6	10.3 *	NS	5 *
	Magnesium	NS	596 B	568 B	250	2,750	245	214 *N	300 *	NS	503 *
	Manganese	NS	29.3	39.3	10.4	144	13.4 *	9.87 *N	15 *	NS	24 *
	Mercury	NS	0.1 U	0.18	0.049	0.004 U	0.011 B	0.006 U	0.019	0.0122 B	0.014 BN
	Nickel	NS	4.1 B	5.3	1.28	9.9	1.51	1.05	1.84 *	NS	2.1 *
	Potassium	NS	273 B	268	103 B	1,240	94	100 N	137 E*N	NS	243
	Selenium	NS	1 U	0.95 B	0.328 U	0.374 U	0.359 U	0.381 U	0.227 U	NS	0.785 U
	Silver	NS	0.34 U	0.44 U	0.143 U	0.111 U	0.155 U	0.191 U	0.126 U	NS	0.131 U
	Sodium	NS	35.1 B	96.9 U	11.5 B	50.9 B	18.6	13.9	11 B	NS	21.2
	Thallium	NS	0.8 U	2.8 B	0.324 U	0.495 U	0.671 U	0.409 U	1.4 U	NS	0.654 U
Vanadium	NS	11.5 B	20.2 U	3.35 B	16 B	4.85	2.35	4.96 *	NS	5.6 *	
Zinc	NS	19.7	26 B	5.86	27.6	6.45	3.98	6.67 *	NS	9.5 *	
Cyanide	NS	NA	1.27	NA	NA	NA	NA	NA	NS	NS	

Table 3
Annual Wooded Wetland Report
Sediment Sample Results - Metals Analysis

LOCATION	CONTAMINANT Units : mg/Kg	SAMPLES COLLECTED									
		1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06
SD-16	Aluminum	5,110 *	NS	NS	1,780	1,240	2,660	716 *	6,120 *	NS	2310
	Antimony	8.7 U	NS	NS	0.226 U	0.302 U	0.702 UN	0.568 B	0.859 BN	NS	0.685 U
	Arsenic	0.59 B	NS	NS	0.566 B	0.377 B	0.582 U	0.357 U	0.411 U	NS	1.03 U
	Barium	7.1 B	NS	NS	5.25	3.6 B	9.13	1.89	28.5	NS	7.7
	Beryllium	0.25 U	NS	NS	0.064 U	0.036 B	0.071 B	0.023 U	0.23 B	NS	0.171 U
	Cadmium	1.2 U	NS	NS	0.096 U	0.031 U	0.132 B	0.071 U	0.292 B	NS	0.171 U
	Calcium	125 B	NS	NS	216 B	137 B	451 *	62 *N	2160 N	NS	144
	Chromium	5.5	NS	NS	2.41	1.63	3.21	1.44	5.7 *	NS	3.6
	Cobalt	1.2 U	NS	NS	0.347 B	0.248 B	0.372 B	0.197 B	1	NS	0.42 B
	Copper	1 B	NS	NS	1.48	0.904 B	3.78	0.389 B	8.14	NS	2.2 *
	Iron	1,730 *	NS	NS	1,120	817	1320	569 *N	2960	NS	1520 EN
	Lead	4.4 NJ	NS	NS	9.99	3.19	16.1 N	1.7	39.5 *	NS	8.8 *
	Magnesium	259 B	NS	NS	239 B	185 B	293	109 *N	580 *	NS	357 *
	Manganese	11.5 *	NS	NS	12.4	9.68	17.7 *	8.07 *N	45 *	NS	16.7 *
	Mercury	0.01 B	NS	NS	0.064	0.003 U	0.033	0.005 U	0.028	0.0336	0.027 BN
	Nickel	7.5 U	NS	NS	1.43	1.2 B	2.01	0.78	4.74 *	NS	1.6 *
	Potassium	138 U	NS	NS	113 B	114 B	133	54.5 N	414 E*N	NS	225
	Selenium	0.25 U	NS	NS	0.365 B	0.334 U	0.391 U	0.366 U	0.323 U	NS	1.03 U
	Silver	1 U	NS	NS	0.131 U	0.099 U	0.168 U	0.183 U	0.18 U	NS	0.171 U
	Sodium	39 B	NS	NS	14.4 B	17 B	22.9	11.5	17 B	NS	26.5
	Thallium	0.25 U	NS	NS	0.295 U	0.442 U	0.73 U	0.393 U	2.03	NS	0.856 U
Vanadium	5.1 B	NS	NS	5.26 B	2.39 B	6.58	1.6	15.1 *	NS	6.2 *	
Zinc	4.7 B	NS	NS	7.34	6.48	12.9	2.58	29.1 *	NS	7.3 *	
Cyanide	3.1 U	NS	NS	NA	NA	NA	NA	NA	NS	NS	

Table 3
Annual Wooded Wetland Report
Sediment Sample Results - Metals Analysis

LOCATION	CONTAMINANT Units : mg/Kg	SAMPLES COLLECTED									
		1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06
SD-17 (SD-A)	Aluminum	3,550	NS	3,500	2,840	1,440	1,870	2,870 *	1,080 *	NS	11100
	Antimony	8.8 U	NS	0.26 U	0.198 U	0.312 U	0.614 UN	0.415 B	0.492 UN	NS	0.577 U
	Arsenic	0.25 U	NS	1.1	0.397 B	0.424 B	0.51 U	0.435 B	0.296 U	NS	1.2 B
	Barium	8.8 B	NS	21.6	6.32	5.34 B	4.96	5.63	2.96	NS	29.4
	Beryllium	0.25 U	NS	0.17 B	0.056 U	0.037 B	0.042 B	0.052 B	0.072 U	NS	0.29 B
	Cadmium	1.3 U	NS	0.11 B	0.092 B	0.075 B	0.055 B	0.077 U	0.069 U	NS	0.28 B
	Calcium	80.4 B	NS	785	240 B	136 B	183 *	137 *N	107 N	NS	636
	Chromium	4.4	NS	7.4	2.54	1.98	1.99	2.68	1.21 *	NS	13
	Cobalt	1.3 U	NS	1.1 B	0.209 B	0.196 B	0.166 B	0.504 B	0.114 U	NS	1.8
	Copper	2.9 B	NS	8.2	1.64	1.41 B	1.42	12.6	1.39	NS	7.1 *
	Iron	1,590	NS	1,750	757	740	742	1210 *N	614	NS	3580 EN
	Lead	4.1 NJ	NS	21.3	6.98	6.15	5.29 N	4.71	2.49 *	NS	16.1 *
	Magnesium	389 B	NS	665 B	157 B	162 B	169	280 *N	128 *	NS	1190 *
	Manganese	14.8	NS	40.1	10.9	12.3	9.72 *	16 *N	9.49 *	NS	54.6 *
	Mercury	0.02 B	NS	0.028 U	0.038	0.003 U	0.014	0.012 B	0.012 B	0.0618	0.037 BN
	Nickel	7.6 U	NS	4.3	1.13	1.25 B	1	3.34	0.792 *	NS	5.8 *
	Potassium	140 U	NS	216 B	88.7 B	91.6 B	83.2	117 N	69.4 E*N	NS	566
	Selenium	0.25 U	NS	0.57 B	0.412 B	0.482 B	0.342 U	0.396 U	0.232 U	NS	0.866 U
	Silver	1 U	NS	0.22 B	0.115 U	0.103 U	0.147 U	0.199 U	0.129 U	NS	0.144 U
	Sodium	16.5 B	NS	31.9 B	9.14 B	19.3 B	17	15.6	5.21 U	NS	42.9
Thallium	0.25 U	NS	0.79 U	0.259 U	0.457 U	0.639 U	0.425 U	1.43 U	NS	0.722 U	
Vanadium	4.4 B	NS	12.6	4.52 B	2.99 B	3.19	4.09	1.62 *	NS	19.7 *	
Zinc	8.8	NS	27.5	7.37	4.6	6.37	6.24	3.4 *	NS	33.7 *	
Cyanide	3.2 U	NS	0.243	NA	NA	NA	NA	NA	NS	NS	

Table 3
Annual Wooded Wetland Report
Sediment Sample Results - Metals Analysis

LOCATION	CONTAMINANT Units : mg/Kg	SAMPLES COLLECTED									
		1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06
SD-11	Aluminum	4,030 *	NS	NS	5,070	12,800	11,400	6,920 *	7,570 *	NS	18500
	Antimony	10.9 U	NS	NS	0.311 U	0.532 U	1.51 UN	0.688 U	0.761 UN	NS	1.49 U
	Arsenic	0.31 U,	NS	NS	1.07	0.859 B	2.35	1.81	1.27	NS	3.8 B
	Barium	9.3 NB	NS	NS	27.1	53.4	61.1	35.4	34.6	NS	72.9
	Beryllium	0.31 U	NS	NS	0.134 B	0.291 B	0.342 B	0.232 B	0.281 B	NS	0.53 B
	Cadmium	1.6 U	NS	NS	0.135 B	0.06 B	0.232 B	0.144 B	0.152 B	NS	0.49 B
	Calcium	125 B	NS	NS	225 B	389	1750 *	551 *N	467 N	NS	2220
	Chromium	4.5	NS	NS	4.99	11.6	10.5	6.48	7.1 *	NS	18.5
	Cobalt	1.6 U	NS	NS	0.221 B	0.258 B	1.9	0.586 B	0.439 B	NS	2.7
	Copper	R	NS	NS	5.25	7.06	21.3	7.52	7.55	NS	35.8 *
	Iron	763 *	NS	NS	938	1,260 B	4,920	1,570 *N	1,660	NS	5190 EN
	Lead	6.3 N	NS	NS	8.41	13.2	85.7 N	17.8	16.9 *	NS	122 *
	Magnesium	168 B	NS	NS	118 B	295 B	819	262 *N	293 *	NS	1270 *
	Manganese	6.6 *	NS	NS	3.74	9.41	33.9 *	10.5 *N	11.4 *	NS	43.1 *
	Mercury	0.03 B	NS	NS	0.074	0.12	0.198	0.056	0.044	0.0729	0.29 N
	Nickel	9.3 U	NS	NS	2	2.77 B	7.51	3.13	3.3 *	NS	12.1 *
	Potassium	171 U	NS	NS	131 B	308 B	488	285 N	355 E*N	NS	917
	Selenium	0.31 B	NS	NS	1.43	2.68	1.59	0.993 B	0.817 B	NS	2.24 U
	Silver	1.2 U	NS	NS	0.198 B	0.175 U	0.363 U	0.338 U	0.2 U	NS	0.373 U
	Sodium	40.9 B	NS	NS	32.2 B	58.4 B	87.2	44.3	21 B	NS	115
	Thallium	0.31 U,	NS	NS	0.723 B	0.779 U	1.57 U	0.724 U	2.22 U	NS	1.86 U
	Vanadium	4.2 B	NS	NS	4.27 B	8.33 B	35.8	9.46	10.3 *	NS	53.3 *
	Zinc	R	NS	NS	15.4	16.5	61.7	22.3	20.4 *	NS	83 *
Cyanide	3.9 U	NS	NS	NA	NA	NA	NA	NA	NS	NS	

Table 3
Annual Wooded Wetland Report
Sediment Sample Results - Metals Analysis

LOCATION	CONTAMINANT Units : mg/Kg	SAMPLES COLLECTED									
		1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06
SD-12 (SD-D)	Aluminum	7,220 *	NS	30,300	4,420	27,900	20,600	13,600 *	10,500 *	NS	9750
	Antimony	8.7 U	NS	0.6 U	0.247 U	0.734 B	1.34 BN	1.61 B	1.03 BN	NS	0.804 U
	Arsenic	0.76 B,	NS	5	0.981	6.58 B	4.46	4.17	2.17	NS	1.9 B
	Barium	17.4 B	NS	85.9	32	77.5	68.2	49.5	46.5	NS	49.8
	Beryllium	0.25 U	NS	0.73 B	0.129 B	0.82 B	0.546 B	0.348 B	0.399 B	NS	0.29 B
	Cadmium	1.2 U	NS	0.54 B	0.148 B	0.724 B	0.241 B	0.199 B	0.096 U	NS	0.43 B
	Calcium	379 B	NS	1,820	964	2,780	2,020 *	2,260 *N	1,870 N	NS	1500
	Chromium	7.8	NS	22.1	4.7	27.8	20.3	13.3	10.9 *	NS	10.7
	Cobalt	2.5 B	NS	5.3 B	0.428 B	6.59 B	3.82	3.09	1.65	NS	1.3
	Copper	R	NS	44.6	7.41	36.6	26.4	20.2	13.6	NS	11.5 *
	Iron	5,150	NS	22,000	1,840	18,700	11,700	8,940 *N	5,960	NS	5370 EN
	Lead	10.4 NJ	NS	86.3	6.11	71.1	59.8 N	42.3	25.5 *	NS	21.8 *
	Magnesium	943 B	NS	2220	207 B	3,020	1,610	885 *N	672 *	NS	630 *
	Manganese	56 *	NS	125	4.12	147	73.3 *	48.4 *N	33.4 *	NS	23 *
	Mercury	0.03 B	NS	0.37	0.074	0.272	0.215	0.214	0.079	0.203	0.3 N
	Nickel	7.5 U	NS	16.5	2.04	19.6	11.6	7.9	5.5 *	NS	5.1 *
	Potassium	292 B	NS	766 B	130 B	1,300 B	774	611 N	570 E*N	NS	551
	Selenium	0.25 U	NS	2.2	1.22	2.01	1.74	1.44	1.23	NS	1.21 U
	Silver	1 U	NS	1.3 B	0.146 B	0.441 U	0.284 U	0.47 U	0.18 U	NS	0.201 U
	Sodium	29.8 B	NS	106 B	31.4 B	133 B	81.1	69.4	26.5	NS	57.7
Thallium	0.25 U	NS	1.8 U	0.323 U	1.03 U	1.23 U	1.01 U	2.46	NS	1.01 U	
Vanadium	10.8 B	NS	54.5	3.49 B	59.9	45.7	31.1	18.7 *	NS	17.2 *	
Zinc	R	NS	123	5.91	137	70.3	38.4	22.3 *	NS	23.4 *	
Cyanide	3.1 U	NS	0.708	NA	NA	NA	NA	NA	NS	NS	

Table 3
Annual Wooded Wetland Report
Sediment Sample Results - Metals Analysis

LOCATION	CONTAMINANT Units : mg/Kg	SAMPLES COLLECTED									
		1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06
SD-13 (SD-E)	Aluminum	9,100 *	NS	8,360	2,090	NS	NS	NS	NS	NS	NS
	Antimony	9.2 U	NS	0.51 U	0.194 U	NS	NS	NS	NS	NS	NS
	Arsenic	1.2 B,	NS	1 B	0.46 B	NS	NS	NS	NS	NS	NS
	Barium	22.7 B	NS	21.7	10.2	NS	NS	NS	NS	NS	NS
	Beryllium	0.26 U	NS	0.08 B	0.055 U	NS	NS	NS	NS	NS	NS
	Cadmium	1.3 U	NS	0.18 B	0.083 U	NS	NS	NS	NS	NS	NS
	Calcium	640 B	NS	993 B	264 B	NS	NS	NS	NS	NS	NS
	Chromium	9.1	NS	5.3	2.58	NS	NS	NS	NS	NS	NS
	Cobalt	2.7 B	NS	0.64 B	0.124 B	NS	NS	NS	NS	NS	NS
	Copper	8.1	NS	9.5	1.42	NS	NS	NS	NS	NS	NS
	Iron	7,040 *	NS	3,340	781	NS	NS	NS	NS	NS	NS
	Lead	15.8 NJ	NS	39.9 B	5.14	NS	NS	NS	NS	NS	NS
	Magnesium	1190 B	NS	312	108 B	NS	NS	NS	NS	NS	NS
	Manganese	85 *	NS	16	3.96	NS	NS	NS	NS	NS	NS
	Mercury	0.06 B	NS	0.13	0.054	NS	NS	NS	NS	NS	NS
	Nickel	7.9 U	NS	3.2	0.848	NS	NS	NS	NS	NS	NS
	Potassium	300 B	NS	209 B	113 B	NS	NS	NS	NS	NS	NS
	Selenium	0.26 U	NS	0.89 B	0.502 B	NS	NS	NS	NS	NS	NS
	Silver	1.1 U	NS	0.35 B	0.113 U	NS	NS	NS	NS	NS	NS
	Sodium	48.4 B	NS	76.1 B	14.1 B	NS	NS	NS	NS	NS	NS
	Thallium	0.26 U	NS	1.5 U	0.254 U	NS	NS	NS	NS	NS	NS
Vanadium	16.3	NS	14.9	2.99 B	NS	NS	NS	NS	NS	NS	
Zinc	27.9	NS	17.3	4.35	NS	NS	NS	NS	NS	NS	
Cyanide	3.3 U	NS	0.847	NA	NS	NS	NS	NS	NS	NS	

Table 3
Annual Wooded Wetland Report
Sediment Sample Results - Metals Analysis

LOCATION	CONTAMINANT Units : mg/Kg	SAMPLES COLLECTED									
		1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06
SD-2001	Aluminum	NS	NS	NS	1,780	46,900	15,800	14,900 *	11,600 *	NS	7030
	Antimony	NS	NS	NS	0.226 U	0.821 U	1.32 UN	1.44 B	0.953 BN	NS	0.87 U
	Arsenic	NS	NS	NS	0.566 B	9.03	4.21	4.4	2.23	NS	1.5 B
	Barium	NS	NS	NS	5.25	118	52.9	52.1	45.4	NS	56.9
	Beryllium	NS	NS	NS	0.064 U	1.23 B	0.434 B	0.359 B	0.397 B	NS	0.28 B
	Cadmium	NS	NS	NS	0.096 U	1.07 B	0.277 B	0.249 B	0.102 U	NS	0.27 B
	Calcium	NS	NS	NS	216 B	2,310 B	1,900 *	1,720 *N	1,430 N	NS	1370
	Chromium	NS	NS	NS	2.41	45.5	15.7	15.1	11.4 *	NS	7.8
	Cobalt	NS	NS	NS	0.347 B	8.87 B	2.98	3.16	1.7	NS	0.93 B
	Copper	NS	NS	NS	1.48	52.9	23.3	21.2	11.6	NS	8.5 *
	Iron	NS	NS	NS	1,120	25,600	8,720	7,180 *N	5,690	NS	2540 EN
	Lead	NS	NS	NS	9.99	145	57 N	60.8	29.7 *	NS	9 *
	Magnesium	NS	NS	NS	239 B	3,940	1,210	853 *N	675 *	NS	315 *
	Manganese	NS	NS	NS	12.4	158	69.3 *	41.2 *N	40.4 *	NS	21.3 *
	Mercury	NS	NS	NS	0.064	0.727	0.192	0.18	0.098	0.116	0.13 BN
	Nickel	NS	NS	NS	1.43	28	10.1	9.12	5.73 *	NS	3.6 *
	Potassium	NS	NS	NS	113 B	1,780	603	599 N	570 E*N	NS	354
	Selenium	NS	NS	NS	0.365 B	2.42	1.4	1.31	0.623 B	NS	1.31 U
	Silver	NS	NS	NS	0.131 U	0.689 B	0.316 U	0.441 U	0.192 U	NS	0.218 U
	Sodium	NS	NS	NS	14.4 B	149 B	74.7	74.9	21.8	NS	51.1
	Thallium	NS	NS	NS	0.295 U	1.2 U	1.37 U	0.943 U	3.05	NS	1.09 U
Vanadium	NS	NS	NS	5.26 B	107	40	41.5	22.6 *	NS	7.9 *	
Zinc	NS	NS	NS	7.34	186	76.6	42.1	24.2 *	NS	17.7 *	
Cyanide	NS	NS	NS	NA	NA	NA	NA	NA	NS	NS	

Table 3
Annual Wooded Wetland Report
Sediment Sample Results - Metals Analysis

LOCATION	CONTAMINANT Units : mg/Kg	SAMPLES COLLECTED									
		1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06

NOTES:

1994 Samples were collected from 0.0 ' to 0.5'

Number in parenthesis () indicates alternate identification for same location.

NA Not available

NS Not sampled

U Analyte was analyzed for but not detected.

N - Spike sample recovery was not within control limits

J - Estimated value; concentration below method detection limit.

* - Duplicate precision is not within control limits.

B - Concentraion less than the contract required detection limit, but greater than or equal to the instrument detection limit.

Table 4
Annual Wooded Wetland Report
Surface Water Sample Results - Metals Analysis

Location	Contaminant UNITS ug/L	SAMPLES COLLECTED									
		1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06
SW-5S (SWB)	Aluminum	38,600	304	1,240	253	385	445 E	429	434	210	301
	Antimony	35 U	2.5 U	1.9 U	4.14 U	2.65 U	4.79 U	3.46 U	5.08 U	4 U	0.5 U
	Arsenic	8.7 B	1.1 U	2.7 U	2.09 U	4.47 B	3.97 U	3.31 U	2.24 U	6 U	1.5 U
	Barium	136 B	11.7 B	19.6	5.32 B	7.7 B	6.32 B	6.91 B	10.2 B	5.1	5
	Beryllium	1.2 U	0.1 B	0.14 U	0.46 U	0.158 U	0.185 U	0.21 U	0.158 U	1 U	0.1 U
	Cadmium	5 U	0.2 U	0.44 B	0.69 U	0.274 B	0.21 U	0.66 U	0.313 U	1 U	0.1 U
	Calcium	29,700	8,860	5,520	2,360 B	3,170 B	3,590 B	2,450 B	2,720 B	2,960	2,170
	Chromium	32.1 U	0.7 U	2.8 B	1.03 B	0.774 B	0.781 B	1.69 U	0.892 B	1.3 B	1 U
	Cobalt	18.7 B	1.3 U	1.1 B	0.91 U	0.679 B	0.581 U	1.71 B	0.918 B	1 U	0.46 B
	Copper	56.2	0.9 U	13.4	1.63 U	2.24 B	1.52 B	2.58 B	1.39 U	3 U	1.8
	Iron	44,000	347	3,740	1,120	1,100	890	779	1,210	832	757
	Lead	NA	2.2 B	5.3	1.38 U	1.47 U	2.16 B	2.4 U	1.72 U	2.5 U	1.1 B
	Magnesium	12,500	2,460 B	1,560 B	985 B	1,060 B	1,230 B	774 B	848 B	939	768
	Manganese	1,410	96.1	383	181	339	227	153	176	21	171
	Mercury	0.25 B	0.1 U	0.13 B	0.05 B	0.057 U	0.04 U	0.095 U	0.047 U	0.05 U	0.06 U
	Nickel	30 U	1.6 U	7.6	1.29 U	1.91 B	2.09 B	1.64 U	1.19 B	3.8 B	1.8 B
	Potassium	5,720 B	2,430 B	4,790 B	2,340 B	3,470 B	2,700 B	2,010 B	1,860 B	2,240	2,070
	Selenium	1 U	2.4 U	2.6 B	3.66 U	2.93 U	2.67 U	3.39 U	2.81 U	6 U	2.5 U
	Silver	4 U	0.8 U	0.89 U	0.94 U	0.871 U	1.15 U	1.7 U	0.835 U	1 U	0.2 U
	Sodium	7,200	3,500 B	4,250 B	1,840 B	2,670 B	2,620 B	2,290 BE	2,530 B	3,020	2,550
Thallium	1 U	1.9 U	5.6 U	2.11 U	3.88 U	4.99 U	3.64 U	10 U	5 U	0.4 U	
Vanadium	74.9 B	3.4 B	9.2 B	1.94 B	2.84 B	2.32 B	4.13 B	2.83 B	1.3 B	2 U	
Zinc	252	47.5	65.8	8.12 B	12.4 B	13.7 B	34.4	15.4 B	12.2	15.1	

Table 4
Annual Wooded Wetland Report
Surface Water Sample Results - Metals Analysis

Location	Contaminant UNITS ug/L	SAMPLES COLLECTED									
		1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06
SW- 6 (SW-C)	Aluminum	NS	762	110,000	503	523	541 E	413	346	539	405
	Antimony	NS	2.5 U	3.7 U	4.14 U	2.65 U	4.79 U	3.46 U	5.08 U	4 U	0.5 U
	Arsenic	NS	1.1 U	19.8	2.09 U	2.33 U	3.97 U	3.31 U	2.24 U	6 U	2.4 B
	Barium	NS	13.8 B	507	9.62 B	7.9 B	7.37 B	5.89 B	5.74 B	8	6.5
	Beryllium	NS	0.1 B	3.3 B	0.46 U	0.158 U	0.185 U	0.21 U	0.158 U	1 U	0.1 U
	Cadmium	NS	0.1 B	7.4 B	0.69 U	0.272 U	0.21 U	0.66 U	0.313 U	1 U	0.1 U
	Calcium	NS	7,000	28,400	2,660 B	2150 B	2450 B	1540 B	1450 B	2520	1700
	Chromium	NS	0.7 U	99.4	1.41 B	0.779 B	0.533 B	1.69 U	0.643 B	1.2 B	1.3 B
	Cobalt	NS	1.3 U	22.7 B	0.91 U	0.419 U	0.581 U	1.33 B	0.738 B	1 U	0.58 B
	Copper	NS	8.1 B	165	1.92 B	2.48 B	1.55 B	1.91 B	1.39 U	3 U	1.8
	Iron	NS	692	77,500	2,140	1,250	725	522	595	1,470	890
	Lead	NS	4.4	887	1.38 U	1.47 U	1.24 U	2.4 U	1.72 U	2.5 U	0.89 B
	Magnesium	NS	2,690 B	13200	860 B	810 B	982 B	642 B	624 B	883	717
	Manganese	NS	256	1,280	107	106	133	78.1	71.6	124	89.3
	Mercury	NS	0.1 U	1	0.085 B	0.057 U	0.04 U	0.095 U	0.047 U	0.05 U	0.06 U
	Nickel	NS	3.4 B	121	1.93 B	2.07 B	2.07 B	1.64 U	1.07 B	2.5 B	2.3
	Potassium	NS	2,610 B	9,990 B	1,940 B	2,360 B	1,920 B	1,180 B	1,270 B	2,240	1,380
	Selenium	NS	2.4 U	10 B	3.66 U	3.46 B	2.67 U	3.61 B	3.5 B	6 U	2.5 U
	Silver	NS	0.8 U	2.3 B	0.94 U	0.871 U	1.15 U	1.7 U	0.835 U	1 U	0.2 U
	Sodium	NS	3,330 B	4,350 B	2,070 B	2,920 B	3,180 B	2,270 BE	2,560 B	3,390	2,660
Thallium	NS	1.9 U	11.3 U	2.11 U	3.88 U	4.99 U	3.64 U	10 U	5 U	0.4 U	
Vanadium	NS	9.1 B	348	3.19 B	2.94 B	3.33 B	4.71 B	1.51 B	2 B	2 U	
Zinc	NS	53.2	699	16.8 B	14.1 B	14.4 B	29.9	11.5 B	20.4	14	

Table 4
Annual Wooded Wetland Report
Surface Water Sample Results - Metals Analysis

Location	Contaminant UNITS ug/L	SAMPLES COLLECTED									
		1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06
SW- 16	Aluminum	NS	NS	NS	NS	928	521 E	446	543	618	1110
	Antimony	NS	NS	NS	NS	2.65 U	4.79 U	3.46 U	5.08 U	4 U	0.5 U
	Arsenic	NS	NS	NS	NS	2.33 U	3.97 U	3.31 U	2.24 U	6 U	1.5 U
	Barium	NS	NS	NS	NS	27.3 B	11.2 B	8.81 B	11.7 B	9.8	11.6
	Beryllium	NS	NS	NS	NS	0.158 U	0.185 U	0.21 U	0.158 U	1 U	0.1 U
	Cadmium	NS	NS	NS	NS	0.272 U	0.21 U	0.66 U	0.313 U	1 U	0.11 B
	Calcium	NS	NS	NS	NS	5,480	6,040	4,200 B	3,150 B	3,790	3,880
	Chromium	NS	NS	NS	NS	1.31 B	0.723 B	2.07 B	1.26 B	1.5 B	1.9 B
	Cobalt	NS	NS	NS	NS	0.627 B	0.581 U	1.69 B	0.812 B	1 U	0.88 B
	Copper	NS	NS	NS	NS	3.3 B	2.21 B	3.09 B	1.39 U	3 U	3.7
	Iron	NS	NS	NS	NS	2,320	1,330	1,430	1,480	1,820	2,200
	Lead	NS	NS	NS	NS	3.86	1.39 B	2.4 U	1.72 U	2.5 U	3.7
	Magnesium	NS	NS	NS	NS	1,420 B	1,580 B	1,120 B	922 B	1,000	1,180
	Manganese	NS	NS	NS	NS	156	158	116	83.6	120	136
	Mercury	NS	NS	NS	NS	0.057 U	0.04 U	0.095 U	0.047 U	0.05 U	0.06 U
	Nickel	NS	NS	NS	NS	2.81 B	2.23 B	1.64 U	1.03 B	2.1 B	3.2
	Potassium	NS	NS	NS	NS	2,730 B	2,270 B	1,730 B	1,590 B	1,830	1,990
	Selenium	NS	NS	NS	NS	2.93 U	2.67 U	3.39 U	2.81 U	6 U	2.5 U
	Silver	NS	NS	NS	NS	0.871 U	1.15 U	1.7 U	0.835 U	1 U	0.2 U
	Sodium	NS	NS	NS	NS	2,520 B	2,680 B	2,170 BE	2,400 B	2,700	2,620
Thallium	NS	NS	NS	NS	3.88 U	4.99 U	3.64 U	10 U	5 U	0.4 U	
Vanadium	NS	NS	NS	NS	4.61 B	2.96 B	5.02 B	3.44 B	4 B	3 B	
Zinc	NS	NS	NS	NS	15.5 B	14.6 B	34	14.8 B	17.1	28	

Table 4
Annual Wooded Wetland Report
Surface Water Sample Results - Metals Analysis

Location	Contaminant UNITS ug/L	SAMPLES COLLECTED									
		1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06
SW-17 (SW-A)	Aluminum	NS	NS	1,260	NS	612	441 E	490	485	357	310
	Antimony	NS	NS	2 U	NS	2.65 U	4.79 U	3.46 U	5.08 U	4 U	0.5 U
	Arsenic	NS	NS	2.7 U	NS	3.21 B	3.97 U	3.31 U	2.24 U	6 U	1.5 U
	Barium	NS	NS	21.6	NS	36 B	14.6 B	10.3 B	13 B	8.3	6.6
	Beryllium	NS	NS	0.14 U	NS	0.158 U	0.185 U	0.21 U	0.158 U	1 U	0.1 U
	Cadmium	NS	NS	0.34 U	NS	0.272 U	0.21 U	0.66 U	0.313 U	1 U	0.1 U
	Calcium	NS	NS	8,570	NS	9,120	7,900	6,930	3,920 B	4,820	3,420
	Chromium	NS	NS	3 B	NS	1.73 B	1.16 B	1.69 U	0.984 B	10	1 U
	Cobalt	NS	NS	1.1 B	NS	1.49 B	0.759 B	1.82 B	0.754 B	1 U	0.54 B
	Copper	NS	NS	5	NS	4.2 B	2.21 B	3.26 B	1.39 U	17.6	1.5
	Iron	NS	NS	5,410	NS	5430	1650	1120	1170	2320	1130
	Lead	NS	NS	6	NS	3.31	2.04 B	2.4 U	1.72 U	2.5 U	1.1 B
	Magnesium	NS	NS	1,950 B	NS	1,950 B	1,780 B	1,530 B	1,050 B	1,130	964
	Manganese	NS	NS	240	NS	469	150	157	102	136	110
	Mercury	NS	NS	0.12 U	NS	0.057 U	0.04 U	0.095 U	0.047 U	0.05 U	0.06 U
	Nickel	NS	NS	6	NS	3.28 B	2.27 B	1.64 U	1.04 B	6.7	1.8 B
	Potassium	NS	NS	2,480 B	NS	3,310 B	2,400 B	1,960 B	1,550 B	1,910	1,810
	Selenium	NS	NS	2.1 B	NS	3 U	3 U	3 U	3 U	6 U	3 U
	Silver	NS	NS	0.89 U	NS	0.871 U	1.15 U	1.7 U	0.835 U	1 U	0.2 U
	Sodium	NS	NS	3,610 B	NS	2,560 B	2,470 B	2,050 BE	2,220 B	2,580	2,260
Thallium	NS	NS	6 U	NS	3.88 U	4.99 U	3.64 U	10 U	5 U	0.4 U	
Vanadium	NS	NS	6.5 B	NS	7.54 B	4.11 B	4.25 B	2.63 B	3.4 B	2 U	
Zinc	NS	NS	31.5	NS	24	14.2 B	30.1	16.6 B	14	17.5	

Table 4
Annual Wooded Wetland Report
Surface Water Sample Results - Metals Analysis

Location	Contaminant UNITS ug/L	SAMPLES COLLECTED									
		1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06
SW- 4	Aluminum	829	NS	NS	179 B	1,500	1,320 E	326	258	356	461
	Antimony	35 U	NS	NS	4.14 U	2.65 U	4.79 U	3.46 U	5.08 U	5.1 B	0.5 U
	Arsenic	1.3 B	NS	NS	2.09 U	2.33 U	3.97 U	3.31 U	2.24 U	6 U	1.7 B
	Barium	21.9 B	NS	NS	17.4 B	77.9 B	15.1 B	6.39 B	8.11 B	9.9	16.2
	Beryllium	1 U	NS	NS	0.46 U	0.158 U	0.185 U	0.21 U	0.158 U	1 U	0.1 U
	Cadmium	5 U	NS	NS	0.69 U	0.272 U	0.21 U	0.66 U	0.313 U	1 U	0.1 U
	Calcium	8,150	NS	NS	16,400	7,230	5,350	3,630 B	4,300 B	4,290	4,000
	Chromium	5 UUB	NS	NS	0.87 U	1.62 B	1.62 B	1.99 B	0.795 B	4.4 B	1 U
	Cobalt	5	NS	NS	0.91 U	1.84 B	0.581 U	1.68 B	0.903 B	1 U	0.48 B
	Copper	8.5 B	NS	NS	1.63 U	5.79 B	3.79 B	2.59 B	1.39 U	10.4	3.5
	Iron	3930	NS	NS	2,600	3,670	1,760	499	996	1,640	702
	Lead	NA	NS	NS	1.38 U	5.61	3.53	2.4 U	1.72 U	4.9 B	1.5 B
	Magnesium	4,260 B	NS	NS	2,780 B	2,170 B	1,930 B	1,340 B	1,560 B	1,520	1,490
	Manganese	146	NS	NS	135	312	69.5	39.6	112	47.2	23.1
	Mercury	0.2 B	NS	NS	0.109 B	0.057 U	0.04 U	0.095 U	0.047 U	0.05 U	0.06 U
	Nickel	30 U	NS	NS	1.29 U	3.5 b	2.14 B	1.64 U	0.69 U	2.2 B	1.3 B
	Potassium	2,130 B	NS	NS	3,350 B	2,980 B	2,200 B	1,380 B	1,560 B	1,920	1,260
	Selenium	1 U	NS	NS	3.66 U	2.93 U	2.67 U	3.84 B	2.81 U	6 U	2.5 U
	Silver	4 U	NS	NS	0.94 U	0.871 U	1.15 U	1.8 B	0.835 U	1 U	0.2 U
	Sodium	6,850	NS	NS	2,410 B	2,860 B	2,960 B	2,390 BE	2,570 B	2,970	2,320
Thallium	1 U	NS	NS	2.48 B	3.88 U	4.99 U	3.64 U	10 U	5 U	0.4 U	
Vanadium	9 U	NS	NS	2.05 B	6.95 B	4.03 B	4.06 B	1.38 B	2.6 B	2 U	
Zinc	33.3	NS	NS	2.19 U	28	22	55.8	12.2 B	10.7	183	

Table 4
Annual Wooded Wetland Report
Surface Water Sample Results - Metals Analysis

Location	Contaminant UNITS ug/L	SAMPLES COLLECTED									
		1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06
SW- 5N (SW-D)	Aluminum	NS	NS	945	179 B	575	238 E	1180	133 B	449	394
	Antimony	NS	NS	1.9 U	4.14 U	2.89 B	4.79 U	3.46 U	5.08 U	4 U	0.5 U
	Arsenic	NS	NS	2.7 U	2.09 U	2.33 U	3.97 U	3.31 U	2.24 U	6 U	1.5 U
	Barium	NS	NS	22.8	17.4 B	25.6 B	9.22 B	9.58 B	6.4 B	9.3	6.9
	Beryllium	NS	NS	0.14 U	0.46 U	0.158 U	0.185 U	0.21 U	0.158 U	1 U	0.1 U
	Cadmium	NS	NS	0.34 U	0.69 U	0.272 U	0.21 U	0.66 U	0.313 U	1 U	0.1 U
	Calcium	NS	NS	7,990	16,400	15,700	11,000	10,500	9,730	11,300	7,220
	Chromium	NS	NS	1.4 B	0.87 U	1.06 B	0.532 U	2.12 B	0.558 B	1.7 B	1 U
	Cobalt	NS	NS	1.1 B	0.91 U	0.515 B	0.581 U	1.78 B	0.541 U	1 U	0.3 B
	Copper	NS	NS	3.2 B	1.63 U	2.28 B	1.3 U	4.09 B	1.39 U	3 U	3.1
	Iron	NS	NS	6,900	2,600	1,290	598	1,070	564	2,000	776
	Lead	NS	NS	3.6 B	1.38 U	2.27 B	1.24 U	2.4 U	1.72 U	2.5 U	0.72 B
	Magnesium	NS	NS	2,560 B	2,780 B	2,850 B	2,110 B	2,010 B	2,010 B	2,000	1,760
	Manganese	NS	NS	146	135	103	33.2	35.2	18	60	33.8
	Mercury	NS	NS	0.12 U	0.109 B	0.057 U	0.04 U	0.095 U	0.047 U	0.05 U	0.06 U
	Nickel	NS	NS	5 B	1.29 U	1.09 B	0.837 U	1.64 U	0.69 U	1 U	1.1 B
	Potassium	NS	NS	3,910 B	3,350 B	3,160 B	2,210 B	1,600 B	1,370 B	770	1,200
	Selenium	NS	NS	1.9 U	3.66 U	2.93 U	2.67 U	3.39 U	2.81 U	6 U	2.5 U
	Silver	NS	NS	0.89 U	0.94 U	0.871 U	1.15 U	2 B	0.835 U	1.1 B	0.2 U
	Sodium	NS	NS	3,870 B	2,410 B	2,280 B	2,160 B	1,650 BE	1,830 B	2,080	2,090
Thallium	NS	NS	5.6 U	2.48 B	3.88 U	4.99 U	3.64 U	10 U	5 U	0.4 U	
Vanadium	NS	NS	4.6 B	2.05 B	2.56 B	1.27 B	4.4 B	1.06 B	4.1 B	2 U	
Zinc	NS	NS	21.9	2.19 U	4.96 B	4.54 B	25.4	7.02 B	5.9 B	8.4 B	

Table 4
Annual Wooded Wetland Report
Surface Water Sample Results - Metals Analysis

Location	Contaminant UNITS ug/L	SAMPLES COLLECTED									
		1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06
SW- E	Aluminum	NS	NS	1,170	NS	NS	NS	NS	NS	NS	NS
	Antimony	NS	NS	1.9 U	NS	NS	NS	NS	NS	NS	NS
	Arsenic	NS	NS	2.7 U	NS	NS	NS	NS	NS	NS	NS
	Barium	NS	NS	30.4	NS	NS	NS	NS	NS	NS	NS
	Beryllium	NS	NS	0.14 U	NS	NS	NS	NS	NS	NS	NS
	Cadmium	NS	NS	0.34 U	NS	NS	NS	NS	NS	NS	NS
	Calcium	NS	NS	8,410	NS	NS	NS	NS	NS	NS	NS
	Chromium	NS	NS	3.9 B	NS	NS	NS	NS	NS	NS	NS
	Cobalt	NS	NS	2.3 B	NS	NS	NS	NS	NS	NS	NS
	Cooper	NS	NS	6.4	NS	NS	NS	NS	NS	NS	NS
	Iron	NS	NS	6,970	NS	NS	NS	NS	NS	NS	NS
	Lead	NS	NS	4.5 B	NS	NS	NS	NS	NS	NS	NS
	Magnesium	NS	NS	2,610 B	NS	NS	NS	NS	NS	NS	NS
	Manganese	NS	NS	323	NS	NS	NS	NS	NS	NS	NS
	Mercury	NS	NS	0.12 U	NS	NS	NS	NS	NS	NS	NS
	Nickel	NS	NS	6.7	NS	NS	NS	NS	NS	NS	NS
	Potassium	NS	NS	4,140 B	NS	NS	NS	NS	NS	NS	NS
	Selenium	NS	NS	1.9 U	NS	NS	NS	NS	NS	NS	NS
	Silver	NS	NS	0.89 U	NS	NS	NS	NS	NS	NS	NS
	Sodium	NS	NS	3,990 B	NS	NS	NS	NS	NS	NS	NS
Thallium	NS	NS	5.6 U	NS	NS	NS	NS	NS	NS	NS	
Vanadium	NS	NS	7.5 B	NS	NS	NS	NS	NS	NS	NS	
Zinc	NS	NS	38.2	NS	NS	NS	NS	NS	NS	NS	

Table 4
Annual Wooded Wetland Report
Surface Water Sample Results - Metals Analysis

Location	Contaminant UNITS ug/L	SAMPLES COLLECTED									
		1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06
SW- 2001	Aluminum	NS	NS	NS	NS	466	427 E	4090	119 B	412	1720
	Antimony	NS	NS	NS	NS	2.65 U	4.79 U	3.46 U	5.08 U	4 U	0.5 U
	Arsenic	NS	NS	NS	NS	2.33 U	3.97 U	3.31 U	2.24 U	6 U	1.5 U
	Barium	NS	NS	NS	NS	42.9 B	11.2 B	20.9 B	6.54 B	8.3	16.2
	Beryllium	NS	NS	NS	NS	0.158 U	0.185 U	0.21 U	0.158 U	1 U	0.1 U
	Cadmium	NS	NS	NS	NS	0.272 U	0.21 U	0.66 U	0.313 U	1 U	0.1 U
	Calcium	NS	NS	NS	NS	15,300	11,700	10,400	9,780	10,300	11,000
	Chromium	NS	NS	NS	NS	0.977 B	0.532 U	4.52 B	0.503 U	1.6 B	1 U
	Cobalt	NS	NS	NS	NS	0.518 B	0.581 U	2.86 B	0.541 U	1 U	1.4
	Copper	NS	NS	NS	NS	1.94 B	2.74 B	7.14 B	1.39 U	3 U	6.4
	Iron	NS	NS	NS	NS	1,190	753	3,420	558	1,850	1,990
	Lead	NS	NS	NS	NS	1.66 B	1.24 U	8.68	1.72 U	2.5 U	3.2
	Magnesium	NS	NS	NS	NS	2,760 B	2,180 B	2,320 B	2,020 B	1,940	2,030
	Manganese	NS	NS	NS	NS	130	103	105	18.9	60.4	328
	Mercury	NS	NS	NS	NS	0.057 U	0.04 U	0.095 U	0.047 U	0.05 U	0.06 U
	Nickel	NS	NS	NS	NS	0.815 U	1.08 B	1.64 U	0.69 U	1.9 B	1.8 B
	Potassium	NS	NS	NS	NS	3,050 B	2,130 B	1,960 B	1,360 B	811	1,580
	Selenium	NS	NS	NS	NS	2.93 U	2.67 U	3.39 U	2.81 U	6 U	2.5 U
	Silver	NS	NS	NS	NS	0.871 U	1.15 U	1.7 U	0.835 U	1 U	0.2 U
	Sodium	NS	NS	NS	NS	2,270 B	2,230 B	1,800 BE	1,830 B	2,010	1,430
Thallium	NS	NS	NS	NS	3.88 U	4.99 U	3.64 U	10 U	5 U	0.4 U	
Vanadium	NS	NS	NS	NS	2.32 B	2.13 B	12 B	1.03 B	2.9 B	5.1 B	
Zinc	NS	NS	NS	NS	4.25 B	5.91 B	72.6	7.05 B	7.7 B	72.5	

NOTES:

- U Analyte was analyzed for but not detected.
- 1994 Samples were collected from 0.0' to 0.5' N - Spike sample recovery was not within control limits
- Number in parenthesis () indicates alternate identification for same location. * - Duplicate precision is not within control limits.
- NA Not available B - Concentraion less than the contract required detection limit, but greater than or equal to the instrument detection limit.
- NS Not sampled

Table 5
Wooded Wetlands-Sediment Results and Benchmark Concentrations
Brookhaven National Laboratory, Upton, New York

South Pond

Contaminant units mg/Kg	SD-5 (SD-B)										SD-6 (SD-C)									
	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06
Copper	NS	4.8 B	8.1	9.59	9.03	9.65	11.7	10.5	NS	10 *	NS	4.8 B	7.8	0.72 B	7.27	1.85	0.55 B	1.37	NS	1.7 *
Lead	NS	28	19.4	13.4	13	21.1 N	12.7	30.1 *	NS	16 *	NS	19.8	63.5	4.62	5.28	9.74 N	1.6	10.3 *	NS	5 *
Manganese	NS	41.5	45.1	82.4	123	78.7	88.3 *N	109 *	NS	89 *	NS	29.3	39.3	10.4	144	13.4	9.87 *N	15 *	NS	24 *
Mercury	NS	0.11 U	0.05	0.098	0.053	0.053	0.021	0.052	0.0512	0.047 BN	NS	0.1 U	0.18	0.049	0.004	0.011 B	0.01 U	0.019	0.012	0.014 BN
Zinc	NS	22.3	25.1	31.4	29.8	31.9	29.5	26.3 *	NS	34 *	NS	19.7	26	5.86	27.6	6.45	3.98	6.67 *	NS	9.5 *

Contaminant units mg/Kg	SD-16										SD-17 (SD-A)									
	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06
Copper	1 B	NS	NS	1.48	0.904	3.78	0.389 B	8.14	NS	2.2 *	2.9 B	NS	8.2	1.64	1.41	1.42	12.6	1.39	NS	7.1 *
Lead	4.4 NJ	NS	NS	9.99	3.19	16.1 N	1.7	39.5 *	NS	8.8 *	4.1 NJ	NS	21.3	6.98	6.15	5.29 N	4.71	2.49 *	NS	16.1 *
Manganese	11.5	NS	NS	12.4	9.68	17.7	8.07 *N	45 *	NS	16.7 *	14.8	NS	40.1	10.9	12.3	9.72	16 *N	9.49 *	NS	54.6 *
Mercury	0.001 B	NS	NS	0.064	0.003	0.033	0.005 U	0.028	0.0336	0.027 *	0.02 B	NS	0.03 U	0.038	0.003	0.014	0.01 B	0.012 B	0.06	0.037 BN
Zinc	4.7 B	NS	NS	7.34	6.48	12.9	2.58	29.1 *	NS	7.3 *	8.8	NS	27.5	7.37	4.6	6.37	6.24	3.4 *	NS	33.7 *

South Pond Averages

Contaminant units mg/Kg									Maximum Sediment Conc. ¹	Bkg. Sediment Conc.
	1999	2000	2001	2002	2003	2004	2005	2006		
Copper	8.03	3.36	4.7	4.2	6.3	5.4	NS	5.3	29	52.5
Lead	34.73	8.75	6.9	13.1	5.2	20.6	NS	11.5	82.9	97.6
Manganese	41.50	29.03	72.2	29.9	30.6	44.6	NS	46.1	541	84.3
Mercury	0.09	0.06	0.02	0.03	0.01	0.03	0.04	0.03	0.17	0.41
Zinc	26.20	12.99	17.1	14.4	10.6	16.4	NS	21.1	122	158

North Pond

Contaminant units mg/Kg	SD-11										SD-12 (SD-D)									
	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06
Copper	NA	NS	NS	5.25	7.06	21.3	7.52	7.55	NS	35.8 *	NA	NS	45	7.41	37	26.4	20.2	13.6	NS	11.5 *
Lead	6.3 N	NS	NS	8.41	13.2	85.7 N	17.8	16.9 *	NS	122 *	10.4 NJ	NS	86	6.11	71.1	59.8 N	42.3	25.5 *	NS	21.8 *
Manganese	6.6	NS	NS	3.74	9.41	33.9	10.5 *N	11.4 *	NS	43.1 *	56	NS	125	4.12	147	73.3	48.4 *N	33.4 *	NS	23 *
Mercury	0.030 B	NS	NS	0.074	0.120	0.198	0.056	0.044	0.0729	0.29 N	0.03 B	NS	0.370	0.074	0.272	0.215	0.21	0.079	0.203	0.3 N
Zinc	NA	NS	NS	15.4	16.5	61.7	22.3	20.4 *	NS	83 *	NA	NS	123	5.91	137	70.3	38.4	22.3 *	NS	23.4 *

Contaminant units mg/Kg	SD-13 (SD-E)										SD-2001									
	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06
Copper	8.1	NS	9.5	1.42	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	53	23.3	21.2	11.6	NS	8.5 *
Lead	15.8 NJ	NS	39.9	5.14	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	145	57 N	60.8	29.7 *	NS	9 *
Manganese	85	NS	16.0	4.0	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	158	69.3	41.2 *N	40.4 *	NS	21.3 *
Mercury	0.08 B	NS	0.13	0.054	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.727	0.192	0.18	0.098	0.116	0.13 BN
Zinc	27.9	NS	17.3	4.35	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	186	76.6	42.1	24.2 *	NS	17.7 *

North Pond Averages

Contaminant units mg/Kg									Maximum Sediment Conc. ¹	Bkg. Sediment Conc.
	1999	2000	2001	2002	2003	2004	2005	2006		
Copper	27.1	4.7	32.2	23.7	16.3	10.9	NS	18.6	29	52.5
Lead	63.1	6.6	76.4	67.5	40.3	24.0	NS	50.9		97.6
Manganese	70.5	3.9	104.8	58.8	33.4	28.4	NS	29.1	541	84.3
Mercury	0.25	0.07	0.37	0.20	0.15	0.07	0.13	0.24	0.17	0.41
Zinc	70.2	8.6	113.2	69.5	34.3	22.3	NS	41.4	122	158

NOTES:

¹ Final Focused Ecological Risk Assessment for Operable Unit I/VI (CDM 1999)

1994 Samples were collected from 0.0' to 0.5'

Number in parenthesis () indicates alternate identification for same location.

NA Not available

NS Not sampled

U Analyte was analyzed for but not detected.

N - Spike sample recovery was not within control limits

J - Estimated value; concentration below method detection limit.

* - Duplicate precision is not within control limits.

B - Concentration less than the contract required detection limit, but greater than or equal to the instrument detection limit.

Table 6
Wooded Wetlands-Surface Water Results and Critical Water Concentrations
Brookhaven National Laboratory, Upton, New York

South Pond

Contaminant units ug/L	SW-5S (SW-B)											SW-6 (SW-C)										
	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06		
Aluminum	NS	304	1,240	253	385	445 E	429	434	210	301	NS	762	110,000	503	523	541 E	413	346	539	405		
Cadmium	NS	0.2 B	0.44 B	0.69 U	0.274 B	0.210 U	0.660 U	0.313 U	1.000 U	0.1 U	NS	NA	7.4 B	0.69 U	0.272 U	0.210 U	0.660 U	0.313 U	1.000 U	0.100 U		
Cobalt	NS	1.3 U	1.1 B	0.91 U	0.679 B	0.581 U	1.710 B	0.918 B	1.000 U	0.46 B	NS	1.4 B	22.7 B	0.91 U	0.419 U	0.581 U	1.330 B	0.738 B	1.000 U	0.580 B		
Copper	NS	0.9 U	13.4	1.63 U	2.24 B	1.52 B	2.58 B	1.39 U	3 U	1.8	NS	8.1 B	165	1.92 B	2.48 B	1.55 B	1.91 B	1.39 U	3 U	1.8		
Iron	NS	347	3,740	1,120	1,100	890	779	1,210	832	757	NS	692	77,500	2,140	1,250	725	522	595	1,470	890		
Lead	NS	2.2 B	5.3	1.38 U	1.47 U	2.16 B	2.4 U	1.72 U	2.5 U	1.1 B	NS	4.4	887	1.38 U	1.47 U	1.24 U	2.4 U	1.72 U	2.5 U	0.89 B		
Mercury	NS	0.1 B	0.13 B	0.05 B	0.057 U	0.04 U	0.10 U	0.05 U	0.05 U	0.06 U	NS	NA	1	0.085 B	0.057 U	0.04 U	0.10 U	0.05 B	0.05 U	0.06 U		
Nickel	NS	1.6 U	7.6	1.29 U	1.91 B	2.09 B	1.64 U	1.19 B	3.8 B	1.8 B	NS	NA	121	1.93 B	2.07 B	2.07 B	1.64 U	1.07 B	2.5 B	2.3		
Silver	NS	0.8 U	0.89 U	0.94 U	0.871 U	1.15 U	1.70 U	0.84 U	1.00 U	0.2 U	NS	NA	2.3 B	0.94 U	0.871 U	1.15 U	1.70 U	0.84 U	1.00 U	0.20 U		
Zinc	NS	47.5	65.8	8.12 B	12.4 B	13.7 B	34.4	15.4 B	12.2	15.1	NS	53.2	699	16.8 B	14.1 B	14.4 B	29.9	11.5 B	20.4	14		

Contaminant units ug/L	SW-16											SW-17 (SW-A)										
	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06		
Aluminum	NS	NS	NS	NS	928	521 E	446	543	618	1110	NS	NS	1,260	NS	612	441 E	490	485	357	310		
Cadmium	NS	NS	NS	NS	0.272 U	0.210 U	0.660 U	0.313 U	1 U	0.11 B	NS	NS	0.34 U	NS	0.272 U	0.210 U	0.660 U	0.313 U	1 U	0.100 U		
Cobalt	NS	NS	NS	NS	0.627 B	0.581 U	1.690 B	0.812 B	1 U	0.88 B	NS	NS	1.1 B	NS	1.49 B	0.759 B	1.820 B	0.754 B	1 U	0.540 B		
Copper	NS	NS	NS	NS	3.3 B	2.21 B	3.09 B	1.39 U	3 U	3.7	NS	NS	5	NS	4.2 B	2.21 B	3.26 B	1.39 U	17.6	1.5		
Iron	NS	NS	NS	NS	2,320	1,330	1,430	1,480	1,820	2,200	NS	NS	5,410	NS	5,430	1,650	1,120	1,170	2,320	1,130		
Lead	NS	NS	NS	NS	3.86	1.39 B	2.4 U	1.72 U	2.5 U	3.7	NS	NS	5.7	NS	3.31	2.04 B	2.4 U	1.72 U	2.5 U	1.1 B		
Mercury	NS	NS	NS	NS	0.057 U	0.04 U	0.10 U	0.047 U	0.05 U	0.06 U	NS	NS	0.12 U	NS	0.057 U	0.04 U	0.10 U	0.047 U	0.05 U	0.06 U		
Nickel	NS	NS	NS	NS	2.81 B	2.23 B	1.64 U	1.03 B	2.1 B	3.2	NS	NS	5.5	NS	3.28 B	2.27 B	1.64 U	1.04 B	6.7	1.8 B		
Silver	NS	NS	NS	NS	0.871 U	1.15 U	1.70 U	0.835 U	1 U	0.2 U	NS	NS	0.89 U	NS	0.871 U	1.15 U	1.70 U	0.835 U	1 U	0.20 U		
Zinc	NS	NS	NS	NS	15.5 B	14.6 B	34	14.8 B	17.1	28	NS	NS	32	NS	24	14.2 B	30.1	16.6 B	14	17.5		

South Pond Averages

Contaminant units ug/L	Bench- mark ¹	Critical								
	1994/97	1999	2000	2001	2002	2003	2004	2005	2006	Conc. ¹
Aluminum	762	37,500	378	612	487	445	452	431	532	525
Cadmium	0.3	2.73	0.69	0.27	0.21	0.66	0.31	1.00	0.10	12.8
Cobalt	8.1	8.30	0.91	0.80	0.63	1.64	0.81	1.00	0.62	15
Copper	18.7	61.13	1.78	3.06	1.87	2.71	1.39	6.65	2.20	50
Iron	4,400	28,883	1,630	2,525	1148.75	963	1,114	1,611	1,244	1,000
Lead	4.4	299	1.38	2.53	1.71	2.40	1.72	2.50	1.70	14.6
Mercury	0.24	0.42	0.07	0.06	0.04	0.10	0.05	0.05	0.06	27
Nickel	3.5	44.70	1.61	2.52	2.17	1.64	1.08	3.78	2.28	420
Silver	ND	1.36	0.94	0.87	1.15	1.70	0.84	1.00	0.20	2.4
Zinc	64.9	265.4	12.5	16.5	14.23	32.10	14.6	15.9	18.7	23.8

Table 6
Wooded Wetlands-Surface Water Results and Critical Water Concentrations
Brookhaven National Laboratory, Upton, New York

North Pond

Contaminant units ug/L	SW-4										SW-5N (SW-D)									
	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06
Aluminum	829	NS	NS	193 B	1,500	1320 E	326	258	356	461	38,600	NS	945	179 B	575	238 E	1180	133 B	449	394
Cadmium	5 U	NS	NS	0.69 U	0.272 U	0.210 U	0.66 U	0.313 U	1 U	0.1 U	NA	NS	0.34 U	0.69 U	0.272 U	0.210 U	0.66 U	0.313 U	1 U	0.1 U
Cobalt	5 U	NS	NS	0.91 U	1.84 B	0.581 U	1.68 B	0.903 B	1 U	0.48 B	18.7 B	NS	1.1 B	0.91 U	0.515 B	0.581 U	1.78 B	0.541 U	1 U	0.3 B
Copper	8.5 B	NS	NS	1.63 U	5.79 B	3.79 B	2.59 B	1.39 U	3 U	3.5	56.2	NS	3.2 B	1.63 U	2.28 B	1.3 U	4.09 B	1.39 U	3 U	3.1
Iron	3,930	NS	NS	2,790	3,670	1,760	499	996	1640	702	4,400	NS	6,900	2,600	1,290	598	1070	564	2000	776
Lead	NA	NS	NS	1.38 U	5.61	3.53	2.4 U	1.72 U	4.9 B	1.5 B	NA	NS	3.6 B	1.38 U	2.27	1.24 U	2.4 U	1.72 U	2.5 U	0.72 B
Mercury	0.2 B	NS	NS	0.106 B	0.057 U	0.04 U	0.095 U	0.047 U	0.05 U	0.06 U	0.24 B	NS	0.12 U	0.109 B	0.057 U	0.04 U	0.095 U	0.047 U	0.05 U	0.06 U
Nickel	30 U	NS	NS	1.29 U	3.5 B	2.14 B	1.64 U	0.69 U	2.2 B	1.3 B	3.5 B	NS	5 B	1.29 U	1.09 B	0.837 U	1.64 U	0.69 U	1 U	1.1 B
Silver	4 U	NS	NS	0.94 U	0.871 U	1.15 U	1.8 B	0.835 U	1 U	0.2 U	NA	NS	0.89 U	0.94 U	0.871 U	1.15 U	2 B	0.835 U	1.1 B	0.2 U
Zinc	33	NS	NS	2.19 U	28	22	55.8	12.2 B	10.7	183	252	NS	21.9	2.19 U	4.96 B	4.54 B	25.4	7.02 B	5.9 B	8.4 B

Contaminant units ug/L	SW-E										SW-2001									
	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06	1994	1997	Jun-99	Aug-00	Jun-01	May-02	May-03	May-04	May-05	May-06
Aluminum	NS	NS	1,170	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	466	427 E	4090	119 B	412	1720
Cadmium	NS	NS	0.34 U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.272 U	0.210 U	0.66 U	0.313 U	1 U	0.1 U
Cobalt	NS	NS	2.3 B	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.518 B	0.581 U	2.86 B	0.541 U	1 U	1.4
Copper	NS	NS	6.4	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.94 B	2.74 B	7.14 B	1.39 U	3 U	6.4
Iron	NS	NS	6,970	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	1,190	753	3420	558	1850	1990
Lead	NS	NS	4.5 B	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.66 B	1.24 U	8.68	1.72 U	2.5 U	3.2
Mercury	NS	NS	0.12 U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.057 U	0.04 U	0.095 U	0.047 U	0.05 U	0.06 U
Nickel	NS	NS	6.7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.815 U	1.08 B	1.64 U	0.69 U	1.9 B	1.8 B
Silver	NS	NS	0.89 U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.871 U	1.15 U	1.7 U	0.835 U	1 U	0.2 U
Zinc	NS	NS	38.2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	4.25 B	5.91 B	72.6	7.05 B	7.7 B	72.5

North Pond Averages

Contaminant units ug/L	Bench-mark ¹										Critical Conc. ¹
	1994/97	1999	2000	2001	2002	2003	2004	2005	2006		
Aluminum	762	945	186	847	662	1,865	170	406	858	525	
Cadmium	0.3	0.34	0.69	0.27	0.21	0.66	0.31	1.00	0.10	12.8	
Cobalt	8.1	1.10	0.91	0.96	0.58	2.11	0.66	1.00	0.73	15	
Copper	18.7	3.20	1.63	3.34	2.61	4.61	1.39	3	4.3	50	
Iron	4,400	6,900	2,695	2,050	1,037	1,663	706	1,830	1,156	1,000	
Lead	4.4	3.60	1.38	3.18	2.00	4.49	1.72	3.3	1.81	14.6	
Mercury	0.24	0.12	0.11	0.06	0.04	0.10	0.05	0.05	0.06	27	
Nickel	3.5	5.00	1.29	1.80	1.35	1.64	0.69	1.7	1.4	420	
Silver	ND	0.89	0.94	0.87	1.15	1.83	0.84	1.03	0.20	2.4	
Zinc	64.9	21.9	2.2	12.40	10.82	51.27	8.76	8.10	87.97	23.8	

NOTES:

¹ Final Focused Ecological Risk Assessment (FERA) for Operable Unit I/VI (CDM 8/98)

Number in parenthesis () indicates alternate identification for same location.

NA Not available

NS Not sampled

U Analyte was analyzed for but not detected.

N - Spike sample recovery was not within control limits

J - Estimated value; concentration below method detection limit.

* - Duplicate precision is not within control limits.


B - Concentration less than the contract required detection limit, but greater than or equal to the instrument detection limit.

Table 6
Wooded Wetlands-Surface Water Results and Critical Water Concentrations
Brookhaven National Laboratory, Upton, New York

Table 6
Wooded Wetlands-Surface Water Results and Critical Water Concentrations
Brookhaven National Laboratory, Upton, New York

FIGURES

R:\Gw_projects\Landfills\2006 Report\wooded wetlands Fig1.dwg



LEGEND

SD-6/SW-6 SAMPLE POINT LOCATION
 SW=SURFACE WATER SAMPLE
 SD=SEDIMENT SAMPLE

95 BNL GRID NUMBER

TREE LINE

WETLANDS

SCALE 90 METERS
 300 FEET

BROOKHAVEN
 NATIONAL LABORATORY


EWMS DIVISION

TITLE: **WOODED WETLANDS
 BENCHMARK SURFACE AND SEDIMENT
 SAMPLE LOCATIONS FROM ECOLOGICAL RISK
 ASSESSMENT 1994 - 1997**

2006 ENVIRONMENTAL MONITORING REPORT
 CURRENT AND FORMER LANDFILL AREAS

DWN: KCK	VT:HZ.: -	DATE: 02/18/04	PROJECT NO.: 07928
CHKD: JEB	APPD: WRD	REV.: -	NOTES: -
FIGURE NO.:			1

R:\Gw_projects\Landfills\2006 Report\wooded wetlands Fig2.dwg



BROOKHAVEN
NATIONAL LABORATORY

EWMS DIVISION

TITLE: **WOODED WETLANDS
SEDIMENT AND SURFACE WATER
SAMPLING LOCATIONS**
2006 ENVIRONMENTAL MONITORING REPORT
CURRENT AND FORMER LANDFILL AREAS

DWN: KCK	VT:HZ.: -	DATE: 02/18/04	PROJECT NO.: 07928
CHKD: JEB	APPD: WRD	REV.: -	NOTES: -
FIGURE NO.:		2	

Appendix B

Soil Gas Sampling Field Notes

72

2/20/06

CO2

For new land fill

Location C H₂O (EL%) H₂S ppm Comment

SAM 8A	0	0	0	0
8B	0	0	0	0
SAM 9A	0	0	0	0
9B	0	0	0	0
SAM 10A	0	0	0	0
10B	0	0	0	0
SAM 11A	0	0	0	0
11B	0	0	0	0
SAM 12A	0	0	0	0
12B	0	0	0	0

2/20/06

73

6/23/06

DUHCO

72"

CO2

For new land fill

Calibration check performed

For time SAM 90 SAM 910

prior to use.

Time onsite 1515

Time offsite 1610

Location C H₂O (EL%) H₂S ppm

SAM 1A	0	0	0	0
1B	0	0	0	0
SAM 2A	0	0	0	0
2B	0	0	0	0
SAM 3A	0	0	0	0
3B	0	0	0	0
SAM 4A	0	0	0	0
4B	0	0	0	0
SAM 5A	0	0	0	0
5B	0	0	0	0
SAM 6A	0	0	0	0
6B	0	0	0	0
SAM 7A	0	0	0	0
7B	0	0	0	0

74
1/12/04

08/04

Former Land Fill

Location City % CEL % H2S ppm

SGM 8A	0	0	0
SGM 9A	0	0	0
SGM 10A	0	0	0
SGM 11A	0	0	0
SGM 12A	0	0	0
SGM 13A	0	0	0
SGM 14A	0	0	0
SGM 15A	0	0	0
SGM 16A	0	0	0
SGM 17A	0	0	0
SGM 18A	0	0	0
SGM 19A	0	0	0
SGM 20A	0	0	0
SGM 21A	0	0	0
SGM 22A	0	0	0
SGM 23A	0	0	0
SGM 24A	0	0	0
SGM 25A	0	0	0
SGM 26A	0	0	0
SGM 27A	0	0	0
SGM 28A	0	0	0
SGM 29A	0	0	0
SGM 30A	0	0	0
SGM 31A	0	0	0
SGM 32A	0	0	0
SGM 33A	0	0	0
SGM 34A	0	0	0
SGM 35A	0	0	0
SGM 36A	0	0	0
SGM 37A	0	0	0
SGM 38A	0	0	0
SGM 39A	0	0	0
SGM 40A	0	0	0
SGM 41A	0	0	0
SGM 42A	0	0	0
SGM 43A	0	0	0
SGM 44A	0	0	0
SGM 45A	0	0	0
SGM 46A	0	0	0
SGM 47A	0	0	0
SGM 48A	0	0	0
SGM 49A	0	0	0
SGM 50A	0	0	0
SGM 51A	0	0	0
SGM 52A	0	0	0
SGM 53A	0	0	0
SGM 54A	0	0	0
SGM 55A	0	0	0
SGM 56A	0	0	0
SGM 57A	0	0	0
SGM 58A	0	0	0
SGM 59A	0	0	0
SGM 60A	0	0	0
SGM 61A	0	0	0
SGM 62A	0	0	0
SGM 63A	0	0	0
SGM 64A	0	0	0
SGM 65A	0	0	0
SGM 66A	0	0	0
SGM 67A	0	0	0
SGM 68A	0	0	0
SGM 69A	0	0	0
SGM 70A	0	0	0
SGM 71A	0	0	0
SGM 72A	0	0	0
SGM 73A	0	0	0
SGM 74A	0	0	0
SGM 75A	0	0	0
SGM 76A	0	0	0
SGM 77A	0	0	0
SGM 78A	0	0	0
SGM 79A	0	0	0
SGM 80A	0	0	0
SGM 81A	0	0	0
SGM 82A	0	0	0
SGM 83A	0	0	0
SGM 84A	0	0	0
SGM 85A	0	0	0
SGM 86A	0	0	0
SGM 87A	0	0	0
SGM 88A	0	0	0
SGM 89A	0	0	0
SGM 90A	0	0	0
SGM 91A	0	0	0
SGM 92A	0	0	0
SGM 93A	0	0	0
SGM 94A	0	0	0
SGM 95A	0	0	0
SGM 96A	0	0	0
SGM 97A	0	0	0
SGM 98A	0	0	0
SGM 99A	0	0	0
SGM 100A	0	0	0

08/04

75
9/28/06
Sun 7:00

08/04

Former Land Fill

Location City % CEL % H2S ppm

SGM 1A	0	0	0
SGM 2A	0	0	0
SGM 3A	0	0	0
SGM 4A	0	0	0
SGM 5A	0	0	0
SGM 6A	0	0	0
SGM 7A	0	0	0
SGM 8A	0	0	0
SGM 9A	0	0	0
SGM 10A	0	0	0
SGM 11A	0	0	0
SGM 12A	0	0	0
SGM 13A	0	0	0
SGM 14A	0	0	0
SGM 15A	0	0	0
SGM 16A	0	0	0
SGM 17A	0	0	0
SGM 18A	0	0	0
SGM 19A	0	0	0
SGM 20A	0	0	0
SGM 21A	0	0	0
SGM 22A	0	0	0
SGM 23A	0	0	0
SGM 24A	0	0	0
SGM 25A	0	0	0
SGM 26A	0	0	0
SGM 27A	0	0	0
SGM 28A	0	0	0
SGM 29A	0	0	0
SGM 30A	0	0	0
SGM 31A	0	0	0
SGM 32A	0	0	0
SGM 33A	0	0	0
SGM 34A	0	0	0
SGM 35A	0	0	0
SGM 36A	0	0	0
SGM 37A	0	0	0
SGM 38A	0	0	0
SGM 39A	0	0	0
SGM 40A	0	0	0
SGM 41A	0	0	0
SGM 42A	0	0	0
SGM 43A	0	0	0
SGM 44A	0	0	0
SGM 45A	0	0	0
SGM 46A	0	0	0
SGM 47A	0	0	0
SGM 48A	0	0	0
SGM 49A	0	0	0
SGM 50A	0	0	0
SGM 51A	0	0	0
SGM 52A	0	0	0
SGM 53A	0	0	0
SGM 54A	0	0	0
SGM 55A	0	0	0
SGM 56A	0	0	0
SGM 57A	0	0	0
SGM 58A	0	0	0
SGM 59A	0	0	0
SGM 60A	0	0	0
SGM 61A	0	0	0
SGM 62A	0	0	0
SGM 63A	0	0	0
SGM 64A	0	0	0
SGM 65A	0	0	0
SGM 66A	0	0	0
SGM 67A	0	0	0
SGM 68A	0	0	0
SGM 69A	0	0	0
SGM 70A	0	0	0
SGM 71A	0	0	0
SGM 72A	0	0	0
SGM 73A	0	0	0
SGM 74A	0	0	0
SGM 75A	0	0	0
SGM 76A	0	0	0
SGM 77A	0	0	0
SGM 78A	0	0	0
SGM 79A	0	0	0
SGM 80A	0	0	0
SGM 81A	0	0	0
SGM 82A	0	0	0
SGM 83A	0	0	0
SGM 84A	0	0	0
SGM 85A	0	0	0
SGM 86A	0	0	0
SGM 87A	0	0	0
SGM 88A	0	0	0
SGM 89A	0	0	0
SGM 90A	0	0	0
SGM 91A	0	0	0
SGM 92A	0	0	0
SGM 93A	0	0	0
SGM 94A	0	0	0
SGM 95A	0	0	0
SGM 96A	0	0	0
SGM 97A	0	0	0
SGM 98A	0	0	0
SGM 99A	0	0	0
SGM 100A	0	0	0

78 Dyeke

12/26/00

Furnace Lead fill

Location CH₂ % LEL % H₂ Spgs Comments

SOM 9A 0 0 0

9B 0 0 0

SOM 10A 0 0 0

10B 0 0 0

SOM 11A 0 0 0

11B 0 0 0

SOM 12A 0 0 0

12B 0 0 0

12/26/00

Table 8
 Brookhaven National Laboratory
 2006 Landfills Environmental Monitoring Report
 2006 Current Landfill Soil Gas Monitoring Summary Table

Soil Gas Monitoring Well	Methane (% By Volume) 2/24/08	Methane (% By Volume) 6/23/08	Methane (% By Volume) 9/28/08	Methane (% By Volume) 12/27/08	LEL (% By Volume) 2/24/08	LEL (% By Volume) 6/23/08	LEL (% By Volume) 9/28/08	LEL (% By Volume) 12/27/08	Hydrogen Sulfide (ppm by volume) 2/24/08	Hydrogen Sulfide (ppm by volume) 6/23/08	Hydrogen Sulfide (ppm by volume) 9/28/08	Hydrogen Sulfide (ppm by volume) 12/27/08	Soil Gas Monitoring Well
SGMW-01A	8.6	11.9	12.5	11.3	174.0	238	250	228	0	0	0	0	SGMW-01A
SGMW-01B	0.0	0.0	11.0	3.1	0	0	220	62	0	0	0	0	SGMW-01B
SGMW-01C	0.0	0.0	10.5	0.2	0	0	210	4	0	0	0	0	SGMW-01C
SGMW-02A	13.9	18.1	48.8	1.4	282.0	382	638	28	0	0	0	0	SGMW-02A
SGMW-02B	6.8	12.8	33.4	0.2	142.0	256	688	4	0	0	0	0	SGMW-02B
SGMW-02C	0.0	0.8	30.5	0.3	0	18	610	6	0	0	0	0	SGMW-02C
SGMW-03A	19.3	28.8	27.0	0.2	388.0	538	540	4	0	0	0	0	SGMW-03A
SGMW-03B	0.0	11.9	48.5	0.1	0	238	870	2	0	0	0	0	SGMW-03B
SGMW-03C	0.0	1.5	45.0	0.3	0	30	800	7	0	0	0	0	SGMW-03C
SGMW-04A	0.0	16.4	52.1	0.2	0	328	1040	4	0	0	0	0	SGMW-04A
SGMW-04B	19.0	31.6	48.1	0.0	200.0	632	976	0	0	0	0	0	SGMW-04B
SGMW-04C	0.0	22.2	42.1	0.0	0	444	842	0	0	0	0	0	SGMW-04C
SGMW-05A	0.9	16.3	44.9	0.0	20.0	326	898	0	0	0	0	0	SGMW-05A
SGMW-05B	1.4	28.3	41.3	0.0	89.0	628	828	0	0	0	0	0	SGMW-05B
SGMW-05C	0.0	20.7	33.8	0.0	0	414	678	0	0	0	0	0	SGMW-05C
SGMW-06A	0.0	11.5	40.3	0.0	0	230	830	0	0	0	0	0	SGMW-06A
SGMW-06B	0.0	21.3	40.3	0.0	0	428	808	0	0	0	0	0	SGMW-06B
SGMW-06C	0.0	21.7	37.3	0.0	0	434	748	0	0	0	0	0	SGMW-06C
SGMW-07A	0.0	0.0	0.3	0.0	0	0	6	0	0	0	0	0	SGMW-07A
SGMW-07B	0.0	0.0	0.3	0.0	0	0	6	0	0	0	0	0	SGMW-07B
SGMW-07C	0.0	0.0	0.3	0.0	0	0	6	0	0	0	0	0	SGMW-07C
SGMW-08A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-08A
SGMW-08B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-08B
SGMW-08C	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-08C
SGMW-09A	0.0	0.1	0.0	0.0	0	2	0	0	0	0	0	0	SGMW-09A
SGMW-09B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-09B
SGMW-09C	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-09C
SGMW-10A	0.0	0.0	15.4	0.0	0	188	308	0	0	0	0	0	SGMW-10A
SGMW-10B	0.0	12.0	18.0	0.0	0	340	360	0	0	0	0	0	SGMW-10B
SGMW-10C	0.0	10.6	16.2	0.0	0	212	324	0	0	0	0	0	SGMW-10C
SGMW-11A	0.0	7.6	15.3	0.0	0	152	306	0	0	0	0	0	SGMW-11A
SGMW-11B	0.0	9.8	14.9	0.0	0	186	288	0	0	0	0	0	SGMW-11B
SGMW-12A	0.0	16.7	41.3	0.0	0	338	626	0	0	0	0	0	SGMW-12A
SGMW-12B	0.0	2.0	0.0	0.0	0	40	0	0	0	0	0	0	SGMW-12B
SGMW-13A	0.0	0.0	0.2	0.0	0	4	0	0	0	0	0	0	SGMW-13A
SGMW-13B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-13B
SGMW-14A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-14A
SGMW-14B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-14B
SGMW-15A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-15A
SGMW-15B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-15B
SGMW-16A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-16A
SGMW-16B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-16B
SGMW-17A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-17A
SGMW-17B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-17B
SGMW-18A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-18A
SGMW-18B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-18B
SGMW-19A	16.7	17.3	16.6	23.9	340	348	332	478	0	0	0	0	SGMW-19A
SGMW-19B	1.7	9.4	18.0	0.0	32	188	360	0	0	0	0	0	SGMW-19B
GSGM-1A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	GSGM-1A
GSGM-1B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	GSGM-1B
GSGM-1C	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	GSGM-1C
GSGM-2A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	GSGM-2A
GSGM-2B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	GSGM-2B
GSGM-2C	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	GSGM-2C
GSGM-3A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	GSGM-3A
GSGM-3B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	GSGM-3B
GSGM-4A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	GSGM-4A
GSGM-4B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	GSGM-4B

Measurements in () are calculated, not measured.

Location	CH ₄ %	Current LEL%	Current H ₂ S ppm
2/24/06			
Location	CH ₄ %	Current LEL%	Current H ₂ S ppm
SGM 7A	0.0	000	0.0
7B	0.0	000	0.0
7C	0.0	000	0.0
SGM 8A	0.0	000	0.0
8B	0.0	000	0.0
8C	0.0	000	0.0
SGM 9A	0.0	000	0.0
9B	0.0	000	0.0
9C	0.0	000	0.0
SGM 10A	0.0	000	0.0
10B	0.0	000	0.0
10C	0.0	000	0.0
SGM 11A	0.0	000	0.0
11B	0.0	000	0.0
SGM 12A	0.0	000	0.0
12B	1.1	022	0.0
SGM 13A	0.0	000	0.0
13B	0.0	000	0.0
SGM 14A	0.0	000	0.0
14B	0.0	000	0.0
SGM 15A	0.0	000	0.0
15B	0.0	000	0.0
SGM 16A	0.0	000	0.0
16B	0.0	000	0.0

Location	CH ₄ %	Current LEL%	Current H ₂ S ppm
130			
2/24/06			
Location	CH ₄ %	Current LEL%	Current H ₂ S ppm
SGM 1A	8.4	174	0.0
1B	0.0	0.0	0.0
1C	0.0	0.0	0.0
SGM 2A	13.7	282	0.0
2B	6.8	142	0.0
2C	0.0	000	0.0
SGM 3A	19.3	386	0.0
3B	0.0	000	0.0
3C	0.0	000	0.0
SGM 4A	0.0	000	0.0
4B	10.0	200	0.0
4C	0.0	000	0.0
SGM 5A	0.9	020	0.0
5B	1.4	084	0.0
5C	0.0	000	0.0
SGM 6A	0.0	000	0.0
6B	0.0	000	0.0
6C	0.0	000	0.0

Calibration check of the Analyzers SGMs completed before use. START 0730

140	2/24/06	2/24/06		
Location	CH ₄ %	CEL%	H ₂ S ppm	
SGM 17A	0.0	000	0.0	
17B	0.0	000	0.0	
SGM 18A	0.0	000	0.0	
18B	0.0	000	0.0	
SGM 19A	16.7	340	0.0	
19B	1.7	032	0.0	
GSGM-1A	0.0	000	0.0	
1B	0.0	000	0.0	
1C	0.0	000	0.0	
GSGM 2A	0.0	000	0.0	
2B	0.0	000	0.0	
2C	0.0	000	0.0	
GSGM 3A	0.0	000	0.0	
3B	0.0	000	0.0	
GSGM 4A	0.0	000	0.0	
4B	0.0	000	0.0	
Completed @ 1345				

2/24/06
ML

141	2/23/06	2/23/06		
Location	CH ₄ %	CEL%	H ₂ S ppm	
SGM 1A	11.9	238	0	
1B	0	0	0	
1C	0	0	0	
SGM 2A	18.1	362	0	
2B	12.8	256	0	
2C	0.8	16	0	
SGM 3A	26.8	536	0	
3B	11.9	238	0	
3C	1.5	30	0	
SGM 4A	16.4	328	0	
4B	31.6	632	0	
4C	22.2	444	0	
SGM 5A	16.7	336	0	
5B	26.3	526	0	
5C	20.7	414	0	

Cost

Current Land fill

Calibration check of GA-90
SG 690 performed prior
to use.

Time on site 1320

Time off site 1509

142

6/23/04

CO gk

Current Landfill

Location

CH 4%

LEL % H₂S ppm

SGM 1A

11.5

230

SGM 6A

21.3

426

6C

21.7

434

SGM 7A

0

0

7B

0

0

7C

0

0

SGM 8A

0

0

8B

0

0

8C

0

0

SGM 9A

0.1

2

9B

0

0

9C

0

0

SGM 10A

9.8

194

10B

12.0

240

10C

12.6

212

SGM 11A

7.4

152

11B

9.8

196

SGM 12A

16.7

336

12B

2.0

40

SGM 13A

0

0

13B

0

0

143

6/23/06

CO gk

Current Landfill

Location

CH 4% LEL % H₂S ppm

SGM 14A

0

0

14B

0

0

SGM 15A

0

0

15B

0

0

SGM 16A

0

0

16B

0

0

SGM 17A

0

0

17B

0

0

SGM 18A

0

0

18B

0

0

SGM 19A

12.3

348

19B

7.4

186

GSGM 1A

0

0

1B

0

0

1C

0

0

GSGM 2A

0

0

2B

0

0

2C

0

0

GSGM 3A

0

0

3B

0

0

GSGM 4A

0

0

4B

6

0

144	CO2 g/k	Current Land Fill	Location	CH4 %	LEL %	H2 Spec	Comments
9/28/06		Calibration check					
Sun 7:0		Canister GA-90 SN 690					
		Vf H2S read performed					
		prior to use					
			Location	CH4 %	LEL %	H2 Spec	Comments
			SGM 1A	12.5	250	6	
			1B	11.0	220	1	
			1C	13.5	210	5	
			SGM 2A	46.9	938	9	
			2B	33.4	668	27	
			2C	30.5	610	0	
			SGM 3A	27.0	540	8	
			3B	48.5	970	12	
			3C	45.0	900	7	
			SGM 4A	52.1	1040	1	
			4B	48.8	970	2	
			4C	42.1	842	0	
			SGM 5A	44.8	896	0	
			5B	41.3	826	3	
			5C	33.8	674	1	

145	CO2 g/k	Current Land Fill	Location	CH4 %	LEL %	H2 Spec	Comments
9/28/06							
Sun 7:0							
			Location	CH4 %	LEL %	H2 Spec	Comments
			SGM 6A	41.5	830	1	
			6B	40.3	806	2	
			6C	37.3	746	0	
			SGM 7A	0.3	6	0	
			7B	0.3	6	0	
			7C	0.3	6	0	
			SGM 8A	0+5.4	0 3080	0	
			8B	0 18.0	0 360	2	
			8C	0 16.2	0 324	2	
			SGM 9A	0+5.3	0 3080	0	
			9B	0	0	0	
			9C	0	0	0	
			SGM 10A	15.4	308	0	
			10B	18.0	360	2	
			10C	16.2	324	2	
			SGM 11A	15.3	306	2	
			11B	14.9	298	25	
			SGM 12A	41.3	826	18	
			12B	0	0	0	winter screen
			SGM 13A	0.2	4	0	
			13B	0.2	4	0	

146	147	147	147
9/28/06	12/27/06	12/27/06	12/27/06
Sun 70	Sun Wind	Sun Wind	Sun Wind
40	40	40	40
Location	CH4%	LEL%	A2 Spec
SGM 14A	0	0	0
14b	0	0	0
SGM 15A	0	0	0
15b	0	0	0
SGM 16A	0	0	1
16b	0	0	1
SGM 17A	0	0	0
17b	0	0	0
SGM 18A	0	0	0
18b	0	0	0
SGM 19A	16.6	3.2	2
19b	18.0	3.6	1
BSGM 1A	0	0	0
1b	0	0	0
1c	0	0	0
BSGM 2A	0	0	0
2b	0	0	0
2c	0	0	0
SGM 3A	0	0	0
3b	0	0	0
BSGM 5A	0	0	0
4b	0	0	0

Change

Current Landfill

Location CH4% LEL% A2 Spec Comment

SGM 14A	0	0	0	Water in screen
14b	0	0	0	Water in screen
SGM 15A	0	0	0	Water in screen
15b	0	0	0	Water in screen
SGM 16A	0	0	1	
16b	0	0	1	
SGM 17A	0	0	0	
17b	0	0	0	Water in screen
SGM 18A	0	0	0	
18b	0	0	0	
SGM 19A	16.6	3.2	2	
19b	18.0	3.6	1	
BSGM 1A	0	0	0	
1b	0	0	0	
1c	0	0	0	
BSGM 2A	0	0	0	
2b	0	0	0	
2c	0	0	0	
SGM 3A	0	0	0	
3b	0	0	0	
BSGM 5A	0	0	0	
4b	0	0	0	

Change

Current Landfill

Calculation	CH4%	LEL%	A2 Spec	Comment
SGM 11A	11.3	2.3	0	Water in screen
11b	3.1	0.7	0	Water in screen
1c	0.2	0	4	
SGM 12A	1.4	2.8	0	
12b	0.2	0.4	0	
12c	0.3	0.6	0	
SGM 13A	0.2	0.4	0	
13b	0.1	0.2	0	
13c	0.3	0.6	0	
SGM 14A	0.2	0.4	0	
14b	0	0	0	
14c	0	0	0	
SGM 15A	0	0	0	
15b	0	0	0	
15c	0	0	0	

Calculation checks of Landfill C SA: 40 SRI 690
 with 11.3% CH4 and 2.3% LEL
 are to use O2 is included
 at and beyond against O2 gas - OK
 Location CH4% LEL% A2 Spec Comment

SGM 11A 11.3 2.3 0 Water in screen

11b 3.1 0.7 0 Water in screen

1c 0.2 0 4

SGM 12A 1.4 2.8 0

12b 0.2 0.4 0

12c 0.3 0.6 0

SGM 13A 0.2 0.4 0

13b 0.1 0.2 0

13c 0.3 0.6 0

SGM 14A 0.2 0.4 0

14b 0 0 0

14c 0 0 0

SGM 15A 0 0 0

15b 0 0 0

15c 0 0 0

148	12/22/04	CO gsk	Current Land Fill	Location	HA %	LEL %	H ₂ S ppm	Comment
SAM 6A	0	0	0					
6B	0	0	0					
6C	0	0	0					
SAM 7A	0	0	0					
7B	0	0	0					
7C	0	0	0					
SAM 8A	0	0	0					
8B	0	0	0					
8C	0	0	0					
SAM 9A	0	0	0					
9B	0	0	0					
9C	0	0	0					
SAM 10A	0	0	0					
10B	0	0	0					
10C	0	0	0					
SAM 11A	0	0	0					
11B	0	0	0					
SAM 12A	0	0	0					
12B	0	0	0					
SAM 13A	0	0	0					
13B	0	0	0					

149	12/27/06	CO gsk	Current Land Fill	Location	HA %	LEL %	H ₂ S ppm	Comment
SAM 14A	0	0	0					
14B	0	0	0					
SAM 15A	0	0	0					
15B	0	0	0					
SAM 16A	0	0	0					
16B	0	0	0					
SAM 17A	0	0	0					
17B	0	0	0					
SAM 18A	0	0	0					
18B	0	0	0					
SAM 19A	23.9	478	5					rechecked 2x
19B	0	0	0					
SAM 20A	0	0	0					
20B	0	0	0					
SAM 21A	0	0	0					
21B	0	0	0					
SAM 22A	0	0	0					
22B	0	0	0					
SAM 23A	0	0	0					
23B	0	0	0					
SAM 24A	0	0	0					
24B	0	0	0					

Appendix C

Monthly Landfill Site Inspection Forms

**BROOKHAVEN NATIONAL LABORATORY
CURRENT LANDFILL AREA
SITE INSPECTION FORM**

Name of Inspector(s): ERIC KRAMER

Date of Inspection: 1-25-06

Purpose of Inspection: Routine Heavy Rainfall Reported Incident

Time on Site: _____

Time off Site: _____

Weather Conditions: _____

A. Inspection Checklist

Component	Observed Condition			Further Action Required	
	Excellent	Fair	Poor	Yes	No
1.0 Landfill Cap:					
Vegetation		X		X	
Cap		X		X	
Gas Vents		X		X	
2.0 Drainage Structures:					
Toe Drain	X				X
Drainage Channels	X				X
French Drains/Outfalls	X				X
Subsurface Drainage Pipes/Outfalls	X				X
Manholes	X				X
Recharge Areas	X				X
Monitoring System:					
Soil Gas Wells	X				X
Groundwater Wells	X				X
4.0 Site Access:					
Asphalt Access Road	X				X
Crushed-Concrete Access Road	X				X

B. Description of Further Action Requirements:

I. Location:
Observed Conditions: (W)ashout of Soil on Slope - work order IN TO FIX

Recommendations:

**BROOKHAVEN NATIONAL LABORATORY
CURRENT LANDFILL AREA
SITE INSPECTION FORM**

Name of Inspector(s): E. Kramer
 Date of Inspection: 4-11-06
 Purpose of Inspection: Routine Heavy Rainfall Reported Incident
 Time on Site: _____
 Time off Site: _____
 Weather Conditions: _____

A. Inspection Checklist

Component	Observed Condition			Further Action Required	
	Excellent	Fair	Poor	Yes	No
1.0 Landfill Cap:					
Vegetation	X				X
Cap	X				X
Gas Vents	X				X
2.0 Drainage Structures:					
Toe Drain	X				X
Drainage Channels	X				X
French Drains/Outfalls	X				X
Subsurface Drainage Pipes/Outfalls	X				X
Manholes					X
Recharge Areas	X				X
Monitoring System:					
Soil Gas Wells	X				X
Groundwater Wells	X				X
4.0 Site Access:					
Asphalt Access Road	X				X
Crushed-Concrete Access Road	X				X

B. Description of Further Action Requirements:

1. Location: _____
Observed Conditions: _____

Recommendations: _____

**BROOKHAVEN NATIONAL LABORATORY
CURRENT LANDFILL AREA
SITE INSPECTION FORM**

Name of Inspector(s): Eric Kraus

Date of Inspection: 5-18-06

Purpose of Inspection: Routine Heavy Rainfall Reported Incident

Time on Site: _____

Time off Site: _____

Weather Conditions: _____

A. Inspection Checklist

Component	Observed Condition			Further Action Required	
	Excellent	Fair	Poor	Yes	No
1.0 Landfill Cap:					
Vegetation	X				X
Cap	X				X
Gas Vents	X				X
2.0 Drainage Structures:					
Toe Drain					
Drainage Channels	X				X
French Drains/Outfalls	X				X
Subsurface Drainage Pipes/Outfalls	X				X
Manholes	X				X
Recharge Areas	X				X
Monitoring System:					
Soil Gas Wells	X				X
Groundwater Wells	X				X
4.0 Site Access:					
Asphalt Access Road	X				
Crushed-Concrete Access Road	X				X

B. Description of Further Action Requirements:

C. Location: _____
Observed Conditions: _____

Recommendations: _____

**BROOKHAVEN NATIONAL LABORATORY
CURRENT LANDFILL AREA
SITE INSPECTION FORM**

Name of Inspector(s): Eric Kramer

Date of Inspection: 6-20-06
 Purpose of Inspection: Routine Heavy Rainfall Reported Incident
 Time on Site: _____
 Time off Site: _____
 Weather Conditions: _____

A. Inspection Checklist

	Component	Observed Condition			Further Action Required	
		Excellent	Fair	Poor	Yes	No
1.0	Landfill Cap:					
	Vegetation		X		X	
	Cap		X		X	
	Gas Vents	X				X
2.0	Drainage Structures:					
	Toe Drain		X		X	
	Drainage Channels		X		X	
	French Drains/Outfalls		X		X	
	Subsurface Drainage Pipes/Outfalls	X				X
	Manholes	X				X
	Recharge Areas		X		X	X
	Monitoring System:					
	Soil Gas Wells	X				X
	Groundwater Wells	X				X
4.0	Site Access:					
	Asphalt Access Road		X			
	Crushed-Concrete Access Road		X		X	

B. Description of Further Action Requirements:

C. Location:

Observed Conditions: Need Mowing, weed wacking, Repair of Blacktop

Recommendations: Will put work order in to PE. for above mentioned items

**BROOKHAVEN NATIONAL LABORATORY
CURRENT LANDFILL AREA
SITE INSPECTION FORM**

Name of Inspector(s): Eric Kraus
 Date of Inspection: 11-13-06
 Purpose of Inspection: Routine Heavy Rainfall Reported Incident
 Time on Site: _____
 Time off Site: _____
 Weather Conditions: Cloudy

A. Inspection Checklist

Component	Observed Condition			Further Action Required	
	Excellent	Fair	Poor	Yes	No
1.0 Landfill Cap:					
Vegetation		X		X	
Cap		X		X	
Gas Vents	X				X
2.0 Drainage Structures:					
Toe Drain		X		X	
Drainage Channels		X		X	
French Drains/Outfalls		X		X	
Subsurface Drainage Pipes/Outfalls	X				X
Manholes	X				X
Recharge Areas		X		X	
Monitoring System:					
Soil Gas Wells	X				X
Groundwater Wells	X				X
4.0 Site Access:					
Asphalt Access Road		X		X	
Crushed-Concrete Access Road		X		X	

B. Description of Further Action Requirements:

I. Location: Current Landfill
Observed Conditions: Blacktop need mowing, weed wacking, Repair of

Recommendations: WORK order IN TO Repair All

**BROOKHAVEN NATIONAL LABORATORY
CURRENT LANDFILL AREA
SITE INSPECTION FORM**

Name of Inspector(s): 8-8-06
ERIC KRAMER

Date of Inspection: _____
 Purpose of Inspection: Routine Heavy Rainfall Reported Incident
 Time on Site: _____
 Time off Site: _____
 Weather Conditions: _____

A. Inspection Checklist

Component	Observed Condition			Further Action Required	
	Excellent	Fair	Poor	Yes	No
1.0 Landfill Cap:					
Vegetation		X		X	
Cap		X			
Gas Vents	X				X
2.0 Drainage Structures:					
Toe Drain		X		X	
Drainage Channels		X		X	
French Drains/Outfalls		X		X	
Subsurface Drainage Pipes/Outfalls	X				X
Manholes	X				X
Recharge Areas		X		X	
Monitoring System:					
Soil Gas Wells	X				X
Groundwater Wells	X				X
4.0 Site Access:					
Asphalt Access Road	X	X			
Crushed-Concrete Access Road		X		X	

B. Description of Further Action Requirements:

I. Location: _____
Observed Conditions: Landfill needs to be weed wacked, mowed

Recommendations: _____

**BROOKHAVEN NATIONAL LABORATORY
CURRENT LANDFILL AREA
SITE INSPECTION FORM**

Name of Inspector(s): Eric Kramer

Date of Inspection: 9-20-06
 Purpose of Inspection: Routine Heavy Rainfall Reported Incident
 Time on Site: _____
 Time off Site: _____
 Weather Conditions: _____

A. Inspection Checklist

Component	Observed Condition			Further Action Required	
	Excellent	Fair	Poor	Yes	No
1.0 Landfill Cap:					
Vegetation					
Cap	X				X
Gas Vents	X				X
2.0 Drainage Structures:					
Toe Drain	X				X
Drainage Channels	X				X
French Drains/Outfalls	X				X
Subsurface Drainage Pipes/Outfalls	X				X
Manholes	X				X
Recharge Areas	X				X
Monitoring System:					
Soil Gas Wells	X				X
Groundwater Wells	X				X
4.0 Site Access:					
Asphalt Access Road		X			X
Crushed-Concrete Access Road		X			X

B. Description of Further Action Requirements:

I. Location:
 Observed Conditions: Mowing and weed wacking completed by Plant Engineering Division

Recommendations:

**BROOKHAVEN NATIONAL LABORATORY
CURRENT LANDFILL AREA
SITE INSPECTION FORM**

Name of Inspector(s): Eric Kramer
 Date of Inspection: 10-18-06
 Purpose of Inspection: Routine Heavy Rainfall Reported Incident
 Time on Site: _____
 Time off Site: _____
 Weather Conditions: _____

A. Inspection Checklist

Component	Observed Condition			Further Action Required	
	Excellent	Fair	Poor	Yes	No
1.0 Landfill Cap:					
Vegetation					
Cap	<input checked="" type="checkbox"/>				
Gas Vents	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>
2.0 Drainage Structures:					
Toe Drain					
Drainage Channels	<input checked="" type="checkbox"/>				
French Drains/Outfalls	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>
Subsurface Drainage Pipes/Outfalls	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>
Manholes	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>
Recharge Areas	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>
Monitoring System:					
Soil Gas Wells	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>
Groundwater Wells	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>
4.0 Site Access:					
Asphalt Access Road		<input checked="" type="checkbox"/>			
Crushed-Concrete Access Road		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	

B. Description of Further Action Requirements:

1. Location: _____
Observed Conditions: _____

Recommendations: _____

**BROOKHAVEN NATIONAL LABORATORY
CURRENT LANDFILL AREA
SITE INSPECTION FORM**

Name of Inspector(s): Eric Kramer
11-21-06

Date of Inspection:
Purpose of Inspection: Routine Heavy Rainfall Reported Incident
Time on Site:
Time off Site:
Weather Conditions:

A. Inspection Checklist

	Component	Observed Condition			Further Action Required	
		Excellent	Fair	Poor	Yes	No
1.0	Landfill Cap:					
	Vegetation		X		X	
	Cap		X		X	
	Gas Vents		X		X	
2.0	Drainage Structures:					
	Toe Drain	X				X
	Drainage Channels	X				X
	French Drains/Outfalls	X				X
	Subsurface Drainage Pipes/Outfalls	X				X
	Manholes	X				X
	Recharge Areas	X				X
	Monitoring System:					
	Soil Gas Wells	X				X
	Groundwater Wells	X				X
4.0	Site Access:					
	Asphalt Access Road		X			
	Crushed-Concrete Access Road		X		X	

B. Description of Further Action Requirements:

I. Location: West & North Slopes
Observed Conditions: There are 2 small animal burrows in landfill.

Recommendations: Will Have PE Repair via work order

**BROOKHAVEN NATIONAL LABORATORY
CURRENT LANDFILL AREA
SITE INSPECTION FORM**

Name of Inspector(s): Eric Kramer
 Date of Inspection: 12-19-06
 Purpose of Inspection: Routine Heavy Rainfall Reported Incident
 Time on Site: _____
 Time off Site: _____
 Weather Conditions: _____

A. Inspection Checklist

	Component	Observed Condition			Further Action Required	
		Excellent	Fair	Poor	Yes	No
1.0	Landfill Cap:					
	Vegetation		X		X	
	Cap		X		X	
	Gas Vents		X		X	
2.0	Drainage Structures:					
	Toe Drain	X				X
	Drainage Channels	X				X
	French Drains/Outfalls	X				X
	Subsurface Drainage Pipes/Outfalls	X				X
	Manholes	X				X
	Recharge Areas	X				X
Monitoring System:	Soil Gas Wells	X				X
	Groundwater Wells	X				X
4.0	Site Access:					
	Asphalt Access Road		X			
	Crushed-Concrete Access Road		X		X	

B. Description of Further Action Requirements:

I. Location:

Observed Conditions: SAME AS 11-21-06 INSPECTION

Recommendations:

**BROOKHAVEN NATIONAL LABORATORY
FORMER LANDFILL AREA
SITE INSPECTION FORM**

Name of Inspector(s): Eric Kramer

Date of Inspection: 2-20-06

Purpose of Inspection: Routine Heavy Rainfall Reported Incident

Time on Site: _____

Time off Site: _____

Weather Conditions: _____

A. Inspection Checklist

	Component	Observed Condition			Further Action Required	
		Excellent	Fair	Poor	Yes	No
1.0	Landfill Cap:					
	Vegetation	X				X
	Cap	X				X
	Gas Vents	X				X
2.0	Drainage Structures:					
	Toe Drain	X				X
	Drainage Channels	X				X
	French Drains/Outfalls	X				X
	Subsurface Drainage Pipes/Outfalls	X				X
	Manholes	X				X
	Recharge Areas	X				X
3.0	Monitoring System:					
	Soil Gas Wells	X				X
	Groundwater Wells	X				X
4.0	Site Access:					
	Asphalt Access Road	X				X
	Crushed-Concrete Access Road	X				X

B. Description of Further Action Requirements:

1. Location: _____
Observed Conditions: _____

Recommendations: _____

**BROOKHAVEN NATIONAL LABORATORY
FORMER LANDFILL AREA
SITE INSPECTION FORM**

Name of Inspector(s): Eric Kanel

Date of Inspection: 3-24-06

Purpose of Inspection: Routine Heavy Rainfall Reported Incident

Time on Site: _____

Time off Site: _____

Weather Conditions: _____

A. Inspection Checklist

Component	Observed Condition			Further Action Required	
	Excellent	Fair	Poor	Yes	No
1.0 Landfill Cap:					
Vegetation	X				
Cap	X				X
Gas Vents	X				X
2.0 Drainage Structures:					
Toe Drain	X				
Drainage Channels	X				X
French Drains/Outfalls	X				X
Subsurface Drainage Pipes/Outfalls	X				X
Manholes	X				X
Recharge Areas	X				X
Monitoring System:					
Soil Gas Wells	X				
Groundwater Wells	X				X
4.0 Site Access:					
Asphalt Access Road	X				X
Crushed-Concrete Access Road	X				X

B. Description of Further Action Requirements:

1. Location: _____
Observed Conditions: _____

Recommendations: _____

**BROOKHAVEN NATIONAL LABORATORY
FORMER LANDFILL AREA
SITE INSPECTION FORM**

Name of Inspector(s): Eric Kramer

Date of Inspection: 5-18-06

Purpose of Inspection: Routine Heavy Rainfall Reported Incident

Time on Site: _____

Time off Site: _____

Weather Conditions: _____

A. Inspection Checklist

Component	Observed Condition			Further Action Required	
	Excellent	Fair	Poor	Yes	No
1.0 Landfill Cap:					
Vegetation	X				X
Cap	X				X
Gas Vents	X				X
2.0 Drainage Structures:					
Toe Drain	X				X
Drainage Channels	X				X
French Drains/Outfalls	X				X
Subsurface Drainage Pipes/Outfalls	X				X
Manholes	X				X
Recharge Areas	X				X
3.0 Monitoring System:					
Soil Gas Wells	X				X
Groundwater Wells	X				X
4.0 Site Access:					
Asphalt Access Road	X				X
Crushed-Concrete Access Road	X				X

B. Description of Further Action Requirements:

1. Location: _____
Observed Conditions: _____

Recommendations: _____

**BROOKHAVEN NATIONAL LABORATORY
FORMER LANDFILL AREA
SITE INSPECTION FORM**

Name of Inspector(s): Eric Kramer
 Date of Inspection: 7-12-06
 Purpose of Inspection: Routine Heavy Rainfall Reported Incident
 Time on Site: _____
 Time off Site: _____
 Weather Conditions: cloudy

A. Inspection Checklist

Component	Observed Condition			Further Action Required	
	Excellent	Fair	Poor	Yes	No
1.0 Landfill Cap:					
Vegetation			X	X	
Cap	X				
Gas Vents	X				X
2.0 Drainage Structures:					
Toe Drain		X		X	
Drainage Channels		X		X	
French Drains/Outfalls		X		X	
Subsurface Drainage Pipes/Outfalls	X				X
Manholes	X				X
Recharge Areas	X				X
3.0 Monitoring System:					
Soil Gas Wells	X				
Groundwater Wells	X				X
4.0 Site Access:					
Asphalt Access Road	X	X			
Crushed-Concrete Access Road	X	X		X	

B. Description of Further Action Requirements:

1. Location: ALL AREAS
 Observed Conditions: Need Mowing/weed wacking
Need to get rid of vegetation/ fix Black Top
 Recommendations: Will put work order in

**BROOKHAVEN NATIONAL LABORATORY
FORMER LANDFILL AREA
SITE INSPECTION FORM**

Name of Inspector(s): Eric Kramer

Date of Inspection: 10-18-06

Purpose of Inspection: Routine Heavy Rainfall Reported Incident

Time on Site: _____

Time off Site: _____

Weather Conditions: _____

A. Inspection Checklist

Component	Observed Condition			Further Action Required	
	Excellent	Fair	Poor	Yes	No
1.0 Landfill Cap:					
Vegetation		X		X	
Cap		X		X	
Gas Vents		X		X	
2.0 Drainage Structures:					
Toe Drain	X				X
Drainage Channels	X				X
French Drains/Outfalls	X				X
Subsurface Drainage Pipes/Outfalls	X				X
Manholes	X				X
Recharge Areas	X				X
3.0 Monitoring System:					
Soil Gas Wells	X				X
Groundwater Wells	X				X
4.0 Site Access:					
Asphalt Access Road	X	X			
Crushed-Concrete Access Road	X	X			
					X
					X

B. Description of Further Action Requirements:

1. Location: Top of Landfill

Observed Conditions: There are RUTS ON Top OF Landfill From Mowing
Black top was repaired

Recommendations: Work Order IN TO Fix RUTS

**BROOKHAVEN NATIONAL LABORATORY
FORMER LANDFILL AREA
SITE INSPECTION FORM**

Name of Inspector(s): Eri-Kramer
 Date of Inspection: 11-21-06
 Purpose of Inspection: Routine Heavy Rainfall Reported Incident
 Time on Site: _____
 Time off Site: _____
 Weather Conditions: Fair

A. Inspection Checklist

	Component	Observed Condition			Further Action Required	
		Excellent	Fair	Poor	Yes	No
1.0	Landfill Cap:					
	Vegetation		X		X	
	Cap		X		X	
	Gas Vents	X				X
2.0	Drainage Structures:					
	Toe Drain	X				X
	Drainage Channels	X				X
	French Drains/Outfalls	X				X
	Subsurface Drainage Pipes/Outfalls	X				X
	Manholes	X				X
	Recharge Areas	X				X
3.0	Monitoring System:					
	Soil Gas Wells					X
	Groundwater Wells	X				X
4.0	Site Access:					
	Asphalt Access Road	X				
	Crushed-Concrete Access Road	X				X

B. Description of Further Action Requirements:

1. Location: Top of Landfill
 Observed Conditions: RUTS need to be fixed

Recommendations: work order IN

**BROOKHAVEN NATIONAL LABORATORY
FORMER LANDFILL AREA
SITE INSPECTION FORM**

Name of Inspector(s): Eric Kramer

Date of Inspection: 12-19-06

Purpose of Inspection: Routine Heavy Rainfall Reported Incident

Time on Site: _____

Time off Site: _____

Weather Conditions: _____

A. Inspection Checklist

Component	Observed Condition			Further Action Required	
	Excellent	Fair	Poor	Yes	No
1.0 Landfill Cap:					
Vegetation		X		X	
Cap		X		X	
Gas Vents	X				X
2.0 Drainage Structures:					
Toe Drain	X				X
Drainage Channels	X				X
French Drains/Outfalls	X				X
Subsurface Drainage Pipes/Outfalls	X				X
Manholes	X				X
Recharge Areas	X				X
3.0 Monitoring System:					
Soil Gas Wells	X				X
Groundwater Wells	X				X
4.0 Site Access:					
Asphalt Access Road	X				X
Crushed-Concrete Access Road	X				X

B. Description of Further Action Requirements:

1. Location: Top of Landfill
 Observed Conditions: Ruts in Landfill

Recommendations: will put work order in

Appendix D

Historical Soil Gas Monitoring Data

1996 CURRENT LANDFILL SOIL GAS MONITORING SUMMARY TABLE

1998 Environmental Monitoring Report Current and Former Landfills - Brookhaven National Laboratory

Soil Gas Monitoring Well	Methane (% By Volume)			
	April-96	June-96	July-96	December-96
SGMW-01A	21.6	0	16.5	29.8
SGMW-01B	23.2	0	11	28.9
SGMW-01C	24.1	0	11.4	26.8
SGMW-02A	55.1	53	49.5	64.8
SGMW-02B	55.5	52.7	51.4	59
SGMW-02C	55.6	56.4	43.8	58
SGMW-03A	66	61.2	54	62.8
SGMW-03B	62	59.5	45	61.6
SGMW-03C	57.8	58.1	54	57.9
SGMW-04A	49.7	0	48.9	52.4
SGMW-04B	53	0	49.4	54.3
SGMW-04C	52.8	0	48.6	55.9
SGMW-05A	50.1	49.4	46.5	52
SGMW-05B	50.9	47.5	42	53.7
SGMW-05C	48.7	46.9	30.4	51.6
SGMW-06A	40.1	44.2	0.8	0
SGMW-06B	44	46	41.9	0
SGMW-06C	45.2	46.7	42	0
SGMW-07A	8.6	10.4	14.5	6.2
SGMW-07B	76	11.6	0.2	0.8
SGMW-07C	8.4	11.7	3.2	8.7
SGMW-08A	0	0	0.7	0
SGMW-08B	0	0	0	0
SGMW-08C	0	0	0	0
SGMW-09A	0.3	0	0	2.8
SGMW-09B	1.2	0	0	6.7
SGMW-09C	2.5	0.3	0	5.8
SGMW-10A	16.7	22.8	23	22.7
SGMW-10B	16.6	14.3	15.8	32.5
SGMW-10C	14	18.2	11.4	29.2
SGMW-11A	16.4	26.8	23.5	39.3
SGMW-11B	15.7	25.6	25	29.6
SGMW-12A	51.5	0	36.9	57.2
SGMW-12B	51.3	0	32.3	55.7
SGMW-13A	46.3	0	18.7	0
SGMW-13B	47.5	0	26	0
SGMW-14A	34.9	0	18.2	38.6
SGMW-14B	41.4	44.2	16	0
SGMW-15A	0	0.6	3.6	3.4
SGMW-15B	12.7	0	0	0
SGMW-16A	0	0	0	0
SGMW-16B	0	0	0.7	0
SGMW-17A	0	0	0	0
SGMW-17B	0	0	0	0
SGMW-18A	8.6	0	0	7.1
SGMW-18B	0.6	0	0	0
SGMW-19A	40.8	29	16	52.5
SGMW-19B	36.7	30.1	6.9	46.5
GSGM-1A	NA	◇	0	◇
GSGM-1B	NA	◇	0	◇
GSGM-1C	NA	◇	0	◇
GSGM-2A	NA	0	0	◇
GSGM-2B	NA	0	0	◇
GSGM-2C	NA	0	0	◇
GSGM-3A	NA	0	◇	◇
GSGM-3B	NA	0	0	◇
GSGM-4A	NA	0	0	◇
GSGM-4B	NA	0	0	◇

◇ No measurement was recorded.

NA Well was not yet installed.

1997 CURRENT LANDFILL SOIL GAS MONITORING SUMMARY TABLE

1998 Environmental Monitoring Report

Current and Former Landfills - Brookhaven National Laboratory

Soil Gas Monitoring Well	Methane (% By Volume)			Hydrogen sulfide (ppm By Volume)		
	March-97	August-97	November-97	March-97	August-97	November-97
SGMW-01A	33.4	17.1	16.4	5	5	8
SGMW-01B	32.5	17.2	15.8	1	4	7
SGMW-01C	34.2	15.9	14.5	1	0	1
SGMW-02A	62.4	47.7	53.2	40	39	137
SGMW-02B	64.7	57	56.7	9	17	43
SGMW-02C	62.6	56.6	55.6	2	0	0
SGMW-03A	65.2	55.7	52.2	3	24	15
SGMW-03B	67.5	55.8	57	7	5	9
SGMW-03C	62.5	55.8	57	3	6	7
SGMW-04A	57.6	53.9	52.5	6	52	6
SGMW-04B	58.2	52.5	55.8	7	29	25
SGMW-04C	58.2	52.5	54.5	6	14	15
SGMW-05A	55.2	47.5	50.5	6	44	29
SGMW-05B	54.4	43.3	45.5	10	21	20
SGMW-05C	53.6	37.5	38.7	3	1	2
SGMW-06A	42.6	44	42.9	7	33	3
SGMW-06B	45	43.5	44.4	10	16	17
SGMW-06C	46	42	43.1	7	13	15
SGMW-07A	10.1	2.3	0	3	0	0
SGMW-07B	8.8	0	0	5	0	6
SGMW-07C	9.9	4.1	0.2	3	0	9
SGMW-08A	0	0	0	1	0	5
SGMW-08B	0	0	0	0	0	9
SGMW-08C	0	0	0	0	0	10
SGMW-09A	0.3	0	0	0	0	15
SGMW-09B	3.4	0	0	0	0	14
SGMW-09C	4.6	0.8	1	0	0	12
SGMW-10A	26.5	28	19	1	19	13
SGMW-10B	19.8	24.5	24	1	0	5
SGMW-10C	0	21.7	20.6	0	0	18
SGMW-11A	24.3	27.6	25.2	20	60	56
SGMW-11B	0	27.8	20.5	0	74	52
SGMW-12A	55.9	48	42	21	89	98
SGMW-12B	0	46.5	44.3	0	0	25
SGMW-13A	23.7	45.2	0.7	2	16	19
SGMW-13B	0	0.4	38.9	0	0	27
SGMW-14A	39.1	20.1	5.2	6	10	24
SGMW-14B	0	0	13.5	0	0	13
SGMW-15A	1.8	0.2	2.5	0	0	14
SGMW-15B	0	0	2.6	0	0	14
SGMW-16A	0	31.7	1.1	0	0	9
SGMW-16B	0	<	0	0	<	0
SGMW-17A	0	0	0	0	0	20
SGMW-17B	0	0	0	0	0	0
SGMW-18A	0	0	0	0	0	14
SGMW-18B	0	0	0	0	0	15
SGMW-19A	35.1	22	10.6	41	51	42
SGMW-19B	0	29	17.3	0	30	12
GSGM-1A	0	<	0	4	<	0
GSGM-1B	0	<	0	5	<	1
GSGM-1C	0	<	0	6	<	0
GSGM-2A	0	<	0	6	<	0
GSGM-2B	0	<	0	6	<	4
GSGM-2C	0	<	0	6	<	0
GSGM-3A	0	<	0	5	<	0
GSGM-3B	0	<	0	4	<	0
GSGM-4A	0	<	0	5	<	8
GSGM-4B	0	<	0	5	<	0

* Values are calculated, not measured.

< No measurement was recorded.

Soil Gas Monitoring Well	Methane (% By Volume)			Hydrogen sulfide (ppm By Volume)			Soil Gas Monitoring Well
	February-88	May-88	August-88	February-88	May-88	August-88	
GSGM-1A	0	0	0	0	0	0	GSGM-1A
GSGM-1B	0	0	0	0	0	0	GSGM-1B
GSGM-1C	0	0	0	0	0	0	GSGM-1C
GSGM-2A	0	0	0	0	0	0	GSGM-2A
GSGM-2B	0	0	20.1	0	0	1	GSGM-2B
GSGM-2C	0	0	0	0	0	0	GSGM-2C
GSGM-3A	0	0	0	0	0	0	GSGM-3A
GSGM-3B	0	0	0	0	0	0	GSGM-3B
GSGM-4A	0	0	0	0	0	0	GSGM-4A
GSGM-4B	0	0	0	2	0	0	GSGM-4B

* Values are calculated, not measured.

<- No measurement was recorded.

Brookhaven National Laboratory
1988 Landfills Environmental Monitoring Report
1989 Current Landfill Soil Gas Monitoring Summary Table

Soil Gas Monitoring Well	Methane (% By Volume) June-89	Methane (% By Volume) October-89	Methane (% By Volume) December-89	LEL (% By Volume) June-89	LEL (% By Volume) October-89	LEL (% By Volume) December-89	Hydrogen sulfide (ppm By Volume) June-89	Hydrogen sulfide (ppm By Volume) October-89	Hydrogen sulfide (ppm By Volume) December-89	Soil Gas Monitoring Well
SGMW-01A	19.5	17.9	18.6	360	360	384	0	<<	2	SGMW-01A
SGMW-01B	18.6	18.1	18.9	370	382	372	0	<<	3	SGMW-01B
SGMW-01C	17.2	14.2	18.7	344	288	334	0	<<	1	SGMW-01C
SGMW-02A	52.4	52.8	55.0	1048	1052	1118	13	<<	26	SGMW-02A
SGMW-02B	54.4	55	58.7	1088	1100	1134	3	<<	11	SGMW-02B
SGMW-02C	55.3	55.2	57.5	1108	1104	1150	0	<<	3	SGMW-02C
SGMW-03A	59.8	41.5	2.3	1192	830	80	3	<<	1	SGMW-03A
SGMW-03B	61.4	58.3	61.3	1228	1188	1228	0	<<	4	SGMW-03B
SGMW-03C	59.9	53.3	59.5	1198	1088	1160	0	<<	3	SGMW-03C
SGMW-04A	53.8	0	39.1	1078	0	782	0	<<	2	SGMW-04A
SGMW-04B	53.5	83.6	52.8	1070	1070	1050	0	<<	7	SGMW-04B
SGMW-04C	52.4	55.2	48.7	1048	1104	974	2	<<	9	SGMW-04C
SGMW-05A	47.8	51.1	47.4	940	1022	844	0	<<	8	SGMW-05A
SGMW-05B	45	51.5	48	800	1030	864	0	<<	4	SGMW-05B
SGMW-05C	38.7	35	38.3	784	702	788	0	<<	4	SGMW-05C
SGMW-06A	41.1	0.1	39.2	828	2	784	0	<<	2	SGMW-06A
SGMW-06B	43.2	43.2	48.8	882	882	834	0	<<	7	SGMW-06B
SGMW-06C	43.1	0	48.8	882	0	828	0	<<	5	SGMW-06C
SGMW-07A	3.3	0.1	0	68	2	0	0	<<	2	SGMW-07A
SGMW-07B	0.8	0	0	18	0	0	0	<<	2	SGMW-07B
SGMW-07C	4.4	0.17	1.3	68	34	28	0	<<	2	SGMW-07C
SGMW-08A	0	0	0	0	0	0	0	<<	2	SGMW-08A
SGMW-08B	0	0	0	0	0	0	0	<<	2	SGMW-08B
SGMW-08C	0	0	0	0	0	0	0	<<	3	SGMW-08C
SGMW-09A	0	0	0	0	0	0	0	<<	3	SGMW-09A
SGMW-09B	0	0	0	0	0	0	0	<<	3	SGMW-09B
SGMW-09C	0	0	0.1	0	0	-2	1	<<	3	SGMW-09C
SGMW-10A	21.4	15.7	20	428	314	400	0	<<	3	SGMW-10A
SGMW-10B	19.8	20.7	21.1	388	532	420	0	<<	3	SGMW-10B
SGMW-10C	17.8	22.8	18.1	388	454	324	0	<<	3	SGMW-10C
SGMW-11A	19.3	31.2	18.8	388	824	388	9	<<	3	SGMW-11A
SGMW-11B	19.2	25.8	14.8	384	512	284	10	<<	3	SGMW-11B
SGMW-12A	48.8	45.1	47.1	836	802	842	30	<<	9	SGMW-12A
SGMW-12B	44.2	48.5	47.8	884	830	884	5	<<	3	SGMW-12B
SGMW-13A	53.1	0.1	0	1082	2	0	12	<<	0	SGMW-13A
SGMW-13B	0.2	0.2	24.5	4	4	482	0	<<	2	SGMW-13B
SGMW-14A	7.8	5.9	7.1	182	118	142	0	<<	5	SGMW-14A
SGMW-14B	0	22.8	3.4	0	452	68	0	<<	2	SGMW-14B
SGMW-15A	0	1.8	2.9	0	32	58	0	<<	3	SGMW-15A
SGMW-15B	0	0.1	0	0	2	0	0	<<	2	SGMW-15B
SGMW-16A	0	0.1	0	0	2	0	0	<<	2	SGMW-16A
SGMW-16B	0	0.1	0	0	2	0	0	<<	2	SGMW-16B
SGMW-17A	0	0.1	0	<<	2	0	<<	<<	2	SGMW-17A
SGMW-17B	screen in water table	0.1	0	<<	2	0	<<	<<	2	SGMW-17B
SGMW-18A	0	0.1	0	0	2	0	0	<<	1	SGMW-18A
SGMW-18B	25.1	1	0.4	0	20	8	0	<<	1	SGMW-18B
SGMW-19A	30.1	23	20.3	502	460	408	18	<<	15	SGMW-19A
SGMW-19B	30.1	27.3	20.5	602	644	410	8	<<	12	SGMW-19B

Brookhaven National Laboratory
 1998 Landfill Environmental Monitoring Report
 1998 Current Landfill Soil Gas Monitoring Summary Table

Soil Gas Monitoring Well	Methane (% By Volume)		Methane (% By Volume)		LEL (% By Volume)		LEL (% By Volume)		Hydrogen sulfide (ppm By Volume)		Hydrogen sulfide (ppm By Volume)		Soil Gas Monitoring Well
	June-88	October-88	December-88	June-89	October-89	December-89	June-89	October-89	June-89	October-89	December-89	December-89	
GSGM-1A	0	0	0	0	0	0	0	0	0	0	0	0	GSGM-1A
GSGM-1B	0	0	0	0	0	0	0	0	0	0	0	0	GSGM-1B
GSGM-1C	0	broken valve	broken valve	0	0	0	0	0	0	0	0	0	GSGM-1C
GSGM-2A	0	0	0	0	0	0	0	0	0	0	2	2	GSGM-2A
GSGM-2B	0	0	0	0	0	0	0	0	0	0	1	1	GSGM-2B
GSGM-2C	0	0	0	0	0	0	0	0	0	0	1	1	GSGM-2C
GSGM-3A	0	0	0	0	0	0	0	0	0	0	0	0	GSGM-3A
GSGM-3B	0	0	0	0	0	0	0	0	0	0	0	0	GSGM-3B
GSGM-4A	0	0	0	0	0	0	0	0	0	0	0	0	GSGM-4A
GSGM-4B	0	0	0	0	0	0	0	0	0	0	0	0	GSGM-4B

< No measurement was recorded.

Brookhaven Laboratory
2000 Landfill Environmental Monitoring Report
2000 Current Landfill Soil Gas Monitoring Summary Table

Soil Gas Monitoring Well	Methane (% By Volume)		Methane (% By Volume)		Methane (% By Volume)		Methane (% By Volume)		LEL (% By Volume)		LEL (% By Volume)		LEL (% By Volume)		LEL (% By Volume)		Hydrogen Sulfide (ppm by volume)		Hydrogen Sulfide (ppm by volume)		Hydrogen Sulfide (ppm by volume)		Soil Gas Monitoring Well			
	February-00	June-00	September-00	December-00	February-00	June-00	September-00	December-00	February-00	June-00	September-00	December-00	February-00	June-00	September-00	December-00	February-00	June-00	September-00	December-00	February-00	June-00	September-00	December-00		
SGMW-01A	20.0	20.5	21.0	18.8	402	410	422	318	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-01A	
SGMW-01B	19.3	20.3	11.2	14.3	388	408	222	298	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-01B	
SGMW-01C	17.5	19.7	11.5	13.0	350	278	230	260	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-01C	
SGMW-02A	49.5	54.0	60	64.4	(1102)	(1080)	(1000)	(1069)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-02A	
SGMW-02B	55.1	57.1	66.3	66.2	(1102)	(1120)	(1120)	(1120)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-02B
SGMW-02C	50.0	48.3	56.8	56.0	968	968	(1200)	(1102)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-02C
SGMW-03A	49.3	62.8	64.0	67.6	968	(1269)	(1200)	(1102)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-03A
SGMW-03B	67.0	67.0	60.2	60.7	(1140)	(1140)	(1240)	(1146)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-03B
SGMW-03C	57.3	61.2	62.0	60.7	614	(1224)	62	(1322)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-03C
SGMW-04A	30.7	51.9	2.8	51.6	978	(1038)	52	(1000)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-04A
SGMW-04B	48.0	52.6	46.0	50.0	880	(1055)	658	908	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-04B
SGMW-04C	43.0	52.1	45.0	45.2	888	(1042)	888	944	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-04C
SGMW-05A	47.7	48.4	47.6	47.2	888	(1090)	888	944	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-05A
SGMW-05B	44.6	50.0	48.2	43.0	692	(1090)	614	738	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-05B
SGMW-05C	36.7	43.7	40.7	30.7	734	874	320	880	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-05C
SGMW-06A	33.0	41.7	16.0	44.0	880	810	800	920	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-06A
SGMW-06B	43.0	46.6	40.0	46.0	888	808	874	880	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-06B
SGMW-06C	44.3	45.3	33.7	46.8	8	118	874	918	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-06C
SGMW-07A	0.3	6.9	0.9	0.0	8	118	874	918	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-07A
SGMW-07B	0	0.6	0.0	0.0	8	12	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-07B
SGMW-07C	2.6	3.0	1.8	0.6	62	60	35	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-07C
SGMW-08A	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-08A
SGMW-08B	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-08B
SGMW-08C	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-08C
SGMW-09A	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-09A
SGMW-09B	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-09B
SGMW-09C	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-09C
SGMW-10A	9.3	20.1	23.7	17.0	189	522	474	340	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-10A
SGMW-10B	13.6	21.2	20.1	15.5	270	424	522	310	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-10B
SGMW-10C	10.6	19.5	22.2	12.3	212	380	444	285	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-10C
SGMW-11A	10.1	27.1	64.6	13.6	202	342	(1080)	272	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-11A
SGMW-11B	6.8	28.4	54.3	9.2	135	528	(1080)	184	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-11B
SGMW-12A	43.8	60.0	64.4	46.5	678	908	982	940	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-12A
SGMW-12B	42.8	49.8	46.1	47.0	682	908	982	940	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-12B
SGMW-13A	23.4	67.5	63.6	46.2	488	(1182)	(1278)	884	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-13A
SGMW-13B	45.1	0	0	12.1	64	602	316	242	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-13B
SGMW-14A	2.7	20.2	16.8	22.3	0	404	0	448	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-14A
SGMW-14B	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-14B
SGMW-15A	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-15A
SGMW-15B	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-15B
SGMW-16A	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-16A
SGMW-16B	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-16B
SGMW-17A	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-17A
SGMW-17B	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-17B
SGMW-18A	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-18A
SGMW-18B	0	0.1	0.3	0.0	0	2	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-18B
SGMW-19A	12.9	38.0	34.8	14.2	269	778	898	284	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-19A
SGMW-19B	16.7	34.8	32.8	10.0	334	692	866	200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-19B
SGSM-1A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGSM-1A
SGSM-1B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGSM-1B
SGSM-1C	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGSM-1C
SGSM-2A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGSM-2A
SGSM-2B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGSM-2B
SGSM-2C	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGSM-2C
SGSM-3A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGSM-3A
SGSM-3B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGSM-3B
SGSM-4A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGSM-4A
SGSM-4B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGSM-4B

<> No Measurement was collected due to other work in the area.
Measurements in {} are calculated, not measured.

Brookhaven National Laboratory
2001 Landfill Environmental Monitoring Report
2001 Current Landfill Soil Gas Monitoring Summary Table

Soil Gas Monitoring Well	Methane (% By Volume)		Methane (% By Volume)		LEL (% By Volume)		LEL (% By Volume)		Hydrogen Sulfide (ppm by volume)		Hydrogen Sulfide (ppm by volume)		Hydrogen Sulfide (ppm by volume)	
	March-01	June-01	September-01	December-01	March-01	June-01	September-01	December-01	March-01	June-01	September-01	December-01	March-01	June-01
SGMW-01A	22.2	23.1	16.3	17.1	440	462	388	384	2	11	0	0	0	0
SGMW-01B	2.6	0.0	17.1	17.1	494	0	384	0	4	0	0	0	0	0
SGMW-01C	18.3	20.4	16.3	16.3	304	408	008	008	4	0	0	0	0	0
SGMW-02A	59.9	62.8	67.8	67.8	1209	1039	>1,000	>1,000	149	67	49	49	0	0
SGMW-02B	56.8	0.0	66.3	66.3	1189	0	>1,000	>1,000	161	1	0	0	0	0
SGMW-02C	0.0	0.0	63.2	63.2	0	0	>1,000	>1,000	5	0	0	0	0	0
SGMW-02A	39.6	61.6	62.9	62.9	780	1108	>1,000	>1,000	5	14	43	43	0	0
SGMW-02B	67.2	66.6	64.7	64.7	1944	1330	>1,000	>1,000	20	21	0	0	0	0
SGMW-02C	0.2	0.0	63.6	63.6	4	0	>1,000	>1,000	2	2	0	0	0	0
SGMW-04A	42.6	0.0	68.9	68.9	89	79	>1,000	>1,000	1	4	14	14	0	0
SGMW-04B	60.8	63.6	62.6	62.6	0	1016	>1,000	>1,000	9	15	0	0	0	0
SGMW-04C	0.0	0.2	60.8	60.8	0	1072	>1,000	>1,000	1	2	0	0	0	0
SGMW-04A	46.8	48.2	67.5	67.5	912	694	>1,000	>1,000	3	2	0	0	0	0
SGMW-04B	43.9	0.1	67.5	67.5	878	4	>1,000	>1,000	3	3	0	0	0	0
SGMW-04C	0.0	0.1	64.4	64.4	0	2	808	808	2	3	0	0	0	0
SGMW-09A	18.4	6.3	63.9	63.9	300	186	>1,000	>1,000	3	4	64	64	0	0
SGMW-09B	0.0	0.2	62.6	62.6	0	2	>1,000	>1,000	2	4	6	6	0	0
SGMW-09C	0.0	0.1	62.6	62.6	0	102	>1,000	>1,000	2	3	0	0	0	0
SGMW-07A	0.8	6.1	6.2	6.2	12	102	4	4	4	0	0	0	0	0
SGMW-07B	0	0.0	6.2	6.2	0	0	24	24	2	1	0	0	0	0
SGMW-07C	0.9	0.0	1.1	1.1	16	0	4	4	4	1	0	0	0	0
SGMW-09A	0	0	2	2	0	0	4	4	2	2	0	0	0	0
SGMW-09B	0	0	3	3	0	0	6	6	2	3	0	0	0	0
SGMW-09C	0	0	0	0	0	0	0	0	1	1	0	0	0	0
SGMW-09A	0	0	0	0	0	4	0	0	1	1	0	0	0	0
SGMW-09B	0	0	0	0	0	4	0	0	2	2	0	0	0	0
SGMW-09C	0	0	0	0	0	4	0	0	0	0	0	0	0	0
SGMW-10A	10.9	16.9	26.6	26.6	216	336	690	690	4	2	0	0	0	0
SGMW-10B	14.2	18.9	26.6	26.6	224	376	612	612	2	2	0	0	0	0
SGMW-10C	6.0	13.2	16.6	16.6	180	264	378	378	2	2	0	0	0	0
SGMW-11A	6.9	21.6	26.8	26.8	178	439	668	668	16	43	0	0	0	0
SGMW-11B	6.1	19.3	26.8	26.8	122	306	640	640	0	27	36	36	0	0
SGMW-12A	46.0	63.4	63.7	63.7	900	1089	1074	1074	1	0	0	0	0	0
SGMW-12B	44.4	62.4	60.1	60.1	686	4	1092	1092	3	0	0	0	0	0
SGMW-13A	16.3	66.1	66.7	66.7	326	1302	1114	1114	0	0	0	0	0	0
SGMW-13A	6.9	2	0	0	16	4	160	160	0	2	0	0	0	0
SGMW-14A	17.4	6.2	7.4	7.4	340	124	0	0	0	0	0	0	0	0
SGMW-14B	0	0	0	0	0	0	0	0	2	4	0	0	0	0
SGMW-18A	0.0	0	0.0	0.0	0	0	0	0	2	0	0	0	0	0
SGMW-18B	0	0	0	0	0	0	0	0	1	0	0	0	0	0
SGMW-18C	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-17A	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-17B	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-18A	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-18B	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-18C	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SGMW-19A	21.0	36.2	20.6	20.6	239	784	672	672	3	200	0	0	0	0
SGMW-19B	20.3	36.6	26.1	26.1	406	736	624	624	6	63	0	0	0	0
GSDM-1A	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GSDM-1B	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GSDM-1C	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GSDM-2A	0	0	0	0	0	0	0	0	1	0	0	0	0	0
GSDM-2B	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GSDM-2C	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GSDM-3A	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GSDM-3B	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GSDM-4A	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GSDM-4B	0	0	0	0	0	0	0	0	1	0	0	0	0	0

↪ No Measurement was collected due to other work in the area.
Measurements in () are calculated, not measured.

2003 Current Landfill Soil Gas Monitoring Summary Table

Soil Gas Monitoring Well	Methane (% By Volume)		Methane (% By Volume)		Methane (% By Volume)		Methane (% By Volume)		LEL (% By Volume)		LEL (% By Volume)		LEL (% By Volume)		Hydrogen Sulfide (ppm by volume)		Hydrogen Sulfide (ppm by volume)		Soil Gas Monitoring Well	
	April-03	July-03	October-03	December-03	April-03	July-03	October-03	December-03	April-03	July-03	October-03	December-03	April-03	July-03	October-03	December-03	April-03	July-03	October-03	December-03
SGMW-01A	17.8	22.1	21.1	21.5	352	444	423	438	0	0	0	0	0	0	0	0	0	0	SGMW-01A	
SGMW-01B	18.8	18.2	19.7	19.8	372	384	394	398	0	0	0	0	0	0	0	0	0	0	SGMW-01B	
SGMW-01C	18.0	13.9	20.0	17.3	500	282	480	318	0	0	0	0	0	0	0	0	0	0	SGMW-01C	
SGMW-02A	88.2	41.2	5.0	23.2	1184	324	100	442	0	0	0	0	0	0	0	0	0	0	SGMW-02A	
SGMW-02B	55.7	0.0	0.1	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-02B	
SGMW-02C	50.1	0.0	0.0	42.7	838	0	0	836	0	0	0	0	0	0	0	0	0	0	SGMW-02C	
SGMW-02A	20.8	57.5	58.0	11.7	1182	1150	1100	224	0	0	0	0	0	0	0	0	0	0	SGMW-02A	
SGMW-02B	99.1	0.0	0.0	41.0	1084	0	4	0	0	0	0	0	0	0	0	0	0	0	SGMW-02B	
SGMW-02C	81.9	0.0	0.2	9.4	1082	0	10	168	0	0	0	0	0	0	0	0	0	0	SGMW-02C	
SGMW-04A	54.1	0.0	0.2	47.0	863	0	2	832	0	0	0	0	0	0	0	0	0	0	SGMW-04A	
SGMW-04B	51.9	0.0	0.2	41.5	960	0	2	408	0	0	0	0	0	0	0	0	0	0	SGMW-04B	
SGMW-04C	52.8	0.0	0.1	33.4	936	0	1096	778	0	0	0	0	0	0	0	0	0	0	SGMW-04C	
SGMW-05A	48.3	48.0	53.5	38.8	878	878	1078	848	0	0	0	0	0	0	0	0	0	0	SGMW-05A	
SGMW-05B	46.9	43.8	48.0	35.3	882	116	833	848	0	0	0	0	0	0	0	0	0	0	SGMW-05B	
SGMW-05C	43.1	0.0	15.5	32.3	808	116	310	420	0	0	0	0	0	0	0	0	0	0	SGMW-05C	
SGMW-06A	40.3	5.8	0.0	20.7	888	0	0	808	0	0	0	0	0	0	0	0	0	0	SGMW-06A	
SGMW-06B	42.9	0.0	0.0	44.8	872	0	0	800	0	0	0	0	0	0	0	0	0	0	SGMW-06B	
SGMW-06C	43.8	0.0	0.1	45.3	16	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-06C	
SGMW-07A	0.8	0.0	0.0	0.0	16	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-07A	
SGMW-07B	0.8	0.0	0.1	0.0	80	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-07B	
SGMW-07C	4.0	0.0	0.0	0.0	80	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-07C	
SGMW-08A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-08A	
SGMW-08B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-08B	
SGMW-08C	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-08C	
SGMW-09A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-09A	
SGMW-09B	0.0	0.0	0.1	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-09B	
SGMW-09C	0.0	0.0	0.1	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-09C	
SGMW-10A	0.1	22.0	27.9	18.0	360	0	558	112	0	0	0	0	0	0	0	0	0	0	SGMW-10A	
SGMW-10B	18.0	0.0	0.0	0.0	318	318	440	0	0	0	0	0	0	0	0	0	0	0	SGMW-10B	
SGMW-10C	15.8	17.7	18.0	17.7	280	332	384	0	0	0	0	0	0	0	0	0	0	0	SGMW-10C	
SGMW-11A	15.5	29.3	0.4	17.7	312	866	8	358	0	0	0	0	0	0	0	0	0	0	SGMW-11A	
SGMW-11B	13.7	25.0	0.1	17.7	274	520	2	0	0	0	0	0	0	0	0	0	0	0	SGMW-11B	
SGMW-12A	50.0	47.8	64.7	1.3	1208	82	1284	35	0	0	0	0	0	0	0	0	0	0	SGMW-12A	
SGMW-12B	50.0	0.3	0.5	0.0	610	6	10	1328	0	0	0	0	0	0	0	0	0	0	SGMW-12B	
SGMW-13A	30.5	0.0	0.0	66.4	0	0	1344	0	0	0	0	0	0	0	0	0	0	0	SGMW-13A	
SGMW-13B	29.4	0.8	8.3	0.0	0	188	2	0	0	0	0	0	0	0	0	0	0	0	SGMW-13B	
SGMW-14A	0.2	0.0	0.1	0.1	4	0	2	0	0	0	0	0	0	0	0	0	0	0	SGMW-14A	
SGMW-14B	0.1	0.0	0.1	0.0	2	0	2	0	0	0	0	0	0	0	0	0	0	0	SGMW-14B	
SGMW-15A	0.0	0.0	0.1	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-15A	
SGMW-15B	0.1	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-15B	
SGMW-16A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-16A	
SGMW-16B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-16B	
SGMW-17A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-17A	
SGMW-17B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-17B	
SGMW-18A	0.1	0.1	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-18A	
SGMW-18B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SGMW-18B	
SGMW-19A	41.8	26.1	40.0	27.0	838	582	800	540	0	0	0	0	0	0	0	0	0	0	SGMW-19A	
SGMW-19B	44.0	0.7	33.2	29.5	890	14	884	582	0	0	0	0	0	0	0	0	0	0	SGMW-19B	
GSGM-1A	0.1	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	GSGM-1A	
GSGM-1B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	GSGM-1B	
GSGM-1C	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	GSGM-1C	
GSGM-2A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	GSGM-2A	
GSGM-2B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	GSGM-2B	
GSGM-3A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	GSGM-3A	
GSGM-3B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	GSGM-3B	
GSGM-4A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	GSGM-4A	
GSGM-4B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	GSGM-4B	

Measurements in () are calculated, not measured.
 * H2S pod was not operating correctly.
 July measurements taken with a Landtec GEM 500.

2004 Current Landfill Soil Gas Monitoring Summary

Soil Gas Monitoring Well	Methane (% By Volume) 3/10/04	Ethane (% By Volume) 6/25/04	Methane (% By Volume) 10/7/04	Methane (% By Volume) 11/30/04	LEL (% By Volume) 3/10/04	LEL (% By Volume) 6/25/04	LEL (% By Volume) 10/7/04	LEL (% By Volume) 11/30/04	Hydrogen Sulfide (ppm by volume) 3/10/04	Hydrogen Sulfide (ppm by volume) 6/25/04	Hydrogen Sulfide (ppm by volume) 10/7/04	Hydrogen Sulfide (ppm by volume) 11/30/04	Soil Gas Monitoring Well
SGMW-01A	16.9	14.4	6.8	0.8	332	268	136	150	2	3	3	1	SGMW-01A
SGMW-01B	15.6	8.6	6.0	2.5	312	172	120	33	0	0	0	0	SGMW-01B
SGMW-01C	14.0	0.2	4.2	6.3	280	84	84	24	0	0	0	0	SGMW-01C
SGMW-02A	34.5	9.6	39.7	2.1	692	172	794	191	0	11	11	0	SGMW-02A
SGMW-02B	23.7	0.0	12.7	0.0	454	12	254	177	0	0	0	0	SGMW-02B
SGMW-02C	44.4	0.0	2	4.8	888	4	4	0	0	0	0	0	SGMW-02C
SGMW-03A	25.4	15.2	4.1	0.0	508	304	82	0	0	0	0	0	SGMW-03A
SGMW-03B	52.1	28.0	14.0	0.1	580	580	260	0	0	0	0	0	SGMW-03B
SGMW-03C	51.3	7.3	3.5	0.0	1042	148	38	0	0	0	0	0	SGMW-03C
SGMW-04A	37.5	49.1	23.2	1.6	1026	982	70	36	0	0	0	0	SGMW-04A
SGMW-04B	43.0	50.7	31.2	14.4	800	800	454	288	0	0	0	0	SGMW-04B
SGMW-04C	38.2	40.9	23.2	14.4	748	816	424	290	0	0	0	0	SGMW-04C
SGMW-05A	36.1	40.0	13.6	3.7	736	800	272	150	0	0	0	0	SGMW-05A
SGMW-05B	36.6	41.4	25.2	13.6	504	628	504	272	0	0	0	0	SGMW-05B
SGMW-05C	29.0	24.0	16.8	13.6	630	480	372	272	0	0	0	0	SGMW-05C
SGMW-06A	31.0	9.7	3.9	1.8	830	184	76	35	0	0	0	0	SGMW-06A
SGMW-06B	40.4	27.4	20.8	0.3	808	548	412	8	0	0	0	0	SGMW-06B
SGMW-06C	42.1	29.8	4.7	13.2	842	588	84	284	0	0	0	0	SGMW-06C
SGMW-07A	0.2	0.1	0.0	0.0	4	2	0	0	0	0	0	0	SGMW-07A
SGMW-07B	0.5	0.1	0.0	0.0	10	2	0	0	0	0	0	0	SGMW-07B
SGMW-07C	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-07C
SGMW-08A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-08A
SGMW-08B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-08B
SGMW-08C	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-08C
SGMW-09A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-09A
SGMW-09B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-09B
SGMW-09C	0.2	0.0	0.0	0.0	4	0	0	0	0	0	0	0	SGMW-09C
SGMW-10A	1.9	16.4	2.0	0.0	39	328	40	78	2	2	2	0	SGMW-10A
SGMW-10B	2.4	16.1	12.0	3.9	46	322	260	0	0	0	0	0	SGMW-10B
SGMW-10C	0.0	14.5	19.0	2.4	0	290	50	46	0	0	0	0	SGMW-10C
SGMW-11A	0.0	16.0	5.5	0.0	0	280	110	0	2	2	0	0	SGMW-11A
SGMW-11B	0.0	14.7	19.1	0.3	0	294	202	8	0	0	0	0	SGMW-11B
SGMW-12A	22.5	48.5	9.9	0.0	450	970	185	122	21	21	21	0	SGMW-12A
SGMW-12B	0.0	0.2	7.2	0.0	0	12	144	138	0	0	0	0	SGMW-12B
SGMW-13A	0.0	0.8	1.0	0.0	0	2	20	191	0	0	0	0	SGMW-13A
SGMW-13B	0.0	0.1	0.0	1.1	0	2	0	130	0	0	0	0	SGMW-13B
SGMW-14A	0.0	0.1	0.0	2.3	0	2	0	122	0	0	0	0	SGMW-14A
SGMW-14B	0.0	0.1	0.0	0.0	0	2	0	0	0	0	0	0	SGMW-14B
SGMW-15A	0.0	0.1	0.0	5.0	0	2	0	0	0	0	0	0	SGMW-15A
SGMW-15B	0.0	0.1	0.0	0.0	0	2	0	116	0	0	0	0	SGMW-15B
SGMW-16A	0.0	0.1	0.0	0.0	0	2	0	0	0	0	0	0	SGMW-16A
SGMW-16B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-16B
SGMW-17A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-17A
SGMW-17B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-17B
SGMW-18A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-18A
SGMW-18B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	SGMW-18B
SGMW-19A	6.0	26.7	25.8	13.0	120	534	518	280	0	0	0	1	SGMW-19A
SGMW-19B	5.8	30.0	27.7	9.2	116	600	554	184	0	0	0	0	SGMW-19B
GGSM-1A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	GGSM-1A
GGSM-1B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	GGSM-1B
GGSM-1C	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	GGSM-1C
GGSM-2A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	GGSM-2A
GGSM-2B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	GGSM-2B
GGSM-2C	0.0	0.0	0.0	0.0	0	0	0	0	1	1	1	0	GGSM-2C
GGSM-3A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	GGSM-3A
GGSM-3B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	GGSM-3B
GGSM-4A	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	GGSM-4A
GGSM-4B	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	GGSM-4B

Measurements in () are calculated, not measured.
H2S not suspected of not operating correctly in March.

Table 12

2005 Current Landfill Soil Gas Monitoring Summary Table

Soil Gas Monitoring Well	Methane (% By Volume) 3/30/05	Methane (% By Volume) 7/21/05	Methane (% By Volume) 10/21/05	Methane (% By Volume) 3/30/05	LEL (% By Volume) 3/30/05	LEL (% By Volume) 7/21/05	LEL (% By Volume) 10/21/05	LEL (% By Volume) 12/28/05	Hydrogen Sulfide (ppm by volume) 3/30/05	Hydrogen Sulfide (ppm by volume) 7/21/05	Hydrogen Sulfide (ppm by volume) 10/21/05	Hydrogen Sulfide (ppm by volume) 12/28/05	Soil Gas Monitoring Well
SGMW-01A	8.8	5.4	5.4	5	176	100	100	134	1	3	2	2	SGMW-01A
SGMW-01B	3.0	2.8	2.8	3	56	60	76	0	0	0	0	0	SGMW-01B
SGMW-01C	7.5	5.6	5.5	1.7	150	110	122	0	0	0	0	0	SGMW-01C
SGMW-02A	0.3	13.7	13.7	1.7	6	34	60	0	0	0	0	1	SGMW-02A
SGMW-02B	0.2	0.1	0.2	27.2	4	544	248	0	0	0	0	3	SGMW-02B
SGMW-02C	0.3	0.1	0.1	247	6	484	0	0	0	0	0	0	SGMW-02C
SGMW-03A	0.7	35.8	35.8	0.0	14	738	14	0	0	0	2	1	SGMW-03A
SGMW-03B	0.5	2.5	2.5	10	10	50	220	0	0	0	2	0	SGMW-03B
SGMW-03C	0.1	0.2	0.2	30.9	2	4	798	0	0	0	1	0	SGMW-03C
SGMW-04A	0.2	10.7	10.7	46.2	4	214	924	0	0	0	0	0	SGMW-04A
SGMW-04B	8.5	25.1	25.1	42.4	130	592	848	185	0	0	0	0	SGMW-04B
SGMW-04C	0.3	14.3	14.3	38.2	14	732	204	282	0	1	1	2	SGMW-04C
SGMW-05A	0.7	0.2	0.2	38.0	14	285	0	0	0	0	0	0	SGMW-05A
SGMW-05B	13.4	21.1	21.1	34.5	268	422	602	458	0	0	0	0	SGMW-05B
SGMW-05C	9.2	10.9	10.9	27.3	184	48	584	162	0	1	1	0	SGMW-05C
SGMW-06A	0.2	2.4	2.4	28.7	4	488	594	330	1	1	1	0	SGMW-06A
SGMW-06B	7.7	24.7	24.7	27.2	172	484	544	298	0	0	0	0	SGMW-06B
SGMW-07A	0.0	0.0	0.0	0.0	0	0	0	0.0	0	0	0	0	SGMW-07A
SGMW-07B	0.0	0.0	0.0	0.0	0	0	0	0.0	0	0	0	0	SGMW-07B
SGMW-07C	0.0	0.0	0.0	0.0	0	0	0	0.0	0	0	0	0	SGMW-07C
SGMW-08A	0.9	0	0	0	0	0	0	0.0	0	0	0	0	SGMW-08A
SGMW-08B	0.9	0	0	0	0	0	0	0.0	0	0	0	0	SGMW-08B
SGMW-08C	0.0	0	0	0	0	0	0	0.0	0	0	0	0	SGMW-08C
SGMW-09A	0.0	0	0	0	0	0	0	0.0	0	0	0	0	SGMW-09A
SGMW-09B	0.0	0	0	0	0	0	0	0.0	0	0	0	0	SGMW-09B
SGMW-09C	0.0	0	0	0	0	0	0	0.0	0	0	0	0	SGMW-09C
SGMW-10A	0.2	2.7	2.7	12.3	0	4	246	0.0	0	0	1	0	SGMW-10A
SGMW-10B	0.2	12.0	12.0	16.7	4	54	334	32	1	2	1	1	SGMW-10B
SGMW-10C	0.1	1.6	1.6	14.3	2	32	286	24	0	0	4	0	SGMW-10C
SGMW-11A	0.2	6.0	6.0	17.2	4	120	344	0	0	20	0	0	SGMW-11A
SGMW-11B	0.2	13.2	13.2	19.6	4	284	392	80	1	1	51	0	SGMW-11B
SGMW-12A	0.2	3.9	3.9	40.1	4	78	802	0	0	0	0	0	SGMW-12A
SGMW-12B	0.1	0.8	0.8	25.7	2	15	514	0	0	0	0	0	SGMW-12B
SGMW-13A	0.1	6.2	6.2	0.1	2	124	2	0	0	1	1	0	SGMW-13A
SGMW-13B	0.4	4	4	2	4	8	112	2	0	2	2	0	SGMW-13B
SGMW-14A	0.3	0.1	0.1	5.6	6	2	4	0	0	0	0	0	SGMW-14A
SGMW-14B	0.0	0.2	0.2	0.1	0	4	2	0	0	0	0	0	SGMW-14B
SGMW-15A	0.0	0	0	0	0	2	2	0	0	0	0	0	SGMW-15A
SGMW-15B	0.0	0	0	0	0	4	4	0	0	0	0	0	SGMW-15B
SGMW-16A	0.0	0	0	0	0	0	0	0	0	0	0	0	SGMW-16A
SGMW-16B	0.0	0	0	0	0	0	0	0	0	0	0	0	SGMW-16B
SGMW-17A	0.0	0	0	0	0	0	0	0	0	0	0	0	SGMW-17A
SGMW-17B	0.0	0	0	0	0	0	0	0	0	0	0	0	SGMW-17B
SGMW-18A	0.0	0	0	0	0	0	0	0	0	0	0	0	SGMW-18A
SGMW-18B	0.0	0	0	0	0	0	0	0	0	0	0	0	SGMW-18B
SGMW-19A	5.6	8.3	8.3	28.2	112	128	584	314	0	1	20	2	SGMW-19A
SGMW-19B	0.0	0.0	0.0	31.0	0	0	838	162	0	0	46	0	SGMW-19B
GSGM-1A	0.0	0	0	0	0	0	0	0	0	0	0	0	GSGM-1A
GSGM-1B	0.0	0	0	0	0	0	0	0	0	0	0	1	GSGM-1B
GSGM-1C	0.0	0	0	0	0	0	0	0	0	0	0	0	GSGM-1C
GSGM-2A	0.0	0	0	0	0	0	0	0	0	0	0	0	GSGM-2A
GSGM-2B	0.0	0	0	0	0	0	0	0	0	0	0	0	GSGM-2B
GSGM-2C	0.0	0	0	0	0	0	0	0	0	0	0	0	GSGM-2C
GSGM-3A	0.0	0	0	0	0	0	0	0	0	0	0	0	GSGM-3A
GSGM-3B	0.0	0	0	0	0	0	0	0	0	0	0	0	GSGM-3B
GSGM-3A	0.0	0	0	0	0	0	0	0	0	0	0	0	GSGM-3A
GSGM-4A	0.0	0	0	0	0	0	0	0	0	0	0	0	GSGM-4A
GSGM-4B	0.0	0	0	0	0	0	0	0	0	0	0	0	GSGM-4B

Measurements in () are calculated, not measured.

1996/97 FORMER LANDFILL AREA SOIL GAS MONITORING SUMMARY TABLE

1998 Environmental Monitoring Report

Current and Former Landfills Brookhaven National Laboratory

Soil Gas Monitoring Well	Methane (% By Volume)				Hydrogen Sulfide (ppm by volume)			
	Aug-96	Mar-97	Aug-97	Nov-97	Aug-96	Mar-97	Aug-97	Nov-97
SGMW-01A	0	0	0.3	0	◇	6	-5	0
SGMW-01B	0	0	0.3	0	◇	4	-5	0
SGMW-02A	0	0	0	0	◇	6	-2	0
SGMW-02B	0	0	0	0	◇	3	-2	0
SGMW-03A	0	0	0	0	◇	1	-4	0
SGMW-03B	0	0	0	0	◇	5	-4	0
SGMW-04A	0	0	0.2	0.1	◇	7	-5	8
SGMW-04B	0	0	0.2	0.1	◇	7	-5	9
SGMW-05A	0	0	0	0	◇	7	-2	12
SGMW-05B	0	0	0	0	◇	4	-2	0
SGMW-06A	0	0	0	0	◇	7	-4	0
SGMW-06B	0	0	0.1	0	◇	4	-4	0
SGMW-07A	0	0	◇	◇	◇	7	◇	◇
SGMW-07B	0	0	◇	◇	◇	7	◇	◇
SGMW-08A	0	0	0.1	0	◇	6	-5	0
SGMW-08B	0	0	0.1	0	◇	6	-1	0
SGMW-09A	0	0	0	0	◇	5	-2	1
SGMW-09B	0	0	0	0	◇	4	-2	0
SGMW-10A	0	0	0	0	◇	7	-1	1
SGMW-10B	0	0	0	0	◇	5	-2	0
SGMW-11A	0	0	0.3	0	◇	9	-5	0
SGMW-11B	0	0	0	0	◇	4	-1	2
SGMW-12A	0	0	0.3	0	◇	9	-5	0
SGMW-12B	0	0	0.3	0	◇	5	-5	0

◇ No measurement taken.

Negative numbers reported are due to equipment problems.

Brookhaven National Laboratory
 1998 Landfills Environmental Monitoring Report
 1998 Former Landfill Area Soil Gas Monitoring Summary Table

Soil Gas Monitoring Well	Methane (% By Volume) February-98	Methane (% By Volume) May-98	Methane (% By Volume) August-98	Methane (% By Volume) December-98	Hydrogen sulfide (ppm By Volume) February-98	Hydrogen sulfide (ppm By Volume) May-98	Hydrogen sulfide (ppm By Volume) August-98	Hydrogen sulfide (ppm By Volume) December-98	Soil Gas Monitoring Well
SGMW-01A	0	0	0	0	1	0	1	0	SGMW-01A
SGMW-01B	0.1	0	0	0	1	0	0	0	SGMW-01B
SGMW-02A	0	0	0	0	6	0	0	0	SGMW-02A
SGMW-02B	0.1	0	0	0	6	1	0	0	SGMW-02B
SGMW-03A	0	0	0	0	0	0	1	1	SGMW-03A
SGMW-03B	0	0	0	0	3	0	2	0	SGMW-03B
SGMW-04A	0	0.1	0	0.1	0	2	0	1	SGMW-04A
SGMW-04B	0	0	0	0	1	0	0	0	SGMW-04B
SGMW-05A	0	0	0	0	0	0	3	0	SGMW-05A
SGMW-05B	0	0	0	0	0	0	4	0	SGMW-05B
SGMW-06A	0	0	0	0	2	0	0	1	SGMW-06A
SGMW-06B	0	0	0	0	0	0	0	0	SGMW-06B
SGMW-07A	<>	<>	<>	<>	<>	<>	<>	<>	SGMW-07A
SGMW-07B	<>	<>	<>	<>	<>	<>	<>	<>	SGMW-07B
SGMW-08A	0	0	0	0	1	0	0	0	SGMW-08A
SGMW-08B	0	0	0	0	0	0	4	0	SGMW-08B
SGMW-09A	0	0	0	0	1	0	1	1	SGMW-09A
SGMW-09B	0	0	0	0	0	0	3	0	SGMW-09B
SGMW-10A	0	0	0	0	0	0	4	0	SGMW-10A
SGMW-10B	0	0	0	0	0	0	3	0	SGMW-10B
SGMW-11A	0	0	0	0	0	0	0	2	SGMW-11A
SGMW-11B	0	0	0	0	1	0	1	0	SGMW-11B
SGMW-12A	0	0	0	0	0	0	2	1	SGMW-12A
SGMW-12B	0	0	0	0	0	0	4	0	SGMW-12B

<> Well SGM07 was not accessible

Brookhaven National Laboratory
 1988 Landfill Environmental Monitoring Report
 1999 Former Landfill Soil Gas Monitoring Summary Table

Soil Gas Monitoring Well	Methane (% By Volume) June-89	Methane (% By Volume) October-89	Methane (% By Volume) December-89	LEL (% By Volume) June-89	LEL (% By Volume) October-89	LEL (% By Volume) December-89	Hydrogen sulfide (ppm By Volume) June-89	Hydrogen sulfide (ppm By Volume) October-89	Hydrogen sulfide (ppm By Volume) December-89	Soil Gas Monitoring Well
SGMW-01A	0	0	0	0	0	0	0	↔	1	SGMW-01A
SGMW-01B	0	0	0	0	0	0	0	↔	0	SGMW-01B
SGMW-02A	0	0	0	0	0	0	0	↔	0	SGMW-02A
SGMW-02B	0	0	0	0	0	0	0	↔	0	SGMW-02B
SGMW-03A	0	0	0	0	0	0	0	↔	0	SGMW-03A
SGMW-03B	0.1	0	0	0	0	0	0	↔	0	SGMW-03B
SGMW-04A	0	0	0	0	0	0	0	↔	0	SGMW-04A
SGMW-04B	0	0	0	0	0	0	0	↔	0	SGMW-04B
SGMW-05A	0	0	0	0	0	0	0	↔	3	SGMW-05A
SGMW-05B	0	0	0	0	0	0	0	↔	0	SGMW-05B
SGMW-06A	0	0	0	0	0	0	0	↔	1	SGMW-06A
SGMW-06B	0	0	0	0	0	0	0	↔	0	SGMW-06B
SGMW-07A	↔	↔	↔	↔	↔	↔	↔	↔	↔	SGMW-07A
SGMW-07B	↔	↔	↔	↔	↔	↔	↔	↔	↔	SGMW-07B
SGMW-08A	0	0	0	0	0	0	0	↔	0	SGMW-08A
SGMW-08B	0	0	0	0	0	0	0	↔	0	SGMW-08B
SGMW-09A	0	0	0	0	0	0	0	↔	0	SGMW-09A
SGMW-09B	0	0	0	0	0	0	0	↔	0	SGMW-09B
SGMW-10A	0	0	0	0	0	0	0	↔	0	SGMW-10A
SGMW-10B	0	0	0	0	0	0	0	↔	0	SGMW-10B
SGMW-11A	0	0	0	0	0	0	0	↔	0	SGMW-11A
SGMW-11B	0	0	0	0	0	0	0	↔	0	SGMW-11B
SGMW-12A	0	0	0	0	0	0	0	↔	0	SGMW-12A
SGMW-12B	0	0	0	0	0	0	0	↔	0	SGMW-12B

↔ No measurement was recorded.

Brookhaven National Laboratory
 2000 Landfill Environmental Monitoring Report
 2000 Former Landfill Soil Gas Monitoring Summary Table

Soil Gas Monitoring Well	Methane (% By Volume) February-00	Methane (% By Volume) June-00	Methane (% By Volume) September-00	Methane (% By Volume) December-00	LEL (% By Volume) February-00	LEL (% By Volume) June-00	LEL (% By Volume) September-00	LEL (% By Volume) December-00	Hydrogen Sulfide (ppm by volume) February-00	Hydrogen Sulfide (ppm by volume) June-00	Hydrogen Sulfide (ppm by volume) September-00	Hydrogen Sulfide (ppm by volume) December-00	Soil Gas Monitoring Well
SGMW-01A	0	0	0	0	0	0	0	0	2	6	1	1	SGMW-01A
SGMW-01B	0	0	0	0	0	0	0	0	0	0	2	2	SGMW-01B
SGMW-02A	0	0	0	0	0	0	0	0	2	0	2	2	SGMW-02A
SGMW-02B	0	0	0	0	0	0	0	0	0	0	0	1	SGMW-02B
SGMW-03A	0	0	0	0	0	0	0	0	0	1	2	2	SGMW-03A
SGMW-03B	0	0	0	0	0	0	0	0	0	0	1	2	SGMW-03B
SGMW-04A	0	0	0	0	0	0	0	0	0	0	1	3	SGMW-04A
SGMW-04B	0	0	0	0	0	0	0	0	0	0	1	4	SGMW-04B
SGMW-05A	0	0	0	0	0	0	0	0	1	1	1	4	SGMW-05A
SGMW-05B	0	0	0	0	0	0	0	0	0	0	2	3	SGMW-05B
SGMW-06A	0	0	0	0	0	0	0	0	0	0	0	4	SGMW-06A
SGMW-06B	0	0	0	0	0	0	0	0	0	0	1	4	SGMW-06B
SGMW-07A	0	0	0	0	0	0	0	0	0	0	1	8	SGMW-07A
SGMW-07B	0	0	0	0	0	0	0	0	0	0	0	8	SGMW-07B
SGMW-08A	0	0	0	0	0	0	0	0	0	0	0	3	SGMW-08A
SGMW-08B	0	0	0	0	0	0	0	0	0	0	0	4	SGMW-08B
SGMW-09A	0	0	0	0	0	0	0	0	0	2	1	8	SGMW-09A
SGMW-09B	0	0	0	0	0	0	0	0	0	1	2	4	SGMW-09B
SGMW-10A	0	0	0	0	0	0	0	0	0	0	1	6	SGMW-10A
SGMW-10B	0	0	0	0	0	0	0	0	0	0	0	5	SGMW-10B
SGMW-11A	0	0	0	0	0	0	0	0	0	0	0	6	SGMW-11A
SGMW-11B	0	0	0	0	0	0	0	0	0	0	1	4	SGMW-11B
SGMW-12A	0	0	0	0	0	0	0	0	2	1	1	3	SGMW-12A
SGMW-12B	0	0	0	0	0	0	0	0	2	0	1	2	SGMW-12B

No Measurement was collected due to other work in the area.

**Brookhaven National Laboratory
2001 Landfill Environmental Monitoring Report
2001 Former Landfill Soil Gas Monitoring Summary Table**

Soil Gas Monitoring Well	Methane (% By Volume) March-01	Methane (% By Volume) June-01	Methane (% By Volume) September-01	LEL (% By Volume) March-01	LEL (% By Volume) June-01	LEL (% By Volume) September-01	Hydrogen Sulfide (ppm by volume) March-01	Hydrogen Sulfide (ppm by volume) June-01	Hydrogen Sulfide (ppm by volume) September-01
SGMW-01A	0	0	0	0	0	0	3	N/A	1
SGMW-01B	0	0	0	0	0	0	3	N/A	1
SGMW-02A	0	0	0.1	0	0	0.2	4	N/A	2
SGMW-02B	0	0	0	0	0	0	5	N/A	2
SGMW-03A	0	0	0.1	0	0	0.2	4	N/A	3
SGMW-03B	0	0	0.1	0	0	0.2	4	N/A	2
SGMW-04A	0	0	0	0	0	0	5	N/A	0
SGMW-04B	0	0	0	0	0	0	5	N/A	0
SGMW-05A	0	0	0	0	0	0	6	N/A	0
SGMW-05B	0	0	0	0	0	0	5	N/A	0
SGMW-06A	0	0	0	0	0	0	6	N/A	0
SGMW-06B	0	0	0	0	0	0	5	N/A	0
SGMW-07A	0	0	0	0	0	0	6	N/A	0
SGMW-07B	0	0	0	0	0	0	6	N/A	0
SGMW-08A	0	0	0	0	0	0	7	N/A	0
SGMW-08B	0	0	0	0	0	0	6	N/A	0
SGMW-09A	0	0	0	0	0	0	3	N/A	0
SGMW-09B	0	0	0	0	0	0	6	N/A	0
SGMW-10A	0	0	0	0	0	0	6	N/A	0
SGMW-10B	0	0	0	0	0	0	7	N/A	0
SGMW-11A	0	0	0	0	0	0	4	N/A	0
SGMW-11B	0	0	0	0	0	0	6	N/A	0
SGMW-12A	0	0	0	0	0	0	7	N/A	0
SGMW-12B	0	0	0	0	0	0	6	N/A	0

> No Measurement was collected due to other work in the area.

2002 Former Landfill Soil Gas Monitoring Summary

Soil Gas Monitoring Well	Methane (% By Volume) March-02	Methane (% By Volume) June-02	Methane (% By Volume) October-02	Methane (% By Volume) December-02	LEL (% By Volume) March-02	LEL (% By Volume) June-02	LEL (% By Volume) October-02	LEL (% By Volume) December-02	Hydrogen Sulfide (ppm by volume) March-02	Hydrogen Sulfide (ppm by volume) June-02	Hydrogen Sulfide (ppm by volume) October-02	Hydrogen Sulfide (ppm by volume) December-02	Soil Gas Monitoring Well
SGMW-01A	0	0	0	0	0	0	0	0	2	0	0	0	SGMW-01A
SGMW-01B	0	0	0	0	0	0	0	0	0	0	1	0	SGMW-01B
SGMW-02A	0	0	0	0	0	0	0	0	3	1	0	2	SGMW-02A
SGMW-02B	0	0	0	0	0	0	0	0	1	1	0	2	SGMW-02B
SGMW-03A	0	0	0	0	0	0	0	0	3	0	1	0	SGMW-03A
SGMW-03B	0	0	0	0	0	0	0	0	3	0	1	0	SGMW-03B
SGMW-04A	0	0	0	0	0	0	0	0	2	0	0	5	SGMW-04A
SGMW-04B	0	0	0	0	0	0	0	0	2	0	0	5	SGMW-04B
SGMW-05A	0	0	0	0	0	0	0	0	2	1	0	4	SGMW-05A
SGMW-05B	0	0	0	0	0	0	0	0	2	1	0	7	SGMW-05B
SGMW-06A	0	0	0	0	0	0	0	0	1	1	1	6	SGMW-06A
SGMW-06B	0	0	0	0	0	0	0	0	1	1	0	7	SGMW-06B
SGMW-07A	0	0	0	0	0	0	0	0	2	0	0	5	SGMW-07A
SGMW-07B	0	0	0	0	0	0	0	0	1	0	0	3	SGMW-07B
SGMW-08A	0	0	0	0	0	0	0	0	3	0	4	2	SGMW-08A
SGMW-08B	0	0	0	0	0	0	0	0	3	4	1	6	SGMW-08B
SGMW-09A	0	0	0	0	0	0	0	0	2	3	1	9	SGMW-09A
SGMW-09B	0	0	0	0	0	0	0	0	2	3	0	8	SGMW-09B
SGMW-10A	0	0.2	0	0.1	0	0.4	0	0	2	4	0	7	SGMW-10A
SGMW-10B	0	0.2	0	0.1	0	0.4	0	0	2	3	0	7	SGMW-10B
SGMW-11A	0	0.2	0	0.1	0	0.4	0	0	2	0	1	7	SGMW-11A
SGMW-11B	0	0	0	0.1	0	0	0	0	2	0	0	6	SGMW-11B
SGMW-12A	0	0	0	0.1	0	0	0	0	2	3	2	8	SGMW-12A
SGMW-12B	0	0	0	0.1	0	0	0	0	3	3	0	9	SGMW-12B

2003 Former Landfill Soil Gas Monitoring Summary

Soil Gas Monitoring Well	Methane (% By Volume)			Methane (% By Volume)			Methane (% By Volume)			LEL (% By Volume)			Hydrogen Sulfide (ppm by volume)			Soil Gas Monitoring Well
	March-03	July-03	October-03	December-03	July-03	October-03	December-03	March-03	July-03	October-03	December-03	March-03	July-03	October-03	December-03	
SGMW-01A	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	
SGMW-01B	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SGMW-02A	0.1	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	
SGMW-02B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SGMW-03A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SGMW-03B	0.1	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	
SGMW-04A	0.2	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	
SGMW-04B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SGMW-05A	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SGMW-05B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SGMW-06A	0.1	0	0.2	0	0	0	0	0	0	0	0	0	0	0	0	
SGMW-06B	0.1	0	0.2	0	0	0	0	0	0	0	0	0	0	0	0	
SGMW-07A	0.1	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	
SGMW-07B	0.2	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	
SGMW-08A	0.1	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	
SGMW-08B	0.2	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	
SGMW-09A	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SGMW-09B	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SGMW-10A	0.2	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	
SGMW-10B	0.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SGMW-11A	0.1	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	
SGMW-11B	0.1	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	
SGMW-12A	0.1	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	
SGMW-12B	0.1	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	

July measurements taken with a Landtec GEM 500
 - H2S pod not operational.

2004 Former Landfill Soil Gas Monitoring Summary

Soil Gas Monitoring Well	Methane (% By Volume)				Hydrogen Sulfide (ppm by volume)				Soil Gas Monitoring Well
	3/11/04	6/25/04	10/20/04	11/30/04	3/11/04	6/25/04	10/20/04	11/30/04	
SGMW-01A	0.1	0	0	0.1	2	0	0	0	SGMW-01A
SGMW-01B	0	0	0	0	0	0	0	0	SGMW-01B
SGMW-02A	0	0	0	0	0	0	0	0	SGMW-02A
SGMW-02B	0	0	0	0	0	0	0	0	SGMW-02B
SGMW-03A	0	0	0	0	0	0	0	0	SGMW-03A
SGMW-03B	0	0.1	0	0	0	0	0	0	SGMW-03B
SGMW-04A	0.1	0.1	0	0	2	2	2	0	SGMW-04A
SGMW-04B	0	0	0	0	0	0	0	0	SGMW-04B
SGMW-05A	0	0	0	0	0	0	0	0	SGMW-05A
SGMW-05B	0	0	0	0	0	0	0	0	SGMW-05B
SGMW-06A	0	0	0	0	0	0	0	0	SGMW-06A
SGMW-06B	0	0	0	0	0	0	0	0	SGMW-06B
SGMW-07A	0	0	0	NR	NR	NR	NR	NR	SGMW-07A
SGMW-07B	0	0	0	NR	NR	NR	NR	NR	SGMW-07B
SGMW-08A	0	0	0	0	0	0	0	0	SGMW-08A
SGMW-08B	0	0	0	0	0	0	0	0	SGMW-08B
SGMW-09A	0	0	0	0	0	0	0	0	SGMW-09A
SGMW-09B	0	0	0	0	0	0	0	0	SGMW-09B
SGMW-10A	0	0	0	0	0	0	0	0	SGMW-10A
SGMW-10B	0	0	0	0	0	0	0	0	SGMW-10B
SGMW-11A	0	0	0	0	0	0	0	0	SGMW-11A
SGMW-11B	0	0	0	0	0	0	0	0	SGMW-11B
SGMW-12A	0	0	0	0	0	0	0	0	SGMW-12A
SGMW-12B	0	0	0	0	0	0	0	0	SGMW-12B

NR = Not read, access to well was not possible due to construction.
H2S pod suspected of not operating correctly in March.

