

BROOKHAVEN NATIONAL LABORATORY CLINICAL RESEARCH CENTER POLICY	CRC POLICY 1.4	PAGE 1 OF 1
	PREPARED BY: J. ROWAN	
SUBJECT: CRC Facility and Satellite Facilities - Defined	REVIEWED BY: A. BAUMANN	
	APPROVED BY: H. BENVENISTE	
	EFFECTIVE DATE:10/11/04	
	REVISION HISTORY: orig. 05/01/00 rev. 09/05/02, rev. 10/11/04	

1.0 POLICY:

The BNL Clinical Research Center (CRC) shall be comprised of the CRC Reception area and adjoining patient examination rooms located in Area 8 of Building 490. CRC Satellite Facilities shall refer to other areas within Building 490 or other locations where clinical research, as defined under CRC Policy 2.2, is carried out.

Approved clinical research shall only take place within the CRC or its satellite facilities unless specific pre-approval is obtained from the CRC Manager and the Medical Department Chairperson.

Facilities of the CRC are identified in ATTACHMENT C of this document.

2.0 IDENTIFICATION OF CRC SATELLITE FACILITIES:

2.1 A satellite facility is any BNL building or area of a building where a clinical study operating under an active (i.e. IRB approved) human protocol shall take place.

2.2 Each Satellite facility shall have a "Clinical Head". The Clinical Head shall be a physician who acts as the point of contact for the facility. The Clinical Head shall be responsible for (1) the Emergency Plan; (2) insuring the facility is operating appropriately and (3) determining that individuals working in the facility are properly authorized and trained.

The only official copy of this file is the one online on the Medical Department website under "Clinical Research Center Policy Manual." Before using a printed copy, verify that it is the most current version by checking the document effective date on the website.