



## PS OHSAS Job Risk Assessment

The only official copy of this file is the one on-line in the PS ESH website. Before using a printed copy, verify that it is the most current version by checking the document issue date on the PS ESH website.

Job Step / Task	Hazard	Before Controls						Initial Controls	After Initial Controls					Control(s) Added to Reduce Risk	After Additional Controls					
		Stressors Y/N	# of People A	Frequency B	Severity C	Likelihood D	Risk* AxBxCxD		# of People A	Frequency B	Severity C	Likelihood D	Risk* AxBxCxD		# of People A	Frequency B	Severity C	Likelihood D	Risk* AxBxCxD	% Risk Reduction
Storing containers	Fire, explosion	N	1	3	3	3	27	Segregation of hazard types, storage cabinets, proper ventilation, proper PPE, secondary containment, spill response, Tier I, proper labeling, training	1	3	3	2	18							
	Chemical reactions	N	1	3	2	3	18	Segregation of hazard types, storage cabinets, proper ventilation, proper PPE, secondary containment, spill response, Tier I, proper labeling, training	1	3	2	2	12							
	Exposure via inhalation	N	1	3	2	3	18		1	3	2	2	12							
	Glass bottle breakage	N	1	4	3	3	36	Stored glass bottles larger than 1000 ml are not allowed unless specific permission is obtained from NSLS ESH staff.	1	4	2	3	24	Stored plastic bottles or glass bottles larger than 1000 ml with protective plastic sleeves are allowed.	1	4	1	2	8	67
Moving containers	Spill with fire	N	1	4	2	3	24	Spill response, proper labeling, training, work	1	4	2	2	16							

## PS OHSAS Job Risk Assessment

The only official copy of this file is the one on-line in the PS ESH website. Before using a printed copy, verify that it is the most current version by checking the document issue date on the PS ESH website.

Job Step / Task	Hazard	Before Controls						Initial Controls	After Initial Controls					Control(s) Added to Reduce Risk	After Additional Controls					
		Stressors Y/N	# of People A	Frequency B	Severity C	Likelihood D	Risk* AxBxCxD		# of People A	Frequency B	Severity C	Likelihood D	Risk* AxBxCxD		# of People A	Frequency B	Severity C	Likelihood D	Risk* AxBxCxD	% Risk Reduction
around the lab work area or the building	Spill with inhalation exposure	N	1	4	2	3	24	planning, procedures, Local Emergency Plan, Spill response procedures, SBMS Subject areas	1	4	2	2	16							
	Spill with direct contact exposure	N	1	4	2	3	24		1	4	2	2	16							
	Glass bottle breakage	N	1	4	3	3	36	Stored glass bottles larger than 1000 ml are not allowed unless specific permission is obtained from NSLS ESH staff.	1	4	2	3	24	Stored plastic bottles or glass bottles larger than 1000 ml with protective plastic sleeves are allowed.	1	4	1	2	8	67
Use of chemicals	Fire or explosion	N	1	3	3	3	27	MSDS, minimum quantities, avoid open flames, proper labeling, use of fume hoods where practical (ventilation), work planning or experimental review, PPE, avoid incompatibles, training	1	3	2	2	12							
	Exposure to skin, direct or sensitization	N	1	3	2	3	18	MSDS, minimum quantities, work planning or experimental review, PPE, training	1	3	2	2	12							

## PS OHSAS Job Risk Assessment

The only official copy of this file is the one on-line in the PS ESH website. Before using a printed copy, verify that it is the most current version by checking the document issue date on the PS ESH website.

Job Step / Task	Hazard	Before Controls						Initial Controls	After Initial Controls					Control(s) Added to Reduce Risk	After Additional Controls				
		Stressors Y/N	# of People A	Frequency B	Severity C	Likelihood D	Risk* AxBxCxD		# of People A	Frequency B	Severity C	Likelihood D	Risk* AxBxCxD		# of People A	Frequency B	Severity C	Likelihood D	Risk* AxBxCxD
	Exposure via inhalation	N	1	3	2	4	24	MSDS, minimum quantities, proper labeling, use of fume hoods where practical (ventilation), work planning or experimental review, PPE, avoid incompatibles, training	1	3	2	3	18						
Mixing chemicals per manufacturers directions	Exposure to skin, direct or sensitization	N	1	3	2	3	18	MSDS, minimum quantities, work planning or experimental review, PPE	1	3	2	2	12						
	Exposure via inhalation	N	1	3	2	3	18	MSDS, minimum quantities, use of fume hoods where practical (ventilation), work planning or experimental review	1	3	1	3	9						
Changing/adding pump oils	Exposure via inhalation	N	1	2	1	3	6	Training, Lockout-tagout, PPE	1	2	1	2	4						
	Exposure to skin, direct or sensitization	N	1	2	1	3	6		1	2	1	2	4						
Disposing of chemicals	See <b>PS-JRA-0026</b> "Generating Hazardous Waste"																		

## PS OHSAS Job Risk Assessment

The only official copy of this file is the one on-line in the PS ESH website. Before using a printed copy, verify that it is the most current version by checking the document issue date on the PS ESH website.

		Before Controls					After Initial Controls					After Additional Controls												
Job Step / Task	Hazard	Stressors Y/N	# of People A	Frequency B	Severity C	Likelihood D	Risk* AxBxCxD	Initial Controls	# of People A	Frequency B	Severity C	Likelihood D	Risk* AxBxCxD	Control(s) Added to Reduce Risk	# of People A	Frequency B	Severity C	Likelihood D	Risk* AxBxCxD	% Risk Reduction				
																					0 to 20 Negligible			