

**Table 3.2.1-3
OU III Building 96 2016 Extraction Well Pumping Rates**

2016 BNL Groundwater Status Report

Operable Unit III - Pump and Treat					
BUILDING 96 SYSTEM - Groundwater Withdrawal and ReInjection (gpm)					
BNL Well No.	095-151	095-153	095-155	095-157	BUILDING
Extraction Well	RTW-1	RTW-2	RTW-3	RTW-4	96
Screen Int.					
Influent					
elevation (ft. msl)	+34 to+24	+26 to +16	+26 to +16	+23 to +13	
depth (feet)	48 to 58	48 to 58	48 to 58	48 to 58	
Effluent					
elevation (ft. msl)	+57 to +47	+49 to +39	+49 to +39	+46 to +36	Monthly
depth (feet)	25 to 35	25 to 35	25 to 35	25 to 35	Total
January	26.1	Stand-by	Stand-by	Stand-by	26
February	24.7	Stand-by	Stand-by	Stand-by	25
March	33.1	Stand-by	Stand-by	Stand-by	33
April	28.9	Stand-by	Stand-by	Stand-by	29
May	36.0	Stand-by	Stand-by	Stand-by	36
June	30.0	Stand-by	Stand-by	Stand-by	30
July	33.2	Stand-by	Stand-by	Stand-by	33
August	22.4	Stand-by	Stand-by	Stand-by	22
September	24.6	Stand-by	Stand-by	Stand-by	25
October	10.4	Stand-by	Stand-by	Stand-by	10
November	0.0	Stand-by	Stand-by	Stand-by	0
December	25.0	Stand-by	Stand-by	Stand-by	25
Annual Average (gpm)	25	0	0	0	25

Notes:

Source: EM Field Engineer

ft. msl = Elevation in feet referenced to mean sea level.

Elevations rounded to nearest foot

gpm - gallons per minute