



**LEGEND**

- 402  
6.04  
MONITORING WELL ID WITH DETECTED Sr-90 CONCENTRATION (IN pCi/L) FROM FOURTH QUARTER 2018.
- BGRR GP-39  
8.44  
TEMPORARY WELL LOCATION WITH MAXIMUM DETECTED Sr-90 RESULTS pCi/L, SAMPLES OBTAINED DURING MAY, JUNE, JULY, AUG, DEC 2017 & JAN 2019.
- ⊕ SR-1  
EXTRACTION WELL ID
- 8  
ISOCONCENTRATION LINE REPRESENTING LINE OF EQUAL Sr-90 CONCENTRATION (IN pCi/L) (DASHED WHERE INFERRED)
- CROSS SECTION LINE
- 8-49 pCi/L  
Sr-90 CONCENTRATION
- 50-99 pCi/L  
Sr-90 CONCENTRATION
- 100-499 pCi/L  
Sr-90 CONCENTRATION
- BNL RECHARGE BASIN
- ENGINEERED CAP
- 75  
BNL GRID NUMBER
- pCi/L - PICO CURIES PER LITER
- HFBR - HIGH FLUX BEAM REACTOR
- WCF - WASTE CONCENTRATION FACILITY
- BGRR - BROOKHAVEN GRAPHITE RESEARCH REACTOR
- NOTES:
- "<MDA" INDICATES BELOW MINIMUM DETECTABLE ACTIVITY.
- "NS" INDICATES NOT SAMPLED.
- CONTOUR INTERVAL AS SHOWN.
- IN WELL CLUSTERS THE HIGHEST Sr-90 VALUE WAS USED IN CONTOURING AND DETERMINING PLUME EXTENTS.

P:\2016\BNLab\16-02 Environmental Protection Division\Task 18 2018 Annual GW Report\Report\2019-06-14\ACAD Figures\Fig\_3-02-15-01 061419.dwg