

Table 3.11-33
Brookhaven National Laboratory
Major Petroleum Facility Area Temporary Monitoring Well PFC-GP-27
Installed September 11, 2018
PFAS Concentrations in Nanograms per Liter (ng/L)

		Perfluorooctanesulfonate (PFOS)		Perfluoroundecanoic acid (PFUdA)		N-methylperfluoro-1-octanesulfonamidoacetic acid		Perfluoropentanoic acid (PFPeA)		Perfluoropentanesulfonate (PFPeS)		N-ethylperfluoro-1-octanesulfonamidoacetic acid		Perfluorohexanoic acid (PFHxA)		Perfluorododecanoic acid (PFDoA)		Perfluoroctanoic acid (PFOA)		Perfluorodecanoic acid (PFDA)		Perfluorodecanesulfonate (PFDS)		Perfluorohexanesulfonate (PFHxS)		Perfluorobutyric acid (PFBtA)		Perfluorobutanesulfonate (PFBS)		Perfluoroheptanoic acid (PFHpA)		Perfluoroheptanesulfonate (PFHpS)		Perfluorononanoic acid (PFNA)		Perfluorotetradecanoic acid (PFTeDA)		Perfluorononanesulfonate (PFNS)		Perfluorotridecanoic acid (PFTrDA)		Perfluoroctanesulfonamide (PFOSA)		PFOA/PFOS (Combined)	
BLS																																													
34-38	34	<	<	<	0.7J	1J	<	4.8	<	12.5	<	<	<	113	<	2.4	1.4J	<	<	<	<	<	<	<	<	<	<	<	<	<	46.5														
38-42	2.6	<	<	<	0.6J	<	<	1.9	<	5.4	<	<	<	36.4	2.3	1.2J	0.9J	<	<	<	<	<	<	<	<	<	<	<	<	<	8														
42-46	1.1J	<	<	<	1.7J	<	<	2	<	5.5	<	<	<	1.2J	6.2	1.2J	1.1J	<	<	<	<	<	<	<	<	<	<	<	<	6.6															
46-50	1.6J	<	<	<	0.8J	<	<	1.3J	<	3	<	<	<	1.6J	3.4	2.3	0.9J	<	<	<	<	<	<	<	<	<	<	<	<	4.6															
50-54	2.7	<	<	<	<	<	<	0.9J	<	4.4	<	<	<	1.4J	5	2.7	1.2J	<	<	<	<	<	<	<	<	<	<	<	<	7.1															
58-62	2.9	<	<	<	1.2J	<	<	1.1J	<	2.5	<	<	<	1.6J	2.7	2.2	0.9J	<	<	<	<	<	<	<	<	<	<	<	<	5.4															

BLS: Sample depth in feet below ground surface.

<: Not detected. Typical detection limit is 0.6 ng/L.

D: Blind duplicate

J: Estimated concentration