

**Table 3.11-4**  
**Brookhaven National Laboratory**  
**Current Firehouse Area Temporary Monitoring Well PFC-GP-35**  
**Installed November 7, 2018**  
**PFAS Concentrations in Nanograms per Liter (ng/L)**

	Perfluorooctanesulfonate (PFOS)	Perfluoroundecanoic acid (PFUdA)	N-methylperfluoro-1-octanesulfonamidoacetic acid	Perfluoropentanoic acid (PFPeA)	Perfluoropentanesulfonate (PFPeS)	N-ethylperfluoro-1-octanesulfonamidoacetic acid	Perfluorohexanoic acid (PFHxA)	Perfluorododecanoic acid (PFDoA)	Perfluorooctanoic acid (PFOA)	Perfluorodecanoic acid (PFDA)	Perfluorodecane sulfonate (PFDS)	Perfluorohexanesulfonate (PFHxS)	Perfluorobutyric acid (PFBA)	Perfluorobutanesulfonate (PFBS)	Perfluoroheptanoic acid (PFHpA)	Perfluoroheptanesulfonate (PFHpS)	Perfluorononanoic acid (PFNA)	Perfluorotetradecanoic acid (PFTeDA)	Perfluoronanesulfonate (PFNS)	Perfluorotridecanoic acid (PFTrDA)	Perfluorooctanesulfonamide (PFOSA)	PFOA/PFOS (Combined)
<b>BLS</b>																						
52-56	870	0.8J	<	7.9	14.3	<	28.9	<	20.4	<	<	404	6.2	6.2	6.6	9.6	2.9	<	<	<	<	890.4
56-60	564	<	<	7.3	11	<	28	<	25.1	<	<	336	5.4	4.5	7.3	15	4	<	<	<	<	589.1
60-64	59.8	<	<	0.9J	1.3J	<	2.7	<	2.8	<	<	64.5	<	0.6J	0.7J	1.4J	<	<	<	<	<	62.6
64-68	0.8J	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	0.8
68-72	<	<	<	<	<	<	<	<	0.7J	<	<	<	<	<	<	<	<	<	<	<	<	0.7
72-76	<	<	<	<	<	<	<	<	0.9J	<	<	<	<	<	<	<	<	<	<	<	<	0.9
76-80	<	<	<	<	<	<	0.7J	<	0.7J	<	<	<	<	<	<	<	<	<	<	<	<	0.7
80-84	<	<	<	<	<	<	0.9J	<	0.9J	<	<	<	<	<	<	<	<	<	<	<	<	0.9
84-88	<	<	<	<	<	<	0.7J	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
88-92	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
92-96	1.2J	<	<	<	<	<	0.6J	<	0.7J	<	<	<	<	<	<	<	<	<	<	<	<	1.9

BLS: Sample depth in feet below ground surface.

<: Not detected. Typical detection limit is 0.6 ng/L

J: Estimated concentration