Accelerator Department
BROOKHAVEN NATIONAL LABORATORY
Associated Universities, Inc.

EP&S DIVISION TECHNICAL NOTE

No. 88

P. Yamin

July 20, 1979

THE ISA DETECTOR TEST FACILITY

A facility for testing detectors to be used at ISABELLE will be constructed at the AGS. During the fall of 1979 the MESB/B4 will be used temporarily, but in early 1980 the B1 line will become available. There are no other commitments or pending proposals for the B1 beam, so it can be devoted to the Detector Test Facility (DTF) indefinitely. As both B1 and B4 service adjacent areas on the AGS floor, a compact layout encompassing both beams is envisioned for late 1981. This is illustrated in Figure 1.

The MESB/B4 provides separated π s, Ks, ps, and $\bar{p}$ s at moderate intensities between 1 and 10 GeV/c. B1 is an unseparated 0° production-angle beam which can deliver high fluxes ($\sim 10^7$ /sec) up to 24 GeV/c. Thus, the DTF will be able to simulate many of the features of the ISABELLE environment. Fig. 2(a-f) shows the particle fluxes available in these beams.

The DTF will be arranged so that tests can be conducted expeditiously. A counting house-trailer will contain a PDP11/60 and will be supplied with NIM and CAMAC electronics from HEEP. Crane coverage is unobstructed, and the area is free of encumbrances. Sufficient water and power will be provided to operate one large spectrometer magnet, and provision will be made for the eventual installation of cryogenic services, should it prove necessary.

Operating instructions and other details are given in the appendices. Appendix I is a report by C.T. Murphy and J. Fox describing the MESB and Appendix II gives more information about B1 than is available elsewhere.

List of Figures

1. DTF Layout.
2. Fluxes Available in the MESB and B1.

E14400 E14600 E14800 E15000 E15200 E15400 E15600 E15800

BEAM CL

AGS 33 DTF EXP #722 TRAILER

AGS 128 DTF EXP #732 TRAILER

EXP #717 TRAILER

EXP #717 TRAILER

BEAM DUMP

MEGABEAM

ELECTRONIC HOUSE

Detector Test Facility

High Voltage P.S. House

MENS ROOM

LADIES ROOM

Beam Dump (D)

PS 801

PS 804

TRAVEL LIMIT

10 TON CRANE

PS 108

PS 109

PS 110

PS 111

PS 112

PS 113

PS 114

PS 115

PS 116

PS 117

PS 118

PS 119

PS 120

PS 121

PS 122

PS 123

PS 124

PS 125

PS 126

PS 127

PS 128

PS 129

PS 130

PS 131

PS 132

PS 133

PS 134

PS 135

PS 136

PS 137

PS 138

PS 139

PS 140

PS 141

PS 142

PS 143

PS 144

PS 145

PS 146

PS 147

PS 148

PS 149

PS 150

PS 151

PS 152

PS 153

PS 154

PS 155

PS 156

PS 157

PS 158

PS 159

PS 160

PS 161

PS 162

PS 163

PS 164

PS 165

PS 166

PS 167

PS 168

PS 169

PS 170

PS 171

PS 172

PS 173

PS 174

PS 175

PS 176

PS 177

PS 178

PS 179

PS 180

PS 181

PS 182

PS 183

PS 184

PS 185

PS 186

PS 187

PS 188

PS 189

PS 190

PS 191

PS 192

PS 193

PS 194

PS 195

PS 196

PS 197

PS 198

PS 199

PS 200

0 100 200 300 400 500 600 700 800 900 1000

(a)

(b)

(c)

(d)

Fig. 2 (a-d)

(e)

(f)

Fig. 2 (e-f)

BROOKHAVEN NATIONAL LABORATORY
Associated Universities, Inc.
Upton, New York

ACCELERATOR DEPARTMENT
Informal Report

CHARACTERISTICS OF MESB: DESCRIPTION FOR USERS

C.T. Murphy* and J.D. Fox⁺
January 28, 1974

- * Present Address: National Accelerator Laboratory, Batavia, Illinois
+ Present Address: Saclay, Centre d'Etude Nucleaire de Saclay, France

ABSTRACT

The beam optical design and calculated performance data are presented for the Medium Energy Separated Beam from the "B" target station. Various modes of operation which enable the beam to separate kaons to 6 GeV/c, and anti-protons to 9 GeV/c are discussed. Purified particle fluxes in excess of 10^5 K^+ , 5×10^4 K^- , and 10^5 p per 10^{12} protons interacting in a beryllium target are anticipated.

NOTICE

This report was prepared as an account of work sponsored by the United States Government. Neither the United States nor the United States Atomic Energy Commission, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe privately owned rights.

Introduction

The Medium Energy Separated Beam (MESB) is a one-stage, DC separated beam from the AGS external proton beam target B, designed to purify K's up to 6.0 GeV/c and $\bar{p}$'s up to 9.3 GeV/c for electronic experiments. The momentum limit is determined by the measured f_{Bd1} of the first bending magnet at full current.

MESB was originally designed by Carroll¹ to separate 5 GeV/c K's and 8 GeV/c $\bar{p}$'s. Fox² increased the upstream bend angle in order that the beam reach the MPS (multiparticle spectrometer), added a quadrupole to the front-end doublet so as to approximately double the low momentum flux, and arranged a Y branch in the downstream end. This third effort on the beam design has resulted in a full utilization of the variable-focal length properties of the front-end triplet so as to increase the momentum-limit of separability.

Some details remain to be studied -- most notably, the optimum target material and length, multiple scattering in the Cerenkov counters, beam instrumentation and how to tune the beam, and muon contamination. Hence both the flux and the remaining contamination are somewhat uncertain: only lower limits can be set on both. What is firm is the position and number of elements in the beam, which have been determined by the sometimes conflicting requirements of momentum recombination and adequate K- π separation in both branches and the several modes of the beam. In addition, the placement of the final two quadrupoles in each branch of the beam is regarded as experiment-dependent and has been studied only for 5 approved experiments. It is the responsibility of each experimental group to decide on the placement of the last two quadrupoles and the position of the first horizontal focus.

The purpose of this note is to familiarize potential users with the certain aspects of the beam and invite participation and assistance in the resolution of the uncertain details of the tail end of the beam. First, the beam optics are discussed in a cursory fashion; then probable fluxes, purity, and spot sizes (or phase spaces) at the final focus of the beam are discussed.*

Layout

The layout of the beam is shown in Fig. 1. At the upstream end, the beam accepts particles at a 6° production angle from a target shared simultaneously with the 0° unseparated beam. At the downstream end, the beam serves experiments non-simultaneously at two places: (a) the East branch, in the region between MPS and the 0° experiments; (b) the West branch, or MPS. These branches are hereafter abbreviated E and MPS (or W).

Variable Focal Length Front Triplet: Modes 1-3

The variable-focal length triplet, Q1-2-3, allows the K- π separation at the first vertical focus (the mass slit) to be held constant at twice the magnified, unaberrated, target height (a condition referred to hereafter as " $\eta = 2$ ") as the momentum is increased, in a continuous manner. As the momentum increases, the vertical focal length (f_v) increases and

* More detailed documentation on the beam exists in the form of EP&S Technical Notes: MESB Design Notes, referred to here just as Design Note:

- I. Tolerances on the Uniformity of f_{Bd1} in D1 and D2 (EP&S No. 59).
- II. Mass Slit Operation and Pion Contamination (EP&S No. 62).
- III. The Midsection: Variable Position of Horizontal Focus, Two Sextupoles, and Vertical Chromatic Aberration.
- IV. Annotated BEAM Output and Input.

the vertical acceptance angle (y'_t) decreases, in proportion. However, there are upper and lower limits in this variation. The lower limit, designated as mode 1 of the beam, occurs when Q3 is horizontally filled to its maximum usable aperture of about 5.5". The optics of this mode are illustrated in Fig. 2, for the first half of the beam. In this mode, $f_v = 270''$, $y'_t = 3.7$ mrad, and the beam separates with $\eta \geq 2$ up to 4 GeV/c K's and 6.3 GeV/c $\bar{p}$'s. This mode is a lower limit because lowering the vertical focal length any further leads to greater losses in horizontal acceptance angle than gains in vertical acceptance angle. Hence experiments below 4 GeV/c can do no better than to run in mode 1. The upper limit, designated as mode 3, has the polarities of Q2 and Q3 reversed from those of mode 1 and is defined as the point at which the vertical focal length is a maximum (850"). The optics are shown in Fig. 3. This mode separates 6 GeV/c K's and 9.4 GeV/c $\bar{p}$'s with $\eta = 2$. The gradients in the triplet are shown as a function of momentum (as the focal length is gradually increased to 850") in Fig. 7.*

Table I lists the properties of the beam up to the mass slit for modes 1, 3 and 4 (mode 4 is explained later) in the East and West branches. Gradients and bending magnet fields are listed in Table II for 5 GeV/c only. For exact information on modes in between 1 and 3, a beam program such as BEAM must be run. Alternately, the following crude scaling can be applied: the solid angle decreases proportional to P^{-3} ; bending magnet fields and quadrupole gradients (excepting Q1-2-3) increase linearly with P, except

* Mode 2 is the point where the gradient of Q3 is zero. The mountain in the current required by Q1 as one moves continuously from mode 1 to mode 3 has been named after the physicist who first objected to the excessive power requirement of that mode. It is probable that the power supply initially assigned to Q1 will not permit running near mode 2.

for Q6, which is both mode and branch dependent. In the East branch the Q6 gradient increases as P^2 ; in the West branch, the gradient remains roughly constant.

Dispersion and Separation

The bending magnet D1 disperses the beam in the horizontal plane. Following Q3, four rectangular separators, assumed to operate at 225 kV/inch, separate K's from π 's in the vertical plane. The physical separation is achieved in the mass slit at the first vertical focus. A sextupole placed near the first horizontal focus (just after Q4) corrects most of the chromatic aberration in the vertical plane at the mass slit. The momentum bite of the beam is defined by a remotely variable collimator just downstream of the first sextupole.

As can be seen in Figs. 2 and 3, mode 3 will barely transmit a momentum bite of $\pm 2.5\%$ through Q4, while mode 1 could transmit $\pm 5\%$. However, K- π separation is aberration-limited with a bite of $\pm 3\%$ in mode 1, at least at 4 GeV/c where $\eta = 2$. At lower momenta, it might be possible to separate a bigger momentum bite.

Midsection

The midsection of the beam (Q4, Q5, D2, Q6, D3, D4) focuses vertically at the mass slit, recombines momenta in both angle and position and achieves the desired beam size at the entrance to the final doublet (experiment dependent). The optics differ immensely in the two branches and change from mode to mode. The following sketch is amplified in Design Note III.

D2 steers the beam towards D4 which switches the beam either to the MPS or to the open area between MPS and the 0° beam experiments. D2 and D4 alone would not quite get a 9.3 GeV/c beam to MPS, so D3 was added and put directly behind the mass slit in order to also sweep out low-energy particles produced in the mass slit. A sufficient drift space was necessary between D3 and D4 to allow D4 to be part of a beam spectrometer for momentum determination.

To first order, each of the three quadrupoles has a single function. Q4 is a field lens for off-momentum particles and steers them into D2-3-4 such that they emerge with the same angles as on-momentum particles. Q5 focuses vertically on the mass slit. Q6 centers off-momentum particles in D4 such that they emerge position-recombined. In the West leg, this requirement results in Q6 forming a nearly parallel beam (for on-momentum particles); in the East leg, the "unnatural" direction of the D4 bend requires that Q6 make an extra horizontal focus somewhat in front of D4. Therefore Q6 requires much more gradient in the East leg modes than in the West leg. Because of very strong second-order mixing of the functions of the quadrupoles, the gradients in Q4 and Q5 are also much larger in the East branch than in the West.

Control over the size of the beam at the entrance to the final doublet (or triplet) which focuses the beam on the experimental target is provided by allowing the position of the first horizontal focus to be variable. This flexibility is necessary in order to obtain downstream optics which are independent of mode (momentum). In most modes it was found that if the position of the first horizontal focus was the sextupole immediately following Q5, then the beam, tuned to be momentum recombined in both

position and angle, would enter the final doublet with a size roughly filling the first quadrupole of the doublet. However, in mode 1W, momentum recombination demanded that the next horizontal focus occur at the entrance of the final doublet, leading to a beam size at the experimental target which was very large. By moving the first horizontal focus 65" downstream, the downstream horizontal optics became roughly the same as in Mode 3W.

The general rule of thumb is the following: to make the beam bigger (horizontally) at the final doublet, move the first horizontal focus downstream.*

Moving the horizontal focus further downstream than the second sextupole (1753" from B target) brings about rapidly increasing beam losses on the 12" aperture of Q4, and is thus not recommended.

Correction of vertical chromatic aberrations with sextupoles still works even if the horizontal focus is not exactly at a sextupole. In the region between Q5 and D2, the beam is going out of focus so slowly that one can do just as good a job with the nearest sextupole as one would do with a sextupole exactly at the focus. If the focus is moved upstream of Q5 (as in East modes), it is advisable to get an extra power supply and power both sextupoles, one negative and one positive, in a ratio given in Design Note III. Numerical data supporting this paragraph also appear in that Note. The position of the first horizontal focus is a variable which the user can control and change.

* In Mode E1, there is a problem with scraping in Q6. It was found that this was relieved somewhat by moving the first horizontal focus upstream to the end of Q4. (Mode E3 has a scraping problem in the final doublet, which could probably be relieved by moving the first focus up to the end of Q4.)

Purity of Separation and Aberrations

The condition $\eta = 2$ which we have selected as a minimum condition of separability means that the center of the pions is separated from the center of the kaons at the mass slit by a distance of twice the geometrical image height, i.e., target height times magnification. If there were no aberrations, one could separate with $\eta = 1$. However, chromatic aberrations alone more than double the image widths, so that the K and π images are very overlapped in some modes.

The sextupole at the first horizontal focus would remove the chromatic aberration entirely if the width of the horizontal image (for a given momentum) were zero. However, the target appears to be very wide, specifically, the length (4") times $\sin 6^\circ$, which is 0.42", so that at the first horizontal focus the image of on-momentum particles touches the edge of the image of particles with $\Delta P/P = 2.5\%$. The result is that the sextupole removes only about half of the chromatic aberration. The K's and π 's remain overlapped.

A mass slit has been designed which intercepts π 's in the overlapped region of phase space (at the expense of intercepting up to 22% of the K's), and is fully documented in Design Note II. In summary, that Note shows that with the criterion of $\eta = 2$ (which defines the highest momentum at which modes 1 and 3 can be used) the π/K ratio at the experiment is predicted to be between 0.26 (Mode 1E) and 1.80 (Mode 3E). These are lower limits because no other aberrations have been quantitatively studied (except the sextupole component of D1 -- see Design Note I and Figs. 12 and 13 of this document).

Other potential aberrations are separator non-uniformity or instability, quadrupole aberrations, and scattering from magnets and the momentum

collimator in the region between the separators and the mass slit. Undocumented hand calculations indicated that separator and quadrupole aberrations were insignificant. The scattering problem has been given no thought.

Purity can always be improved, of course, by running in a mode in which $\eta > 2$, e.g., using Mode 3 for 5 GeV K^- .

Moving Q6 for Mode 3E

It was found that most of the chromatic aberration in Mode 3 (East or West) came from the Q4-5-6 triplet. In Mode 3E (and only Mode 3E) it was found that a significant reduction in the π/K ratio was achieved by moving Q6 downstream by 150" from its normal position (moving it further downstream pushed the gradient too high). The reduction in the π/K ratio, was roughly a factor of 2. Data quoted for Mode 3E assume this change. However, it seems prudent to verify experimentally this improvement before accepting such a rerigging problem as part of the demands of experiments in the East leg.

Mode 4

Chromatic aberration is reduced by a factor of 2 at the mass slit by reversing the polarity of Q4-5, as explained in Design Note III. However, off momentum particles with $\Delta p/p \geq 1.5\%$ are then lost in Q4, so the total flux is reduced. This mode is as pure in π/K ratio at 6.6 GeV as Mode 3 is at 6 GeV/c, in our computer idealization, so that this mode might extend the usable momentum range of the beam for kaons up to 6.6 GeV/c. Alternately, this mode is a safety valve for approved experiments at 6 GeV, should the K/π ratio prove to be intolerable in Mode 3.

Downstream Optics

The position of the final focusing elements is the responsibility of the user. However, a number of arrangements for approved experiments have been studied and are presented as examples. The properties of the beam at the final focus for these examples are shown in Table III.

The spot sizes shown in Table III include chromatic aberration only, and do not include the important effect of multiple scattering in the beam Cerenkov counters, an effect which is both momentum and experiment dependent (see below).

In the East leg D. O'Brien selected the positions for D4, Q7 and Q8 and decided to leave D3 off in order not to place the experimental area too close to the 0° beam experiments.*

The final focus in Mode 3 of the West leg has been studied for three arrangements of the final focusing elements. The first, called 3WCRAM tries to cram the beam into a small 12" target. The width, ΔX , is small and the divergence ($\Delta X'$) is large. The spacing of Q7-8 is quite large. Mode 1W has been studied only for the CRAM conditions (Column 1, Table III).

The mode called 3WCMU is the arrangement created for the CMU experiment, which wanted a spot which would fit inside a 3" LH2 target in front of the MPS magnet but would be reasonably small in a beam anti-counter 385" downstream of the LH2 target. The vertical focus is actually 240" downstream of the LH2 target. The size of the beam at the anti-counter (100% of particles, but no multiple scattering) is 6" x 1.7".

*Extensive studies of this leg were written by O'Brien. We disagree with his estimates of K: π ratio (see Design Note II) and find no mention of the serious (25%) scraping problem in Mode 3E (see Table III, last row). This scraping problem might be cured by moving the first horizontal focus upstream of its current position (1623") or by moving Q7-8 upstream.

The mode called 3WROT uses a triplet, rotated 45° from the normal orientation, to perform an imperfect interchange (or rotation) of the x and y phase spaces. The details are the subject of a separate note (Design Note IV). This rotation is desirable for experiments which need a small horizontal phase space.

In principle, the horizontal phase space ($\Delta X \Delta X'$) and vertical phase space ($\Delta y \Delta y'$) should be the same in all modes (Liouville's theorem). Excepting mode 3WCRAM, the theorem holds within 20% for the horizontal plane but only within a factor of 4 for the vertical plane. The variations result from differing amounts of chromatic aberration in the various modes. The phase spaces in Mode 4 are smaller since the momentum bite is only $\pm 1.5\%$; the horizontal phase spaces in the East leg are bigger because of the increased focusing necessary in order to have three horizontal foci.

Perfect interchange of phase space in Mode 3WROT would result in a vertical phase space of ~ 24 mr-inches and a horizontal phase space of ~ 1 mr-inch. In fact the two numbers turn out to be 29 mr-inches and 4.4 mr-inches. The factor of 4 increase in the horizontal phase space comes half from the increased chromatic aberration of the triplet and half from the fact that it takes at least four quadrupoles to do an exact rotation.

Fitting four quadrupoles into the line, with spacings adequate to keep gradients low enough, was proven impossible. In order to perform the imperfect interchange documented here, using the two 12Q30's assigned to MESB plus a borrowed 8Q48, the spacings had to be lengthened such that the beam momentum spectrometer arm following D4 is shortened by a couple of feet in order to keep gradients low enough that 9.3 GeV/c is achievable.

Multiple Scattering in the Beam Cerenkov Counters

Three threshold beam Cerenkov chambers are being built by CMU, two of which distinguish π 's from K's, one of which distinguishes K's from p's (or $\bar{p}$'s). The gas will be ethane.

Edelstein⁴ has calculated that the K-p counter, operating at 270 psi at 3 GeV/c, will cause 2 mr (not projected) of multiple scattering (rms). This number is large compared to the natural divergence of the vertical plane (2 mr) in most modes, and so could cause a very large broadening of the image. This problem has been discovered only recently and has not been studied carefully. The remainder of this section gives sufficient information so that the user can calculate the effect for his experiment, and select Cerenkov positions which minimize the effect.

The multiple scattering is very momentum dependent. In the simple assumption that the counter is actually operating at threshold, the mean multiple scattering angle is proportional to m/p^2 , where m is the mass of the particle and p is the momentum. The windows on the counter are the dominant source of scattering at high momenta. At 3 GeV, using kaons, there are 2 mr multiple scattering in the gas and 1.1 mr in the window. At 6 GeV/c there is 0.6 mrad multiple scattering in both the gas and the windows.

To translate mean multiple scattering angles into mean broadening at the final focus is trivial for a Cerenkov counter in the drift space preceding the final focus. For counters upstream of the last quadrupole the calculation requires a well-known theorem from beam optics. If a scattering, $\delta\theta_p$, occurs in the vertical plane at some point P along the beam, then the deviation in y of the ray traced back to the target, δy_t , is given by

$$\delta y_t = b_p \delta\theta_p$$

where b_p is the (1,2) matrix element in the transfer matrix relating rays at the target to rays at p:

$$\begin{pmatrix} y_p \\ y'_p \end{pmatrix} = \begin{pmatrix} a_p & b_p \\ L_p & d_p \end{pmatrix} \begin{pmatrix} y_t \\ y'_t \end{pmatrix}$$

The value of b_p at any point along the beam can be calculated for any mode from the paraxial ($y_t = 0$) ray traces of Figs. 2-6:

$$b_p = \frac{y_p}{y'_t}$$

where $y'_t = 0.00368$ rad for mode 1 and 0.00115 rad for mode 3. The deviation at the final focus is simply δy_t times the vertical magnification given in Table III:

$$\delta y_f = m_v \frac{y_p}{y'_t} \delta \theta_p \quad (2)$$

For example, suppose there is an rms multiple scattering of ± 1 mr in the vertical plane in a Cerenkov counter placed just behind Q7 in mode 3WCRAM, where $y_p \approx 1''$. Then

$$\delta y_f = \pm \frac{(0.75)(1)(.001)}{(.00115)} = \pm 0.65''$$

This is large compared to the predicted final spot size of 0.2".

The same theorem applies to the horizontal plane but leads to less disastrous broadening because $x'_t = 20$ mr. To minimize multiple scattering the K-p Cerenkov counter should be placed at a place where y_p (or x_p) is small, i.e., near a focus. Some users may wish to put one of the Cerenkov counters behind D3, at the cost of shortening the beam spectrometer.

It is not clear how to do the calculation for mode 3WROT in which the vertical and horizontal planes are mixed.*

Intermediate Modes and Program BEAM

Up-to-date output for modes between 1 and 3 do not exist. During the design, mode 2 was occasionally run and seemed to have no problems.

The simplest way to obtain output for intermediate modes is to use the program BEAM because self-tuning input decks already exist. The program and input decks can be obtained from the EP&S group. One simply changes the value of Q1, using Fig. 7; input cards in the deck then tune all other quadrupoles, demanding foci in the correct places and momentum recombination in angle and momentum. If the change in the value of Q1 is large, the focusing routines may not converge; in that case several runs need to be made, moving Q1 in steps towards the desired value and inserting the latest set of quadrupole gradients for each run.

Program BEAM has the disadvantage that there is no documentation other than Design Note V. Comment cards are fairly generous however.

Target Design

The properties of the beam listed in Table I assumed a target of dimensions (height, width, length) = (0.04", 0.10", 4"). It is hoped that it can be shaped as shown below.

* Program BEAM has an input card reserved for multiple scattering elements; however, this branch of the program is now inoperative. Comment cards in subroutine TRACE indicate how to reinstitute the branch.

Conservative estimates of fluxes have been made using the data on production in beryllium of Sanford and Wang.³ Extrapolations to heavier nuclei are uncertain because of reabsorption in the struck nucleus. It is estimated that for K^- perhaps a gain of a factor 2 (per inch of target length) can be achieved using copper instead. The optimization problem has yet to be studied in detail, and is probably experiment dependent. In addition, the target must satisfy the requirements of the 0° beam.

Target Plan View (not to scale)

At the moment, 5 targets have been designated to be available on the target table: 4" Be, 2" Be, 4" Cu, 2" Cu, and 2" W. All will be shaped as shown above.

Fluxes

Fluxes can be calculated with the aid of Figs. 8-10, which give yields at the final foci per 10^{12} interacting protons in beryllium at 6° (phase I) and 3° (phase II). The dotted curves show the yields in modes 1 and 3 assuming the full solid angles and momentum bites of Table I; the solid curves show the yield as one gradually varies the focal length of the front triplet, moving continuously from mode 1 to

mode 3. For K^+ above 6 GeV, mode 4 is shown. Otherwise, the curves include the effect of 70% transmission of the full solid angle and momentum bite through MESB, a figure resulting from Monte Carlo studies.

To obtain the true flux in the beam, one must fold in the number of protons in the external beam and the fraction which interact in the target. If 4" of beryllium is used, this fraction might be 1/6, assuming that all protons hit the target. It is hoped that this estimate is conservative.

Approximately the same results were obtained by O'Brien using Hagedorn-Ranft particle production curves.

Momentum Bite

The momentum bite in the MESB will not be very sharply defined because of the very large effective target width. At the momentum collimator, the image of on-momentum particles touches the edge of the image of particles with $\Delta P/P = 2.5\%$. Fig. 14 shows the momentum spectra expected in modes 1 and 3 when the momentum collimator is set at the center of the image of particles with $\Delta P/P = \pm 3.0$ and 2.5% , respectively. The rule-of-thumb is that the momentum distribution always extends 1% beyond the desired bite.

The momentum bite is slightly more sharply defined for mode 1W than for 1E, as a result of the fact that the horizontal focus for mode 1E is not at the collimator but upstream of Q5.

Momentum Determination

In the West leg, a beam spectrometer of proportional wire chambers around D4 will determine the momentum of individual particles to $\pm 0.25\%$. An independent spectrometer is planned for the East leg.

Beam Size at Various Magnets

For guidance in designing detection devices, Table IV gives the spot size of the beam (100% of the particles) at various points along the beam.

Collimators

A remotely variable horizontal collimator follows Q1. A fixed aperture (2") collimator is planned to be inserted in Q3. To degrade muons and stop secondaries from the mass slit, D3 has a vertical aperture of 1.25 inches. A remotely variable horizontal collimator just after the first sextupole determines the momentum bite. Both remotely variable horizontal collimators have separate drives for the right and left plate. Both are made of heavimet.

In mode 3E the mass slit is also a horizontal focus, so the mass slit should be followed by a horizontal stop which can be crude, as it will be in air. The corresponding horizontal focus in mode 1E is just in front of D4, where it would be desirable to have the possibility of a horizontal collimator. However, none is planned.

The square pipe through the steel proton beam shield wall in the middle of the separators is a natural vertical collimator. It would be wise to put a fixed aperture horizontal collimator inside Q4 in order to remove very off-momentum particles from the bad-field region of Q4. These

off-momentum particles will not necessarily be removed by the momentum collimator.

Phase II

The layout as shown is called phase I. It is actually not very usable above 7 GeV for $\bar{p}$'s, as the flux at a 6° production angle is falling very fast (see Fig. 10). Hence a phase II of the MESB is envisaged in which a septum bending magnet is added in front of Q1 which will bend particles produced at 3° towards the fixed bend point of D3; Q1 and Q2 are moved inward a few inches. The rest of the beam remains intact and then will transport up to 9.3 GeV/c, limited entirely by D1. The $\bar{p}$ flux should increase by a factor of 3 at 7 GeV/c and a factor 6 at 10 GeV/c. Phase II also has the fringe benefit of reducing two problems associated with the large apparent width of a 4" long target viewed at 6° . This large apparent width creates a rather large horizontal phase space, so that small spot sizes are difficult to achieve. Secondly, this large width induces large aberrations in the vertical plane in mode 3 at the mass slit, making separation very marginal. In phase I, the only cures available, such as halving the target length, result in a loss of flux. With a 4" target in phase II (3° production), both the vertical plane aberrations and the horizontal spot size are dominated by other effects (largely chromatic aberration).

Acknowledgements

Useful suggestions and criticisms have been received from D. Berley, H. Brown, A. Carroll, and H. Foelsche. The program used was written by J. Fox. E. Makuchowski provided much assistance in altering and executing the computer program. E. Willen edited the final draft and the figures.

B1, B2 Distribution

References

1. A. Carroll, Summer Study on AGS Utilization, 1970.
2. J.D. Fox, EP&S Division Technical Note No. 38, 1970.
3. J. Sanford and C.L. Wang, AGS Internal Report, 1967.
4. Note on Beam Cerenkov Counters for MESB/MPS, R.M. Edelstein, May 1973.

TABLE I - Properties of MESB Phase π^0 Production) up to the Mass Slit

Definitions:

$$\eta_K \equiv \frac{K-\pi \text{ separation at mass slit}}{\text{magnified geometrical target height}}$$

$$\theta_V \equiv \text{vertical plane divergence}$$

$$\theta_H \equiv \text{horizontal plane divergence}$$

Front End	Mode 1		Mode 3		Mode 4			
Max. θ_V	± 3.68 mr		± 1.15 mr		± 1.15 mr			
Max. θ_H	± 20 mr		± 20 mr		± 20 mr			
Ω (geometrical solid angle) = $4\theta_V\theta_H$	294 μsr		92 μsr		92 μsr			
Assumed production target (height x width x length)	.04" x 0.10" x 4"		.04" x 0.10" x 4"		.04" x 0.10" x 4"			
f_V (vertical front focal length)	274"		860"		860"			
momentum at which $\eta_K = 2$	4.0 GeV/c		6.0 GeV/c		6.6 GeV/c ($\eta=1.5$) [‡]			
momentum at which $\eta_p^- = 2$	6.3 GeV/c		9.4 GeV/c		9.4 GeV/c			
At first horizontal focus	1W	3W CRAM	3W CMU	3W ROT	4W	1E	3E	4E
distance from target	1688"	1623"	1753"	1753"	1623"	1517"	1623"	1545"
$\pm \Delta P/P$ (max. momentum bite)	$\pm 3.0\%^*$	± 2.5	± 2.5	± 2.5	± 1.5	$\pm 3.0\%^*$	± 2.5	± 1.5
dispersion at momentum collimator [†]	0.89"/%	1.27"/%	1.20"/%	1.08"/%	2.46"/%	1.00"/%	1.78"/%	2.54"/%
horizontal magnification	3.2	6.3	5.7	5.5	13.0	3.6	4.8	12.6
horizontal image full width (on momentum)	1.34"	2.62"	2.24"	2.32"	5.52"	1.50"	2.0"	5.3"
At mass slit								
distance from target	2152"	2152"	2152"	2152"	2152"	2152"	2152"	2152"
vertical magnification	2.41	0.63	0.65	0.59	1.00	2.3	0.58	1.40
K-π separation at momentum where $\eta = 2$	0.194"	0.050"	0.054"	0.047"	0.060"[‡]	0.184"	0.046"	0.084"[‡]
max. θ_V	$\pm 1.52\text{mr}$	$\pm 1.83\text{mr}$	$\pm 1.77\text{mr}$	$\pm 1.95\text{mr}$	$\pm 1.15\text{mr}$	$\pm 1.60\text{mr}$	$\pm 2.00\text{mr}$	$\pm 0.82\text{mr}$
horizontal full width	6.0"	6.0"	5.4"	5.4"	4.2"	5.4"	5.4"	4.0"

*Could transmit $\pm 5\%$, badly aberrated

†The momentum collimator is at 1663" from the B target, which is never exactly at the focus.

‡Mode 4 is as pure at $\eta = 1.5$ as mode 3 is at $\eta = 2$ because of reduced chromatic aberration.

TABLE II

Gradients and Fields in MESB at 5 GeV/c

In scaling to other momenta, only the bending magnets behave linearly. To scale Q1-Q2-Q3, see Fig. 7. To scale Q4-Q5-Q6, see text. Q7-Q8 scale roughly linearly. For exact information, a computer run is necessary. All bend angles are 8° except D3, which is 3.07° in the West branch and 0° in the East. Positive gradients are focussing horizontally.

Magnet	Type	Vert. Gap or Diam.	Eff. Length	Position (B-targ. to center)	Fields (kG) or Gradients (kG/inch)								Max Field
					1W	3W CRAM	3W CMU	3W ROT	4W	1E	3E	4E	
Q1	N8Q32	8"	36"	180"	1.55	0.95	0.95	0.95	0.95	1.55	1.55	0.95	3.3
Q2	N8Q32	8	36	277	- 1.59	+ 0.57	0.54	0.54	0.58	- 1.62	0.57	0.58	3.3
D1	18C72	3.5	75.5	360	12.10	12.10	12.10	12.10	12.10	12.10	12.10	12.10	22.5
Q3	12Q30	12	36	433	0.69	- 0.65	- 0.65	- 0.65	- 0.65	0.75	- 0.65	- 0.65	2.7
Q4	12Q30	12	36	1499	0.84	0.97	1.01	1.07	- 0.89	1.42	1.20	- 1.03	2.7
Q5	8Q24	8	28	1579	- 1.31	- 1.40	- 1.43	- 1.45	+ 1.37	- 1.70	- 1.48	1.79	3.6
S1	12S24	12	26.5	1608	- 0.60*	- 0.12*	0	0	- 0.18*	*	- 0.16*	?	1.25
S2	12S24	12	26.5	1721	0	0	- 0.28*	- 0.34*	0	*	0	?	1.25
D2	18D72	2.5	74	1870	12.34	12.34	12.34	12.34	12.34	12.34	12.34	12.34	25
Q6	8Q24	8	28	1943 [†]	0.91	0.67	0.75	0.58	- 0.06	1.18	1.69	1.82	3.6
D3	18D36	1.25	42	2202	8.34	8.34	8.34	8.34	8.34	0	0	0	20.5
D4	18D72	2.5	74	2446 (W) 2472 (E)	12.34	12.34	12.34	12.34	12.34	12.34	12.34	12.34	25
Q7	12Q30	12	36		- 0.99	- 1.00	+ 1.45	1.21	- 1.29	- 1.61	- 1.57	- 1.56	2.7
Q8	12Q30	12	36		1.44	1.48	- 1.52	- 1.45	1.51	2.26	2.24	2.23	2.7
Q9	8Q48	8	52		----	----	----	1.55	----	----	----	----	2.5 or 3.6

* The x component of the field of a sextupole is given by $B_x = Ksy$. The "Gradient" listed is $fKd\theta$.

[†] 2093" in mode 3E.

TABLE III. Properties of the MESB at Various Final Foci

The full widths (Δx , Δy) include 95% of the particles, but do not include the large effects of multiple scattering in the beam Cerenkov chambers. The full angles ($\Delta x'$, $\Delta y'$) include 99% of the particles. The transmission is the fraction of the particles in the initial phase space (see TABLE I) which reach the second focus; the average transmission (70%) has been folded into the flux curves (Figs. 8-12). See text for discussion.

	MODE							
	1W	3W CRAM	3W CMU	3W ROT	4W	1E	3E	4E
Distance from B-targ. to:								
Q7 Center	2796"	2796	2796	2645	2796	2645	2645	2645
Q8 Center	2984"	2984	2874	2845	2904	2753	2753	2753
Q9 Center	----	----	----	3015	----	----	----	----
Target Magnification at final focus:								
MV	3.51	0.75	0.25	0.53	1.05	2.66	0.60	1.33
MH	1.20	1.79	4.33	0.53	1.77	0.57	0.53	1.17
Full widths at final focus:								
Δx	0.45"	0.38	1.6	0.40	0.40	0.45	0.40	0.40
$\Delta x'$	52 mr	60	15	11	44	64	80	52
Δy	0.25"	0.19	0.20	1.3	0.10	0.20	0.20	0.20
$\Delta y'$	4.4 mr	4.0	9.0	22	2.4	5.6	5.6	3.2
$\Delta x \Delta x'$	23 mr"	23	24	4.4	17	29	32	21
$\Delta y \Delta y'$	1.10 mr"	0.76	1.8	29	0.24	1.1	1.1	0.64
Transmission	77%	72	75	70	74	65	61	77
% which scrape Q8	3%	3	0	5	7	0	20	0

TABLE IV. Approximate Beam Sizes at Various Places Along the Beam

The quantity listed is $(\Delta x) \times (\Delta y)$, where Δx = horizontal full width, Δy = vertical full width, in inches. These widths include 100% of the particles (or more, in the case of Δy where the histogram bin size is sometimes too big). The widths are based on ray plots up to PLIM and on Monte Carlo's thereafter. In the MPS modes, sizes beyond the mass slit depend upon the final focussing method as shown. "CRAM" is the small horizontal spot size with large divergence. "CMU" is the big horizontal spot size with small divergence. "ROT" is phase space interchange with a rotated triplet. Full momentum bite and a 4" B-target are assumed. MPS1 is blank frequently since it has not been studied past MASS.

MODE Position	E1	E3	MPS1			MPS3			MPS4
			CRAM	CMU	ROT	CRAM	CMU	ROT	CRAM
Q3 end	10.6x2.0	6.0x2.0	11.0	x	2.0	4.8	x	2.0	4.8x2.0
Q4 end	12.0x3.2	12.0x2.6	11.0	x	3.0	12.0	x	2.0	8.5x2.0
PLIM*	1.8x3.0	4.4x2.6	5.3x3.3			6.3x2.5	6.0x2.5	5.5x2.5	7.4x1.1
Q6 end	8.4x0.8	6.0x0.4	8.4x0.8			8.4x0.8	7.8x0.8	6.0x1.2	4.8x0.8
Mass Slit [†]	5.4x1.3	5.4x0.3	6.0x1.3			6.0x0.3	5.4x0.3	5.4x0.3	4.2x
D3 end	4.2x0.8	3.6x0.6	6.0x0.4			5.4x0.4	4.2x0.4	5.4x0.4	4.2x0.4
D4 end	3.6x1.6	5.4x1.8	5.4x1.6			5.4x1.6	6.0x1.6	7.2x1.2	6.0x1.2
Q7 begin	5.6x2.0	8.8x2.4	8.0x2.4			8.0x2.6	10.4x2.6	8.0x1.6	9.6x1.6
Q8 begin	10.4x1.0	18.0x1.2 [‡]	16.0x1.2 [‡]			16.0x1.2 [‡]	6.4x4.2	11.2x11.2	16.0x1.0 [‡]
Q8 + 44"	6.5x0.4	8.4x0.8	9.0x0.8		---	9.0x0.8	4.5x4.0	-----	10.8x0.8
Q9 begin	-----	-----	-----	---		-----	-----	2.5x6.0	-----
Q9 + 44"	-----	-----	-----	---		-----	-----	2.0x4.0	-----
MPS-targ.	-----	-----	0.6x0.5			0.5x0.2	2.2x2.6 ⁺	0.4x1.1	0.5x0.2
East-targ.	.60x.65	0.75x0.35	-----	---	---	-----	-----	-----	-----

* Momentum collimator, assumed to be set at the center of image of off-momentum particles at full bite.

[†] In vertical plane, includes π^+ 's, K^+ 's and $\bar{p}$'s, at momentum where $\eta = 2$.

[‡] Scrapes.

+ LH2 target in front of MPS magnet.

Figure Captions

- Fig. 1 Beam Layout
- Fig. 2 Optics of Mode 1E
- Fig. 3 Optics of Mode 3E
- Fig. 4 Optics of Mode 1W
- Fig. 5 Optics of Mode 3W CRAM
- Fig. 6 Optics of Mode 4W
- Fig. 7 Gradients of quadrupoles Q1, Q2, Q3 vs. momentum at which $\eta = 2$, for K separation and $\bar{p}$ separation.
- Figs. 8 - 10 Fluxes of particles at the two final foci per 10^{12} interacting protons in a beryllium target, assuming Sanford + Wang. The curves assume the full solid angle and momentum bites of Table I and a 70% transmission through the beam. For genuine numbers of particles at the end of beam, multiply by the number of protons in the external beam and the fractions which interact in the target.
- Fig. 11 $\pi^-:K^-$ and $\pi^-:\bar{p}$ ratio in front of mass slit as a function of momentum.
- Fig. 12 Variation of $\int B dl$ as a function of horizontal position in D1.
- Fig. 13 $\int B dl$ as a function of current for D1. The measured values extend to 3.0 kA. Taking $\int B dl / I = 500$ kG in /kA at 3.4 kA gives $P_{\max} = 9.24 \pm .2$ GeV/c. For 510 kG in /kA, $P_{\max} = 9.43$ GeV/c.
- Fig. 14 Expected momentum distributions for several modes. The momentum collimator was set at the centers of the images of particles with $\Delta p/p = \pm 3\%$ and $\pm 2-1/2\%$ for modes 1 and 3, respectively.

Figure 1

XMAX	DX1	YMAX	DY1	P	DP			
-4.000	.02000	3.000	.00115	5.000	.025			
START	.566					YI		.033 START
START	1.132					YI		.065 START
START	1.698					YI		.098 START
START	2.264					YI		.130 START
START	2.830					YI		.163 START
Q1	3.396					YI		.196 Q1
	3.439					YI		.247
	3.490					YI		.311
	3.741					YI		.375
Q2	3.694					YI		.444 Q2
	3.434					YI		.544
D1	3.156					YI		.651 D1
D1	2.877					YI		.752 D1
D1	2.598					YI		.851 D1
Q3	2.330					YI		.944 Q3
	2.204					YI		.978
SEP1	2.157					YI		.978 SEP1
SEP1	2.110					YI		.978 SEP1
SEP1	2.063					YI		.978 SEP1
SEP1	2.015					YI		.978 SEP1
SEP1	1.968					YI		.978 SEP1
SEP1	1.921					YI		.974 SEP1
SEP1	1.874					YI		.974 SEP1
SEP1	1.826					YI		.974 SEP1
SEP1	1.779					YI		.974 SEP1
SEP1	1.732					YI		.974 SEP1
SEP1	1.685					YI		.974 SEP1
SEP1	1.638					YI		.974 SEP1
SEP1	1.590					YI		.974 SEP1
SEP1	1.543					YI		.974 SEP1
SEP1	1.496					YI		.974 SEP1
WALL	1.449					YI		.974 WALL
WALL	1.401					YI		.974 WALL
WALL	1.354					YI		.974 WALL
WALL	1.307					YI		.974 WALL
WALL	1.260					YI		.974 WALL
WALL	1.212					YI		.974 WALL
SEP2	1.165					YI		.974 SEP2
SEP2	1.118					YI		.974 SEP2
SEP2	1.071					YI		.974 SEP2
SEP2	1.024					YI		.974 SEP2
SEP2	.976					YI		.974 SEP2
SEP2	.929					YI		.974 SEP2
SEP2	.882					YI		.974 SEP2
SEP2	.835					YI		.974 SEP2
SEP2	.787					YI		.974 SEP2
SEP2	.740					YI		.974 SEP2
SEP2	.693					YI		.974 SEP2
SEP2	.646					YI		.974 SEP2
SEP2	.599					YI		.974 SEP2
SEP2	.551					YI		.980 SEP2
	.504					YI		.980
Q4	.444					YI		1.005 Q4
DRF2	.390					YI		1.134 DRF2
DRF2	.274					YI		1.286 DRF2
Q5	.114					YI		1.382 Q5
SEX1	.024					YI		1.313 SEX1
	-.062					YI		1.234
	-.151					YI		1.156
SEX2	-.241					YI		1.077 SEX2
SEX2	-.330					YI		.998 SEX2
DRF3	-.420					YI		.914 DRF3
DRF3	-.509					YI		.840 DRF3
DRF3	-.598					YI		.762 DRF3
D2	-.688					YI		.683 D2
D2	-.777					YI		.603 D2
DD2	-.867					YI		.521 DD2
	-.956					YI		.438
Q6	-1.017					YI		.366 Q6
	-1.027					YI		.314
	-1.035					YI		.262
	-1.044					YI		.211
	-1.053					YI		.154
	-1.061					YI		.107
MASS	-1.070					YI		.055 MASS
MASS	-1.078					YI		.003 MASS
	-1.087					YI		-.048
	-1.095					YI		-.100
D3	-1.104					YI		-.152 D3
DRF5	-1.112					YI		-.203 DRF5
DRF5	-1.121					YI		-.255 DRF5
DRF5	-1.129					YI		-.307 DRF5
DRF5	-1.138					YI		-.358 DRF5
DRF5	-1.147					YI		-.410 DRF5
DRF5	-1.155					YI		-.461 DRF5
D4	-1.164					YI		-.513 D4
D4	-1.172					YI		-.562 D4
DRF7	-1.181					YI		-.610 DRF7
DRF7	-1.189					YI		-.658 DRF7
DRF7	-1.198					YI		-.706 DRF7
DRF7	-1.206					YI		-.753 DRF7
DRF7	-1.215					YI		-.801 DRF7
DRF7	-1.223					YI		-.849 DRF7
DRF7	-1.232					YI		-.896 DRF7
DRF7	-1.240					YI		-.944 DRF7
DRF7	-1.249					YI		-.992 DRF7
DRF7	-1.258					YI		-1.039 DRF7
DRF7	-1.266					YI		-1.087 DRF7
Q7	-1.275					YI		-1.088 Q7
DRF9	-1.284					YI		-.980 DRF9
DRF9	-1.293					YI		-.854 DRF9
DRF9	-1.301					YI		-.738 DRF9
DRF9	-1.310					YI		-.617 DRF9
DRF9	-1.319					YI		-.494 DRF9
Q8	-1.328					YI		-.376 Q8
Q8	-1.337					YI		-.300 Q8
Q8+44	-1.346					YI		-.257 Q8+44
FOC2	-1.354					YI		-.214 FOC2
FOC2	-1.363					YI		-.170 FOC2
FOC2	-1.372					YI		-.127 FOC2
FOC2	-1.381					YI		-.084 FOC2
FOC2	-1.390					YI		-.041 FOC2
FOC3	-1.399					YI		.002 FOC3
	-1.408					YI		.045

FIG 5b

VERTICAL PLANE

PRODUCTION ANGLE = DTI

Y : Y

+ : PAD

- : P-DR

Length 3200"

XMAX	DX1	YMAX	DY1	P	OP
46.000	.02000	3.000	.00115	5.000	.015
START	.566				
START	1.132				
START	1.698				
START	2.264				
START	2.830				
Q1	3.396				
	3.639				
	3.690				
	3.741				
Q2	3.692				
	3.429				
D1	3.145				
D1	2.840				
D1	2.576				
Q3	2.302				
	2.170				
SEP1	2.115				
SEP1	2.160				
SFP1	2.005				
SFP1	1.950				
SEP1	1.895				
SEP1	1.840				
SEP1	1.785				
SEP1	1.730				
SEP1	1.675				
SEP1	1.621				
SEP1	1.566				
SEP1	1.511				
SEP1	1.456				
SEP1	1.401				
SFP1	1.346				
WALL	1.291				
WALL	1.236				
WALL	1.181				
WALL	1.126				
WALL	1.072				
WALL	1.017				
SEP2	.962				
SEP2	.907				
SEP2	.852				
SFP2	.797				
SEP2	.742				
SEP2	.687				
SEP2	.632				
SEP2	.577				
SEP2	.522				
SEP2	.468				
SFP2	.413				
SFP2	.358				
SEP2	.303				
SFP2	.248				
	.193				
Q4	.138				
DRF2	.105				
DRF3	.070				
Q5	.033				
	-.004				
	-.059				
DR44	-.092				
DR44	-.133				
DR44	-.179				
DR44	-.216				
DR44	-.257				
DRF3	-.298				
D2	-.340				
D2	-.381				
DD2	-.422				
	-.464				
Q6	-.506				
DRF4	-.551				
DRF4	-.596				
	-.641				
	-.686				
	-.732				
	-.777				
HA32	-.822				
	-.867				
D3	-.912				
DRF5	-.957				
DRF5	-1.002				
DRF5	-1.047				
DRF5	-1.092				
DRF5	-1.137				
DRF5	-1.182				
DRF5	-1.227				
DD4	-1.272				
Q4	-1.317				
DRF7	-1.362				
DRF7	-1.407				
DRF7	-1.452				
DRF7	-1.497				
DRF7	-1.542				
DRF7	-1.587				
DRF7	-1.632				
DRF7	-1.677				
DRF7	-1.722				
DRF7	-1.767				
DRF7	-1.812				
Q4	-1.857				
DRF9	-1.902				
DRF9	-1.947				
Q10	-1.992				
Q10	-2.037				
DR44	-2.082				
FOC2	-2.127				
FOC2	-2.172				
FOC2	-2.217				
FOC2	-2.262				
FOC2	-2.307				
FOC2	-2.352				
FOC2	-2.397				
FOC2	-2.442				
FOC2	-2.487				
FOC2	-2.532				
FOC2	-2.577				
FOC2	-2.622				
FOC2	-2.667				
FOC2	-2.712				
FOC2	-2.757				
FOC2	-2.802				
FOC2	-2.847				
FOC2	-2.892				
FOC2	-2.937				
FOC2	-2.982				
FOC2	-3.027				
FOC2	-3.072				
FOC2	-3.117				
FOC2	-3.162				
FOC2	-3.207				
FOC2	-3.252				
FOC2	-3.297				
FOC2	-3.342				
FOC2	-3.387				
FOC2	-3.432				
FOC2	-3.477				
FOC2	-3.522				
FOC2	-3.567				
FOC2	-3.612				
FOC2	-3.657				
FOC2	-3.702				
FOC2	-3.747				
FOC2	-3.792				
FOC2	-3.837				
FOC2	-3.882				
FOC2	-3.927				
FOC2	-3.972				
FOC2	-4.017				
FOC2	-4.062				
FOC2	-4.107				
FOC2	-4.152				
FOC2	-4.197				
FOC2	-4.242				
FOC2	-4.287				
FOC2	-4.332				
FOC2	-4.377				
FOC2	-4.422				
FOC2	-4.467				
FOC2	-4.512				
FOC2	-4.557				
FOC2	-4.602				
FOC2	-4.647				
FOC2	-4.692				
FOC2	-4.737				
FOC2	-4.782				
FOC2	-4.827				
FOC2	-4.872				
FOC2	-4.917				
FOC2	-4.962				
FOC2	-5.007				
FOC2	-5.052				
FOC2	-5.097				
FOC2	-5.142				
FOC2	-5.187				
FOC2	-5.232				
FOC2	-5.277				
FOC2	-5.322				
FOC2	-5.367				
FOC2	-5.412				
FOC2	-5.457				
FOC2	-5.502				
FOC2	-5.547				
FOC2	-5.592				
FOC2	-5.637				
FOC2	-5.682				
FOC2	-5.727				
FOC2	-5.772				
FOC2	-5.817				
FOC2	-5.862				
FOC2	-5.907				
FOC2	-5.952				
FOC2	-5.997				
FOC2	-6.042				
FOC2	-6.087				
FOC2	-6.132				
FOC2	-6.177				
FOC2	-6.222				
FOC2	-6.267				
FOC2	-6.312				
FOC2	-6.357				
FOC2	-6.402				
FOC2	-6.447				
FOC2	-6.492				
FOC2	-6.537				
FOC2	-6.582				
FOC2	-6.627				
FOC2	-6.672				
FOC2	-6.717				
FOC2	-6.762				
FOC2	-6.807				
FOC2	-6.852				
FOC2	-6.897				
FOC2	-6.942				
FOC2	-6.987				
FOC2	-7.032				
FOC2	-7.077				
FOC2	-7.122				
FOC2	-7.167				
FOC2	-7.212				
FOC2	-7.257				
FOC2	-7.302				
FOC2	-7.347				
FOC2	-7.392				
FOC2	-7.437				
FOC2	-7.482				
FOC2	-7.527				
FOC2	-7.572				
FOC2	-7.617				
FOC2	-7.662				
FOC2	-7.707				
FOC2	-7.752				
FOC2	-7.797				
FOC2	-7.842				
FOC2	-7.887				
FOC2	-7.932				
FOC2	-7.977				
FOC2	-8.022				
FOC2	-8.067				
FOC2	-8.112				
FOC2	-8.157				
FOC2	-8.202				
FOC2	-8.247				
FOC2	-8.292				
FOC2	-8.337				
FOC2	-8.382				
FOC2	-8.427				
FOC2	-8.472				
FOC2	-8.517				
FOC2	-8.562				
FOC2	-8.607				
FOC2	-8.652				
FOC2	-8.697				
FOC2	-8.742				
FOC2	-8.787				
FOC2	-8.832				
FOC2	-8.877				
FOC2	-8.922				
FOC2	-8.967				
FOC2	-9.012				
FOC2	-9.057				
FOC2	-9.102				
FOC2	-9.147				
FOC2	-9.192				
FOC

Figure 7

Length 3200

[illegible][illegible]

Figure 8

Figure 9

Figure 10

Figure 11

Figure 12

Figure 13

Figure 14

Appendix II-B1

The beam is of conventional design. Particles produced at 0° are focused by a doublet and momentum dispersed at slit located at the approximate mid-point of the channel. The second half of the beam is almost a reflection of the first; momenta are re-combined, and a second doublet brings the particles to their final focus.

Five quadrupoles form the upstream doublet. First, three N8Q32s focus vertically, then two 8Q48s horizontally. The beam is momentum dispersed at a slit located 700" from the production target by a 4.1° bend in two 18D72s. The second bend is also 4.1° in two 18D72s, and the second doublet consists of two 12Q60s focusing horizontally, then two vertically.

There are two collimators in the beam. B1C1 lies ahead of the first dipole and intercepts the diffracted protons. When narrowed, the slit walls can produce secondary particles, so this collimator cannot be used as an effective intensity limiter. B1C2 (the momentum slit) has remotely controlled horizontal and vertical apertures.

The beam has performed close to its design criteria. Table I gives some of its parameters, and Table II gives the currents, shunt readings, and Dybbuk set points for 20 GeV/c. Other operating points can be obtained by scaling.

Table I Beam Parameters

Vertical Acceptance	± 16 mrad
Horizontal Acceptance	± 4.8 mrad
Magnification at 2nd Focus	1.5 (V) x 1.3 (H)
Dispersion at Momentum Slit	1.6%/inch

Table II

B1 - 20 GeV/c Negative Beam

	<u>Type</u>	<u>Current (Polarity)</u>	<u>Field or Gradient</u>	<u>Dybbuk</u>
Q1	N8Q32	1913 (A)	2.225	1913
Q2	N8Q32	1913 (A)	2.225	1913
Q3	N8Q32	1913 (A)	2.225	1913
Q4	8Q48	1304 (B)	1.683	2086
Q5	8Q48	1304 (B)	1.683	2086
D1	18D72	1508 (B)	13.91	1508
D2	18D72	1508 (B)	13.91	1508
D3	18D72	1508 (B)	13.91	1508
D4	18D72	1508 (B)	13.91	1508
Q6	12Q60	995 (B)	0.830	1592
Q7	12Q60	995 (B)	0.830	1592
Q8	12Q60	961 (A)	0.803	1538
Q9	12Q60	961 (A)	0.803	961

Note: Dybbuk set points do not necessarily correspond to currents.