

Requirements of Each JTA

Select a Job Training Assessment (JTA) from the drop-down list to see the training requirements for that JTA. Training requirements displayed will include the course number, course title, and requalification period.

PS-X17 – PS NSLS-II Beamline Support Staff

| | | |
|-------------------|--|------------------------|
| HP-OSH-150A | Basic Electrical Safety | No requal required |
| TQ-COMPGAS1 | Compressed Gas Safety | Requal every 36 months |
| HP-OSH-025-24 | Cryogen Safety w/24 Month Requal | Requal every 24 months |
| GE-CYBERSEC | Cyber Security | Requal every 12 months |
| TQ-GERT | General Employee Radiological Training | Requal every 24 months |
| PS-PROC-0263-REV3 | LS2 BL Enc ODH Alarm Resp (PS-C-XFD-PRC-006) | Requal every 12 months |
| PS-PROC-0257-REV3 | LS2 BL Enc ODH MonSysConfig (PS-C-XFD-PRC-035) | Requal every 24 months |
| PS-PROC-0277-REV2 | LS2 BL Encl Srch/Sec BrkSec (PS-C-XFD-PRC-010) | Requal every 24 months |
| PS-PROC-0276-REV1 | LS2 BL EquipProtSysTestProc (PS-C-XFD-PRC-019) | Requal every 24 months |
| PS-PROC-0102-REV7 | LS2 Rad Safety Component Insp (PS-C-ESH-PRC-025) | Requal every 24 months |
| PS-PROC-0268-REV1 | LS2 Use/Maint POMs BL Encs (PS-C-ESH-PRC-062) | Requal every 24 months |
| HP-IND-220 | Laboratory Standard | Requal every 24 months |
| TQ-LADDER | Ladder Safety | Requal every 12 months |
| TQ-LEAD1 | Lead in the Workplace | No requal required |
| HP-OSH-151A-W | Lockout/Tagout - Affected Employee | Requal every 12 months |

| | | |
|------------------|--|------------------------|
| PS-ESH-BNL-EQUIV | NSLS-II ESH BNL Equiv (Satisfied by GSO/CVO/GET) | No requal required |
| PS-ESH-FAC-BRIEF | NSLS-II Facilities-Specific ESH Brief | Requal every 24 months |
| TQ-ODH | Oxygen Deficiency Hazard - Class 0 | Requal every 24 months |
| TQ-SAFEAWARE | Reducing Injuries and Accidents in the Workplace | No requal required |
| OM-MEDSURV-SMF | Static Magnetic Field Medical Surveillance | No requal required |