

Subject:	NSLS-II Storage Ring Pentant 5 Radiation Safety Component Checklist		
Number:	PS-R-ESH-KSR-007	Revision:	12
Effective:	9/14/2016	Page:	1 of 5
Prepared by:	L. Doom	Approved by:	R. Chmiel

Except for the Mekometer Port (checkpoint 5701), all configurations must match the associated photograph located near the checkpoint.

Inside Storage Ring Pentant 5

Check 5001 through 5022 in Cell 17:

- 5001. Utility Penetration shielding at 16 ID in place and labeled
- 5002. Vacuum flange and blank off at Cell 17 Girder 2 in place and labeled
- 5003. Dipole chamber mounting brackets at Cell 17 Girder 3 in place and labeled
- 5004. Vacuum Absorber at Cell 17 Girder 3 in place and labeled
- 5005. Dipole Shadow shield at Cell 17 Girder 4 in place, banded and labeled
- 5006. Ratchet Wall Plug (Front end) shielding at 16 BM in place and labeled
- 5007. Utility Penetration shielding at 16 BM in place and labeled
- 5008. Dipole Shadow shield at Cell 17 Girder 6 in place, banded and labeled
- 5009. Front End Fixed Aperture Mask at 17ID in place and labeled
- 5010. Front End Burn Through Device #1 at 17ID in place and labeled
- 5011. Front End Collimator #1 shielding at 17ID in place and labeled
- 5012. Front End Burn Through Device #2 at 17ID in place and labeled
- 5013. Front End Collimator #2 shielding at 17ID in place and labeled
- 5014. Safety Shutter #1 shielding at 17ID in place and labeled
- 5015. Safety Shutter #2 shielding at 17ID in place and labeled
- 5016. Ratchet Wall Collimator shielding at 17ID in place and labeled (This verifies Burn Through Device #3 in ratchet wall is present)
- 5017. Multipole chamber mounting brackets at Cell 17 Girder 4 in place and labeled
- 5018. Vacuum flange and blank off at Cell 17 Girder 4 in place and labeled
- 5019. Exit Absorber at Cell 17 Girder 6 in place and labeled
- 5020. Chamber mounting brackets at Cell 17 Girder 6 in place and labeled
- 5021. Fixed mask 2 at 17BM in place and labeled
- 5022. Lead Collimator #1 at 17BM in place and labeled

Check 5101 through 5113 in Cell 18:

- 5101. Utility Penetration shielding at 17 ID in place and labeled
- 5112. Fixed mask 3 at 17BM in place and labeled. This includes beamline mirror stand adjustment
- 5102. Shadow shield at 17BM in place and labeled
- 5113. Fixed mask 4 at 17BM in place and labeled

Subject:	NSLS-II Storage Ring Pentant 5 Radiation Safety Component Checklist		
Number:	PS-R-ESH-KSR-007	Revision:	12
Effective:	9/14/2016	Page: 2 of 5	
Prepared by:	L. Doom	Approved by:	R. Chmiel

- 5103. Fixed mask 5 at 17BM in place and labeled
- 5104. Lead Collimator #2 at 17BM in place and labeled
- 5105. Safety Shutter #1 shielding at 17BM in place and labeled
- 5106. Safety Shutter #2 shielding at 17BM in place and labeled
- 5107. Ratchet Wall Collimator shielding at 17BM in place and labeled
- 5108. Dipole Shadow shield at Cell 18 Girder 4 in place, banded and labeled
- 5109. Utility Penetration shielding at 17 BM in place and labeled
- 5110. Dipole Shadow shield at Cell 18 Girder 6 in place, banded and labeled
- 5111. Ratchet Wall Plug (Front end) shielding at 18 ID in place and labeled

Check 5201 through 5222 in Cell 19:

- 5201. Utility Penetration shielding at 18 ID in place and labeled
- 5202. Reserved for future use
- 5203. Reserved for future use
- 5204. Vacuum flange and blank off at Cell 19 Girder 2 in place and labeled
- 5205. Dipole chamber mounting brackets at Cell 19 Girder 3 in place and labeled
- 5206. Vacuum Absorber at Cell 19 Girder 3 in place and labeled
- 5207. Dipole Shadow shield at Cell 19 Girder 4 in place, banded and labeled
- 5208. Reserved for future use
- 5209. Reserved for future use
- 5210. Reserved for future use
- 5211. Reserved for future use
- 5212. Ratchet Wall Plug (Front end) shielding at 18 BM in place and labeled
- 5213. Utility Penetration shielding at 18 BM in place and labeled
- 5214. Front End Fixed Aperture Mask at 19ID in place and labeled
- 5215. Front End Burn Through Device #1 at 19ID in place and labeled
- 5216. Front End Collimator #1 shielding at 19ID in place and labeled
- 5217. Front End Burn Through Device #2 at 19ID in place and labeled
- 5218. Front End Collimator #2 shielding at 19ID in place and labeled
- 5219. Safety Shutter #1 shielding at 19ID in place and labeled
- 5220. Safety Shutter #2 shielding at 19ID in place and labeled
- 5221. Dipole Shadow shield at Cell 19 Girder 6 in place, banded and labeled
- 5222. Ratchet Wall Collimator shielding at 19ID in place and labeled (This verifies Burn Through Device #3 in ratchet wall is present)

Subject:	NLS-II Storage Ring Pentant 5 Radiation Safety Component Checklist						
Number:	PS-R-ESH-KSR-007	Revision:	12	Effective:	9/14/2016	Page:	3 of 5
Prepared by:	L. Doom			Approved by:	R. Chmiel		

Check 5301 through 5306 in Cell 20:

- 5301. Utility Penetration shielding at 19 ID in place and labeled
- 5302. Dipole Shadow shield at Cell 20 Girder 4 in place, banded and labeled
- 5303. Ratchet Wall Plug (Front end) shielding at 19 BM in place and labeled
- 5304. Utility Penetration shielding at 19 BM in place and labeled
- 5305. Dipole Shadow shield at Cell 20 Girder 6 in place, banded and labeled
- 5306. Ratchet Wall Plug (Front end) shielding at 20 ID in place and labeled

Check 5401 through 5416 in Cell 21:

- 5401. Utility Penetration shielding at 20 ID in place and labeled
- 5402. Vacuum flange and blank off at Cell 21 Girder 2 in place and labeled
- 5403. Dipole chamber mounting brackets at Cell 21 Girder 3 in place and labeled
- 5404. Vacuum Absorber at Cell 21 Girder 3 in place and labeled
- 5405. Dipole Shadow shield at Cell 21 Girder 4 in place, banded and labeled
- 5406. Ratchet Wall Plug (Front end) shielding at 20 BM in place and labeled
- 5407. Utility Penetration shielding at 20 BM in place and labeled
- 5408. Dipole Shadow shield at Cell 21 Girder 6 in place, banded and labeled
- 5409. Front End Fixed Aperture Mask at 21ID in place and labeled
- 5410. Front End Burn Through Device #1 at 21ID in place and labeled
- 5411. Front End Collimator #1 shielding at 21ID in place and labeled
- 5412. Reserved for future use.
- 5413. Front End Collimator #2 shielding at 21ID in place and labeled
- 5414. Safety Shutter #1 shielding at 21ID in place and labeled
- 5415. Safety Shutter #2 shielding at 21ID in place and labeled
- 5416. Ratchet Wall Collimator shielding at 21ID in place and labeled (This verifies Burn Through Device #2 in ratchet wall is present)

Check 5501 through 5509 in Cell 22:

- 5501. Utility Penetration shielding at 21 ID in place and labeled
- 5502. RF utility penetration shielding in place and labeled
- 5503. RF waveguide penetration #2 shielding in place and labeled
- 5504. RF cable tray penetration shielding in place and labeled
- 5505. Dipole Shadow shield at Cell 22 Girder 4 in place, banded and labeled
- 5506. Ratchet Wall Plug (Front end) shielding at 21 BM in place and labeled
- 5507. Utility Penetration shielding at 21 BM in place and labeled
- 5508. Dipole Shadow shield at Cell 22 Girder 6 in place, banded and labeled

Subject:	NSLS-II Storage Ring Pentant 5 Radiation Safety Component Checklist		
Number:	PS-R-ESH-KSR-007	Revision:	12
Effective:	9/14/2016	Page:	4 of 5
Prepared by:	L. Doom	Approved by:	R. Chmiel

5509. Ratchet Wall Plug (Front end) shielding at 22 ID in place and labeled

Outside Storage Ring Tunnel Pentant 5

Check 5601 through 5630 along the storage ring outer wall

5601. Utility Penetration shielding at 16 ID in place and labeled (inside hutch)
5602. Fixed concrete blocks (2) at 16 BM in place and labeled (inside hutch)
5603. Ratchet Wall Plug (Front end) shielding at 16 BM in place, banded and labeled
5604. Utility Penetration shielding at 16 BM in place and labeled
5605. Ratchet Wall Collimator shielding at 17ID in place and labeled (This verifies Burn Through Device #3 in ratchet wall is present)
5606. Utility Penetration shielding at 17 ID in place and labeled (inside hutch)
5607. N/A Fixed concrete blocks (2) at 17 BM in place (blocks cannot be accessed)
5608. Ratchet Wall Collimator shielding at 17BM in place and labeled
5609. Utility Penetration shielding at 17 BM in place and labeled
5610. Ratchet Wall Plug (Front end) shielding at 18 ID in place, banded and labeled
5611. Utility Penetration shielding at 18 ID in place and labeled
5612. Fixed concrete blocks (2) at 18 BM in place and labeled
5613. Ratchet Wall Plug (Front end) shielding at 18 BM in place, banded and labeled
5614. Utility Penetration shielding at 18 BM in place and labeled
5615. Ratchet Wall Collimator shielding at 19ID in place and labeled (This verifies Burn Through Device #3 in ratchet wall is present)
5616. Utility Penetration shielding at 19 ID in place and labeled
5617. Fixed concrete blocks (4) at 19 BM in place and labeled
5618. Ratchet Wall Plug (Front end) shielding at 19 BM in place, banded and labeled
5619. Utility Penetration shielding at 19 BM in place and labeled
5620. Ratchet Wall Plug (Front end) shielding at 20 ID in place, banded and labeled
5621. Utility Penetration shielding at 20 ID in place and labeled
5622. Fixed concrete blocks (2) at 20 BM in place and labeled
5623. Ratchet Wall Plug (Front end) shielding at 20 BM in place, banded and labeled
5624. Utility Penetration shielding at 20 BM in place and labeled
5625. Ratchet Wall Collimator shielding at 21ID in place and labeled (This verifies Burn Through Device #2 in ratchet wall is present)
5626. Utility Penetration shielding at 21 ID in place and labeled
5627. Fixed concrete blocks (2) at 21 BM in place and labeled
5628. Ratchet Wall Plug (Front end) shielding at 21 BM in place, banded and labeled

Subject:	NSLS-II Storage Ring Pentant 5 Radiation Safety Component Checklist						
Number:	PS-R-ESH-KSR-007	Revision:	12	Effective:	9/14/2016	Page:	5 of 5
Prepared by:	L. Doom			Approved by:	R. Chmiel		

5629. Utility Penetration shielding at 21 BM in place and labeled
 5630. Ratchet Wall Plug (Front end) shielding at 22 ID in place, banded and labeled (inside hutch)

Check 5701 on the Storage Ring Mezzanine at Cell 21

5701. Mekometer port cover plate labeled and shielding padlocked (below cover plate)

Check 5801 in Service Building 5:

5801. Fixed concrete blocks (8) in place and labeled

Check 5901 through 5903 in the RF Building:

5901. RF utility penetration shielding in place and labeled
 5902. RF waveguide penetration #2 shielding in place and labeled
 5903. RF cable tray penetration shielding in place and labeled

Prepared By:

Approved By:

9/22/2016

9/22/2016

X Lewis Doom

Lewis Doom
 Storage Ring Engineer
 Signed by: Doom, Lewis

X Robert Chmiel

Robert Chmiel
 Safety Egnieer
 Signed by: Chmiel, Robert

Inspected by

Print Name Lewis Doom Jr Signature: Lewis Doom Jr Date: 9/23/16

*******Removal of any shielding or opening of any locks listed on this checklist requires posting an approved Photon Sciences Safety System Work Permit *******