

New Worlds, Baby!

Yale UNIVERSITY

Debra Fischer



1973

You've come a long way, Baby!

You can smoke like a man.
You can act like a man.
You can think like a man.

Is that really the best we can be?

1995

first planet detected


DRAKE EQUATION
$N = R \times f_p \times f_p \times n_e \times f_l \times f_i \times f_c \times L$
R average rate of star formation
f fraction of good stars that have planetary systems
n_e number of planets around these stars within an "ecosphere"
f_l fraction of these p here life develops
f_i fraction of living o that develop intelligence
f_c fraction of i h communications technology
L lifetime of t phase"

Our Solar System



- *Eight planets*
    - *Lots of rocky “debris” (terrestrial planets and asteroids)*
    - *Most planets have moons*
    -
- *Nearly circular orbits*
- *Only one inhabited planet*

Mercury



Venus

Mars



Jupiter = 317 earth masses

Uranus = 14 earth masses



Saturn = 95 earth masses

Neptune = 17 earth masses




Mars
Earth
Venus
Jupiter

Pulsar timing: uses the Doppler effect, need to collect data over the entire obit to model.



Radial Velocity technique: uses the Doppler effect

- need one full orbit





1995


Earth
Simulated naked eye view:
800 000 km from planet 51 Peg1 surface
7 737 000 km from star 51 Peg surface





Photo credit: National Geograph



Artist: Lynette Cook

1999



2012



RV Planet count: 515



Many scientists were skeptical about the interpretation of the RV data. However, we knew that the orbit of some of these planets should be oriented so that the planet would transit in front of it’s host star.

Transit Technique: the planet passes in front of the star, dimming the starlight for a few hours. The bigger the planet, the greater the light decrement.

Artistic license: star and planet are not resolved!





1999

Transiting planets: models allow us to determine interior structure of planets orbiting stars hundreds of light years away

Image credit: Greg Laughlin, UCSC



Planet count: 308

Kepler Mission: transits from space

2009


2011


Kepler-11 System
Venus
Mercury
Solar System

Tatooine



A Saturn mass planet orbiting a double star system!

2011

Kepler Transit Candidates: many are multi-systems



Dan Fabrycky, U Chicago



"Practically all Sun-like stars have planets"

- ~17% have planets 0.8 - 1.25 with P < 85 days
- ~50% have planets 1.25 - 4 times the mass of the Earth
- 10% have larger (up to Neptune-size) planets with P < 400d

Candidate count: 2740

Microlensing: the star with a planet passes in front of a distant and gravitationally distorts space so that the source light is lensed, and brightens (for a few hours or days).



Planet count: 21

Direct Imaging: challenging and exciting work on the horizon with Keck Adaptive Optics Imaging.



Planet count: 31

Of the various observational techniques, how many will find “Earths”?

Microlensing (21)?

Transits with Kepler (2740)?

Transits with ground-based telescopes (308)?

Doppler observations (515)?

Imaging (31)

How will we find ***many*** “Earths”?

Why Earths?

Best chance of detecting life we can recognize.

Why look?

What are the practical applications?

1. Consider our place in space



1. Consider our place in space



Our Sun appears to be an unremarkable star, like billions of others in our galaxy. Billions of galaxies

1. Consider our place in space

The Universe Contains Billions of Galaxies

2. Consider the rareness of our composition



Fair sample of the Universe: a representative volume, large enough to show the average structure.

2. Consider the rareness of our composition



2. Consider the rareness of our composition





2. Consider the rareness of our composition

Neutrinos

2. Consider the rareness of our composition



Something else in this Fair Sample that we can barely sense. It does not reflect or absorb light. The only sign of it’s presence is the gravitational pull of its mass.

.....Dark Matter.

Drifts through solid matter but moves slowly and outweighs normal matter by a factor of 5.

2. Consider the rareness of our composition



In 1995, we learned that there was something else in this Fair Sample.

.....Dark Energy.

We can compare energy and mass: $E=mc^2$ and as far as we can tell, dark energy makes up ~75% of the stuff in our Fair Sample.

2. Consider the rareness of our composition



3. Consider our place in time

3. Consider our place in time

December

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17 Animal fossils	18 Trilobites	19	20 Land plants	21 Insects
22 Amphibians	23	24 Reptiles	25 Dinosaurs	26 Mammals	27 Pangaea splits	28 Birds, flowers
29 Dinosaurs at top of food chain	30 Dinosaurs go extinct, mammals diversify and return to the sea					

3. Consider our place in time

3. Consider our place in time

We do not dominate the Universe in any sense - our place in space is small.

We are rare stuff in the Periodic Table

We are newcomers to this planet.

http://www.youtube.com/watch?v=MrqqD_Tsy4Q


Habitable zone
Rocky Planets
1000
100
10
1
10
100
1000
Msini [Earth Mass]
Orbital Period [days]

1995


Msini [Earth Mass]
1000
100
10
1
10
100
1000
Orbital Period [days]

1996


Msini [Earth Mass]
1000
100
10
1
10
100
1000
Orbital Period [days]

1997


Msini [Earth Mass]
1000
100
10
1
10
100
1000
Orbital Period [days]

1998


Msini [Earth Mass]
1000
100
10
1
10
100
1000
Orbital Period [days]

1999


Msini [Earth Mass]
1000
100
10
1
10
100
1000
Orbital Period [days]


2000
Msini [Earth Mass]
1000
100
10
1
10
100
1000
Orbital Period [days]

2001


Msini [Earth Mass]
1000
100
10
1
10
100
1000
Orbital Period [days]

2002


1000
100
10
1
10
100
1000
Msini [Earth Mass]
Orbital Period [days]

2003


Msini [Earth Mass]
1000
100
10
1
10
100
1000
Orbital Period [days]

2004


Msini [Earth Mass]
1000
100
10
1
10
100
1000
Orbital Period [days]

2005


Msini [Earth Mass]
1000
100
10
1
10
100
1000
Orbital Period [days]

2006


Msini [Earth Mass]
1000
100
10
1
10
100
1000
Orbital Period [days]

2007


Msini [Earth Mass]
1000
100
10
1
10
100
1000
Orbital Period [days]

2008


Msini [Earth Mass]
1000
100
10
1
10
100
1000
Orbital Period [days]

2009


1000
100
10
1
10
100
1000
Msini [Earth Mass]
Orbital Period [days]

2010


1000
100
10
1
10
100
1000
Msini [Earth Mass]
Orbital Period [days]

2011


1000
100
10
1
10
100
1000
Msini [Earth Mass]
Orbital Period [days]

2012


1000
100
10
1
10
100
1000
Msini [Earth Mass]
Orbital Period [days]


RMS =0.42 ms^{-1}
σ_{INT} = 0.38 ms^{-1}
Velocity (m s^{-1})
30
20
10
0
−10
−20
−30
16
18
20
22
24
26
Julian Date − 2456100