

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
000-100	Water Levels	79-89	94	100.9	SG	5/16/1996
000-101	OU III (LIPA)	185-205	210	101.4	DG	5/15/1996
000-101	Water Levels	185-205	210	101.4	DG	5/15/1996
000-102	OU III (LIPA)	305-325	330	101.2	MAG	5/14/1996
000-102	OU III (Magothy)	305-325	330	101.2	MAG	5/14/1996
000-102	Water Levels	305-325	330	101.2	MAG	5/14/1996
000-103	Water Levels	82-92	97	106.5	SG	5/3/1996
000-104	OU III (LIPA)	195-215	220	106.2	DG	5/3/1996
000-104	Water Levels	195-215	220	106.2	DG	5/1/1996
000-105	OU III (LIPA)	275-295	300	105.5	MAG	5/1/1996
000-105	OU III (Magothy)	275-295	300	105.5	MAG	5/1/1996
000-105	Water Levels	275-295	300	105.5	MAG	5/1/1996
000-106	Water Levels	90-100	105	115.2	SG	4/22/1996
000-107	OU III (off-site)	195-215	220	116.0	DG	4/22/1996
000-107	Water Levels	195-215	220	116.0	DG	4/22/1996
000-108	OU III North Street	215-225	225	69.0	DG	1/27/1996
000-108	Water Levels	215-225	225	69.0	DG	1/27/1996
000-109	Water Levels	50-60	65	68.7	SG	3/26/1996
000-110	OU VI EDB	97-107	112	52.2	SD	10/23/1995
000-110	Water Levels	97-107	112	52.2	SD	10/23/1995
000-111	Water Levels	35-45	50	55.3	SG	3/28/1996
000-112	OU III (Industrial Park)	175-185	190	72.1	DG	4/19/1996
000-112	Water Levels	175-185	190	72.1	DG	4/19/1996
000-113	Water Levels	69.5-79.5	84.5	72.1*	SG	4/10/1996
000-114	OU III (Industrial Park)	130-140	145	72.5	MG	4/17/1996
000-114	Water Levels	130-140	145	72.5	MG	4/17/1996
000-115	Water Levels	74.2-84.2	89.2	94.2	SD	9/18/1995
000-117	Water Levels	55-65	70	86.1	SD	3/27/1996
000-118	Water Levels	150-160	165	78.4	DG	10/17/1995
000-119	Water Levels	110-120	125	78.4	DG	10/9/1995
000-120	Water Levels	45-55	60	78.4	SG	10/6/1995
000-121	Water Levels	51-61	66	87.6	SD	10/19/1995
000-122	OU V	240-260	265	43.0	DG	3/19/1996
000-122	Water Levels	240-260	265	43.0	DG	3/19/1996
000-123	OU V	150-170	175	43.0	MG	3/13/1996
000-123	Water Levels	150-170	175	43.0	MG	3/13/1996
000-124	OU III North Street East	115-125	130	63.0	SD	4/11/1996
000-124	Water Levels	115-125	130	63.0	SD	4/11/1996
000-130	OU III (LIPA)	275-285	--	87.4	MAG	
000-130	OU III (Magothy)	275-285	--	87.4	MAG	
000-130	Water Levels	275-285	--	87.4	MAG	
000-131	OU III (LIPA)	220-230	235	100.8	DG	7/16/1996
000-131	Water Levels	220-230	235	100.8	DG	7/16/1996
000-137	OU III North Street East	98-118	123	60.9	SG	6/13/1997
000-137	Water Levels	98-118	123	60.9	SG	6/13/1997
000-138	OU III North Street East	158-178	183	61.2	DG	6/16/1997
000-138	Water Levels	158-178	183	61.2	DG	6/16/1997
000-141	OU V	37-57	62	48.1	SG	9/23/1997
000-141	Water Levels	37-57	62	48.1	SG	9/23/1997
000-142	OU V	145-165	170	48.4	DG	9/22/1997
000-142	Water Levels	145-165	170	48.4	DG	9/22/1997

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
000-143	OU V	240-260	265	48.7	MAG	9/24/1997
000-143	Water Levels	240-260	265	48.7	MAG	9/24/1997
000-144	OU V	25-45	50	41.0	SG	10/9/1997
000-144	Water Levels	25-45	50	41.0	SG	10/9/1997
000-145	OU V	130-150	155	41.1	DG	10/10/1997
000-145	Water Levels	130-150	155	41.1	DG	10/10/1997
000-146	OU V	239-259	264	41.3	MAG	10/22/1997
000-146	Water Levels	239-259	264	41.3	MAG	10/22/1997
000-147	OU V	34-54	59	43.0	SG	9/26/1997
000-147	Water Levels	34-54	59	43.0	SG	9/26/1997
000-148	Water Levels	84-89	--	65.0	SG	
000-150	Water Levels	28-32	--	77.6	SG	
000-152	Water Levels	32-36	--	56.5	SG	
000-153	OU III North Street	190-210	215	94.4	DG	5/15/1997
000-153	Water Levels	190-210	215	94.4	DG	5/15/1997
000-154	OU III North Street	193-203	208	97.4	DG	3/26/1997
000-154	Water Levels	193-203	208	97.4	DG	3/26/1997
000-173	OU VI EDB	106-116	121	54.8	DG	6/24/1998
000-173	Water Levels	106-116	121	54.8	DG	6/24/1998
000-174	OU VI EDB	56-66	71	57.1	DG	6/23/1998
000-174	Water Levels	56-66	71	57.1	DG	6/23/1998
000-175	OU VI EDB	100-110	115	50.4	DG	6/19/1998
000-175	Water Levels	100-110	115	50.4	DG	6/19/1998
000-176	OU VI EDB	55-65	70	49.7	DG	6/18/1998
000-176	Water Levels	55-65	70	49.7	DG	6/18/1998
000-177	OU VI EDB	106-116	121	60.1	DG	6/15/1998
000-177	Water Levels	106-116	121	60.1	DG	6/15/1998
000-178	OU VI EDB	128-138	143	58.0	DG	6/29/1998
000-178	Water Levels	128-138	143	58.0	DG	6/29/1998
000-179	OU VI EDB	117-127	132	56.1	DG	7/1/1998
000-179	Water Levels	117-127	132	56.1	DG	7/1/1998
000-180	OU VI EDB	140-155	160	51.8	DG	6/16/1998
000-180	Water Levels	140-155	160	51.8	DG	6/16/1998
000-201	OU VI EDB	93-103	108	50.3	DG	8/18/1998
000-201	Water Levels	93-103	108	50.3	DG	8/18/1998
000-209	OU VI EDB	94-104	109	50.7	DG	9/18/1998
000-209	Water Levels	94-104	109	50.7	DG	9/18/1998
000-211	OU III (Industrial Park East)	212-232	232	73.4	DG	9/17/1998
000-211	OU III North Street	212-232	232	73.4	DG	9/17/1998
000-211	Water Levels	212-232	232	73.4	DG	9/17/1998
000-212	OU III North Street	200-210	215	74.0	DG	9/23/1998
000-212	Water Levels	200-210	215	74.0	DG	9/23/1998
000-213	OU III North Street	185-205	210	86.1	DG	9/8/1998
000-213	Water Levels	185-205	210	86.1	DG	9/8/1998
000-215	OU III North Street East	260.5-270.5	275.5	64.0	DG	10/13/1998
000-215	Water Levels	260.5-270.5	275.5	64.0	DG	10/13/1998
000-245	OU III (Industrial Park)	202-222	227	80.7	DG	1/6/1998
000-245	Water Levels	202-222	227	80.7	DG	1/6/1998
000-246	OU III (Industrial Park)	133-143	145	82.2	--	2/26/1999
000-246	Water Levels	133-143	145	82.2	--	2/26/1999

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
000-247	OU III (Industrial Park)	178-183	184	82.2	--	2/26/1999
000-248	OU III (Industrial Park)	230-235	238	82.2	DG	2/26/1999
000-248	Water Levels	230-235	238	82.2	DG	2/26/1999
000-249	OU III (Industrial Park)	259-269	270	82.5	MAG	4/5/1999
000-249	OU III (Magothy)	259-269	270	82.5	MAG	4/5/1999
000-249	Water Levels	259-269	270	82.5	MAG	4/5/1999
000-250	OU III (Industrial Park)	293-303	304	82.9	MAG	4/19/1999
000-250	OU III (Magothy)	293-303	304	82.9	MAG	4/19/1999
000-250	Water Levels	293-303	304	82.9	MAG	4/19/1999
000-251	OU III (Industrial Park)	133-143	144	81.9	--	3/24/1999
000-252	OU III (Industrial Park)	169-174	175	81.9	--	
000-253	OU III (Industrial Park)	223-228	229	81.9	DG	
000-253	Water Levels	223-228	229	81.9	DG	
000-254	OU III (Industrial Park)	128-138	139	79.9	--	3/17/1999
000-255	OU III (Industrial Park)	165-170	171	79.9	--	
000-256	OU III (Industrial Park)	220-225	226	79.9	DG	
000-256	Water Levels	220-225	226	79.9	DG	
000-257	OU III (Industrial Park)	109-119	120	73.9	--	2/18/1999
000-258	OU III (Industrial Park)	145-150	151	73.9	--	
000-259	OU III (Industrial Park)	200-205	206	73.9	DG	
000-259	Water Levels	200-205	206	73.9	DG	
000-260	OU III (Industrial Park)	95-105	106	71.4	--	2/10/1999
000-261	OU III (Industrial Park)	130-135	136	71.4	--	
000-262	OU III (Industrial Park)	180-185	186	71.4	DG	
000-262	Water Levels	180-185	186	71.4	DG	
000-263	OU III (Industrial Park)	118-128	129	83.4	--	5/5/1999
000-264	OU III (Industrial Park)	155-160	161	83.4	MG	
000-264	Water Levels	155-160	161	83.4	MG	
000-265	OU III (Industrial Park)	210-215	216	83.4	DG	
000-265	Water Levels	210-215	216	83.4	DG	
000-266	OU III (Industrial Park)	119-129	130	84.9	MG	4/30/1999
000-266	Water Levels	119-129	130	84.9	MG	4/30/1999
000-267	OU III (Industrial Park)	158-163	164	84.9	--	
000-268	OU III (Industrial Park)	213-218	219	84.9	--	
000-269	OU III (Industrial Park)	116-126	127	83.7	MG	4/20/1998
000-269	Water Levels	116-126	127	83.7	MG	4/20/1998
000-270	OU III (Industrial Park)	152-157	158	83.9	--	5/10/1999
000-271	OU III (Industrial Park)	213-218	219	83.7	DG	
000-271	Water Levels	213-218	219	83.7	DG	
000-272	OU III (Industrial Park)	181-201	206	80.1	DG	4/14/1999
000-272	Water Levels	181-201	206	80.1	DG	4/14/1999
000-273	OU III (Industrial Park)	175-195	196	86.8	DG	5/24/1999
000-273	Water Levels	175-195	196	86.8	DG	5/24/1999
000-274	OU III (Industrial Park)	232-252	253	88.4	MAG	5/18/1999
000-274	Water Levels	232-252	253	88.4	MAG	5/18/1999
000-275	OU III (Industrial Park)	124-144	145	85.2	--	6/1/1999
000-276	OU III (Industrial Park)	154-174	175	85.3	--	5/27/1999
000-277	OU III (Industrial Park)	137-157	158	81.8	--	6/8/1999
000-278	OU III (Industrial Park)	184-204	205	82.5	DG	6/4/1999
000-278	Water Levels	184-204	205	82.5	DG	6/4/1999

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
000-279	OU III (Industrial Park)	183-203	208	72.7	--	1/12/1999
000-280	OU III (Industrial Park)	150-170	175	74.7	--	2/2/1999
000-280	OU III (South Boundary)	150-170	175	74.7	--	2/2/1999
000-283	OU VI EDB	102-112	117	52.6	DG	9/27/1999
000-283	Water Levels	102-112	117	52.6	DG	9/27/1999
000-284	OU VI EDB	102-112	117	53.0	DG	9/24/1999
000-284	Water Levels	102-112	117	53.0	DG	9/24/1999
000-285	OU VI EDB	145-155	160	103.6	DG	9/21/1999
000-285	Water Levels	145-155	160	103.6	DG	9/21/1999
000-311	Water Levels	135-145	146	83.5	--	9/25/2000
000-343	OU III (Magothy)	320-340	345	61.0	MAG	10/25/2001
000-343	Water Levels	320-340	345	61.0	MAG	10/25/2001
000-37	Water Levels	18.17-28.17	--	42.3	SG	
000-38	Water Levels	29-39	--	56.4	SG	
000-394	OU I (South Boundary)	168-188	193	65.7	DG	
000-40	Water Levels	24.5-34.5	--	66.5	SG	
000-425	OU III (LIPA)	305-325	325	109.2	MAG	6/25/2002
000-425	OU III (Magothy)	305-325	325	109.2	MAG	6/25/2002
000-425	Water Levels	305-325	325	109.2	MAG	6/25/2002
000-426	OU III (Magothy)	290-310	315	77.8	MAG	7/11/2002
000-426	Water Levels	290-310	315	77.8	MAG	7/11/2002
000-427	OU III (Magothy)	265-285	290	75.7	MAG	7/25/2002
000-427	Water Levels	265-285	290	75.7	MAG	7/25/2002
000-428	OU III (Magothy)	293-303	308	99.3	MAG	6/20/2002
000-428	Water Levels	293-303	308	99.3	MAG	6/20/2002
000-429	OU III (Magothy)	290-310	315	75.7	MAG	7/23/2002
000-429	Water Levels	290-310	315	75.7	MAG	7/23/2002
000-431	OU III (Industrial Park)	250-270	275	99.9	DG	1/16/2003
000-431	Water Levels	250-270	275	99.9	DG	1/16/2003
000-432	OU III (Industrial Park)	220-240	245	85.2	DG	1/9/2003
000-432	Water Levels	220-240	245	85.2	DG	1/9/2003
000-433	OU III (Industrial Park East) EW-1	235-255	258	--	--	10/4/2003
000-436	OU III (Industrial Park East) EW-2	295-315	318	--	--	11/17/2003
000-445	OU III (LIPA)	209-229	232	108.8	DG	1/9/2004
000-445	Water Levels	209-229	232	108.8	DG	1/9/2004
000-446	OU III (LIPA)	202-222	225	115.4	--	1/15/2004
000-447	OU III (LIPA)	209-229	232	102.9	DG	9/5/2003
000-447	Water Levels	209-229	232	102.9	DG	9/5/2003
000-448	OU III (LIPA)	202-222	225	105.4	--	8/28/2003
000-449	OU III (LIPA)	183-203	208	112.8	--	9/12/2003
000-450	OU III (LIPA)	198-218	221	114.1	MAG	9/23/2003
000-450	Water Levels	198-218	221	114.1	MAG	9/23/2003
000-451	OU III (LIPA)	188-198	201	101.2	--	9/25/2003
000-452	OU III (LIPA)	212-222	225	105.7	MAG	9/30/2003
000-452	Water Levels	212-222	225	105.7	MAG	9/30/2003
000-453	OU III Airport EW-1L	217-237	240	--	--	8/29/2003
000-455	OU III Airport EW-2L	224-244	247	--	--	9/12/2003
000-457	OU III Airport EW-3L	216-236	239	--	--	10/1/2003
000-458	OU III (Magothy)	291-311	316	103.0	MAG	12/11/2003
000-458	Water Levels	291-311	316	103.0	MAG	12/11/2003

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
000-459	OU III (Magothy)	294-314	319	107.1	MAG	1/7/2003
000-459	Water Levels	294-314	319	107.1	MAG	1/7/2003
000-460	OU III (LIPA)	290-310	315	108.8	MAG	1/23/2004
000-460	OU III (Magothy)	290-310	315	108.8	MAG	1/23/2004
000-460	Water Levels	290-310	315	108.8	MAG	1/23/2004
000-461	OU III Airport EW-4L	304-324	327	--	--	4/14/2004
000-463	OU III North Street	163-173	178	102.1	--	2/19/2004
000-464	OU III North Street	183-203	208	101.5	--	4/23/2004
000-465	OU III North Street	185-195	200	104.6	--	2/25/2004
000-466	OU III North Street	180-190	195	92.3	--	1/15/2004
000-467	OU III North Street	202-212	217	89.7	--	3/17/2004
000-468	OU III North Street	162-182	185	96.3	--	3/8/2004
000-469	OU III North Street	197-217	222	96.4	--	3/12/2004
000-470	OU III North Street	170-180	185	97.9	--	3/4/2004
000-471	OU III North Street NS-1	165-205	208	--	--	11/4/2003
000-472	OU III North Street	206-216	221	96.8	--	3/19/2004
000-473	OU III North Street NS-2	190-220	223	--	--	10/21/2003
000-474	OU III North Street	195-205	210	84.0	--	11/24/2003
000-475	OU III North Street	187-207	212	78.9	--	12/1/2003
000-476	OU III North Street	195-215	220	104.5	--	2/12/2004
000-477	OU III North Street East	165-175	180	95.0	--	3/24/2004
000-478	OU III North Street East	167-177	182	101.1	DG	3/25/2004
000-478	Water Levels	167-177	182	101.1	DG	3/25/2004
000-479	OU III North Street East	165-175	180	98.2	--	3/29/2004
000-480	OU III North Street East	167-177	182	103.0	DG	3/23/2004
000-480	Water Levels	167-177	182	103.0	DG	3/23/2004
000-481	OU III North Street East	169-179	184	94.2	--	3/22/2004
000-482	OU III North Street East	157-167	172	84.6	--	1/20/2004
000-483	OU III North Street East	159-169	174	86.1	DG	1/21/2004
000-483	Water Levels	159-169	174	86.1	DG	1/21/2004
000-484	OU III North Street East	165-175	180	92.3	--	1/22/2004
000-485	OU III North Street East	160-170	175	88.0	--	1/26/2004
000-486	OU III North Street East	160-170	175	88.4	DG	1/29/2004
000-486	Water Levels	160-170	175	88.4	DG	1/29/2004
000-487	OU III North Street East NSE-1	161-191	194	--	--	10/29/2003
000-488	OU III North Street East NSE-2	152-182	185	--	--	10/15/2003
000-489	OU III (Industrial Park East)	215-235	240	78.1	--	12/30/2003
000-490	OU III (Industrial Park East)	245-265	270	77.7	--	
000-491	OU III (Industrial Park East)	215-235	240	66.8	--	12/5/2003
000-492	OU III (Industrial Park East)	245-265	270	66.5	--	12/15/2003
000-493	OU III (Industrial Park East)	240-260	265	75.6	--	1/13/2004
000-494	OU III (Industrial Park East)	300-320	325	76-08	--	1/7/2004
000-495	OU III (Industrial Park East)	235-255	260	82.5	--	2/10/2004
000-497	OU VI EDB	100-120	125	81.9	--	1/29/2004
000-498	OU VI EDB	125-145	150	81.9	DG	1/26/2004
000-498	Water Levels	125-145	150	81.9	DG	1/26/2004
000-499	OU VI EDB	100-120	125	67.6	--	1/21/2004
000-500	OU VI EDB	125-145	150	67.6	DG	1/16/2004
000-500	Water Levels	125-145	150	67.6	DG	1/16/2004
000-501	OU VI EDB	115-135	140	74.7	DG	1/12/2004

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
000-501	Water Levels	115-135	140	74.7	DG	1/12/2004
000-503	OU VI EDB EW-1	115-135	138	--	--	1/10/2004
000-504	OU VI EDB EW-2	115-135	138	--	--	2/26/2004
000-507	OU VI EDB	115-135	140	75.9	DG	10/22/2004
000-507	Water Levels	115-135	140	75.9	DG	10/22/2004
000-508	OU VI EDB	110-130	135	71.6	DG	10/27/2004
000-508	Water Levels	110-130	135	71.6	DG	10/27/2004
000-513	OU III (Industrial Park East)	235-255	260	68.1	--	10/12/2004
000-514	OU III (Industrial Park East)	225-245	250	72.7	--	10/7/2004
000-519	OU VI EDB	120-140	145	71.4	DG	3/20/2009
000-520	OU VI EDB	135-145	150			
000-524	OU VI EDB	135-145	150	68.3		9/12/2012
000-525	OU III North Street East	155-165	170	69.8		6/1/2012
000-526	OU III (Industrial Park East)	330-350	355	113.0	MAG	10/20/2011
000-527	OU VI EDB	140-150	155	71.2	DG	9/10/2013
000-528	OU III (Industrial Park)	215-225	230	73.0	DG	6/12/2013
000-529	OU III (Industrial Park)	210-220	225	71.4	DG	6/5/2013
000-530	OU III (Industrial Park)	205-215	220	75.0	DG	5/25/2012
000-531	OU III (Industrial Park)	200-210	215	76.2	DG	10/12/2012
000-532	OU III (Industrial Park) IP-EW-8	230-250	253	75.0	MAG	10/20/2014
000-533	OU III (Industrial Park) IP-EW-9	220-240	243	72.2	MAG	10/1/2014
000-537	OU III (Industrial Park)	240-250	255	72.6	MAG	7/2/2014
000-538	OU III (Industrial Park)	210-220	225	72.7	MAG	7/9/2014
000-539	OU III (Industrial Park)	235-245	250	70.9	MAG	6/25/2014
000-540	OU III (Industrial Park)	220-230	235	70.8	MAG	6/26/2014
000-541	OU III (Industrial Park)	230-240	245	70.5	MAG	6/17/2014
000-542	OU III (Industrial Park)	230-240	245	74.2	MAG	9/26/2014
000-543	OU III (Industrial Park)	225-235	240	72.7	MAG	10/2/2014
000-544	OU III (Industrial Park)	220-240	245	76.7	MAG	10/22/2014
000-548	OU III (Industrial Park)	230-240	245		MAG	6/15/2014
000-551	OU III North Street East	170-180	185			11/15/2018
000-552	OU III North Street East	150-160	165			11/14/2018
000-553	OU III North Street East	170-180	185			11/8/2018
000-554	OU III North Street East	190-200	205			11/6/2018
000-555	OU III North Street East	195-205	210			11/1/2018
000-558	OU III Western South Boundary	160-170	175			2/15/2018
000-559	OU III Western South Boundary	210-220	225			2/13/2018
000-560	OU III Western South Boundary	154.5-164.5	169.5	84.0		12/4/2018
000-97	OU III (off-site)	284-304	310	101.3	MAG	3/8/1996
000-97	Water Levels	284-304	310	101.3	MAG	3/8/1996
000-98	OU III (off-site)	190-210	215	100.1	DG	2/22/1996
000-98	Water Levels	190-210	215	100.1	DG	2/22/1996
000-99	OU III (off-site)	83-93	98	100.1	SG	2/1/1996
000-99	Water Levels	83-93	98	100.1	SG	2/1/1996
007-02	Water Levels	252-257	--	62.0	MAG	
007-03	Water Levels	--	--	55.3	SG	
007-04	Water Levels	15-35	40	60.2	SG	8/6/1993
007-05	Water Levels	200-205	210	60.3	DG	10/18/1993
013-01	Water Levels	23-43	48	68.3	SD	
017-01	Site Background	15-25	30	63.1	SG	9/3/1993

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
017-01	Water Levels	15-25	30	63.1	SG	9/3/1993
017-02	Water Levels	85-95	--	63.5	SG	
017-03	Site Background	115-125	130	63.7	DG	9/14/1993
017-03	Water Levels	115-125	130	63.7	DG	9/14/1993
017-04	Site Background	162.5-167.5	172.5	64.4	MAG	9/17/1993
017-04	Water Levels	162.5-167.5	172.5	64.4	MAG	9/17/1993
018-01	Site Background	5-35	40	53.3	SG	
018-01	Water Levels	5-35	40	53.3	SG	
018-02	Site Background	65-85	90	53.0	SG	
018-02	Water Levels	65-85	90	53.0	SG	
018-04	Site Background	140-150	155	--	DG	10/31/1995
018-04	Water Levels	140-150	155	--	DG	10/31/1995
018-05	Site Background	270-280	285	--	MAG	10/24/1995
018-05	Water Levels	270-280	285	--	MAG	10/24/1995
020-01	Water Levels	5-15	20	50.4	SG	8/20/1993
021-01	Water Levels	18-28	33	60.5	SG	9/2/1993
022-01	Water Levels	13-33	38	57.7	SG	
025-02	Water Levels	29-39	--	75.5	SG	
025-03	RHIC	38.2-53.2	58.2	93.0	SG	12/8/1998
025-03	Water Levels	38.2-53.2	58.2	93.0	SG	12/8/1998
025-04	RHIC	38.3-53.3	58.3	92.6	SG	12/9/1998
025-04	Water Levels	38.3-53.3	58.3	92.6	SG	12/9/1998
025-05	RHIC	4.3-19.3	24.3	55.9	SG	12/14/1998
025-05	Water Levels	4.3-19.3	24.3	55.9	SG	12/14/1998
025-06	RHIC	4.9-19.9	24.9	56.1	SG	12/16/1998
025-06	Water Levels	4.9-19.9	24.9	56.1	SG	12/16/1998
025-07	RHIC	5.8-20.8	25.8	58.3	SG	12/10/1998
025-07	Water Levels	5.8-20.8	25.8	58.3	SG	12/10/1998
025-08	RHIC	4.8-19.8	24.8	57.2	SG	12/11/1998
025-08	Water Levels	4.8-19.8	24.8	57.2	SG	12/11/1998
026-01	Water Levels	--	--	71.9	SG	
026-02	Water Levels	4-14	19	52.6	SG	8/16/1993
027-01	Water Levels	13-23	28	58.4	SG	8/13/1993
029-01	Water Levels	5-10	10	47.9	SG	8/18/1993
030-01	Water Levels	24-27	27	51.7	SG	5/22/1952
034-01	Water Levels	12-22	27	57.7	SG	8/13/1993
034-02	Site Background	130-140	145	57.6	DG	9/8/1995
034-02	Water Levels	130-140	145	57.6	DG	9/8/1995
034-03	Site Background	170-180	185	57.8	DG	9/15/1995
034-03	Water Levels	170-180	185	57.8	DG	9/15/1995
034-04	Water Levels	249.5-254.5	259.9	57.5	MAG	9/10/1995
034-05	RHIC	35-50	55	89.8	SG	12/28/1998
034-05	Water Levels	35-50	55	89.8	SG	12/18/1998
034-06	RHIC	34.3-49.3	54.3	88.5	SG	12/29/1998
034-06	Water Levels	34.3-49.3	54.3	88.5	SG	12/29/1998
036-01	Water Levels	--	--	59.9	SD	
036-02	Water Levels	14-24	29	58.9	SG	8/13/1993
037-01	Water Levels	20-40	45	63.6	SG	
037-02	OU V	31-41	46	72.6	SG	12/14/1994
037-02	Water Levels	31-41	46	72.6	SG	12/14/1994

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
037-03	OU V	90-100	105	73.6	SG	12/15/1994
037-03	Water Levels	90-100	105	73.6	SG	12/15/1994
037-04	OU V	178-188	--	74.1	DG	
037-04	Water Levels	178-188	--	74.1	DG	
038-01	Water Levels	5-25	30	54.1	SG	
038-02	STP	13-23	28	57.7	SG	8/11/1993
038-02	Water Levels	13-23	28	57.7	SG	8/11/1993
038-03	STP	6-18	21	59.6	SG	8/12/1993
038-03	Water Levels	6-18	21	59.6	SG	8/12/1993
038-04	Water Levels	19-29	32	66.9	SG	8/12/1993
038-05	Water Levels	38-43	48	59.0	SG	9/15/1993
038-06	Water Levels	39-44	49	59.3	SG	9/14/1993
038-41	Water Levels	--	--	63.0	SG	
039-05	Water Levels	4-24	29	46.4	SG	
039-06	Water Levels	5-10	10	47.4	SG	8/12/1993
039-07	STP	15-25	30	56.6	SG	8/11/1993
039-07	Water Levels	15-25	30	56.6	SG	8/11/1993
039-08	STP	17-27	32	58.7	SG	8/11/1993
039-08	Water Levels	17-27	32	58.7	SG	8/11/1993
039-09	Water Levels	10-20	25	49.5	SG	9/8/1993
039-10	Water Levels	188-193	198	49.0	DG	
039-11	Water Levels	--	--	43.0	SG	
039-12	Water Levels	--	--	43.4	SG	
039-86	STP	15-25	30	57.2	SG	12/23/1999
039-86	Water Levels	15-25	30	57.2	SG	12/23/1999
039-87	STP	14-24	29	61.0	SG	12/23/1999
039-87	Water Levels	14-24	29	61.0	SG	12/23/1999
039-88	STP	16.5-31.5	36.5	48.1	--	12/22/1999
039-89	STP	15-30	35	49.3	SG	12/20/1999
039-89	Water Levels	15-30	35	49.3	SG	12/20/1999
039-90	STP	15-30	35	47.1	--	12/20/1999
039-91	Water Levels	10-20	25	47.1	SG	12/29/1999
039-92	Water Levels	10-20	25	47.7	SG	12/28/1999
039-93	Water Levels	41-56	61	47.0	SG	12/28/1999
039-115	STP	10-25	30	52.4	SG	6/25/2014
040-01	Water Levels	12-15	15	44.1	SG	7/7/1950
040-02	Water Levels	12.5-17.5	17.5	43.7	SG	
040-03	Water Levels	9-14	14	44.2	SG	
040-04	Water Levels	14.67-19.67	19.67	47.3	SG	
040-05	Water Levels	13.33-18.33	18.33	--	SG	
040-07	Water Levels	14.83-19.83	19.83	45.4	SG	
040-08	Water Levels	--	--	42.6	SG	
041-01	OU V	9-19	24	46.4	SG	12/14/1994
041-01	Water Levels	9-19	24	46.4	SG	12/14/1994
041-02	OU V	90-100	105	46.4	MG	12/13/1994
041-02	Water Levels	90-100	105	46.4	MG	12/13/1994
041-03	OU V	210-220	225	46.6	DG	1/3/1995
041-03	Water Levels	210-220	225	46.6	DG	1/3/1995
042-01	Water Levels	25-35	41	74.5	SG	8/6/1993
043-01	RHIC	33.8-48.8	53.8	87.3	SG	12/18/1998

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
043-01	Water Levels	33.8-48.8	53.8	87.3	SG	12/18/1998
043-02	RHIC	58.8-68.8	73.8	87.2	--	12/17/1998
044-01	Water Levels	--	--	65.5	SG	
044-13	RHIC	30.8-45.8	50.8	82.5	SG	12/23/1999
044-13	Water Levels	30.8-45.8	50.8	82.5	SG	12/23/1999
044-14	RHIC	54-64	69	82.5	--	12/22/1998
044-29	RHIC	27-43	48	79.9	--	11/16/2000
046-01	Water Levels	46-56	61	89.4	SG	8/4/1993
046-02	Water Levels	41-56	61	85.9	SG	12/30/1999
046-03	Water Levels	39-54	59	83.9	SG	12/29/1999
047-01	Water Levels	--	--	61.3	SG	
047-02	Water Levels	14.43-19.43	19.43	57.8	SG	
047-03	Water Levels	31-51	56	75.3	SG	
047-04	Water Levels	35-45	45	60.4	SG	12/12/1995
048-01	Water Levels	19.5-22.5	22.5	54.5	SG	5/1/1952
048-02	Water Levels	13-23	28	52.9	SG	8/19/1993
048-08	STP	10-25	30	54.8	SG	6/24/2014
048-09	STP	10-25	30	52.6	SG	6/25/2014
048-10	STP	10-25	30	48.8	SG	6/25/2014
048-11	Water Levels	15-20	20	48.1	SG	6/24/2014
049-02	Water Levels	14.6-19.6	19.6	49.7	SG	
049-04	Water Levels	9-19	24	47.3	SG	9/2/1993
049-05	OU V	90-100	105	46.8	--	12/24/1984
049-06	OU V	175-185	190	45.4	DG	12/22/1994
049-06	Water Levels	175-185	190	45.4	DG	12/22/1994
050-01	OU V	205-225	230	45.0	DG	2/9/1996
050-01	Water Levels	205-225	230	45.0	DG	2/9/1996
050-02	OU V	140-160	160	45.0	MG	1/31/1996
050-02	Water Levels	140-160	160	45.0	MG	1/31/1996
053-03	Water Levels	--	--	--	SG	
053-05	Water Levels	32-42	47	73.3	SG	8/6/1993
054-01	Water Levels	--	--	70.4	SG	
054-02	Water Levels	28-33	33	62.2	SG	5/25/1992
054-03	Water Levels	--	--	64.2	SG	
054-06	Water Levels	--	--	63.4	SG	
054-07	AGS	69-79	79	70.9	SG	6/28/1982
054-07	Water Levels	69-79	79	70.9	SG	6/28/1982
054-08	AGS	27-47	52	70.5	--	8/2/1993
054-09	Water Levels	23-33	38	67.4	SG	8/16/1993
054-10	Water Levels	32-42	47	74.1	SG	8/17/1993
054-124	AGS	25-40	45	73.2	SG	1/24/2000
054-124	Water Levels	25-40	45	73.2	SG	1/24/2000
054-125	AGS	25-40	45	68.0	--	1/26/2000
054-126	AGS	25-40	45	67.9	--	1/26/2000
054-127	AGS	22-37	42	70.6	SG	12/7/1999
054-127	Water Levels	22-37	42	70.6	SG	12/7/1999
054-128	AGS	22-37	42	69.9	SG	12/2/1999
054-128	Water Levels	22-37	42	69.9	SG	12/2/1999
054-129	AGS	21-36	41	69.9	--	
054-130	AGS	22-37	42	69.7	SG	12/7/1999

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
054-130	Water Levels	22-37	42	69.7	SG	12/7/1999
054-14	Water Levels	38-48	53	74.0	SG	11/2/1995
054-16	Water Levels	149-159	164	72.5	DG	11/21/1995
054-168	AGS	17-33	38	69.3	--	11/9/2000
054-169	AGS	17-33	38	69.6	--	11/8/2000
054-184	AGS	35-45	46	75.6	--	12/20/2001
054-185	AGS	29-39	40	71.3	--	12/20/2001
054-191	AGS	20.54-35.6	61	70.7	--	9/25/2002
054-61	BLIP	17.5-32.5	37.5	68.9	--	2/11/1999
054-62	AGS	18.2-33.2	38.2	69.8	SG	3/30/1999
054-62	Water Levels	18.2-33.2	38.2	69.8	SG	3/30/1999
054-63	AGS	42.3-57.3	62.3	93.8	--	2/19/1999
054-64	AGS	42-57	62	92.8	SG	2/18/1999
054-64	Water Levels	42-57	62	92.8	SG	2/18/1999
054-65	AGS	17.7-32.7	37.7	69.6	SG	3/31/1999
054-65	Water Levels	17.7-32.7	37.7	69.6	SG	3/31/1999
054-66	AGS	18-33	38	70.0	SG	4/1/1999
054-66	Water Levels	18-33	38	70.0	SG	4/1/1999
054-67	AGS	17.6-32.6	37.6	68.1	SG	3/22/1999
054-67	Water Levels	17.6-32.6	37.6	68.1	SG	3/22/1999
054-68	AGS	17.3-32.3	37.3	68.2	SG	3/1/1999
054-68	Water Levels	17.3-32.3	37.3	68.2	SG	3/1/1999
054-69	AGS	17.3-32.3	37.3	67.8	SG	3/3/1999
054-69	Water Levels	17.3-32.3	37.3	67.8	SG	3/3/1999
055-01	Water Levels	--	--	89.1	SG	
055-03	Water Levels	45-55	60	86.8	SG	8/18/1993
055-03	WMF	45-55	60	86.8	SG	8/18/1993
055-04	Water Levels	44-54	59	87.8	SG	8/17/1993
055-05	Water Levels	40-50	55	82.3	SG	8/13/1993
055-06	Water Levels	162-172	177	79.9	DG	12/13/1994
055-10	WMF	89-99	104	86.6	--	3/19/1997
055-14	AGS	17.2-32.2	37.2	67.9	--	3/4/1999
055-15	AGS	18-33	38	68.0	SG	3/9/1999
055-15	Water Levels	18-33	38	68.0	SG	3/9/1999
055-16	AGS	17.7-32.7	37.7	68.0	SG	3/5/1999
055-16	Water Levels	17.7-32.7	37.7	68.0	SG	3/5/1999
055-29	AGS	47-57	62	69.2	--	12/9/1999
055-30	AGS	20-35	40	68.8	SG	
055-30	Water Levels	20-35	40	68.8	SG	
055-31	AGS	45-55	60	100.5	SG	12/14/1999
055-31	Water Levels	45-55	60	100.5	SG	12/14/1999
055-32	AGS	40-55	60	68.0	--	1/28/2000
056-01	Water Levels	--	--	90.0	DG	
056-02	Water Levels	--	--	90.1	SG	
056-03	Water Levels	--	--	85.5	DG	
056-04	Water Levels	40-50	55	80.3	SG	8/18/1993
056-05	Water Levels	45-55	60	85.8	SG	8/18/1993
056-06	Water Levels	44-54	59	85.9	SG	8/4/1993
056-07	Water Levels	214-129	224.8	80.2	MAG	11/9/1994
056-21	Water Levels	41-61	66	86.3	SG	3/25/1997

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
056-21	WMF	41-61	66	86.3	SG	3/25/1997
056-22	Water Levels	41-61	66	87.4	SG	3/24/1997
056-22	WMF	41-61	66	87.4	SG	3/24/1997
056-23	WMF	41-61	66	86.3	--	3/21/1997
057-01	Water Levels	--	--	51.2	SG	
057-10	Water Levels	--	--	75.7	SG	
058-01	Water Levels	5-25	30	48.7	SG	
058-02	OU VI EDB	60-70	75.25	49.3	--	10/25/1994
058-03	Water Levels	120-130	135	49.6	DG	11/17/1994
060-01	Water Levels	5-15	20	42.6	SG	9/2/1993
060-02	Water Levels	--	--	--	SG	
061-03	OU V	6-16	21	42.7	SG	9/13/1993
061-03	Water Levels	6-16	21	42.7	SG	9/13/1993
061-04	OU V	90-100	105	42.3	MG	12/20/1994
061-04	Water Levels	90-100	105	42.3	MG	12/20/1994
061-05	OU V	195-205	210	43.3	DG	1/12/1995
061-05	Water Levels	195-205	210	43.3	DG	1/12/1995
061-07	Water Levels	--	--	38.1	SG	
063-01	Water Levels	21-41	46	65.0	SG	7/28/1993
063-02	Water Levels	27-47	52	69.8	SG	7/26/1993
063-04	Water Levels	29-39	44	68.8	SG	8/5/1993
063-05	Water Levels	22-32	37	63.1	SG	8/5/1993
063-06	Water Levels	33-43	48	74.5	SG	8/5/1993
063-07	Water Levels	29-39	44	71.7	SG	8/5/1993
063-09	Site Background	207-212	217	69.1	MAG	12/16/1994
063-09	Water Levels	207-212	217	69.1	MAG	12/16/1994
064-01	Water Levels	39-59	64	83.5	SG	
064-02	Water Levels	--	--	85.1	SG	
064-03	AGS	38-58	63	80.8	SG	8/5/1993
064-03	OU III (central)	38-58	63	80.8	SG	8/5/1993
064-03	Water Levels	38-58	63	80.8	SG	8/5/1993
064-46	BLIP	47-62	67	98.7	SG	2/9/1999
064-46	Water Levels	47-62	67	98.7	SG	2/9/1999
064-47	BLIP	48-63	68	100.4	--	2/3/1999
064-48	BLIP	48-63	68	100.2	--	2/5/1999
064-49	BLIP	33.5-48.5	53.5	84.2	SG	1/29/1999
064-49	Water Levels	33.5-48.5	53.5	84.2	SG	1/29/1999
064-50	BLIP	33-48	53	83.0	--	1/31/1999
064-51	AGS	38.5-53.5	58.5	92.7	SG	4/5/1999
064-51	Water Levels	38.5-53.5	58.5	92.7	SG	4/5/1999
064-53	AGS	32.3-47.3	52.3	83.6	SG	2/25/1999
064-53	Water Levels	32.3-47.3	52.3	83.6	SG	2/25/1999
064-54	AGS	33-48	53	84.2	--	2/23/1999
064-55	AGS	23-38	43	73.4	SG	3/29/1999
064-55	Water Levels	23-38	43	73.4	SG	3/29/1999
064-56	AGS	22-37	42	--	--	3/26/1999
064-67	BLIP	51-66	71	100.2	SG	1/6/2000
064-67	Water Levels	51-66	71	100.2	SG	1/6/2000
064-80	AGS	22-37	42	73.4	--	11/13/2000
064-95	AGS	39-48	49	--	--	1/23/2002

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
065-01	OU III (AOC 29/HFBR Tritium)	42-62	67	87.9	SG	
065-01	Water Levels	42-62	67	87.9	SG	
065-02	AGS	55-65	70	83.3	--	12/1/1986
065-02	OU III (central)	55-65	70	83.3	--	12/1/1986
065-03	OU III (BGRR/WCF Sr-90)	55-65	70	83.4	--	11/26/1986
065-04	OU III (BGRR/WCF Sr-90)	55-65	70	84.2	--	11/25/1986
065-05	OU III (central)	55-65	70	84.8	SG	12/12/1986
065-05	Water Levels	55-65	70	84.8	SG	12/12/1986
065-06	OU III (BGRR/WCF Sr-90)	55-65	70	84.8	--	12/2/1986
065-11	OU III (BGRR/WCF Sr-90)	51-56	56	83.8	--	11/19/1948
065-120	AGS	22.4-37.4	42.4	73.2	SG	3/19/1999
065-120	Water Levels	22.4-37.4	42.4	73.2	SG	3/19/1999
065-121	AGS	19-34	39	70.6	SG	3/18/1999
065-121	Water Levels	19-34	39	70.6	SG	3/18/1999
065-122	AGS	18.8-33.8	38.8	69.2	SG	3/16/1999
065-122	Water Levels	18.8-33.8	38.8	69.2	SG	3/16/1999
065-123	AGS	18.2-33.2	38.2	68.7	--	3/12/1999
065-124	AGS	18.3-33.3	38.3	68.6	SG	3/12/1999
065-124	Water Levels	18.3-33.3	38.3	68.6	SG	3/12/1999
065-125	AGS	18-33	38	68.5	--	3/11/1999
065-126	AGS	18.5-33.5	38.5	69.3	--	3/9/1999
065-160	OU III (BGRR/WCF Sr-90)	35-45	50	84.5	--	4/1/1999
065-161	OU III (BGRR/WCF Sr-90)	90-100	105	84.5	MG	4/6/1999
065-161	Water Levels	90-100	105	84.5	MG	4/6/1999
065-162	OU III (BGRR/WCF Sr-90)	41-51	56	87.8	SG	2/25/1999
065-162	Water Levels	41-51	56	87.8	SG	2/25/1999
065-163	OU III (BGRR/WCF Sr-90)	70-80	85	96.9	SG	3/9/1999
065-163	Water Levels	70-80	85	96.9	SG	3/9/1999
065-164	OU III (BGRR/WCF Sr-90)	70-80	85	100.8	SG	3/17/1999
065-164	Water Levels	70-80	85	100.8	SG	3/17/1999
065-165	OU III (BGRR/WCF Sr-90)	110-120	125	99.4	MG	3/12/1999
065-165	Water Levels	110-120	125	99.4	MG	3/12/1999
065-166	OU III (BGRR/WCF Sr-90)	70-80	85	109.5	SG	4/8/1999
065-166	Water Levels	70-80	85	109.5	SG	4/8/1999
065-167	OU III (BGRR/WCF Sr-90)	70-80	85	109.6	SG	4/15/1999
065-167	Water Levels	70-80	85	109.6	SG	4/15/1999
065-168	OU III (BGRR/WCF Sr-90)	80-90	95	112.7	--	4/8/1999
065-169	OU III (BGRR/WCF Sr-90)	80-90	95	109.4	SG	4/22/1999
065-169	Water Levels	80-90	95	109.4	SG	4/22/1999
065-170	OU III (BGRR/WCF Sr-90)	80-90	95	116.7	--	4/29/1999
065-171	OU III (BGRR/WCF Sr-90)	130-140	145	117.0	MG	4/28/1999
065-171	Water Levels	130-140	145	117.0	MG	4/28/1999
065-172	OU III (BGRR/WCF Sr-90)	85-95	100	121.2	SG	4/15/1999
065-172	Water Levels	85-95	100	121.2	SG	4/15/1999
065-173	AGS	35-45	50	83.6	SG	3/30/1999
065-173	OU III (BGRR/WCF Sr-90)	35-45	50	83.6	SG	3/30/1999
065-173	Water Levels	35-45	50	83.6	SG	3/30/1999
065-174	OU III (BGRR/WCF Sr-90)	35-45	50	83.4	--	3/31/1999
065-175	OU III (BGRR/WCF Sr-90)	35-45	50	83.8	SG	3/30/1999
065-175	Water Levels	35-45	50	83.8	SG	3/30/1999

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
065-176	OU III (BGRR/WCF Sr-90)	35-45	50	84.0	SG	3/10/1999
065-176	Water Levels	35-45	50	84.0	SG	3/10/1999
065-177	OU III (BGRR/WCF Sr-90)	35-45	50	85.4	SG	3/10/1999
065-177	Water Levels	35-45	50	85.4	SG	3/10/1999
065-178	OU III (BGRR/WCF Sr-90)	75-85	90	94.0	SG	3/29/1999
065-178	Water Levels	75-85	90	94.0	SG	3/29/1999
065-18	OU III (BGRR/WCF Sr-90)	50.5-60.5	65/6	84.5	SG	12/6/1995
065-18	Water Levels	50.5-60.5	65.5	84.5	SG	12/6/1995
065-19	OU III (BGRR/WCF Sr-90)	90-100	105	85.9	--	12/12/1995
065-192	AGS	50-60	65	73.0	--	12/17/1999
065-193	AGS	50-60	65	70.7	--	12/17/1999
065-194	AGS	45-55	60	--	--	12/16/1999
065-195	AGS	45-55	60	68.5	--	12/14/1999
065-20	OU III (BGRR/WCF Sr-90)	170-180	185	84.8	DG	12/8/1995
065-20	Water Levels	170-180	185	84.8	DG	12/8/1995
065-321	AGS	27-37	38	68.3	--	6/20/2002
065-322	AGS	27-37	38	68.1	--	6/21/2002
065-323	AGS	25-35	36	68.2	--	6/21/2002
065-324	AGS	23-33	34	69.0	--	6/21/2002
065-325	801	66-81	66	110.0	--	9/27/2002
065-360	OU III (BGRR/WCF Sr-90)	40-50	55	85.9	--	12/6/2004
065-361	OU III (BGRR/WCF Sr-90)	50-60	65	85.9	--	12/2/2004
065-362	OU III (BGRR/WCF Sr-90)	40-50	55	86.2	--	1/13/2005
065-363	OU III (BGRR/WCF Sr-90)	55-65	70	96.3	--	11/18/2004
065-364	OU III (BGRR/WCF Sr-90)	65-75	80	96.5	--	11/17/2004
065-365	OU III (BGRR/WCF Sr-90)	75-85	90	98.4	--	11/12/2004
065-366	OU III (BGRR/WCF Sr-90)	75-85	90	109.0	--	2/16/2005
065-367	OU III (BGRR/WCF Sr-90)	90-100	105	108.9	--	2/14/2005
065-37	OU III (AOC 29/HFBR Tritium)	68-78	83	115.5	--	2/13/1997
065-37	OU III (BGRR/WCF Sr-90)	68-78	83	115.5	--	2/13/1997
065-38	OU III (AOC 29/HFBR Tritium)	58-68	73	103.7	SG	2/25/1997
065-38	OU III (BGRR/WCF Sr-90)	58-68	73	103.7	SG	2/25/1997
065-38	Water Levels	58-68	73	103.7	SG	2/25/1997
065-384	OU III (BGRR/WCF Sr-90)	50-70	75	--	--	1/25/2006
065-385	OU III (BGRR/WCF Sr-90)	50-70	75	--	--	1/23/2006
065-39	OU III (AOC 29/HFBR Tritium)	82.4-92.4	97.6	104.0	--	2/26/1997
065-39	OU III (BGRR/WCF Sr-90)	82.4-92.4	97.6	104.1	--	2/26/1997
065-401	OU III (BGRR/WCF Sr-90)	57-77	82		SG	4/7/2011
065-402	OU III (BGRR/WCF Sr-90)	37-57	62		SG	4/4/2011
065-404	OU III (BGRR/WCF Sr-90)	57-77	82	117.8	SG	4/7/2011
065-405	OU III (BGRR/WCF Sr-90)	75-85	90	109.1	SG	3/6/2012
065-41	OU III (AOC 29/HFBR Tritium)	47-57	62	93.6	SG	2/13/1997
065-41	Water Levels	47-57	62	93.6	SG	2/13/1997
065-42	OU III (AOC 29/HFBR Tritium)	47.5-57.5	62.5	92.8	SG	2/14/1997
065-42	Water Levels	47.5-57.5	62.5	92.8	SG	2/14/1997
065-52	AGS	--	--	115.4	--	
066-01	Water Levels	45-50	50	79.6	SG	5/25/1972
066-07	Water Levels	65-85	90	87.5	SG	
066-07	WMF	65-85	90	87.5	SG	
066-08	OU III (central)	35-55	60	86.8	SG	

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
066-08	Water Levels	35-55	60	86.8	SG	
066-09	OU III (central)	75-95	100	86.9	--	
066-13	Water Levels	--	--	79.3	SG	
066-14	Water Levels	--	--	77.0	SG	
066-16	Water Levels	--	--	72.3	SG	
066-17	OU IV (AOC 6 Sr-90)	33.9-53.9	--	79.6	--	
066-189	OU IV (AOC 6 Sr-90)	26-46	51	73.3	SG	9/15/1999
066-189	Water Levels	26-46	51	73.3	SG	9/15/1999
066-190	OU IV (AOC 6 Sr-90)	27-47	52	74.6	SG	9/16/1999
066-190	Water Levels	27-47	52	74.6	SG	9/16/1999
066-20	Water Levels	--	--	82.5	SG	
066-29	Water Levels	165-175	180	71.8	DG	10/5/1995
066-83	Water Levels	41-61	66	84.7	SG	3/25/1997
066-83	WMF	41-61	66	84.7	SG	3/25/1997
066-84	Water Levels	58.5-75	80	87.2	SG	3/20/1997
066-84	WMF	58.5-75	80	87.2	SG	3/20/1997
066-85	Water Levels	--	--	80.8	SG	
067-01	Water Levels	14-24	29	54.6	SG	8/10/1993
069-01	Water Levels	--	--	53.7	SD	
069-10	Water Levels	15-25	30	53.2	SG	8/11/1993
070-01	Water Levels	15-35	40	57.2	SG	
072-01	Water Levels	37-57	62	80.5	SG	
072-03	Water Levels	35.5-45.5	50.5	68.6	SG	10/31/1995
072-04	Water Levels	163-173	178	68.3	SG	11/9/1995
073-01	Water Levels	32-52	57	75.8	SG	7/30/1993
075-01	OU III (central)	40-60	65	86.0	SG	
075-01	Water Levels	40-60	65	86.0	SG	
075-02	OU III (central)	40-60	65	82.0	--	
075-09	OU III (BGRR/WCF Sr-90)	60-70	75	77.0	--	12/5/1995
075-10	OU III (BGRR/WCF Sr-90)	120-130	130	76.8	DG	12/7/1995
075-10	Water Levels	120-130	130	76.8	DG	12/7/1995
075-11	OU III (AOC 29/HFBR Tritium)	56.5-66.5	71.5	93.3	SG	7/1/1996
075-11	Water Levels	56.5-66.5	71.5	93.8	SG	7/1/1996
075-188	OU III (BGRR/WCF Sr-90)	85-95	100	80.0	SG	2/23/1999
075-188	Water Levels	85-95	100	80.0	SG	2/23/1999
075-189	OU III (BGRR/WCF Sr-90)	67-72	77	91.6	--	4/6/1999
075-190	OU III (BGRR/WCF Sr-90)	40-50	55	80.2	SG	3/19/1999
075-190	Water Levels	40-50	55	80.2	SG	3/19/1999
075-191	OU III (BGRR/WCF Sr-90)	85-95	100	80.2	--	3/29/1999
075-192	OU III (BGRR/WCF Sr-90)	140-150	155	80.3	MG	3/19/1999
075-192	Water Levels	140-150	155	80.3	MG	3/19/1999
075-193	OU III (BGRR/WCF Sr-90)	80-90	95	81.4	SG	3/1/1999
075-193	Water Levels	80-90	95	81.4	SG	3/1/1999
075-194	OU III (BGRR/WCF Sr-90)	140-150	155	81.4	MG	3/3/1999
075-194	Water Levels	140-150	155	81.4	MG	3/3/1999
075-195	OU III (BGRR/WCF Sr-90)	70-80	85	76.1	SG	1/28/1999
075-195	Water Levels	70-80	85	76.1	SG	1/28/1999
075-196	OU III (BGRR/WCF Sr-90)	85-95	100	76.2	SG	2/1/1999
075-196	Water Levels	85-95	100	76.2	SG	2/1/1999
075-197	OU III (BGRR/WCF Sr-90)	120-130	135	76.1	MG	2/4/1999

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
075-197	Water Levels	120-130	135	76.1	MG	2/4/1999
075-198	OU III (BGRR/WCF Sr-90)	70-80	85	74.8	SG	2/12/1999
075-198	Water Levels	70-80	85	74.8	SG	2/12/1999
075-199	OU III (BGRR/WCF Sr-90)	85-95	100	74.7	SG	2/11/1999
075-199	Water Levels	85-95	100	74.7	SG	2/11/1999
075-200	OU III (BGRR/WCF Sr-90)	120-130	135	74.8	MG	2/9/1999
075-200	Water Levels	120-130	135	74.8	MG	2/9/1999
075-201	OU III (BGRR/WCF Sr-90)	120-130	135	111.0	SG	2/9/1999
075-201	Water Levels	120-130	135	111.0	SG	2/9/1999
075-202	OU III (BGRR/WCF Sr-90)	63-73	78	77.0	SG	4/1/1999
075-202	Water Levels	63-73	78	77.0	SG	4/1/1999
075-203	OU III (BGRR/WCF Sr-90)	70-80	85	78.2	SG	2/18/1999
075-203	Water Levels	70-80	85	81.0	SG	2/18/1999
075-210	OU III (AOC 29/HFBR Tritium)	53-63	68	85.7	--	9/8/1999
075-286	OU III (AOC 29/HFBR Tritium)	48'-52'	--	85.8	SG	
075-286	Water Levels	48'-52'	--	85.8	SG	
075-287	OU III (AOC 29/HFBR Tritium)	56'-60'	--	85.8	SG	
075-287	Water Levels	56'-60'	--	85.8	SG	
075-288	OU III (AOC 29/HFBR Tritium)	52'-56'	--	87.6	SG	
075-288	Water Levels	52'-56'	--	79.4	SG	
075-291	OU III (AOC 29/HFBR Tritium)	52-56	57	82.6	SG	9/21/2000
075-291	Water Levels	52-56	57	80.7	SG	9/21/2000
075-296	OU III (AOC 29/HFBR Tritium)	62-66	67	79.2	SG	11/20/2000
075-296	Water Levels	62-66	67	79.2	SG	11/20/2000
075-297	OU III (AOC 29/HFBR Tritium)	62-66	67	78.9	SG	11/21/2000
075-297	Water Levels	62-66	67	78.9	SG	11/21/2000
075-298	OU III (AOC 29/HFBR Tritium)	56-60	61	78.4	SG	11/22/2000
075-298	Water Levels	56-60	61	78.4	SG	11/22/2000
075-299	OU III (AOC 29/HFBR Tritium)	56-60	61	78.1	SG	11/27/2000
075-299	Water Levels	56-60	61	78.1	SG	11/27/2000
075-39	OU III (AOC 29/HFBR Tritium)	47-57	62	93.0	SG	2/18/1997
075-39	OU III (BGRR/WCF Sr-90)	47-57	62	93.0	SG	2/18/1997
075-39	Water Levels	47-57	62	93.0	SG	2/18/1997
075-40	OU III (AOC 29/HFBR Tritium)	120-125	130	92.6	MG	3/1/1997
075-40	OU III (BGRR/WCF Sr-90)	120-125	130	92.6	MG	3/1/1997
075-40	Water Levels	120-125	130	92.6	MG	3/1/1997
075-41	OU III (AOC 29/HFBR Tritium)	193-198	198	92.6	DG	3/3/1997
075-41	OU III (BGRR/WCF Sr-90)	193-198	198	92.6	DG	3/3/1997
075-41	Water Levels	193-198	198	92.6	DG	3/3/1997
075-413	OU III (AOC 29/HFBR Tritium)	56-60	61	81.1	SG	
075-413	Water Levels	56-60	61	81.1	SG	
075-414	OU III (AOC 29/HFBR Tritium)	60-64	65	79.4	SG	6/7/2001
075-414	Water Levels	60-64	65	79.4	SG	6/7/2001
075-415	OU III (AOC 29/HFBR Tritium)	62-66	67	77.5	SG	6/12/2001
075-415	Water Levels	62-66	67	77.5	SG	6/12/2001
075-416	OU III (AOC 29/HFBR Tritium)	60-64	65	77.6	SG	6/12/2001
075-416	Water Levels	60-64	65	77.6	SG	6/12/2001
075-417	OU III (AOC 29/HFBR Tritium)	60-64	65	78.0	SG	6/11/2001
075-417	Water Levels	60-64	65	78.0	SG	6/11/2001
075-418	OU III (AOC 29/HFBR Tritium)	56-60	61	78.1	SG	6/8/2001

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
075-418	Water Levels	56-60	61	78.1	SG	6/8/2001
075-419	OU III (AOC 29/HFBR Tritium)	56-60	61	77.9	SG	7/20/2001
075-419	Water Levels	56-60	61	88.9	SG	7/20/2001
075-46	OU III (BGRR/WCF Sr-90)	33-43	48	79.5	SG	2/17/1997
075-46	Water Levels	33-43	48	79.5	SG	2/17/1997
075-47	OU III (BGRR/WCF Sr-90)	31.3-41.3	46.3	81.0	SG	2/17/1997
075-47	Water Levels	31.3-41.3	46.3	81.0	SG	2/17/1997
075-48	OU III (BGRR/WCF Sr-90)	63-73	78	78.8	--	2/20/1997
075-49	Water Levels	40-50	56	84.6	SG	2/17/1997
075-50	Water Levels	30.5-40.5	46	75.9	SG	2/15/1997
075-51	Water Levels	33-43	48	79.2	SG	2/18/1997
075-558	OU III (AOC 29/HFBR Tritium)	56-60	61.3	88.1	SG	10/1/2001
075-558	Water Levels	56-60	61.3	88.1	SG	10/1/2001
075-663	OU III (BGRR/WCF Sr-90)	113-123	128	123.6	--	11/23/2004
075-664	OU III (BGRR/WCF Sr-90)	65-75	80	103.1	--	1/4/2005
075-665	OU III (BGRR/WCF Sr-90)	77-87	93	102.7	--	1/10/2005
075-666	OU III (BGRR/WCF Sr-90)	46-56	61	80.2	--	11/5/2004
075-667	OU III (BGRR/WCF Sr-90)	61-71	76	79.8	--	11/1/2004
075-668	OU III (BGRR/WCF Sr-90)	76-86	91	80.0	--	11/3/2004
075-669	OU III (BGRR/WCF Sr-90)	55-65	70	78.0	--	12/21/2004
075-670	OU III (BGRR/WCF Sr-90)	89-99	104	73.0	--	12/14/2004
075-671	OU III (BGRR/WCF Sr-90)	104-114	119	72.9	--	12/10/2004
075-672	OU III (BGRR/WCF Sr-90)	107-117	122	79.8	--	12/16/2004
075-673	OU III (BGRR/WCF Sr-90)	--	--	80.5	--	
075-674	OU III (BGRR/WCF Sr-90)	--	--	81.1	--	
075-675	OU III (BGRR/WCF Sr-90)	--	--	81.2	--	
075-680	OU III (BGRR/WCF Sr-90)	90-100	105	124.2	SG	11/15/2007
075-681	OU III (BGRR/WCF Sr-90)	54-64	69	83.0	SG	10/17/2007
075-682	OU III (BGRR/WCF Sr-90)	76-86	91	89.8	SG	11/14/2007
075-683	OU III (BGRR/WCF Sr-90)	76-86	91	78.8	SG	10/15/2007
075-684	OU III (BGRR/WCF Sr-90)	74-84	89	78.7	SG	10/16/2007
075-699	OU III (BGRR/WCF Sr-90)	65-85	90			4/6/2011
075-699	OU III (BGRR/WCF Sr-90)	65-85	90	122.7	SG	4/6/2011
075-700	OU III (BGRR/WCF Sr-90)	50-70	75			3/31/2011
075-700	OU III (BGRR/WCF Sr-90)	50-70	75	106.6	SG	3/31/2011
075-701	OU III (BGRR/WCF Sr-90)	48-68	73			3/30/2011
075-701	OU III (BGRR/WCF Sr-90)	48-68	73	103.7	SG	3/30/2011
075-705	OU III (BGRR/WCF Sr-90)	85-95	100		SG	11/12/2010
075-705	OU III (BGRR/WCF Sr-90)	85-95	100	---	SG	11/12/2010
075-706	OU III (BGRR/WCF Sr-90)	90-100	105		SG	11/9/2010
075-706	OU III (BGRR/WCF Sr-90)	90-100	105	---	SG	11/9/2010
075-707	OU III (BGRR/WCF Sr-90)	70-80	85		SG	11/4/2010
075-707	OU III (BGRR/WCF Sr-90)	70-80	85	---	SG	11/4/2010
075-85	OU III (BGRR/WCF Sr-90)	65-70	75	--	--	6/10/1997
075-86	OU III (BGRR/WCF Sr-90)	105-110	115	--	MG	6/11/1997
075-86	Water Levels	105-110	115	--	MG	6/11/1997
075-87	OU III (BGRR/WCF Sr-90)	105-110	115		--	6/12/1997
075-802	OU III (HFBR)	42-62	67			9/21/2018
075-803	OU III (HFBR)	42-62	67			9/24/2018
075-804	OU III (HFBR)	42-62	67			9/25/2018

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
075-805	OU III (HFBR)	42-62	67			9/25/2018
075-806	OU III (HFBR)	42-62	67			9/25*2018
075-807	OU III (HFBR)	42-62	67			9/27/2018
075-808	OU III (HFBR)	42-62	67			9/28/2018
				--		
076-04	OU IV (AOC 5 AS/SVE)	30-50	--	75.9	SG	
076-04	Water Levels	30-50	--	75.9	SG	
076-05	OU IV (AOC 6 Sr-90)	30-50	--	73.6	--	
076-06	OU IV (AOC 5 AS/SVE)	30-50	--	78.5	SG	
076-06	Water Levels	30-50	--	78.5	SG	
076-07	OU IV (AOC 6 Sr-90)	55-65	70	76.3	SG	11/14/1986
076-07	Water Levels	55-65	70	76.3	SG	11/14/1986
076-09	OU IV (AOC 6 Sr-90)	55-65	--	74.5	--	
076-10	OU IV (AOC 6 Sr-90)	30-50	--	78.4	SG	
076-10	Water Levels	30-50	--	78.4	SG	
076-11	Water Levels	52-72	72	78.3	SG	6/28/1982
076-122	Water Levels	--	--	73.3	SG	
076-13	OU IV (AOC 6 Sr-90)	31.1-51.1	--	79.0	SG	
076-13	Water Levels	31.1-51.1	--	79.0	SG	
076-16	MPF	27-47	53	79.4	SG	
076-16	Water Levels	27-47	53	79.4	SG	
076-167	OU IV (AOC 6 Sr-90)	37-57	62	79.8	SG	9/23/1996
076-167	Water Levels	37-57	62	79.8	SG	9/23/1996
076-168	OU IV (AOC 6 Sr-90)	36-56	61	78.6	--	9/24/1996
076-169	OU IV (AOC 6 Sr-90)	36-56	62	79.2	--	9/25/1996
076-17	MPF	27-47	53	78.4	--	
076-171	Water Levels	100-120	125	80.2	SD	5/29/1997
076-172	OU III (AOC 29/HFBR Tritium)	110-130	135	87.9	DG	5/30/1997
076-172	Water Levels	110-130	135	87.9	DG	5/30/1997
076-173	OU III (AOC 29/HFBR Tritium)	34-54	59	83.3	SG	5/20/1997
076-173	Water Levels	34-54	59	83.3	SG	5/20/1997
076-174	OU III (AOC 29/HFBR Tritium)	102-122	127	83.2	MG	6/1/1997
076-174	Water Levels	102-122	127	83.2	MG	6/1/1997
076-175	OU III (AOC 29/HFBR Tritium)	142-162	167	82.9	DG	6/2/1997
076-175	Water Levels	142-162	167	82.9	DG	6/2/1997
076-176	Water Levels	--	--	69.0	SG	
076-18	MPF	23-43	48	74.0	SG	
076-18	Water Levels	23-43	48	74.0	SG	
076-181	OU IV (AOC 6 Sr-90)	59.75-69.75	74.75	75.1	--	7/2/1997
076-182	OU IV (AOC 6 Sr-90)	79.8-89.8	94.8	75.0	--	7/1/1997
076-183	OU IV (AOC 6 Sr-90)	4.5-44.5	49.5	77.2	SG	7/7/1997
076-183	Water Levels	4.5-44.5	49.5	77.2	SG	7/7/1997
076-184	OU IV (AOC 6 Sr-90)	60.5-70.5	75.5	77.0	--	7/8/1997
076-185	OU IV (AOC 5 AS/SVE)	4.5-44.5	49.6	74.1	SG	7/8/1997
076-185	Water Levels	4.5-44.5	49.6	74.1	SG	7/8/1997
076-19	MPF	23-43	48	74.5	SG	
076-19	Water Levels	23-43	48	74.5	SG	
076-20	OU IV (AOC 6 Sr-90)	24.4-44.4	49.42	76.4	SG	12/11/1989
076-20	Water Levels	24.4-44.4	49.42	76.4	SG	12/11/1989
076-22	OU IV (AOC 6 Sr-90)	52-62	67.3	78.5	SG	12/14/1989

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
076-22	Water Levels	52-62	67.3	78.5	SG	12/14/1989
076-24	OU IV (AOC 6 Sr-90)	30-50	--	75.6	SG	
076-24	Water Levels	30-50	--	75.6	SG	
076-25	MPF	31.6-51.6	--	78.6	SG	
076-25	OU IV (AOC 6 Sr-90)	31.6-51.6	--	78.6	SG	
076-25	Water Levels	31.6-51.6	--	78.6	SG	
076-258	Water Levels	--	--	79.6	SG	
076-26	OU IV (AOC 6 Sr-90)	34.4-54.4	--	82.1	--	
076-262	OU IV (AOC 6 Sr-90)	70-80	85	76.0	SG	9/22/1997
076-262	Water Levels	70-80	85	76.0	SG	9/22/1997
076-263	OU IV (AOC 6 Sr-90)	70-80	85	73.3	--	9/18/1997
076-264	OU IV (AOC 6 Sr-90)	55-65	70	71.1	SG	9/19/1997
076-264	Water Levels	55-65	70	71.1	SG	9/19/1997
076-265	OU IV (AOC 6 Sr-90)	70-80	85	78.6	--	9/24/1997
076-27	OU IV (AOC 6 Sr-90)	33.9-53.9	--	78.7	SG	
076-27	Water Levels	33.9-53.9	--	78.7	SG	
076-28	OU III (central)	35.1-55.1	--	80.2	SG	
076-28	OU IV (AOC 6 Sr-90)	35.1-55.1	--	80.2	SG	
076-28	Water Levels	35.1-55.1	--	80.2	SG	
076-29	Water Levels	--	--	69.0	SG	
076-314	OU III (central)	32-52	57	79.8	SG	9/14/1999
076-314	OU IV (AOC 6 Sr-90)	32-52	57	79.8	SG	9/14/1999
076-314	Water Levels	32-52	57	79.8	SG	9/14/1999
076-317	OU III (central)	31-51	56	78.8	SG	9/17/1999
076-317	OU IV (AOC 6 Sr-90)	31-51	56	78.8	SG	9/17/1999
076-317	Water Levels	31-51	56	78.8	SG	9/17/1999
076-373	OU III (central)	34-54	59	--	SG	9/13/1999
076-373	OU IV (AOC 6 Sr-90)	34-54	59	--	SG	9/13/1999
076-373	Water Levels	34-54	59	--	SG	9/13/1999
076-378	MPF	27-42	47	76.2	SG	1/3/2000
076-378	Water Levels	27-42	47	76.2	SG	1/3/2000
076-379	MPF	28-43	48	75.7	--	1/3/2000
076-380	MPF	27-42	47	73.6	SG	1/4/2000
076-380	Water Levels	27-42	47	73.6	SG	1/4/2000
076-415	OU IV (AOC 6 Sr-90)	50-60	65		SG	3/25/2011
076-416	OU IV (AOC 6 Sr-90)	50-60	65		SG	3/24/2011
076-417	OU IV (AOC 6 Sr-90)	50-60	65		SG	3/22/2011
077-02	Water Levels	--	--	74.4	SG	
077-03	Water Levels	--	--	56.9	SG	
077-10	OU III (AOC 29/HFBR Tritium)	94-114	119	75.1	SD	5/28/1997
077-10	Water Levels	94-114	119	75.1	SD	5/28/1997
077-11	OU III (AOC 29/HFBR Tritium)	110-130	135	93.1	SD	6/6/1997
077-11	Water Levels	110-130	135	93.1	SD	6/6/1997
078-01	Water Levels	15-25	30	46.9	SG	9/8/1993
079-17	Water Levels	15-25	25	47.0	SG	10/24/1994
080-02	Water Levels	35-55	60	49.0	SG	
080-03	Water Levels	76-96	101	50.0	DG	
080-04	Water Levels	12-32	37	54.4	SG	
080-11	Water Levels	20-30	35.25	52.8	SG	10/26/1994
082-01	Water Levels	40-50	55	82.3	SG	8/6/1993

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
083-01	OU III (central)	70-100	105	87.7	SG	
083-01	Water Levels	70-100	105	87.7	SG	
083-02	OU III (central)	120-150	155	91.9	MG	
083-02	Water Levels	120-150	155	91.9	MG	
083-03	Water Levels	72-92	92	86.4	SG	6/28/1982
083-05	Water Levels	65-75	80	107.8	SG	8/9/1993
083-06	Water Levels	44-54	59	86.3	SG	8/9/1993
084-01	Water Levels	65-85	90	105.7	SG	
084-02	Water Levels	54-64	69	93.6	SG	8/10/1993
084-03	Water Levels	100-110	114	94.3	MG	11/20/1995
084-04	OU III (central)	145-155	160	94.1	--	11/27/1995
084-05	OU III (central)	179-189	194	94.2	DG	11/14/1995
084-05	Water Levels	179-189	194	94.2	DG	11/14/1995
084-12	BMRR	55-70	75	101.2	SG	4/25/1997
084-12	Water Levels	55-70	75	101.2	SG	4/25/1997
084-13	BMRR	53-68	73	101.6	--	5/1/1997
084-27	BMRR	50.5-65.5	70.5	100.0	--	4/23/1999
084-28	BMRR	48-63	68	99.2	SG	4/24/1999
084-28	Water Levels	48-63	68	99.2	SG	4/24/1999
084-36	Water Levels	39-54	59	84.0	SG	12/29/1999
084-37	Water Levels	39-54	59	84.2	SG	12/29/1999
085-01	OU III (AOC 29/HFBR Tritium)	60-90	95	73.9	MG	
085-01	Water Levels	60-90	95	73.9	MG	
085-02	OU III (AOC 29/HFBR Tritium)	130-160	165	73.9	--	
085-03	Water Levels	--	--	72.9	SG	6/28/1982
085-04	Water Levels	--	--	73.1	SG	6/28/1982
085-07	OU III (Carbon tet)	140-145	150	81.6	DG	12/3/1993
085-07	Water Levels	140-145	150	81.6	DG	12/3/1993
085-13	OU III (Carbon tet)	250-255	260	81.6	MAG	11/29/1994
085-13	Water Levels	250-255	260	81.6	MAG	11/29/1994
085-158	OU III (Carbon tet) EW-13	--	--	--	--	
085-159	OU III (Carbon tet) EW-14	--	--	--	--	
085-16	Gas Station	34-54	59	80.8	SG	7/8/1996
085-16	OU III (Carbon tet)	34-54	59	80.8	SG	7/8/1996
085-16	Water Levels	34-54	59	80.8	SG	7/8/1996
085-160	OU III (Carbon tet)	34-54	59	81.1	SG	6/16/1999
085-160	Water Levels	34-54	59	81.1	SG	6/16/1999
085-161	OU III (Carbon tet)	33-53	58	81.5	SG	6/24/1999
085-161	Water Levels	33-53	58	81.5	SG	6/24/1999
085-162	OU III (Carbon tet)	29-49	54	82.0	SG	6/17/1999
085-162	Water Levels	29-49	54	82.0	SG	6/17/1999
085-163	OU III (Carbon tet)	29-49	54	81.8	SG	6/21/1999
085-163	Water Levels	29-49	54	81.8	SG	6/21/1999
085-17	Gas Station	34-54	59	80.6	SG	7/2/19996
085-17	OU III (Carbon tet)	34-54	59	80.6	SG	7/2/19996
085-17	Water Levels	34-54	59	80.6	SG	7/2/19996
085-170	OU III (AOC 29/HFBR Tritium)	90-100	105	72.4	--	9/20/1999
085-171	OU III (AOC 29/HFBR Tritium)	125-135	140	72.4	--	9/22/1999
085-235	Gas Station	35-50	55	80.4	SG	1/5/2000
085-235	Water Levels	35-50	55	80.4	SG	1/5/2000

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
085-236	Gas Station	35-50	55	80.8	SG	1/5/2000
085-236	OU III (Carbon tet)	35-50	55	80.8	SG	1/5/2000
085-236	Water Levels	35-50	55	80.8	SG	1/5/2000
085-237	Gas Station	35-50	55	80.3	SG	1/4/2000
085-237	OU III (Carbon tet)	35-50	55	80.3	SG	1/4/2000
085-237	Water Levels	35-50	55	80.3	SG	1/4/2000
085-238	OU III (Carbon tet)	25-45	50	71.9	SG	4/26/2000
085-238	Water Levels	25-45	50	71.9	SG	4/26/2000
085-285	OU III (AOC 29/HFBR Tritium)	64-68	69	72.4	SG	9/25/2001
085-285	Water Levels	64-68	69	72.4	SG	9/25/2001
085-286	OU III (AOC 29/HFBR Tritium)	64-68	69.3	72.6	SG	9/26/2001
085-286	Water Levels	64-68	69.3	72.6	SG	9/26/2001
085-287	OU III (AOC 29/HFBR Tritium)	64-68	69.3	72.9	SG	7/27/2001
085-287	Water Levels	64-68	69.3	72.9	SG	7/27/2001
085-288	OU III (AOC 29/HFBR Tritium)	64-68	69	72.9	SG	11/28/2001
085-288	Water Levels	64-68	69	72.9	SG	11/28/2001
085-289	OU III (AOC 29/HFBR Tritium)	64-68	69.3	73.1	SG	9/26/2001
085-289	Water Levels	64-68	69.3	73.1	SG	9/26/2001
085-290	OU III (AOC 29/HFBR Tritium)	61-71	72	74.0	SG	11/5/2001
085-290	Water Levels	61-71	72	74.0	SG	11/5/2001
085-291	OU III (AOC 29/HFBR Tritium)	132-142	143	65.7	DG	11/26/2001
085-291	Water Levels	132-142	143	65.7	DG	11/26/2001
085-292	Water Levels	132-142	143	67.8	DG	11/27/2001
085-293	OU III (Bldg 96)	45.2-55.2	60.2	62.9	SG	10/2/2000
085-293	Water Levels	45.2-55.2	60.2	62.9	SG	10/2/2000
085-335	OU III (Bldg 96)	30-40	45	62.8	--	6/10/2003
085-337	OU III (AOC 29/HFBR Tritium)	--	--	72.7	--	
085-338	OU III (AOC 29/HFBR Tritium)	--	--	72.8	--	
085-347	OU III (Bldg 96)	20-25	25	61.2	--	11/22/2004
085-348	OU III (Bldg 96)	32-37	37	61.1	--	11/22/2004
085-349	OU III (Bldg 96)	20-25	25	62.4	--	11/19/2004
085-350	OU III (Bldg 96)	32-37	37	62.4	--	11/22/2004
085-351	OU III (Bldg 96)	20-25	25	62.9	--	11/23/2004
085-352	OU III (Bldg 96)	32-37	37	62.8	--	11/23/2004
085-353	OU III (Bldg 96)	20-25	25	62.3	--	11/22/2004
085-354	OU III (Bldg 96)	20-25	25	62.7	--	11/22/2004
085-378	OU III (Bldg 96)	10-30	35			11/17/2010
085-379	OU III (Bldg 96)	7-27	32			11/16/2010
085-39	Water Levels	26-36	42	71.1	SG	2/19/1997
085-398	OU III (BGRR/WCF Sr-90)	120-140	145	73.9		8/28/2012
085-399	OU III (BGRR/WCF Sr-90)	55-75	80	71.9		9/12/2012
085-400	OU III (BGRR/WCF Sr-90)	90-110	115	71.1		9/13/2012
085-402	OU III (BGRR/WCF Sr-90)	90-110	115	71.1	SG	9/13/2012
085-41	Water Levels	187-192	192	72.1	DG	3/1/1997
085-43	Water Levels	21-31	36	66.5	SG	3/4/1997
085-65	Water Levels	85-90	95	78.1	MG	6/6/1997
085-66	Water Levels	120-125	130	78.1	MG	6/11/1997
085-67	Water Levels	85-90	95	--	SG	6/5/1997
085-68	Water Levels	120-125	130	--	MG	7/8/1997
085-69	Water Levels	35-40	45	--	SG	6/3/1997

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
085-70	Water Levels	135-140	145	69.3	DG	5/29/1997
085-72	Water Levels	135-140	145	68.2	DG	5/23/1997
085-73	Water Levels	35-40	45	--	SG	5/23/1997
085-74	Water Levels	95-100	105	--	MG	5/22/1997
085-75	Water Levels	190-195	200	--	DG	6/20/1997
085-76	Water Levels	35-40	45	--	SG	5/29/1997
085-77	OU III (AOC 29/HFBR Tritium)	95-100	105	--	MG	5/28/1997
085-77	Water Levels	95-100	105	--	MG	5/28/1997
085-78	OU III (AOC 29/HFBR Tritium)	187-192	197	--	DG	6/18/1997
085-78	Water Levels	187-192	197	--	DG	6/18/1997
085-97	OU III (Bldg 96)	15-35	40	64.7	SG	9/29/1997
085-97	Water Levels	15-35	40	64.7	SG	9/29/1997
085-98	OU III (Carbon tet)	39-49	--	81.3	SG	
085-98	Water Levels	39-49	--	81.3	SG	
086-01	Water Levels	--	--	68.9	SG	6/28/1982
086-02	Water Levels	--	--	73.6	SG	
086-03	Water Levels	--	--	73.4	DG	
086-04	Water Levels	--	--	75.5	SG	
086-05	OU III North Street	80-90	--	75.6	MG	
086-05	Water Levels	80-90	--	75.6	MG	
086-06	Water Levels	120-140	145	75.8	DG	3/31/1993
086-07	Water Levels	--	--	79.4	SG	
086-08	Water Levels	--	--	79.4	MG	
086-09	OU III (AOC 29/HFBR Tritium)	120-140	--	79.5	DG	
086-09	Water Levels	120-140	--	79.5	DG	
086-123	NSLS II	27-42	47	72.1	SG	11/16/2011
086-124	NSLS II	42-52	57	72.1	SG	11/16/2011
086-125	NSLS II	27-47	47	72.4	SG	11/15/2011
086-126	NSLS II	29-44	49	74.4	SG	11/17/2011
086-20	Water Levels	--	--	70.5	SG	
086-42	FLF	65-75	80	76.9	SG	5/12/1994
086-42	Water Levels	65-75	80	76.9	SG	5/12/1994
086-43	OU III North Street	115-125	130	77.0	DG	6/27/1994
086-43	Water Levels	115-125	130	77.0	DG	6/27/1994
086-68	Water Levels	250-255	260	73.1	MAG	12/9/1994
086-70	OU III North Street	65-75	80	75.6	--	11/27/1995
086-72	FLF	41.5-56.5	61.5	25.6	SG	4/29/1996
086-72	Water Levels	41.5-56.5	61.5	25.6	SG	4/29/1996
087-09	CLF	24-34	34	66.9	SG	6/27/1988
087-09	Water Levels	24-34	34	66.9	SG	6/27/1988
087-11	CLF	11-21	21	52.8	SG	6/28/1998
087-11	Water Levels	11-21	21	52.8	SG	6/28/1998
087-21	OU I (South Boundary)	125-135	140	67.8	DG	4/8/1994
087-21	Water Levels	125-135	140	67.8	DG	4/8/1994
087-22	FLF	43-53	58	85.1	SG	4/18/1994
087-22	Water Levels	43-53	58	85.1	SG	4/18/1994
087-23	CLF	25-40	45	70.3	SG	5/9/1994
087-23	Water Levels	25-40	45	70.3	SG	5/9/1994
087-24	CLF	70-80	85	70.2	--	5/9/1994
087-25	Water Levels	148-158	163	70.6	DG	7/11/1994

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
087-26	CLF	70-80	85	50.7	--	5/19/1994
087-27	CLF	5-20	25	50.8	SG	5/20/1994
087-27	Water Levels	5-20	25	50.8	SG	5/20/1994
087-28	Water Levels	130-140	145	50.6	DG	6/15/1994
088-03	Water Levels	10.32-20.32	20.32	49.9	SG	10/22/1984
088-108	Water Levels	226-231	236	47.9	MAG	11/7/1994
088-109	CLF	6-21	26	50.0	SG	8/8/1995
088-109	Water Levels	6-21	26	50.0	SG	8/8/1995
088-110	CLF	10-25	30	50.0	SG	3/18/1995
088-110	Water Levels	10-25	30	50.0	SG	3/18/1995
088-13	OU I (South Boundary)	8-18	23	48.7	SG	9/7/1993
088-13	Water Levels	8-18	23	48.7	SG	9/7/1993
088-14	OU I (South Boundary)	75-85	90	47.4	--	9/9/1993
088-20	OU I (South Boundary)	120-130	135	48.4	DG	4/12/1994
088-20	Water Levels	120-130	135	48.4	DG	4/12/1994
088-21	CLF	5-20	25	45.4	SG	5/20/1994
088-21	Water Levels	5-20	25	45.4	SG	5/20/1994
088-22	CLF	70-80	85	45.4	--	5/18/1994
088-23	CLF	120-130	135	45.3	DG	5/31/1994
088-23	Water Levels	120-130	135	45.3	DG	5/31/1994
088-26	OU I (South Boundary)	13-23	28	50.7	--	8/10/1994
088-27	Water Levels	33-43	48	50.6	SG	8/10/1994
089-13	OU VI EDB	15-25	30.25	43.8	SG	10/26/1994
089-13	Water Levels	15-25	30.25	43.8	SG	10/26/1994
089-14	OU VI EDB	45-55	60.25	47.6	SG	10/24/1994
089-14	Water Levels	45-55	60.25	47.6	SG	10/24/1994
090-02	Water Levels	16-26	31	51.1	SG	9/3/1993
090-03	Water Levels	138-143	148	51.0	SG	10/29/1993
090-10	Water Levels	--	--	47.2	SG	
092-01	Water Levels	39-49	54	82.7	SG	8/9/1993
092-02	Water Levels	--	--	89.0	SG	8/6/1993
093-02	Water Levels	--	--	89.0	SG	8/6/1993
093-04	Water Levels	44-54	59	88.0	SG	8/19/1993
093-05	Water Levels	39-49	54	79.1	SG	8/9/1993
093-06	Water Levels	250-255	260	108.7	MAG	11/23/1994
094-01	Water Levels	--	--	95.7	SG	6/28/1982
094-11	Water Levels	--	--	72.0	SG	
094-12	Water Levels	--	--	88.6	SG	
094-13	Water Levels	--	--	98.4	SG	
094-14	Water Levels	--	--	100.9	SG	
095-04	Water Levels	36-56	61	84.4	SG	1/27/1992
095-139	OU III (AOC 29/HFBR Tritium)	90-100	105	63.7	--	9/14/1999
095-140	OU III (AOC 29/HFBR Tritium)	125-135	140	63.9	--	9/15/1999
095-159	OU III (Bldg 96)	45-55	--	62.2	SG	
095-159	Water Levels	45-55	--	62.2	SG	
095-161	OU III (Bldg 96)	44.8-54.8	59.8	62.5	SG	9/30/2000
095-161	Water Levels	44.8-54.8	59.8	62.5	SG	9/30/2000
095-162	OU III (Bldg 96)	45-55	59.5	62.4	--	9/29/2000
095-163	OU III (Bldg 96)	45-55	59.1	59.4	--	9/28/2000
095-164	OU III (Bldg 96)	24.5-34.5	39.5	60.0	SG	9/27/2000

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
095-164	Water Levels	24.5-34.5	39.5	60.0	SG	9/27/2000
095-165	OU III (Bldg 96)	43.5-53.5	58.5	58.2	--	9/21/2000
095-166	OU III (Bldg 96)	44.9-54.9	59.9	59.7	--	9/22/2000
095-167	OU III (Bldg 96)	44.5-54.5	59.5	60.3	--	9/26/2000
095-168	OU III (Bldg 96)	44.3-54.3	59.3	60.3	--	9/25/2000
095-169	OU III (Bldg 96)	44.2-54.2	59.2	60.4	--	9/27/2000
095-170	OU III (Bldg 96)	45-55	60	60.6	SG	10/1/2000
095-170	Water Levels	45-55	60	60.6	SG	10/1/2000
095-171	OU III (Bldg 96)	44.5-54.5	59.5	60.9	SG	10/3/2000
095-171	Water Levels	44.5-54.5	59.5	60.9	SG	10/3/2000
095-172	OU III (Bldg 96)	44.7-54.7	59.7	61.1	SG	9/29/2000
095-172	Water Levels	44.7-54.7	59.7	61.1	SG	9/29/2000
095-183	OU III (Carbon tet)	29-49	54	74.7	SG	4/25/2000
095-183	Water Levels	29-49	54	74.7	SG	4/25/2000
095-185	OU III (Carbon tet)	32-62	67	83.9	SG	6/18/1999
095-185	Water Levels	32-62	67	83.9	SG	6/18/1999
095-186	OU III (Carbon tet)	30-60	65	81.6	--	6/22/1999
095-272	OU III (AOC 29/HFBR Tritium)	155-165	166	61.9	DG	11/15/2001
095-272	Water Levels	155-165	166	61.9	DG	11/15/2001
095-273	OU III (AOC 29/HFBR Tritium)	130-140	141	61.7	--	11/16/2001
095-274	OU III (AOC 29/HFBR Tritium)	155-165	166	62.1	DG	11/21/2001
095-274	Water Levels	155-165	166	62.1	DG	11/21/2001
095-275	OU III (AOC 29/HFBR Tritium)	125-135	136	61.0	--	11/6/2001
095-276	OU III (AOC 29/HFBR Tritium)	165-175	176	61.0	DG	11/14/2001
095-276	Water Levels	165-175	176	61.0	DG	11/14/2001
095-277	OU III (Carbon tet)	47-57	62	72.4	--	10/30/2001
095-278	OU III (Carbon tet) EW-15	65-85	85	--	--	10/24/2001
095-279	OU III (Carbon tet)	70-80	85	65.4	--	10/26/2001
095-28	Water Levels	5-15	20	47.1	SG	3/4/1997
095-280	OU III (Carbon tet)	85-95	100	56.7	--	10/29/2001
095-29	Water Levels	30-40	45	73.4	SG	3/4/1997
095-294	OU III (Bldg 96)	25-35	40	58.9	--	6/10/2003
095-295	OU III (Bldg 96)	45-55	60	67.3	--	6/11/2003
095-296	OU III (Bldg 96)	60-70	75	64.0	--	6/12/2003
095-296	OU III (Carbon tet)	60-70	75	64.0	--	6/12/2003
095-300	OU III (Carbon tet)	70-80	85	62.0	--	8/20/2004
095-301	OU III (Carbon tet)	70-80	85	69.3	--	8/25/2004
095-305	OU III (Bldg 96)	20-25	25	60.8	--	11/22/2004
095-306	OU III (Bldg 96)	32-37	37	60.9	--	11/22/2004
095-307	OU III (Bldg 96)	30-35	35	59.0	--	11/23/2004
095-308	OU III (Bldg 96)	35-40	40	58.9	--	11/23/2004
095-312	OU III (Bldg 96)	45-55	60	61.8	SG	3/10/2009
095-313	OU III (Bldg 96)	45-60	65	58.3	SG	9/19/2011
095-322	OU III Middle Road	175-185	190	48.2	DG	7/22/2014
095-323	OU III Middle Road	200-210	214	69.8	DG	7/24/2014
095-42	OU III (Carbon tet)	100-105	110	64.5	SG	6/2/1997
095-42	Water Levels	100-105	110	64.5	SG	6/2/1997
095-43	OU III (Carbon tet)	108-113	118	71.8	--	7/3/1997
095-45	OU III (Carbon tet)	108-113	118	70.4	--	8/5/1997
095-47	OU III (Carbon tet)	195-200	205	71.7	DG	7/2/1997

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
095-47	Water Levels	195-200	205	--	DG	7/2/1997
095-52	Water Levels	35-40	45	72.1	SG	7/7/1997
095-53	OU III (AOC 29/HFBR Tritium)	87-92	97	--	MG	5/30/1997
095-53	OU III (Carbon tet)	87-92	97	--	MG	5/30/1997
095-53	Water Levels	87-92	97	--	MG	5/30/1997
095-54	OU III (AOC 29/HFBR Tritium)	119-124	129	49.1	MG	6/10/1997
095-54	Water Levels	119-124	129	49.1	MG	6/10/1997
095-55	OU III (AOC 29/HFBR Tritium)	135-140	145	--	--	6/5/1996
095-64	Water Levels	--	--	83.3	SG	
095-65	Water Levels	--	--	76.0	SG	
095-66	Water Levels	--	--	80.4	SG	
095-67	Water Levels	--	--	83.6	SG	
095-68	Water Levels	--	--	80.6	SG	
095-84	OU III (Bldg 96)	15-35	40	62.9	--	9/30/1997
095-85	OU III (Bldg 96)	90-100	105	62.8	--	9/26/1997
095-87	Water Levels	135-140	145	71.6	SG	12/12/1997
095-88	OU III (Carbon tet)	155-160	165	71.6	DG	12/11/1997
095-88	Water Levels	155-160	165	71.6	DG	12/11/1997
095-89	OU III (Carbon tet)	155-160	165	76.0	DG	12/11/1997
095-89	Water Levels	155-160	165	76.0	DG	12/11/1997
095-90	OU III (Carbon tet)	98.5-108.5	113.5	48.1	SG	12/17/1997
095-90	Water Levels	98.5-108.5	113.5	48.1	SG	12/17/1997
095-90	OU III (AOC 29/HFBR Tritium)	98.5-108.6	113.5	48.1	SG	12/17/1997
095-91	Water Levels	156-166	171	57.2	DG	12/19/1997
095-92	OU III (Carbon tet)	116-126	131	67.1	--	12/23/1997
095-93	OU III (AOC 29/HFBR Tritium)	170-180	185	71.4	DG	12/30/1997
095-93	Water Levels	170-180	185	71.4	DG	12/30/1997
096-02	Water Levels	45-55	57	71.2	SG	5/13/1985
096-05	Water Levels	--	--	69.8	SG	6/28/1982
096-07	Water Levels	30-40	--	67.4	SG	
096-115	OU III (AOC 29/HFBR Tritium)	85-95	100	--	--	8/2/2007
096-116	OU III (AOC 29/HFBR Tritium)	85-95	100	--	--	8/3/2007
096-117	OU III (AOC 29/HFBR Tritium)	85-95	100	--	--	7/31/2007
096-118	OU III (AOC 29/HFBR Tritium)	84-94	99	--	--	7/25/2007
096-119	OU III (AOC 29/HFBR Tritium) EW-16	80-120	123	--	--	7/26/2007
096-52	Water Levels	24-34	39	68.1	SG	4/14/1997
096-55	OU III (AOC 29/HFBR Tritium)	131-136	141	--	--	5/30/1997
096-82	OU III (AOC 29/HFBR Tritium)	100-110	115	62.0	--	7/16/1999
096-83	OU III (AOC 29/HFBR Tritium)	22.5-32.5	37.5	68.3	--	7/20/1999
096-84	OU III (AOC 29/HFBR Tritium)	128.5-138.5	143.5	68.4	--	7/21/1999
096-88	OU III (AOC 29/HFBR Tritium)	135-145	146	61.5	DG	10/18/2001
096-88	Water Levels	135-145	146	61.5	DG	10/18/2001
097-01	Water Levels	42-52	54	79.3	SG	5/13/1985
097-08	Water Levels	37.25-42.25	42.25	72.0	SG	
097-14	Water Levels	61-81	86	57.0	SG	
097-17	FLF	29-39	44	69.2	SG	4/15/1994
097-17	Water Levels	29-39	44	69.2	SG	4/15/1994
097-276	Water Levels	28-43	48	80.9	SG	9/10/1998
097-277	FLF	40-55	60	81.0	--	9/16/1998
097-64	FLF	29-44	49	69.2	--	4/25/1996

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
097-313	Chemical/Animal Holes Sr-90	20-40	45	69.2		5/6/2015
097-314	Chemical/Animal Holes Sr-90	20-40	45	69.0		5/7/2015
097-315	Chemical/Animal Holes Sr-90	20-40	45	21.4		5/7/2015
098-01	Water Levels	18-48	50	45.9	SG	8/19/1982
098-09	Water Levels	18-48	50	46.3	SG	8/19/1982
098-19	Water Levels	40.5-50.5	50.5	53.5	SG	10/23/1984
098-21	OU I (South Boundary)	23.8-33.8	35.56	54.9	SG	10/23/1984
098-21	Water Levels	23.8-33.8	35.56	54.9	SG	10/23/1984
098-22	OU I (South Boundary)	33.5-43.5	45.03	53.7	SG	11/22/1984
098-22	Water Levels	33.5-43.5	45.03	53.7	SG	11/22/1984
098-30	OU I (South Boundary)	32.8-42.8	45	57.5	SG	10/23/1984
098-30	Water Levels	32.8-42.8	45	57.5	SG	10/23/1984
098-33	OU I (South Boundary)	60-80	85	57.6	SG	
098-36	Water Levels	20-25	25	54.7	SG	
098-40	Water Levels	23-28	33	56.5	SG	12/11/1991
098-41	Water Levels	18.5-23.5	28.5	55.3	SG	12/7/1991
098-42	Water Levels	13-18	23	50.4	SG	12/9/1991
098-58	OU I (South Boundary)	90-100	105	52.7	--	5/24/1993
098-59	OU I (South Boundary)	130-140	145	52.8	DG	5/26/1994
098-59	Water Levels	130-140	145	52.8	DG	5/26/1994
098-61	OU I (South Boundary)	120-130	135	54.3	DG	6/14/1994
098-61	Water Levels	120-130	135	54.3	DG	6/14/1994
098-63	Water Levels	135-145	150	53.5	DG	6/7/1994
098-64	Water Levels	90-100	105		MG	6/21/1994
098-99				55.2		
099-01	Water Levels	19.1-24.1	24.1	48.8	SG	
099-04	OU I (South Boundary)	110-130	--	57.8	DG	
099-04	Water Levels	110-130	--	57.8	DG	
099-05	Water Levels	35-55	60	45.8	SG	
099-06	OU VI EDB	75-95	100	45.9	--	
099-07	Water Levels	20-25	30	52.7	SG	12/10/1991
099-10	OU VI EDB	75-85	90.25	50.4	--	10/21/1994
099-11	OU VI EDB	110-120	125	50.3	DG	11/15/1994
099-11	Water Levels	110-120	125	50.3	DG	11/15/1994
100-03	Water Levels	31-51	56	44.8	SG	
100-04	Water Levels	--	--	45.8	MAG	
100-10	Water Levels	15-25	30	47.9	SG	10/19/1994
100-12	OU VI EDB	95-105	110	47.8	DG	11/8/1994
100-12	Water Levels	95-105	110	47.8	DG	11/8/1994
100-13	OU VI EDB	64.5-74.5	79.5	48.8	--	10/20/1994
100-14	OU VI EDB	105-115	120	48.7	--	11/10/1994
101-01	Water Levels	45-65	70	88.2	SG	
102-01	Water Levels	45-65	70	88.2	SG	6/28/1982
102-05	Motor Pool	46.74-66.74	71.74	93.9	--	6/27/1996
102-06	Motor Pool	46.2-66.2	71.2	94.2	--	6/26/1996
102-08	Motor Pool	45-60	65	93.1	SG	1/20/1999
102-08	Water Levels	45-60	65	93.1	SG	1/20/1999
102-10	Motor Pool	44.5-59.5	64.5	93.3	--	1/6/1999
102-11	Motor Pool	44-59	64	93.6	--	1/8/1999
102-12	Motor Pool	44-59	64	93.8	SG	1/12/1999

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
102-12	Water Levels	44-59	64	93.8	SG	1/12/1999
102-13	Motor Pool	44.7-59.7	64.7	94.1	--	1/13/1999
103-01	Water Levels	--	--	81.4	SG	
103-02	Water Levels	45-50	50	89.8	SG	5/25/1972
103-10	Water Levels	--	--	99.5	SG	
103-15	OU III (Western South Boundary)	195-205	208		DG	5/11/2009
103-18	OU III (Western South Boundary)	165-175	180			3/30/2018
103-19	OU III (Western South Boundary)			83.7		
104-01	Water Levels	45-65	70	64.1	SG	12/1/1986
104-11	OU III (Carbon tet)	185-195	200	64.4	DG	11/8/1995
104-11	Water Levels	185-195	200	64.4	DG	11/8/1995
104-25	Water Levels	125-130	135	72.8	SD	6/3/1997
104-26	Water Levels	--	--	81.6	SG	
104-36	OU III (Carbon tet)	126-146	151	55.6	--	11/1/2001
104-37	OU III (Middle Road)	204-214	219	67.6	DG	6/3/2008
104-38	OU III (Middle Road)	195-215	218	66.4	DG	6/9/2008
105-02	Water Levels	80-85	85	69.4	SG	11/16/1948
105-05	OU III (central)	20-30	35	58.6	SG	5/6/1994
105-05	Water Levels	20-30	35	58.6	SG	5/6/1994
105-06	OU III (central)	70-80	85	58.8	--	5/16/1994
105-21	Water Levels	37-47	52	67.6	SG	11/1/1995
105-22	OU III (AOC 29/HFBR Tritium)	100-110	115	67.2	--	11/21/1995
105-23	OU III (AOC 29/HFBR Tritium)	175-185	190	67.3	DG	11/16/1995
105-23	OU III (Carbon tet)	175-185	190	67.3	DG	11/16/1995
105-23	OU III Middle Road	175-185	190	67.3	DG	11/16/1995
105-23	Water Levels	175-185	190	67.3	DG	11/16/1995
105-24	Water Levels	180-190	195	59.1	DG	12/6/1995
105-25	OU III Middle Road	145-150	155	69.7	DG	4/17/1997
105-25	Water Levels	145-150	155	69.7	DG	4/17/1997
105-26	Water Levels	145-150	155	69.3	DG	4/15/1997
105-27	Water Levels	28-38	43	69.3	SG	4/16/1997
105-28	Water Levels	24-34	39	66.0	DG	4/14/1997
105-29	OU III (AOC 29/HFBR Tritium)	170-190	195	65.9	--	9/13/1996
105-39	OU III (AOC 29/HFBR Tritium) EW-10	130-150	153	--	--	4/4/1997
105-40	OU III (AOC 29/HFBR Tritium) EW-9	130-150	153	--	--	4/4/1997
105-41	OU III (AOC 29/HFBR Tritium) EW-11	130-150	153	--	--	4/7/1997
105-42	OU III (Carbon tet)	145-150	155	67.3	--	6/4/1997
105-43	OU III (AOC 29/HFBR Tritium)	145-150	155	--	DG	6/6/1996
105-43	Water Levels	145-150	155	--	DG	6/6/1996
105-44	OU III (AOC 29/HFBR Tritium)	150-155	160	--	DG	6/27/1997
105-44	OU III Middle Road	150-155	160	--	DG	6/27/1997
105-44	Water Levels	150-155	160	--	DG	6/27/1997
105-52	OU III Middle Road	100-110	112	--	MG	4/10/2001
105-52	Water Levels	100-110	112	--	MG	4/10/2001
105-53	OU III Middle Road	170-180	182	--	DG	4/11/2001
105-53	Water Levels	170-180	182	--	DG	4/11/2001
105-54	OU III Middle Road	110-120	122	--	MG	4/6/2001
105-54	Water Levels	110-120	122	--	MG	4/6/2001
105-65	OU III (AOC 29/HFBR Tritium)	90-100	105	--	--	7/26/2007
105-66	OU III (Middle Road)	179-189	194	67.6	DG	10/21/2008

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
105-67	OU III Middle Road	180-190	195			2/4/2011
105-68	OU III (Middle Road)	200-210	215	60.8	DG	5/23/2013
106-02	FLF	55-65	70	66.8	SG	12/1/1986
106-02	Water Levels	55-65	70	66.8	SG	12/1/1986
106-04	Chemical/Animal Holes Sr-90	55-65	70	68.1	SG	11/10/1986
106-04	Water Levels	55-65	70	68.1	SG	11/10/1986
106-100	Chemical/Animal Holes Sr-90	23.5-38.5	39	65.3	SG	9/4/2002
106-101	Chemical/Animal Holes Sr-90	26.5-41.5	42	67.0	SG	8/30/2002
106-102	Chemical/Animal Holes Sr-90	25.5-40.5	41	67.0	SG	9/7/2002
106-103	Chemical/Animal Holes Sr-90	21.5-36.5	37	65.0	SG	9/3/2002
106-104	Chemical/Animal Holes Sr-90	21.5-36.5	37	64.8	SG	8/5/2002
106-105	Chemical/Animal Holes Sr-90	21.5-36.5	37	64.6	SG	9/5/2002
106-105	Water Levels	21.5-36.5	37	64.6	SG	9/5/2002
106-119	Chemical/Animal Holes Sr-90	35-45	50	64.4	SG	8/10/2007
106-120	Chemical/Animal Holes Sr-90	35-45	50	59.1	SG	8/14/2007
106-121	Chemical/Animal Holes Sr-90	35-45	50	59.1	SG	8/13/2007
106-122	Chemical/Animal Holes Sr-90	35-45	50	59.4	SG	8/14/2007
106-123	Chemical/Animal Holes Sr-90 EW-2	35-45	48	--	--	7/18/2007
106-124	Chemical/Animal Holes Sr-90 EW-3	35-45	48	--	--	7/23/2007
106-125	Chemical/Animal Holes Sr-90	--	--	68.2	--	
106-13	Chemical/Animal Holes Sr-90	29-39	44	70.3	--	5/2/1994
106-135	Chemical/Animal Holes Sr-90	30-40	45	66.0		9/18/2012
106-14	Chemical/Animal Holes Sr-90	30-40	45	71.2	--	
106-15	Chemical/Animal Holes Sr-90	55-65	70	71.2	--	5/2/1994
106-16	Chemical/Animal Holes Sr-90	30-40	45	70.5	SG	4/29/1994
106-16	Water Levels	30-40	45	70.5	SG	4/29/1994
106-17	Chemical/Animal Holes Sr-90	30-40	45	69.2	SG	4/28/1994
106-17	Water Levels	30-40	45	69.2	SG	4/28/1994
106-19	Water Levels	--	--	66.9	MAG	
106-20	Chemical/Animal Holes Sr-90	85-95	100	66.6	MG	12/19/1995
106-20	Water Levels	85-95	100	66.6	MG	12/19/1995
106-21	Chemical/Animal Holes Sr-90	55-65	--	66.6	SG	
106-21	Water Levels	55-65	--	66.6	SG	
106-22	Chemical/Animal Holes Sr-90	84.5-94.5	--	62.9	DG	
106-22	Water Levels	84.5-94.5	--	62.9	DG	
106-23	Chemical/Animal Holes Sr-90	55-65	--	62.9	SG	
106-23	Water Levels	55-65	--	62.9	SG	
106-24	Chemical/Animal Holes Sr-90	80-90	95	51.0	--	12/8/1995
106-25	Chemical/Animal Holes Sr-90	50-60	--	51.2	SG	
106-25	Water Levels	50-60	--	51.2	SG	
106-30	FLF	29-44	49	20.7	SG	4/25/1996
106-30	Water Levels	29-44	49	20.7	SG	4/25/1996
106-43	Chemical/Animal Holes Sr-90	43-53	--	64.9	--	
106-44	Chemical/Animal Holes Sr-90	44-54	59	64.8	--	9/2/1998
106-45	Chemical/Animal Holes Sr-90	44-55	--	64.8	--	
106-46	Chemical/Animal Holes Sr-90	29-39	--	66.0	--	
106-47	Chemical/Animal Holes Sr-90	29-39	--	65.9	--	
106-48	Chemical/Animal Holes Sr-90	31-41	46	66.5	--	9/8/1998
106-49	Chemical/Animal Holes Sr-90	32-42	--	67.4	--	
106-50	Chemical/Animal Holes Sr-90	32-42	--	67.9	--	

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
106-53	OU III Middle Road	200-210	--	68.3	DG	
106-53	Water Levels	200-210	--	68.3	DG	
106-54	OU III Middle Road	200-210	215	67.4	--	7/31/1996
106-55	OU III Middle Road	170-180	--	66.1	--	
106-56	OU III Middle Road	160-170	--	66.2	--	
106-58	OU III Middle Road	200-210	--	65.9	--	
106-62	Chemical/Animal Holes Sr-90	67-77	82	62.4	--	8/31/1998
106-62	OU III Middle Road	67-77	82	62.4	--	8/31/1998
106-63	Chemical/Animal Holes Sr-90	65-75	--	60.3	--	
106-64	Chemical/Animal Holes Sr-90	30-40	--	64.7	--	
106-66	OU III Middle Road RW-6	188-218	218	--	--	2/23/2001
106-66	Water Levels	188-218	218	--	DG	2/23/2001
106-92	Chemical/Animal Holes Sr-90 EW-1	23.5-38.5	40.5	--	--	8/29/2002
106-94	Chemical/Animal Holes Sr-90	27.5-42.5	42.5	70.8	--	6/29/2002
106-95	Chemical/Animal Holes Sr-90	27.5-42.5	42.5	70.6	--	8/28/2002
106-96	Chemical/Animal Holes Sr-90	27.5-42.5	42.5	70.0	--	9/6/2002
106-97	Chemical/Animal Holes Sr-90	27.5-4.25	42.5	70.1	--	9/6/2002
106-98	Chemical/Animal Holes Sr-90	22.5-37.5	37.5	65.9	--	9/3/2002
106-99	Chemical/Animal Holes Sr-90	23.5-38.5	38.5	65.8	--	9/4/2002
106-136	Chemical/Animal Holes Sr-90	25-45	50	66.9		6/3/2015
107-07	Water Levels	--	--	65.8	DG	
107-10	OU I (South Boundary)	110-130	135	60.8	DG	
107-10	Water Levels	110-130	135	60.8	DG	
107-11	Water Levels	--	--	67.4	DG	
107-12	Water Levels	--	--	67.4	SG	
107-14	Water Levels	--	--	67.4	SG	
107-23	OU I (South Boundary)	115-125	130	47.2	--	6/3/1994
107-24	OU I (South Boundary)	73-83	88	48.3	--	5/17/1994
107-25	OU I (South Boundary)	113-123	128	48.7	DG	6/1/1994
107-25	Water Levels	113-123	128	48.7	DG	6/1/1994
107-26	OU I (South Boundary)	135-145	150	55.0	DG	11/21/1995
107-26	Water Levels	135-145	150	55.0	DG	11/21/1995
107-34	OU I (South Boundary)	50-60	--	66.8	SG	
107-34	Water Levels	50-60	--	66.8	SG	
107-35	OU I (South Boundary)	60-70	--	66.9	SG	
107-35	Water Levels	60-70	--	66.9	SG	
107-40	OU I (South Boundary)	--	--	--	--	
107-41	OU I (South Boundary)	128-138	143			10/14/2008
107-42	OU I (South Boundary)	63-73	78		SG	3/3/2011
108-01	Water Levels	--	--	57.4	SG	
108-05	Water Levels	50.3-70.3	70.3	61.0	SG	4/30/1984
108-08	OU I (South Boundary)	51.4-71.4	71.4	62.9	SG	4/23/1985
108-08	Water Levels	51.4-71.4	71.4	62.9	SG	4/23/1985
108-12	OU I (South Boundary)	58-78	78	65.8	--	4/20/1985
108-13	OU I (South Boundary)	45-65	70	65.9	SG	
108-13	Water Levels	45-65	70	65.9	SG	
108-14	OU I (South Boundary)	85-105	110	65.6	--	
108-15	Water Levels	26-31	36	58.1	SG	12/11/1991
108-16	Water Levels	25-30	35	58.2	SG	12/11/1991
108-17	OU I (South Boundary)	65-85	90	63.9	--	1/22/1992

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
108-18	OU I (South Boundary)	95-115	120	64.0	DG	1/21/1992
108-18	Water Levels	95-115	120	64.0	DG	1/21/1992
108-30	Water Levels	95-105	110	61.2	DG	4/15/1994
108-31	Water Levels	124-134	139	65.4	DG	4/19/1994
108-43	OU I (South Boundary)	60-70	--	66.0	SG	
108-43	Water Levels	60-70	--	66.0	SG	
108-44	OU I (South Boundary)	50-60	--	66.0	SG	
108-44	Water Levels	50-60	--	66.0	SG	
108-45	OU I (South Boundary)	63-73	78		SG	
108-55	OU I (South Boundary)	54-64	69	59.4	SG	8/16/2011
108-56	OU I (South Boundary)	54-64	69	59.5	SG	8/17/2011
109-02	Water Levels	--	--	104.8	--	
109-03	OU III (central)	120-140	--	115.8	--	
109-04	OU III (central)	205-220	--	115.7	DG	
109-04	Water Levels	205-220	--	115.7	DG	
109-12	OU III (Magothy)	255-275	280	115.6	MAG	5/15/2000
109-12	Water Levels	255-275	280	115.6	MAG	5/15/2000
109-13	OU III (Magothy)	228-248	253	115.7	MAG	5/15/2000
109-13	Water Levels	228-248	253	115.7	MAG	5/15/2000
111-01	Water Levels	--	--	75.2	SG	
111-15	OU III (Western South Boundary)	170-180	185			5/2/2017
111-16	OU III (Western South Boundary)	168-178	183			8/21/2018
111-17	OU III (Western South Boundary)			73.4		
113-06	OU III Middle Road	44.5-54.5	--	73.2	SG	
113-06	Water Levels	44.5-54.5	--	73.2	SG	
113-07	OU III Middle Road	94-104	--	73.2	--	
113-08	OU III Middle Road	137-147	147	73.5	MG	10/26/1995
113-08	Water Levels	137-147	147	73.5	MG	10/26/1995
113-09	OU III Middle Road	217-227	--	73.3	DG	
113-09	Water Levels	217-227	--	73.3	DG	
113-10	Water Levels	--	--	71.2	SG	
113-11	OU III Middle Road	196-206	211	70.9	DG	10/24/1995
113-11	Water Levels	196-206	211	70.9	DG	10/24/1995
113-16	OU III Middle Road	100-120	125	--	MG	4/20/2001
113-16	Water Levels	100-120	125	--	MG	4/20/2001
113-17	OU III Middle Road	167-187	192	--	DG	4/24/2001
113-17	Water Levels	167-187	192	--	DG	4/24/2001
113-18	OU III Middle Road	142-162	167	--	--	4/26/2001
113-19	OU III Middle Road	220-240	245	--	DG	4/30/2001
113-19	Water Levels	220-240	245	--	DG	4/30/2001
113-20	OU III Middle Road	158-178	183	--	--	5/20/2001
113-21	OU III Middle Road	180-190	192	--	DG	4/13/2001
113-21	Water Levels	180-190	192	--	DG	4/13/2001
113-22	OU III Middle Road	235-245	247	--	DG	4/17/2001
113-22	Water Levels	235-245	247	--	DG	4/17/2001
113-23	OU III Middle Road RW-1	90-130	140	--	--	1/23/2001
113-23	Water Levels	90-130	130	--	DG	1/23/2001
113-24	OU III Middle Road RW-2	170-200	200	--	--	2/1/2001
113-24	Water Levels	170-200	200	--	DG	2/1/2001
113-25	OU III Middle Road RW-3	228-268	268	--	--	3/20/2001

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
113-25	Water Levels	228-268	268	--	DG	3/20/2001
113-26	OU III Middle Road RW-4	150-180	180	--	--	3/2/2001
113-26	Water Levels	150-180	180	--	DG	3/2/2001
113-27	OU III Middle Road RW-5	150-180	180	--	--	2/12/2001
113-27	Water Levels	150-180	180	--	DG	2/12/2001
113-29	OU III (Middle Road)	180-200	205	63.2	DG	6/12/2008
113-30	OU III Middle Road	185-195	200			1/26/2011
113-31	OU III Middle Road	185-195	200	58.5		5/8/2012
114-01	Chemical/Animal Holes Sr-90	70-80	--	62.1	--	
114-02	Water Levels	--	--	61.9	SG	
114-06	OU III (South Boundary)	180-190	195	52.2	--	4/22/1997
114-07	OU III (South Boundary)	200-210	215	52.2	DG	4/20/1997
114-07	Water Levels	200-210	215	52.2	DG	4/20/1997
114-12	OU III Middle Road	145-165	170	--	DG	4/18/2001
114-12	Water Levels	145-165	170	--	DG	4/18/2001
115-01	Water Levels	--	--	52.8	SG	
115-03	OU I (South Boundary)	110-130	136	52.7	DG	
115-03	Water Levels	110-130	136	52.7	DG	
115-04	Water Levels	--	--	61.2	SG	
115-05	Water Levels	--	--	60.9	DG	
115-13	OU I (South Boundary)	140-150	155	61.6	DG	5/10/1994
115-13	Water Levels	140-150	155	61.6	DG	5/10/1994
115-14	OU I (South Boundary)	180-190	--	59.4	DG	
115-14	Water Levels	180-190	--	59.4	DG	
115-15	OU I (South Boundary)	180-190	195	55.0	DG	5/20/1994
115-15	Water Levels	180-190	195	55.0	DG	5/20/1994
115-16	OU I (South Boundary)	125-135	140	55.1	SG	5/12/1994
115-16	Water Levels	125-135	140	55.1	SG	5/12/1994
115-27	OU I (South Boundary) EW-1	150-190	193	--	--	9/26/1995
115-28	OU I (South Boundary)	202-212	--	59.7	DG	
115-28	Water Levels	202-212	--	59.7	DG	
115-29	OU I (South Boundary)	200-210	--	55.8	DG	
115-29	Water Levels	200-210	--	55.8	DG	
115-30	OU I (South Boundary)	158-168	173	53.7	DG	10/12/1995
115-30	Water Levels	158-168	173	53.7	DG	10/12/1995
115-31	OU I (South Boundary)	167-177	--	61.6	DG	
115-31	Water Levels	167-177	--	61.6	DG	
115-32	OU III North Street	80-90	--	65.5	SG	
115-32	Water Levels	80-90	--	65.5	SG	
115-33	OU III North Street	179.5-189.5	194.5	65.6	DG	12/13/1995
115-33	Water Levels	179.5-189.5	194.5	65.6	DG	12/13/1995
115-34	OU III North Street	110-120	--	65.2	--	
115-35	OU III North Street	150-160	--	64.8	DG	
115-35	Water Levels	150-160	--	64.8	DG	
115-36	OU I (South Boundary)	129-134	--	52.9	DG	
115-36	Water Levels	129-134	--	52.9	DG	
115-41	OU I (South Boundary)	98-118	--	53.3	SG	
115-41	Water Levels	98-118	--	53.3	SG	
115-42	OU I (South Boundary)	158-178	183	53.2	DG	5/28/1997
115-42	Water Levels	158-178	183	53.2	DG	5/28/1997

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
115-43	OU I (South Boundary) EW-2	--	--	--	--	
115-50	OU III (Magothy)	256-276	281	52.4	MAG	10/3/2000
115-50	Water Levels	256-276	281	52.4	MAG	10/3/2000
115-51	OU I (South Boundary)	125-145	150		MG	2/23/2011
116-05	OU I (South Boundary)	100-110	115	65.3	--	4/28/1994
116-06	OU I (South Boundary)	130-140	145	65.6	DG	4/22/1994
116-06	Water Levels	130-140	145	65.6	DG	4/22/1994
116-14	Water Levels	--	--	69.0	SG	
117-01	Water Levels	75-85	90	113.8	SG	8/12/1993
117-02	Water Levels	--	--	109.9	SG	
118-01	Water Levels	70-90	95	81.9	SG	
118-02	Water Levels	--	--	81.5	DG	
119-01	Water Levels	--	--	79.8	SG	
119-03	OU III (Western South Boundary)	40-50	55	80.5	SG	2/26/2002
119-03	Water Levels	40-50	55	80.5	SG	2/26/2002
119-06	OU III (Western South Boundary)	125-135	140	80.9	DG	10/23/2008
119-10	OU III (Western South Boundary)	195-205	210	77.5		6/14/2012
119-11	OU III (Western South Boundary)	175-185	190			2/17/2017
119-12	OU III (Western South Boundary)	174-184	189			3/26/2018
119-13	OU III (Western South Boundary)			80.0		
121-06	OU III (South Boundary)	40-50	--	67.6	SG	
121-06	Water Levels	40-50	--	67.6	SG	
121-07	OU III (South Boundary)	89-99	--	67.8	--	
121-08	OU III (South Boundary)	180-190	195	68.0	DG	11/6/1995
121-08	Water Levels	180-190	195	68.0	DG	11/6/1995
121-09	OU III (South Boundary)	90-100	--	73.6	--	
121-10	OU III (South Boundary)	160-170	--	73.5	DG	
121-10	Water Levels	160-170	--	73.5	DG	
121-11	OU III (South Boundary)	200-210	215	72.5	DG	11/7/1995
121-11	Water Levels	200-210	215	72.5	DG	11/7/1995
121-12	OU III (South Boundary)	45-55	--	71.7	SG	
121-12	Water Levels	45-55	--	71.7	SG	
121-13	OU III (South Boundary)	120-130	135	71.8	--	10/25/1995
121-14	OU III (South Boundary)	190-200	205		DG	10/30/1995
121-14	Water Levels	190-200	205	71.7	DG	10/30/1995
121-15	OU III (South Boundary) EW-5	160-200	203			3/17/1997
121-15	Water Levels	160-200	203	68.9	DG	3/17/1997
121-16	OU III (South Boundary) EW-4	160-200	205	--	--	3/11/1997
121-16	Water Levels	160-200	205	71.8	DG	3/11/1997
121-17	OU III (South Boundary) EW-3	150-190	193	--	--	3/14/1997
121-17	Water Levels	150-190	193	71.0	DG	3/14/1997
121-18	OU III (South Boundary)	60-80	85	72.0	SG	4/17/1997
121-18	Water Levels	60-80	85	72.0	SG	4/17/1997
121-19	OU III (South Boundary)	90-110	115	72.3	--	5/22/1997
121-20	OU III (South Boundary)	180-200	205	72.1	DG	5/23/1997
121-20	Water Levels	180-200	205	72.1	DG	5/23/1997
121-21	OU III (South Boundary)	60-80	85	68.1	SG	4/18/1997
121-21	Water Levels	60-80	85	68.1	SG	4/18/1997
121-22	OU III (South Boundary)	120-140	145	68.3	--	5/19/1997
121-23	OU III (South Boundary)	180-200	205	67.8	DG	5/19/1997

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
121-23	Water Levels	180-200	205	67.8	DG	5/19/1997
121-40	OU III (Magothy)	281-301	306	72.5	MAG	5/1/2000
121-40	Water Levels	281-301	306	72.5	MAG	5/1/2000
121-42	OU III (Western South Boundary)	150-160	165	67.4	DG	12/3/2001
121-42	Water Levels	150-160	165	67.4	DG	12/3/2001
121-43	OU III (South Boundary)	185-205	210	68.3	DG	1/3/2003
121-43	Water Levels	185-205	210	68.3	DG	1/3/2003
121-44	OU III (Magothy)	260-280	285	71.8	MAG	9/30/2003
121-44	Water Levels	260-280	285	71.8	MAG	9/30/2003
121-45	OU III (South Boundary)	189.5-209.5	215	--	--	
121-45	OU III Middle Road	189.5-209.5	215	--	--	
121-47	OU III (South Boundary)	224-234	239	71.0		4/26/2012
121-48	OU III (South Boundary)	223-233	238	68.2		5/2/2012
121-49	OU III (South Boundary)	210-220	225	73.6	DG	9/9/2011
121-53	OU III (Middle Road)	224-234	239	76.7	DG	8/21/2013
122-01	Water Levels	46-66	71	59.2	SG	
122-02	OU III (South Boundary)	85-105	110	59.4	--	
122-04	OU III (South Boundary)	200-205	210	58.5	DG	11/12/1993
122-04	Water Levels	200-205	210	58.5	DG	11/12/1993
122-05	OU III (South Boundary)	269-274	279	61.8	MAG	12/1/1994
122-05	Water Levels	269-274	279	61.8	MAG	12/1/1994
122-09	OU III (South Boundary)	110-120	125	51.1	--	12/1/1995
122-10	OU III (South Boundary)	149.5-159.5	164.5	50.8	DG	11/29/995
122-10	Water Levels	149.5-159.5	164.5	50.8	DG	11/29/995
122-12	OU III (South Boundary) EW-8	190-250	253	--	--	3/29/1997
122-12	Water Levels	190-250	253	59.2	DG	3/29/1997
122-13	OU III (South Boundary) EW-7	170-210	213	--	--	3/27/1997
122-13	Water Levels	170-210	213	55.2	DG	3/27/1997
122-14	OU III (South Boundary) EW-6	160-200	203	--	--	3/20/1997
122-14	Water Levels	160-200	203	55.1	DG	3/20/1997
122-15	OU III (South Boundary)	50-70	75	54.0	SG	4/21/1997
122-15	Water Levels	50-70	75	54.0	SG	4/21/1997
122-16	OU III (South Boundary)	140-160	165	53.5	--	5/15/1997
122-17	OU III (South Boundary)	200-220	225	53.4	DG	5/16/1997
122-17	Water Levels	200-220	225	53.4	DG	5/16/1997
122-18	OU III (South Boundary)	130-150	155	61.9	SG	5/5/1997
122-18	Water Levels	130-150	155	61.9	SG	5/5/1997
122-19	OU III (South Boundary)	190-210	215	61.8	--	5/5/1997
122-20	OU III (South Boundary)	250-270	275	61.9	DG	5/5/1997
122-20	Water Levels	250-270	275	61.9	DG	5/5/1997
122-21	OU III (South Boundary)	180-190	195	58.6	--	5/1/1997
122-22	OU III (South Boundary)	200-210	215	58.9	DG	5/2/1997
122-22	Water Levels	200-210	215	58.9	DG	5/2/1997
122-24	OU III (Industrial Park East)	250-265	266.5	65.0	DG	6/14/1999
122-24	Water Levels	250-265	266.5	65.0	DG	6/14/1999
122-25	OU III (Industrial Park East)	220-235	240	65.2	--	6/25/1999
122-30	OU III (South Boundary) EW-12	180-220	220	--	--	6/11/1999
122-30	Water Levels	180-220	222	52.5	DG	6/11/1999
122-31	OU III (South Boundary)	150-160	165	53.3	--	6/17/1999
122-32	OU III (South Boundary)	200-210	215	54.1	DG	6/18/1999

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
122-32	Water Levels	200-210	215	54.1	DG	6/18/1999
122-33	OU III (South Boundary)	165-195	200	56.1	DG	6/21/1999
122-33	Water Levels	165-195	200	56.1	DG	6/21/1999
122-34	OU III (South Boundary)	190-210	215	61.8	DG	10/25/1999
122-34	Water Levels	190-210	215	61.8	DG	10/25/1999
122-35	OU III (South Boundary)	190-210	215	59.7	DG	10/21/1999
122-35	Water Levels	190-210	215	59.7	DG	10/21/1999
122-41	OU III (Magothy)	315-335	340	52.3	MAG	8/29/2000
122-41	Water Levels	315-335	340	52.3	MAG	8/29/2000
124-01	Water Levels	63-73	78	97.0	SG	8/16/1993
124-02	OU III (Western South Boundary)	190-200	205	97.3	DG	11/30/1995
124-02	Water Levels	190-200	205	97.3	DG	11/30/1995
125-01	OU III (Western South Boundary)	40-50	55	82.0	SG	2/25/2002
125-01	Water Levels	40-50	55	82.0	SG	2/25/2002
125-02	Water Levels	40-50	55	80.3	SG	2/22/2002
126-01	OU III (Western South Boundary)	60-80	85	80.8	SG	
126-01	Water Levels	60-80	85	80.8	SG	
126-11	OU III (Western South Boundary)	150-160	165	80.1	DG	1/8/2002
126-11	Water Levels	150-160	165	80.1	DG	1/8/2002
126-12	OU III (Western South Boundary) WSB-1	140-160	165	79.5	DG	12/4/2001
126-12	Water Levels	140-160	165	79.5	DG	12/4/2001
126-13	OU III (Western South Boundary)	150-160	165	80.7	DG	1/10/2002
126-13	Water Levels	150-160	165	80.7	DG	1/10/2002
126-14	OU III (Western South Boundary)	150-160	165	81.4	DG	1/8/2002
126-14	Water Levels	150-160	165	81.4	DG	1/8/2002
126-15	OU III (Western South Boundary)	150-160	165	66.2	DG	12/18/2001
126-15	Water Levels	150-160	165	66.2	DG	12/18/2001
126-16	OU III (Western South Boundary)	130-140	145	76.0	DG	5/31/2002
126-16	Water Levels	130-140	145	76.0	DG	5/31/2002
126-17	OU III (Western South Boundary)	135-145	150	83.4	--	2/16/2011
126-18	OU III (Western South Boundary)	160-170	175	83.4		5/4/2017
126-19	OU III (Western South Boundary)	190-200	205			5/8/2017
126-20	OU III (Western South Boundary)	135-145	150			8/15/2018
126-21	OU III (Western South Boundary)	199-209	214			8/30/2018
126-22	OU III (Western South Boundary)	203-213	218	--		8/31/2018
127-04	OU III (Western South Boundary)	150-160	165	69.5	DG	11/28/2001
127-04	Water Levels	150-160	165	69.5	DG	11/28/2001
127-05	OU III (Western South Boundary) WSB-2	150-170	175	70.0	DG	11/20/2001
127-05	Water Levels	150-170	175	70.0	DG	11/20/2001
127-06	OU III (Western South Boundary)	150-160	165	70.4	DG	12/6/2001
127-06	Water Levels	150-160	165	70.4	DG	12/6/2001
127-07	OU III (Western South Boundary)	146-156	161	74.0	DG	5/29/2002
127-07	Water Levels	146-156	161	74.0	DG	5/29/2002
130-02	OU III (Western South Boundary)	105-125	130	80.3	--	
130-03	OU III (Western South Boundary)	160-165	170	80.1	DG	10/25/1993
130-03	Water Levels	160-165	170	80.1	DG	10/25/1993
130-04	OU III (Western South Boundary)	285-290	295	80.8	MAG	11/17/1994
130-04	Water Levels	285-290	295	80.8	MAG	11/17/1994
130-06	Water Levels	--	--	79.9	SG	
130-08	OU III (Western South Boundary)	145-155	160	72.7	DG	6/10/2002

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
130-08	Water Levels	145-155	160		DG	6/10/2002
130-09	OU III (Western South Boundary)	135-145	150			9/6/2018
130-10	OU III (Western South Boundary)	150-160	165			9/11/2018
130-11	OU III (Western South Boundary)	195-205	210			10/26/2018
130-12	OU III (Western South Boundary)					
130-13	OU III (Western South Boundary)			72.7		
300-06	Water Levels	50-60	65	--	SG	9/20/1995
300-07	Water Levels	--	--	63.0	SG	
600-02	Water Levels	--	--	41.8	DG	
600-15	OU V	240-260	265	--	DG	2/13/1996
600-15	Water Levels	240-260	265	--	DG	2/13/1996
600-16	OU V	160-180	185	--	MG	2/15/1996
600-16	Water Levels	160-180	185	--	MG	2/15/1996
600-18	OU V	35-55	60	48.1	SG	9/25/1997
600-18	Water Levels	35-55	60	48.1	SG	9/25/1997
600-19	OU V	50-70	75	43.6	SG	9/25/1997
600-19	Water Levels	50-70	75	43.6	SG	9/25/1997
600-20	OU V	150-170	175	43.6	SG	9/15/1997
600-20	Water Levels	150-170	175	43.6	SG	9/15/1997
600-21	OU V	240-260	265	43.7	MAG	9/11/1997
600-21	Water Levels	240-260	265	43.7	MAG	9/11/1997
600-22	OU V	60-80	85	50.0	SG	10/3/1997
600-22	Water Levels	60-80	85	50.0	SG	10/3/1997
600-23	OU V	150-170	175	50.0	DG	10/2/1997
600-23	Water Levels	150-170	175	50.0	DG	10/2/1997
600-24	OU V	228-248	253	50.0	MAG	10/2/1997
600-24	Water Levels	228-248	253	50.0	MAG	10/2/1997
600-25	OU V	52-72	77	44.0	SG	9/25/1997
600-25	Water Levels	52-72	77	44.0	SG	9/25/1997
600-26	OU V	150-170	175	44.0	DG	9/23/1997
600-26	Water Levels	150-170	175	44.0	DG	9/23/1997
600-27	OU V	240-260	265	43.7	MAG	9/23/1997
600-27	Water Levels	240-260	265	43.7	MAG	9/23/1997
600-28	Water Levels	--	--	50.0	SG	
800-100	OU III (Airport)	204-224	227	83.5	--	7/1/2003
800-100	Water Levels	204-224	227	83.5	--	7/1/2003
800-101	OU III (Airport)	270-290	293	83.6	MAG	7/24/2003
800-101	Water Levels	270-290	293	83.6	MAG	7/24/2003
800-102	OU III (Airport)	294-314	317	83.5	--	7/21/2003
800-103	OU III (Airport)	215-235	238	86.0	--	7/30/2003
800-104	OU III (Airport)	160-180	183	82.5	DG	8/22/2003
800-104	Water Levels	160-180	183	82.5	DG	8/22/2003
800-105	OU III (Airport)	222-242	245	82.5	MAG	8/26/2003
800-105	Water Levels	222-242	245	82.5	MAG	8/26/2003
800-106	OU III (Airport)	207-227	230	90.7	--	6/19/2003
800-107	Water Levels	194-214	217	77.6	--	5/1/2003
800-108	OU III (Airport)	206-226	229	76.6	MAG	8/7/2003
800-108	Water Levels	206-226	229	76.6	MAG	8/7/2003
800-108	Water Levels	206-226	229	76.6	MAG	8/7/2003
800-109	OU III LIPA RTW-1A	55-95/188-208	211	--	--	5/21/2003
800-110	OU III LIPA RTW-2A	55-95/188-208	211	--	--	6/6/2003

**Table 1-7
Summary of Monitoring Wells and Piezometers**

2018 BNL Groundwater Status Report

Well ID	Project	Screen Interval (Feet BLS)	Total Depth (Feet BLS)	Land Surface Elevation (Feet Above MLS)	Aquifer	Install Date
800-111	OU III LIPA RTW-3A	55-95/210-230	235	--	--	6/20/2003
800-112	OU III LIPA RTW-4A	60-100/268-288	291	--	--	10/15/2003
800-113	OU III LIPA RTW-5A	65-105/220-240	243	--	--	
800-115	OU III North Street	210-220	225	92.4	--	3/16/2004
800-126	OU III (Airport)	165-185	190	74.3	--	8/28/2007
800-127	OU III (Airport)	165-185	190	75.5	--	8/30/2007
800-128	OU III (Airport)	170-190	195	77.4	--	7/2/2007
800-129	OU III (Airport)	170-190	195	78.8	--	7/6/2007
800-130	OU III (Airport)	175-195	200	78.8	--	7/11/2007
800-131	OU III (Airport)	184-204	209	78.0	--	9/14/2007
800-132	OU III LIPA RTW-6A	165-185	188	--	--	8/8/2007
800-133	OU III (Airport)	215-235	240	--	--	3/25/2009
800-138	OU III (Airport)	245-255	260	90.4	DG	9/19/2013
800-14	Water Levels	--	--	95.5	SG	
800-16	Water Levels	--	--	--	MAG	
800-21	OU III (off-site)	202-222	227	35.6	MAG	4/30/1996
800-21	Water Levels	202-222	227	35.6	MAG	4/30/1996
800-22	OU III (off-site)	105-125	130	35.5	DG	4/23/1996
800-22	Water Levels	105-125	130	35.5	DG	4/23/1996
800-23	OU III (off-site)	35.5-45.5	50.5	35.6	SD	4/9/1996
800-23	Water Levels	35.5-45.5	50.5	35.6	SD	4/9/1996
800-24	Water Levels	230-240	245	44.1	MAG	10/20/1995
800-25	Water Levels	165-175	180	44.7	DG	10/18/1995
800-26	Water Levels	35-45	50	42.2	SG	10/9/1995
800-27	Water Levels	170-180	185	56.7	DG	10/4/1995
800-28	Water Levels	262-272	277	56.4	MAG	10/12/1995
800-29	Water Levels	50-60	65	56.2	SG	9/5/1995
800-30	Water Levels	20-30	35	24.7	SG	3/29/1996
800-39	Water Levels	61.5-71.5	76.5	80.9	SG	9/9/1996
800-40	OU III (off-site)	166-186	191	81.2	DG	9/10/1996
800-40	Water Levels	166-186	191	81.2	DG	9/10/1996
800-41	OU III (off-site)	203-223	228	80.9	MAG	9/6/1996
800-41	Water Levels	203-223	228	80.9	MAG	9/6/1996
800-42	Water Levels	60-70	75	79.5	SG	7/26/1996
800-43	OU III (Airport)	147-167	172	79.5	MG	7/25/1996
800-43	Water Levels	147-167	172	79.5	MG	7/25/1996
800-44	OU III (Airport)	202-222	227	79.3	DG	7/21/1996
800-44	Water Levels	202-222	227	79.3	DG	7/21/1996
800-50	OU III (Airport)	195-215	220	87.3	MAG	5/6/1997
800-50	Water Levels	195-215	220	87.3	MAG	5/6/1997
800-51	OU III (off-site)	70-80	85	84.8	SG	5/2/1997
800-51	Water Levels	70-80	85	84.8	SG	5/2/1997
800-52	OU III (off-site)	140-160	165	85.2	DG	5/1/1997
800-52	Water Levels	140-160	165	85.2	DG	5/1/1997
800-53	OU III (off-site)	190-210	215	85.4	MG	4/30/1997
800-53	Water Levels	190-210	215	85.4	MG	4/30/1997
800-54	OU III North Street East	145-165	170	83.3	DG	2/3/1997
800-54	Water Levels	145-165	170	83.3	DG	2/3/1997
800-55	Water Levels	--	--	26.0	SG	
800-56	Water Levels	--	--	18.0	SG	

